

Keishi Sugimachi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1805687/publications.pdf>

Version: 2024-02-01

86
papers

2,897
citations

236925

25
h-index

182427

51
g-index

87
all docs

87
docs citations

87
times ranked

5132
citing authors

#	ARTICLE	IF	CITATIONS
1	Impaired tumor immune response in metastatic tumors is a selective pressure for neutral evolution in CRC cases. <i>PLoS Genetics</i> , 2021, 17, e1009113.	3.5	7
2	Neutrophil-to-lymphocyte Ratio as a Predictor of Malignancy of Intraductal Papillary Mucinous Neoplasms. <i>Anticancer Research</i> , 2021, 41, 1663-1669.	1.1	5
3	The Evolving Genomic Landscape of Esophageal Squamous Cell Carcinoma Under Chemoradiotherapy. <i>Cancer Research</i> , 2021, 81, 4926-4938.	0.9	20
4	Prognostic significance of preoperative PNI and CA19-9 for pancreatic ductal adenocarcinoma: A multi-institutional retrospective study. <i>Pancreatology</i> , 2021, 21, 1356-1363.	1.1	27
5	Adenomyomatous hyperplasia of the extrahepatic bile duct: a systematic review of a rare lesion mimicking bile duct carcinoma. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 393-401.	0.8	7
6	Impact of a 7.5-Fr Pancreatic Stent for Preventing Pancreatic Fistula after Pancreaticoduodenectomy. <i>Digestive Surgery</i> , 2021, 38, 361-367.	1.2	7
7	Mitochondrial expression of the DNA repair enzyme OGG1 improves the prognosis of pancreatic ductal adenocarcinoma. <i>Pancreatology</i> , 2020, 20, 1175-1182.	1.1	2
8	Inferior Right Hepatic Vein-Preserving Hepatectomy for Large Liver Tumors: Anterior Approach Using the Two-Stage Modified Hanging Maneuver (with Video). <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1444-1447.	1.7	1
9	Laparoscopic spleen-preserving distal pancreatectomy for a solid-cystic intraabdominal desmoid tumor at a gastro-pancreatic lesion: a case report. <i>BMC Surgery</i> , 2020, 20, 24.	1.3	4
10	The Preoperative Prognostic Nutritional Index Predicts the Development of Deep Venous Thrombosis After Pancreatic Surgery. <i>Anticancer Research</i> , 2020, 40, 2297-2301.	1.1	11
11	<i>TGF2IRD1</i> on chromosome 7 is a novel oncogene regulating the tumor suppressor gene <i>TGFβ2R2</i> in colorectal cancer. <i>Cancer Science</i> , 2020, 111, 343-355.	3.9	15
12	Multicenter retrospective observational study of pancreatic cancer with positive peritoneal lavage cytology intended for surgical resection.. <i>Journal of Clinical Oncology</i> , 2020, 38, 695-695.	1.6	0
13	A multicenter clinical randomized phase II study of investigating duration of adjuvant chemotherapy with S-1 (six versus 12 months) for patients with resected pancreatic cancer: PACS-1 study.. <i>Journal of Clinical Oncology</i> , 2020, 38, 669-669.	1.6	0
14	Plastin3 is associated with epithelial-mesenchymal transition and poor prognosis in gastric cancer. <i>Oncology Letters</i> , 2019, 17, 2393-2399.	1.8	9
15	The Impact of Immunonutritional and Physical Status on Surgical Outcome After Pancreaticoduodenectomy in Elderly Patients. <i>Anticancer Research</i> , 2019, 39, 6347-6353.	1.1	12
16	The evolution of surgical treatment for gastrointestinal cancers. <i>International Journal of Clinical Oncology</i> , 2019, 24, 1333-1349.	2.2	7
17	Significance of bile culture surveillance for postoperative management of pancreatoduodenectomy. <i>World Journal of Surgical Oncology</i> , 2019, 17, 232.	1.9	19
18	Final results of JASPAC05: Phase II trial of neoadjuvant S-1 and concurrent radiotherapy followed by surgery in borderline resectable pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2019, 37, 4127-4127.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Serial mutational tracking in surgically resected locally advanced colorectal cancer with neoadjuvant chemotherapy. <i>British Journal of Cancer</i> , 2018, 119, 419-423.	6.4	12
20	Prognostic Significance of Preoperative Controlling Nutritional Status (CONUT) Score in Patients Undergoing Hepatic Resection for Hepatocellular Carcinoma: A Multi-institutional Study. <i>Annals of Surgical Oncology</i> , 2018, 25, 3316-3323.	1.5	85
21	A temporal shift of the evolutionary principle shaping intratumor heterogeneity in colorectal cancer. <i>Nature Communications</i> , 2018, 9, 2884.	12.8	82
22	Identification of UHRF2 as a Negative Regulator of Epithelial-Mesenchymal Transition and Its Clinical Significance in Esophageal Squamous Cell Carcinoma. <i>Oncology</i> , 2018, 95, 179-187.	1.9	19
23	Altered Expression of Hippo Signaling Pathway Molecules in Intrahepatic Cholangiocarcinoma. <i>Oncology</i> , 2017, 93, 67-74.	1.9	26
24	Phase II trial of capecitabine plus modified cisplatin (mXP) as first-line therapy in Japanese patients with metastatic gastric cancer (KSCC1104). <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 147-153.	2.3	4
25	Japanese genome-wide association study identifies a significant colorectal cancer susceptibility locus at chromosome 10p14. <i>Cancer Science</i> , 2017, 108, 2239-2247.	3.9	10
26	Clinical significance of ZNF750 gene expression, a novel tumor suppressor gene, in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2017, 14, 1795-1801.	1.8	12
27	Clinicopathological characteristics of disseminated carcinomatosis of the bone marrow in breast cancer patients. <i>Molecular and Clinical Oncology</i> , 2017, 8, 93-98.	1.0	8
28	Attenuated RND1 Expression Confers Malignant Phenotype and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 850-859.	1.5	11
29	Antitumor effects of the antiparasitic agent ivermectin via inhibition of Yes-associated protein 1 expression in gastric cancer. <i>Oncotarget</i> , 2017, 8, 107666-107677.	1.8	37
30	Clinical Significance of FANCD2 Gene Expression and its Association with Tumor Progression in Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2017, 37, 1083-1090.	1.1	20
31	Up-regulation of SLC9A9 Promotes Cancer Progression and Is Involved in Poor Prognosis in Colorectal Cancer. <i>Anticancer Research</i> , 2017, 37, 2255-2263.	1.1	18
32	miR-146a Polymorphism (rs2910164) Predicts Colorectal Cancer Patients' Susceptibility to Liver Metastasis. <i>PLoS ONE</i> , 2016, 11, e0165912.	2.5	25
33	8q24 Polymorphisms and Diabetes Mellitus Regulate Apolipoprotein A-IV in Colorectal Carcinogenesis. <i>Annals of Surgical Oncology</i> , 2016, 23, 546-551.	1.5	5
34	Relevance of microRNA-18a and microRNA-199a-5p to hepatocellular carcinoma recurrence after living donor liver transplantation. <i>Liver Transplantation</i> , 2016, 22, 665-676.	2.4	26
35	Clinical and biological significance of transcription termination factor, RNA polymerase I in human liver hepatocellular carcinoma. <i>Oncology Reports</i> , 2016, 35, 2073-2080.	2.6	7
36	Integrated Molecular Profiling of Human Gastric Cancer Identifies DDR2 as a Potential Regulator of Peritoneal Dissemination. <i>Scientific Reports</i> , 2016, 6, 22371.	3.3	58

#	ARTICLE	IF	CITATIONS
37	Decreased Expression of Fructose-1,6-bisphosphatase Associates with Glucose Metabolism and Tumor Progression in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2016, 76, 3265-3276.	0.9	113
38	Aberrant Methylation of FOXE1 Contributes to a Poor Prognosis for Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2016, 23, 3948-3955.	1.5	12
39	Genomic Landscape of Esophageal Squamous Cell Carcinoma in a Japanese Population. <i>Gastroenterology</i> , 2016, 150, 1171-1182.	1.3	265
40	Dysregulated YAP1/TAZ and TGF- β 2 signaling mediate hepatocarcinogenesis in <i>Mob1a/1b</i> -deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E71-80.	7.1	158
41	Integrated Multiregional Analysis Proposing a New Model of Colorectal Cancer Evolution. <i>PLoS Genetics</i> , 2016, 12, e1005778.	3.5	134
42	Somatic mutations in plasma cell-free DNA are diagnostic markers for esophageal squamous cell carcinoma recurrence. <i>Oncotarget</i> , 2016, 7, 62280-62291.	1.8	62
43	Increased Copy Number of the Gene Encoding SF3B4 Indicates Poor Prognosis in Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 2139-44.	1.1	13
44	HOXB7 Expression is a Novel Biomarker for Long-term Prognosis After Resection of Hepatocellular Carcinoma. <i>Anticancer Research</i> , 2016, 36, 2767-73.	1.1	19
45	Rapid intraoperative visualization of breast lesions with β -glutamyl hydroxymethyl rhodamine green. <i>Scientific Reports</i> , 2015, 5, 12080.	3.3	89
46	Identification of Recurrence-Related microRNAs from Bone Marrow in Hepatocellular Carcinoma Patients. <i>Journal of Clinical Medicine</i> , 2015, 4, 1600-1611.	2.4	5
47	A Long Non-coding RNA Activated by Transforming Growth Factor- β 2 is an Independent Prognostic Marker of Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 915-922.	1.5	91
48	Overexpression of Transcription Termination Factor 1 is Associated with a Poor Prognosis in Patients with Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1490-1498.	1.5	21
49	miR-29b is an indicator of prognosis in breast cancer patients. <i>Molecular and Clinical Oncology</i> , 2015, 3, 919-923.	1.0	33
50	The miR-506-Induced Epithelial-Mesenchymal Transition is Involved in Poor Prognosis for Patients with Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015, 22, 1436-1443.	1.5	23
51	Downregulation of PRRX1 Confers Cancer Stem Cell-Like Properties and Predicts Poor Prognosis in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 1402-1409.	1.5	28
52	Epigenetic modulation and repression of miR-200b by cancer-associated fibroblasts contribute to cancer invasion and peritoneal dissemination in gastric cancer. <i>Carcinogenesis</i> , 2015, 36, 133-141.	2.8	76
53	An Integrative Analysis to Identify Driver Genes in Esophageal Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2015, 10, e0139808.	2.5	17
54	Diminished expression of MiR-15a is an independent prognostic marker for breast cancer cases. <i>Anticancer Research</i> , 2015, 35, 123-7.	1.1	16

#	ARTICLE	IF	CITATIONS
55	A long noncoding RNA, lncRNA-ATB, is involved in the progression and prognosis of colorectal cancer. <i>Anticancer Research</i> , 2015, 35, 1385-8.	1.1	151
56	Repeat hepatectomies for hepatic malignant lymphoma and hepatocellular carcinoma associated with chronic hepatitis C: report of a case. <i>Surgery Today</i> , 2014, 44, 188-191.	1.5	4
57	Allelic Imbalance at an 8q24 Oncogenic SNP is Involved in Activating MYC in Human Colorectal Cancer. <i>Annals of Surgical Oncology</i> , 2014, 21, 515-521.	1.5	11
58	Aberrant Expression of Plastin-3 Via Copy Number Gain Induces the Epithelial to Mesenchymal Transition in Circulating Colorectal Cancer Cells. <i>Annals of Surgical Oncology</i> , 2014, 21, 3680-3690.	1.5	38
59	Prognostic significance of high mobility group box 1 (HMGB1) expression in patients with colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 5357-62.	1.1	25
60	Significance of hepatic resection for hepatocellular carcinoma with sustained virological response to interferon therapy for chronic hepatitis C. <i>Hepatology Research</i> , 2013, 43, 605-609.	3.4	9
61	Identification of a bona-fide biomarker of microRNA in serum exosomes to predict recurrence of hepatocellular carcinoma after liver transplantation. <i>Journal of Clinical Oncology</i> , 2013, 31, 183-183.	1.6	0
62	Application of splenectomy to decompress portal pressure in left lobe living donor liver transplantation. <i>Fukuoka Acta Medica</i> , 2013, 104, 282-9.	0.1	3
63	Total laparoscopic distal gastrectomy for elderly patients with gastric cancer. <i>Fukuoka Acta Medica</i> , 2013, 104, 290-8.	0.1	3
64	Case of early adenosquamous carcinoma of the stomach. <i>Fukuoka Acta Medica</i> , 2013, 104, 315-20.	0.1	4
65	Differential expression of insulin-like growth factor 1 in human primary liver cancer. <i>Fukuoka Acta Medica</i> , 2013, 104, 334-8.	0.1	2
66	Verification of our therapeutic criterion for acute cholecystitis: "perform a subemergency laparoscopic cholecystectomy when a patient is judged to be able to tolerate general anesthesia"--the experience in a single community hospital. <i>Fukuoka Acta Medica</i> , 2013, 104, 339-43.	0.1	1
67	Suppression of MAL gene expression in gastric cancer correlates with metastasis and mortality. <i>Fukuoka Acta Medica</i> , 2013, 104, 344-9.	0.1	7
68	Recurrent hepatitis B following recurrence of hepatocellular carcinoma after living donor liver transplantation. <i>Fukuoka Acta Medica</i> , 2013, 104, 376-82.	0.1	0
69	Effect of CD133-positive stem cells in repeated recurrence of hepatocellular carcinoma after liver transplantation: a case report. <i>Fukuoka Acta Medica</i> , 2013, 104, 383-8.	0.1	1
70	Thoracoscopic pericardial drainage for gastric tube ulcer penetrated into the pericardium. <i>Fukuoka Acta Medica</i> , 2013, 104, 389-93.	0.1	1
71	Incidence and predictors of deep venous thrombosis after abdominal oncologic surgery: Prospective Doppler ultrasound screening. <i>Journal of Surgical Research</i> , 2012, 178, 657-661.	1.6	11
72	Assessment of delayed gastric emptying after major hepatectomy using a ¹³ C-acetic acid breath test. <i>Surgery Today</i> , 2012, 42, 1046-1050.	1.5	1

#	ARTICLE	IF	CITATIONS
73	Prognostic Significance of Preoperative Imaging in Recipients of Living Donor Liver Transplantation for Hepatocellular Carcinoma. <i>Transplantation</i> , 2011, 91, 570-574.	1.0	14
74	Successful curative extracorporeal hepatic resection for far-advanced hepatocellular carcinoma in an adolescent patient. <i>Liver Transplantation</i> , 2010, 16, NA-NA.	2.4	6
75	Both Fibrous Capsule Formation and Extracapsular Penetration Are Powerful Predictors of Poor Survival in Human Hepatocellular Carcinoma: A Histological Assessment of 365 Patients in Japan. <i>Annals of Surgical Oncology</i> , 2009, 16, 2539-2546.	1.5	62
76	Impact of Des-Gamma-Carboxy Prothrombin and Tumor Size on the Recurrence of Hepatocellular Carcinoma After Living Donor Liver Transplantation. <i>Transplantation</i> , 2009, 87, 531-537.	1.0	150
77	Appraisal of Hepatic Resection in the Treatment of Hepatocellular Carcinoma with Severe Thrombocytopenia. <i>World Journal of Surgery</i> , 2008, 32, 1077-1081.	1.6	18
78	Extended Hemi-Hepatectomy with Portal Vein Reconstruction in a Patient with Situs Ambiguus. <i>Case Reports in Gastroenterology</i> , 2008, 2, 76-82.	0.6	5
79	Transcriptional repressor snail and progression of human hepatocellular carcinoma. <i>Clinical Cancer Research</i> , 2003, 9, 2657-64.	7.0	134
80	The mechanisms of angiogenesis in hepatocellular carcinoma: Angiogenic switch during tumor progression. <i>Surgery</i> , 2002, 131, S135-S141.	1.9	74
81	Repeat hepatectomy is the most useful treatment for recurrent hepatocellular carcinoma. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2001, 8, 410-416.	2.0	85
82	A novel variant of WISP1 lacking a Von Willebrand type C module overexpressed in scirrhous gastric carcinoma. <i>Oncogene</i> , 2001, 20, 5525-5532.	5.9	77
83	Altered Expression of β -Catenin without Genetic Mutation in Intrahepatic Cholangiocarcinoma. <i>Modern Pathology</i> , 2001, 14, 900-905.	5.5	110
84	Grb7 signal transduction protein mediates metastatic progression of esophageal carcinoma. <i>Journal of Cellular Physiology</i> , 2000, 183, 411-415.	4.1	50
85	Expression and Antitumor Effects of TRAIL in Human Cholangiocarcinoma. <i>Hepatology</i> , 2000, 32, 523-527.	7.3	42
86	Conservative Treatment for the Removal of a Central Venous Catheter with Large Thrombus: A Case Report. <i>Nutrition in Clinical Practice</i> , 2000, 15, 223-226.	2.4	0