## Justyna Leszczak

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1805907/publications.pdf

Version: 2024-02-01

1039880 940416 34 325 9 16 citations g-index h-index papers 34 34 34 373 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	The association between steps per day and blood pressure in children. Scientific Reports, 2022, 12, 1422.	1.6	5
2	Consumption of selected food products by adults representing various body mass categories, during Covid-19 lockdown in Poland. European Journal of Clinical Nutrition, 2022, , .	1.3	1
3	Occupational burnout among active physiotherapists working in clinical hospitals during the COVID-19 pandemic in south-eastern Poland. Work, 2021, 68, 285-295.	0.6	40
4	Psychometric Properties and Validation of the Polish Version of the 12-Item World Health Organization Disability Assessment Schedule 2.0 in Patients with Huntington's Disease. Journal of Clinical Medicine, 2021, 10, 1053.	1.0	0
5	The Efficiency of Spa Rehabilitation in Chronic Ischemic Stroke Patientsâ€"Preliminary Reports. Brain Sciences, 2021, 11, 501.	1.1	2
6	Changes in Children's Body Composition and Posture during Puberty Growth. Children, 2021, 8, 288.	0.6	13
7	Health behaviours of young adults during the outbreak of the Covid-19 pandemic – a longitudinal study. BMC Public Health, 2021, 21, 1038.	1.2	36
8	Prenatal and Postnatal Anxiety and Depression in Mothers during the COVID-19 Pandemic. Journal of Clinical Medicine, 2021, 10, 3193.	1.0	19
9	Is There a Link between Balance and Body Mass Composition in Children and Adolescents?. International Journal of Environmental Research and Public Health, 2021, 18, 10449.	1.2	8
10	Comparison of the Level of Physical Activity in Young Adults before and during the COVID-19 Pandemicâ€"A Longitudinal Study. Medical Sciences Forum, 2021, 6, .	0.5	0
11	Excessive Gestational Weight Gain: Long-Term Consequences for the Child. Journal of Clinical Medicine, 2020, 9, 3795.	1.0	16
12	60 Minutes Per Day in Moderate to Vigorous Physical Activity as a Natural Health Protector in Young Population. International Journal of Environmental Research and Public Health, 2020, 17, 8918.	1.2	13
13	Effect of Post-Stroke Rehabilitation on Body Mass Composition in Relation to Socio-Demographic and Clinical Factors. International Journal of Environmental Research and Public Health, 2020, 17, 5134.	1.2	4
14	Agreement of Three Posturographic Force Plates in the Assessment of Postural Stability. International Journal of Environmental Research and Public Health, 2020, 17, 3188.	1.2	5
15	Body Fat and Muscle Mass in Association with Foot Structure in Adolescents: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2020, 17, 811.	1.2	4
16	Associations between adiposity indicators and hypertension among children and adolescents with intellectual disabilityâ€"A caseâ€"control study. Journal of Applied Research in Intellectual Disabilities, 2020, 33, 1133-1140.	1.3	2
17	Early Eating Patterns and Overweight and Obesity in a Sample of Preschool Children in South-East Poland. International Journal of Environmental Research and Public Health, 2019, 16, 3064.	1.2	9
18	Relationship between Children's Birth Weight and Birth Length and a Risk of Overweight and Obesity in 4–15-Year-Old Children. Medicina (Lithuania), 2019, 55, 487.	0.8	7

#	Article	IF	CITATIONS
19	Levels of Physical Activity in Children and Adolescents with Type 1 Diabetes in Relation to the Healthy Comparators and to the Method of Insulin Therapy Used. International Journal of Environmental Research and Public Health, 2019, 16, 3498.	1.2	32
20	Diet after Stroke and Its Impact on the Components of Body Mass and Functional Fitness—A 4-Month Observation. Nutrients, 2019, 11, 1227.	1.7	6
21	Role of body mass category in the development of faulty postures in school-age children from a rural area in south-eastern Poland: a cross-sectional study. BMJ Open, 2019, 9, e030610.	0.8	7
22	Impact of Birth Weight and Length on Primary Hypertension in Children. International Journal of Environmental Research and Public Health, 2019, 16, 4649.	1.2	8
23	Sedentary behaviors in children and adolescents with type 1 diabetes, depending on the insulin therapy used. Medicine (United States), 2019, 98, e15625.	0.4	8
24	Association Between Body Mass Index and Results of Rehabilitation in Patients After Stroke: A 3-Month Observational Follow-Up Study. Medical Science Monitor, 2019, 25, 4869-4876.	0.5	7
25	The Influence of Body Mass Composition on the Postural Characterization of School-Age Children and Adolescents. BioMed Research International, 2018, 2018, 1-7.	0.9	14
26	Selected Factors Against Functional Performance in Patients in the Early Period After Stroke. Topics in Geriatric Rehabilitation, 2017, 33, 238-243.	0.2	2
27	Analysis of Relationship between the Body Mass Composition and Physical Activity with Body Posture in Children. BioMed Research International, 2016, 2016, 1-10.	0.9	35
28	Selected factors affecting the efficiency of wheelchair mobility in individuals with spinal cord injury. Advances in Rehabilitation, 2016, 30, 5-15.	0.2	0
29	Occupational Activity in Patients 10 Years after Hip Replacement Surgery. Ortopedia Traumatologia Rehabilitacja, 2016, 18, 327-336.	0.1	3
30	Assessment of the correlations between gait speed in post-stroke patients and the time from stroke onset, the level of motor control in the paretic lower limb, proprioception, visual field impairment and functional independence. Advances in Rehabilitation, 2016, 30, 5-16.	0.2	0
31	Change in Anthropometric Parameters of the Posture of Students of Physiotherapy after Three Years of Professional Training. BioMed Research International, 2014, 2014, 1-9.	0.9	16
32	Pain symptoms of the spine and work ergonomics of people in south-eastern Poland. Annals of Agricultural and Environmental Medicine, 2013, Spec no. 1, 39-44.	0.5	0
33	Assessment of Functional Performance in Children with Cerebral Palsy Receiving Treatment in a Day Care Facility: An Observational Study. Medical Science Monitor, 0, 28, .	0.5	1
34	Impact of a Rehabilitation Program on the Change in Components of Body Mass of the Upper and Lower Limbs in People After Ischemic Stroke. Medical Science Monitor, 0, 28, .	0.5	2