

Petr Pavek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1806116/petr-pavek-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130
papers

4,068
citations

37
h-index

60
g-index

138
ext. papers

4,587
ext. citations

4.7
avg, IF

5.57
L-index

#	Paper	IF	Citations
130	Gene expression profiling of 1 α ,25(OH) $_2$ D treatment in 2D/3D human hepatocyte models reveals CYP3A4 induction but minor changes in other xenobiotic-metabolizing genes.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2200070	5.9	0
129	Multidrug Resistance-Associated Protein 2 Deficiency Aggravates Estrogen-Induced Impairment of Bile Acid Metabolomics in Rats.. <i>Frontiers in Physiology</i> , 2022 , 13, 859294	4.6	0
128	Real-time monitoring of Metridia luciferase release from cells upon interaction with model toxic substances by a fully automatic flow setup - A proof of concept.. <i>Talanta</i> , 2022 , 245, 123465	6.2	0
127	Higher Risk of Cardiovascular Diseases in Rheumatoid Arthritis Patients Without Methotrexate Treatment. <i>Frontiers in Pharmacology</i> , 2021 , 12, 703279	5.6	
126	Off-target lipid metabolism disruption by the mouse constitutive androstane receptor ligand TCPOBOP in humanized mice.. <i>Biochemical Pharmacology</i> , 2021 , 114905	6	1
125	Expression dynamics of pregnane X receptor-controlled genes in 3D primary human hepatocyte spheroids. <i>Archives of Toxicology</i> , 2021 , 1	5.8	1
124	Dietary phytochemicals as modulators of human pregnane X receptor. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-23	11.5	5
123	Oligonucleotide Delivery across the Caco-2 Monolayer: The Design and Evaluation of Self-Emulsifying Drug Delivery Systems (SEDDS). <i>Pharmaceutics</i> , 2021 , 13,	6.4	4
122	Current challenges and future perspectives in oral absorption research: An opinion of the UNGAP network. <i>Advanced Drug Delivery Reviews</i> , 2021 , 171, 289-331	18.5	30
121	3D printed permeation module to monitor interaction of cell membrane transporters with exogenic compounds in real-time. <i>Analytica Chimica Acta</i> , 2021 , 1153, 338296	6.6	1
120	Transcriptional and post-transcriptional regulation of the pregnane X receptor: a rationale for interindividual variability in drug metabolism. <i>Archives of Toxicology</i> , 2021 , 95, 11-25	5.8	4
119	3D Spheroids of Primary Human Hepatocytes: An In Vitro Model That Will Make Pharmacotherapy Safer?. <i>Clinical Pharmacology and Therapeutics</i> , 2021 , 109, 1186-1188	6.1	
118	PLGA Based Nanospheres as a Potent Macrophage-Specific Drug Delivery System. <i>Nanomaterials</i> , 2021 , 11,	5.4	11
117	(E)-7-Ethylidene-lithocholic Acid (7-ELCA) Is a Potent Dual Farnesoid X Receptor (FXR) Antagonist and GPBAR1 Agonist Inhibiting FXR-Induced Gene Expression in Hepatocytes and Stimulating Glucagon-like Peptide-1 Secretion From Enteroendocrine Cells. <i>Frontiers in Pharmacology</i> , 2021 , 12, 713149	5.6	1
116	Metformin impairs bile acid homeostasis in ethinylestradiol-induced cholestasis in mice. <i>Chemico-Biological Interactions</i> , 2021 , 345, 109525	5	2
115	A review on pharmacological activities and synergistic effect of quercetin with small molecule agents. <i>Phytomedicine</i> , 2021 , 92, 153736	6.5	14
114	3 β isobeticholic acid efficiently activates the farnesoid X receptor (FXR) due to its epimerization to 3 β epimer by hepatic metabolism. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020 , 202, 105702	5.1	1

113	The influence of coffee intake and genetics on adenosine pathway in rheumatoid arthritis. <i>Pharmacogenomics</i> , 2020 , 21, 735-749	2.6	4
112	The 3Quntranslated region contributes to the pregnane X receptor (PXR) expression down-regulation by PXR ligands and up-regulation by glucocorticoids. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 136-152	15.5	13
111	Ecatenin signaling, the constitutive androstane receptor and their mutual interactions. <i>Archives of Toxicology</i> , 2020 , 94, 3983-3991	5.8	6
110	Diazepam Promotes Translocation of Human Constitutive Androstane Receptor (CAR) via Direct Interaction with the Ligand-Binding Domain. <i>Cells</i> , 2020 , 9,	7.9	3
109	Sesquiterpenes Are Agonists of the Pregnane X Receptor but Do Not Induce the Expression of Phase I Drug-Metabolizing Enzymes in the Human Liver. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	2
108	Stilbene compound trans-3,4,5,4-tetramethoxystilbene, a potential anticancer drug, regulates constitutive androstane receptor (Car) target genes, but does not possess proliferative activity in mouse liver. <i>Toxicology Letters</i> , 2019 , 313, 1-10	4.4	3
107	Genetic Predispositions of Glucocorticoid Resistance and Therapeutic Outcomes in Polymyalgia Rheumatica and Giant Cell Arteritis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
106	The mechanisms of pharmacokinetic food-drug interactions - A perspective from the UNGAP group. <i>European Journal of Pharmaceutical Sciences</i> , 2019 , 134, 31-59	5.1	119
105	Development of 3,5-Dinitrophenyl-Containing 1,2,4-Triazoles and Their Trifluoromethyl Analogues as Highly Efficient Antitubercular Agents Inhibiting Decaprenylphosphoryl-β-D-ribofuranose 2Qxidase. <i>Journal of Medicinal Chemistry</i> , 2019 , 62, 8115-8139	8.3	19
104	Iron overload reduces synthesis and elimination of bile acids in rat liver. <i>Scientific Reports</i> , 2019 , 9, 9780	4.9	4
103	Marine Ligands of the Pregnane X Receptor (PXR): An Overview. <i>Marine Drugs</i> , 2019 , 17,	6	6
102	Trans-resveratrol, but not other natural stilbenes occurring in food, carries the risk of drug-food interaction via inhibition of cytochrome P450 enzymes or interaction with xenosensor receptors. <i>Toxicology Letters</i> , 2019 , 300, 81-91	4.4	17
101	Ursodeoxycholyly lysophosphatidylethanolamide negatively regulates TLR-mediated lipopolysaccharide response in human THP-1-derived macrophages. <i>European Journal of Pharmacology</i> , 2018 , 825, 63-74	5.3	2
100	Unexpected Effects of Propiconazole, Tebuconazole, and Their Mixture on the Receptors CAR and PXR in Human Liver Cells. <i>Toxicological Sciences</i> , 2018 , 163, 170-181	4.4	21
99	Effect of Endocannabinoid Oleamide on Rat and Human Liver Cytochrome P450 Enzymes in In Vitro and In Vivo Models. <i>Drug Metabolism and Disposition</i> , 2018 , 46, 913-923	4	4
98	Are haplotypes in a single methotrexate pathway more predictive for response in rheumatoid arthritis than in different pathways?. <i>Pharmacogenomics</i> , 2018 , 19, 379-381	2.6	
97	Mathematical Models in the Description of Pregnane X Receptor (PXR)-Regulated Cytochrome P450 Enzyme Induction. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	10
96	A feasibility study of the toxic responses of human induced pluripotent stem cell-derived hepatocytes to phytochemicals. <i>Toxicology in Vitro</i> , 2018 , 52, 94-105	3.6	7

95	In vitro and in silico Evaluation of Non-Quaternary Reactivators of AChE as Antidotes of Organophosphorus Poisoning - a New Hope or a Blind Alley?. <i>Medicinal Chemistry</i> , 2018 , 14, 281-292	1.8	10
94	Honey flavonoids inhibit hOATP2B1 and hOATP1A2 transporters and hOATP-mediated rosuvastatin cell uptake in vitro. <i>Xenobiotica</i> , 2018 , 48, 745-755	2	11
93	Teriflunomide Is an Indirect Human Constitutive Androstane Receptor (CAR) Activator Interacting With Epidermal Growth Factor (EGF) Signaling. <i>Frontiers in Pharmacology</i> , 2018 , 9, 993	5.6	9
92	Interaction of soy isoflavones and their main metabolites with hOATP2B1 transporter. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018 , 391, 1063-1071	3.4	5
91	Steviol, an aglycone of steviol glycoside sweeteners, interacts with the pregnane X (PXR) and aryl hydrocarbon (AHR) receptors in detoxification regulation. <i>Food and Chemical Toxicology</i> , 2017 , 109, 130-142	4.7	13
90	Iron depletion induces hepatic secretion of biliary lipids and glutathione in rats. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017 , 1862, 1469-1480	5	13
89	Modulation of xenobiotic conjugation enzymes by dihydromyricetin in rats. <i>Monatshefte Für Chemie</i> , 2017 , 148, 2003-2009	1.4	1
88	The plausible association of MTHFR and ADORA2A polymorphisms with nodules in rheumatoid arthritis patients treated with methotrexate. <i>Pharmacogenetics and Genomics</i> , 2017 , 27, 43-50	1.9	5
87	Development of water-soluble 3,5-dinitrophenyl tetrazole and oxadiazole antitubercular agents. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 5468-5476	3.4	20
86	Acetylated deoxycholic (DCA) and cholic (CA) acids are potent ligands of pregnane X (PXR) receptor. <i>Toxicology Letters</i> , 2017 , 265, 86-96	4.4	19
85	S-substituted 3,5-dinitrophenyl 1,3,4-oxadiazole-2-thiols and tetrazole-5-thiols as highly efficient antitubercular agents. <i>European Journal of Medicinal Chemistry</i> , 2017 , 126, 369-383	6.8	37
84	Resveratrol modifies biliary secretion of cholephilic compounds in sham-operated and cholestatic rats. <i>World Journal of Gastroenterology</i> , 2017 , 23, 7678-7692	5.6	6
83	Methotrexate impact on radiographic progression in biologic-treated rheumatoid arthritis under clinical remission: A case report on monozygotic Caucasian twins. <i>International Journal of Immunopathology and Pharmacology</i> , 2016 , 29, 790-795	3	0
82	Expression of organic cation transporter 1 (OCT1): unique patterns of indirect regulation by nuclear receptors and hepatospecific gene regulation. <i>Drug Metabolism Reviews</i> , 2016 , 48, 139-58	7	14
81	Development of 3,5-Dinitrobenzylsulfanyl-1,3,4-oxadiazoles and Thiadiazoles as Selective Antitubercular Agents Active Against Replicating and Nonreplicating Mycobacterium tuberculosis. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 2362-80	8.3	61
80	Fully automatic flow-based device for monitoring of drug permeation across a cell monolayer. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 971-81	4.4	4
79	Pregnane X Receptor and Cancer: Context-Specificity is Key. <i>Nuclear Receptor Research</i> , 2016 , 3,	1.4	39
78	Pregnane X Receptor (PXR)-Mediated Gene Repression and Cross-Talk of PXR with Other Nuclear Receptors via Coactivator Interactions. <i>Frontiers in Pharmacology</i> , 2016 , 7, 456	5.6	65

77	The pregnane X receptor down-regulates organic cation transporter 1 (SLC22A1) in human hepatocytes by competing for ("squelching") SRC-1 coactivator. <i>British Journal of Pharmacology</i> , 2016 , 173, 1703-15	8.6	28
76	2-(3-Methoxyphenyl)quinazoline Derivatives: A New Class of Direct Constitutive Androstane Receptor (CAR) Agonists. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 4601-10	8.3	14
75	The Use of the LanthaScreen TR-FRET CAR Coactivator Assay in the Characterization of Constitutive Androstane Receptor (CAR) Inverse Agonists. <i>Sensors</i> , 2015 , 15, 9265-76	3.8	16
74	Bioinformatic analysis of miRNAs targeting the key nuclear receptors regulating CYP3A4 gene expression: The challenge of the CYP3A4 "missing heritability" enigma. <i>Journal of Applied Biomedicine</i> , 2015 , 13, 181-188	0.6	7
73	Boldine enhances bile production in rats via osmotic and farnesoid X receptor dependent mechanisms. <i>Toxicology and Applied Pharmacology</i> , 2015 , 285, 12-22	4.6	17
72	Novel derivatives of nitro-substituted salicylic acids: Synthesis, antimicrobial activity and cytotoxicity. <i>Bioorganic and Medicinal Chemistry</i> , 2015 , 23, 7292-301	3.4	8
71	AB0511 Discontinuation of Methotrexate Treatment in Patients with Rheumatoid Arthritis and Relationships with Candidate Single Nucleotide Polymorphisms. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1070.1-1070	2.4	
70	Bisamidate Prodrugs of 2-Substituted 9-[2-(Phosphonomethoxy)ethyl]adenine (PMEA, adefovir) as Selective Inhibitors of Adenylate Cyclase Toxin from <i>Bordetella pertussis</i> . <i>ChemMedChem</i> , 2015 , 10, 1351-64	3.7	15
69	Ecological Characteristics of <i>Ventemata dubia</i> in the Intermountain Pacific Northwest. <i>Invasive Plant Science and Management</i> , 2015 , 8, 57-71	1	26
68	The impact of C677T and A1298C MTHFR polymorphisms on methotrexate therapeutic response in East Bohemian region rheumatoid arthritis patients. <i>Rheumatology International</i> , 2015 , 35, 1149-61	3.6	15
67	Chrysin, baicalein and galangin are indirect activators of the human constitutive androstane receptor (CAR). <i>Toxicology Letters</i> , 2015 , 233, 68-77	4.4	29
66	Entecavir Interacts with Influx Transporters hOAT1, hCNT2, hCNT3, but Not with hOCT2: The Potential for Renal Transporter-Mediated Cytotoxicity and Drug-Drug Interactions. <i>Frontiers in Pharmacology</i> , 2015 , 6, 304	5.6	7
65	Genetic polymorphisms in metabolic pathways of leflunomide in the treatment of rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 426-32	2.2	5
64	Role of dihydromyricetin in cytochrome P450-mediated metabolism and carcinogen activation. <i>Neuroendocrinology Letters</i> , 2015 , 36 Suppl 1, 46-52	0.3	3
63	U0126, a mitogen-activated protein kinase kinase 1 and 2 (MEK1 and 2) inhibitor, selectively up-regulates main isoforms of CYP3A subfamily via a pregnane X receptor (PXR) in HepG2 cells. <i>Archives of Toxicology</i> , 2014 , 88, 2243-59	5.8	20
62	Metformin induces PGC-1 β expression and selectively affects hepatic PGC-1 β functions. <i>British Journal of Pharmacology</i> , 2014 , 171, 2351-63	8.6	50
61	Adherence to osteoporosis guideline: survey among Czech general practitioners. <i>Open Medicine (Poland)</i> , 2014 , 9, 687-693	2.2	1
60	1-Substituted-5-[(3,5-dinitrobenzyl)sulfanyl]-1H-tetrazoles and their isosteric analogs: A new class of selective antitubercular agents active against drug-susceptible and multidrug-resistant mycobacteria. <i>European Journal of Medicinal Chemistry</i> , 2014 , 82, 324-40	6.8	36

59	Resveratrol as an inhibitor of pregnane X receptor (PXR): another lesson in PXR antagonism. <i>Journal of Pharmacological Sciences</i> , 2014 , 126, 177-8	3.7	10
58	THU0144 The Influence of the Methylenetetrahydrofolate Reductase (MTHFR) Polymorphism on Methotrexate Treatment Outcome in Patients with Rheumatoid Arthritis in the EAST Bohemian Region. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 228.3-229	2.4	
57	Cytochrome P450 enzyme regulation by glucocorticoids and consequences in terms of drug interaction. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2014 , 10, 425-35	5.5	35
56	Nuclear receptors in regulation of biotransformation enzymes and drug transporters in the placental barrier. <i>Drug Metabolism Reviews</i> , 2014 , 46, 19-32	7	27
55	Valproate activates ERK signaling pathway in primary human hepatocytes. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2014 , 158, 39-43	1.7	2
54	Interactions with selected drug renal transporters and transporter-mediated cytotoxicity in antiviral agents from the group of acyclic nucleoside phosphonates. <i>Toxicology</i> , 2013 , 311, 135-46	4.4	13
53	Glucocorticoid receptor regulates organic cation transporter 1 (OCT1, SLC22A1) expression via HNF4 α upregulation in primary human hepatocytes. <i>Pharmacological Reports</i> , 2013 , 65, 1322-35	3.9	20
52	The role of residues T248, Y249 and T422 in the function of human pregnane X receptor. <i>Archives of Toxicology</i> , 2013 , 87, 291-301	5.8	17
51	Effects of glucocorticoids on cytochrome P450 1A1 (CYP1A1) expression in isolated human placental trophoblast. <i>Journal of Applied Biomedicine</i> , 2013 , 11, 163-172	0.6	5
50	Dexamethasone accelerates degradation of aryl hydrocarbon receptor (AHR) and suppresses CYP1A1 induction in placental JEG-3 cell line. <i>Toxicology Letters</i> , 2013 , 223, 183-91	4.4	16
49	Effects of anthocyanins on the AhR-CYP1A1 signaling pathway in human hepatocytes and human cancer cell lines. <i>Toxicology Letters</i> , 2013 , 221, 1-8	4.4	27
48	Pelargonidin activates the AhR and induces CYP1A1 in primary human hepatocytes and human cancer cell lines HepG2 and LS174T. <i>Toxicology Letters</i> , 2013 , 218, 253-9	4.4	42
47	Cholestatic effect of epigallocatechin gallate in rats is mediated via decreased expression of Mrp2. <i>Toxicology</i> , 2013 , 303, 9-15	4.4	25
46	Post-translational and post-transcriptional modifications of pregnane X receptor (PXR) in regulation of the cytochrome P450 superfamily. <i>Current Drug Metabolism</i> , 2013 , 14, 1059-69	3.5	77
45	Construction and characterization of peroxisome proliferator-activated receptor-gamma co-activator 1 alpha (PGC-1 α) over-expressing cell line derived from human hepatocyte carcinoma HepG2 cells). <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2013 , 157, 214-21	1.7	
44	Construction and characterization of a reporter gene cell line for assessment of human glucocorticoid receptor activation. <i>European Journal of Pharmaceutical Sciences</i> , 2012 , 47, 842-7	5.1	33
43	In vitro platelet antiaggregatory properties of 4-methylcoumarins. <i>Biochimie</i> , 2012 , 94, 2681-6	4.6	19
42	Olomoucine II and purvalanol A inhibit ABCG2 transporter in vitro and in situ and synergistically potentiate cytostatic effect of mitoxantrone. <i>Pharmacological Research</i> , 2012 , 65, 312-9	10.2	22

41	Rifampicin Does not Significantly Affect the Expression of Small Heterodimer Partner in Primary Human Hepatocytes. <i>Frontiers in Pharmacology</i> , 2012 , 3, 1	5.6	103
40	Valproic acid augments vitamin D receptor-mediated induction of CYP24 by vitamin D3: a possible cause of valproic acid-induced osteomalacia?. <i>Toxicology Letters</i> , 2011 , 200, 146-53	4.4	34
39	Construction and characterization of hepatocyte nuclear factor HNF4alpha1 over-expressing cell line derived from human hepatoma HepG2 cells. <i>European Journal of Pharmacology</i> , 2011 , 669, 45-50	5.3	4
38	Metformin suppresses pregnane X receptor (PXR)-regulated transactivation of CYP3A4 gene. <i>Biochemical Pharmacology</i> , 2011 , 82, 1771-80	6	63
37	Novel stably transfected gene reporter human hepatoma cell line for assessment of aryl hydrocarbon receptor transcriptional activity: construction and characterization. <i>Environmental Science & Technology</i> , 2011 , 45, 10133-9	10.3	53
36	Endogenous and exogenous ligands of aryl hydrocarbon receptor: current state of art. <i>Current Drug Metabolism</i> , 2011 , 12, 198-212	3.5	152
35	Aryl hydrocarbon receptor and aryl hydrocarbon nuclear translocator expression in human and rat placentas and transcription activity in human trophoblast cultures. <i>Toxicological Sciences</i> , 2011 , 123, 26-36	4.4	36
34	The function of cytochrome P450 1A1 enzyme (CYP1A1) and aryl hydrocarbon receptor (AhR) in the placenta. <i>Current Pharmaceutical Biotechnology</i> , 2011 , 12, 715-30	2.6	81
33	Expression and function of p-glycoprotein in normal tissues: effect on pharmacokinetics. <i>Methods in Molecular Biology</i> , 2010 , 596, 199-222	1.4	57
32	Benzodiazepines medazepam and midazolam are activators of pregnane X receptor and weak inducers of CYP3A4: investigation in primary cultures of human hepatocytes and hepatocarcinoma cell lines. <i>Toxicology Letters</i> , 2010 , 193, 183-8	4.4	19
31	Regulation of drug-metabolizing cytochrome P450 enzymes by glucocorticoids. <i>Drug Metabolism Reviews</i> , 2010 , 42, 621-35	7	85
30	Investigation of Orlistat effects on PXR activation and CYP3A4 expression in primary human hepatocytes and human intestinal LS174T cells. <i>European Journal of Pharmaceutical Sciences</i> , 2010 , 41, 276-80	5.1	6
29	Intestinal cell-specific vitamin D receptor (VDR)-mediated transcriptional regulation of CYP3A4 gene. <i>Biochemical Pharmacology</i> , 2010 , 79, 277-87	6	55
28	Stereoselective interactions of warfarin enantiomers with the pregnane X nuclear receptor in gene regulation of major drug-metabolizing cytochrome P450 enzymes. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 2708-17	15.4	43
27	Dexamethasone controls aryl hydrocarbon receptor (AhR)-mediated CYP1A1 and CYP1A2 expression and activity in primary cultures of human hepatocytes. <i>Chemico-Biological Interactions</i> , 2009 , 179, 288-96	5	62
26	New high-performance liquid chromatography method for the determination of (R)-warfarin and (S)-warfarin using chiral separation on a glycopeptide-based stationary phase. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 3226-30	3.2	23
25	Expression and activity of vitamin D receptor in the human placenta and in choriocarcinoma BeWo and JEG-3 cell lines. <i>Molecular and Cellular Endocrinology</i> , 2009 , 299, 178-87	4.4	64
24	Variation of drug kinetics in pregnancy. <i>Current Drug Metabolism</i> , 2009 , 10, 520-9	3.5	85

23	Comment on "The role of redox-sensitive transcription factors NF-kB and AP-1 in the modulation of the Cyp1A1 gene by mercury, lead, and copper". <i>Free Radical Biology and Medicine</i> , 2008 , 45, 939; author reply 940	7.8	1
22	JNK inhibitor SP600125 is a partial agonist of human aryl hydrocarbon receptor and induces CYP1A1 and CYP1A2 genes in primary human hepatocytes. <i>Biochemical Pharmacology</i> , 2008 , 75, 580-8	6	60
21	SB203580, a pharmacological inhibitor of p38 MAP kinase transduction pathway activates ERK and JNK MAP kinases in primary cultures of human hepatocytes. <i>European Journal of Pharmacology</i> , 2008 , 593, 16-23	5.3	51
20	Role of breast cancer resistance protein (Bcrp/Abcg2) in fetal protection during gestation in rat. <i>Toxicology Letters</i> , 2008 , 178, 176-80	4.4	40
19	Azole antimycotics differentially affect rifampicin-induced pregnane X receptor-mediated CYP3A4 gene expression. <i>Drug Metabolism and Disposition</i> , 2008 , 36, 339-48	4	51
18	Xenobiotic-induced transcriptional regulation of xenobiotic metabolizing enzymes of the cytochrome P450 superfamily in human extrahepatic tissues. <i>Current Drug Metabolism</i> , 2008 , 9, 129-43	3.5	264
17	Examination of Glucocorticoid receptor alpha-mediated transcriptional regulation of P-glycoprotein, CYP3A4, and CYP2C9 genes in placental trophoblast cell lines. <i>Placenta</i> , 2007 , 28, 1004-11	3.4	73
16	Glucocorticoid receptor functions in HeLa Cells are perturbed by 2,3,8,9-tetrachlorodibenzo-p-dioxin (TCDD). <i>Drug Metabolism Letters</i> , 2007 , 1, 311-4	2.1	6
15	Valproic acid induces CYP3A4 and MDR1 gene expression by activation of constitutive androstane receptor and pregnane X receptor pathways. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1032-41	4	163
14	P-glycoprotein in the placenta: expression, localization, regulation and function. <i>Reproductive Toxicology</i> , 2006 , 22, 400-10	3.4	164
13	Corticosterone transfer and metabolism in the dually perfused rat placenta: effect of 11beta-hydroxysteroid dehydrogenase type 2. <i>Placenta</i> , 2006 , 27, 171-80	3.4	37
12	Expression and transport activity of breast cancer resistance protein (Bcrp/Abcg2) in dually perfused rat placenta and HRP-1 cell line. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 53-62	4.7	72
11	Expression and functional activity of breast cancer resistance protein (BCRP, ABCG2) transporter in the human choriocarcinoma cell line BeWo. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2006 , 33, 58-65	3	68
10	Lack of interactions between breast cancer resistance protein (bcrp/abcg2) and selected antiepileptic agents. <i>Epilepsia</i> , 2006 , 47, 461-8	6.4	61
9	Breast cancer resistance protein (BCRP/ABCG2). <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 720-5	5.6	165
8	Human breast cancer resistance protein: interactions with steroid drugs, hormones, the dietary carcinogen 2-amino-1-methyl-6-phenylimidazo(4,5-b)pyridine, and transport of cimetidine. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2005 , 312, 144-52	4.7	238
7	P-glycoprotein expression and distribution in the rat placenta during pregnancy. <i>Reproductive Toxicology</i> , 2004 , 18, 785-92	3.4	59
6	Examination of the functional activity of P-glycoprotein in the rat placental barrier using rhodamine 123. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2003 , 305, 1239-50	4.7	51

5	Stereoselective pharmacokinetics and metabolism of flobufen in guinea pigs. <i>Chirality</i> , 2003 , 15, 724-9	2.1	4
4	Determination of rhodamine 123 by sequential injection technique for pharmacokinetic studies in the rat placenta. <i>Talanta</i> , 2002 , 58, 1145-1149	6.2	5
3	Influence of P-glycoprotein on the transplacental passage of cyclosporine. <i>Journal of Pharmaceutical Sciences</i> , 2001 , 90, 1583-92	3.9	60
2	Stereoselective pharmacokinetics of flobufen in rats. <i>Chirality</i> , 1999 , 11, 781-6	2.1	7
1	Unidirectional transfer of D-xylose across the rat placenta. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998 , 25, 54-6	3	1