

Minoru Satoh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1806165/minoru-satoh-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182 papers	8,127 citations	47 h-index	85 g-index
195 ext. papers	9,288 ext. citations	5.6 avg, IF	5.74 L-index

#	Paper	IF	Citations
182	Anti-synthetase syndrome occurring after SARS-CoV-2 infection.. <i>Scandinavian Journal of Rheumatology</i> , 2022 , 1-3	1.9	0
181	The International Consensus on ANA Patterns (ICAP) in 2021-The 6th Workshop and Current Perspectives.. <i>journal of applied laboratory medicine, The</i> , 2022 , 7, 322-330	2	6
180	Antigen Reactivity and Clinical Significance of Autoantibodies Directed Against the Pyruvate Dehydrogenase Antigen Complex in Patients With Connective Tissue Disease.. <i>Frontiers in Immunology</i> , 2022 , 13, 822996	8.4	0
179	Myositis with prominent B-cell aggregates causing shrinking lung syndrome in systemic lupus erythematosus: a case report.. <i>BMC Rheumatology</i> , 2022 , 6, 11	2.9	0
178	Autoimmune pulmonary alveolar proteinosis exacerbated by steroid therapy due to misdiagnosis as anti-aminoacyl-tRNA synthetase (ARS) antibody positive- interstitial pneumonia: a case report.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 120	3.5	1
177	Comment on: Concordance between myositis autoantibodies and anti-nuclear antibody patterns in a real-world, Australian cohort.. <i>Rheumatology</i> , 2022 ,	3.9	1
176	Comment on: Favourable complete remission of anti-OJ antibody-positive myositis after lung cancer resection.. <i>Rheumatology</i> , 2022 ,	3.9	1
175	Development of Rheumatoid Arthritis During Anti-Interleukin-5 Therapy in a Patient with Refractory Chronic Eosinophilic Pneumonia. <i>Journal of Asthma and Allergy</i> , 2021 , 14, 1425-1430	3.1	1
174	How to report the antinuclear antibodies (anti-cell antibodies) test on HEp-2 cells: guidelines from the ICAP initiative. <i>Immunologic Research</i> , 2021 , 69, 594-608	4.3	11
173	The DNA co-vaccination using Sm antigen and IL-10 as prophylactic experimental therapy ameliorates nephritis in a model of lupus induced by pristane. <i>PLoS ONE</i> , 2021 , 16, e0259114	3.7	1
172	Presence of anti-TIF-1 α anti-Ro52, anti-SSA/Ro60 and anti-Su/Ago2 antibodies in breast cancer: a cross-sectional study. <i>Immunopharmacology and Immunotoxicology</i> , 2021 , 43, 328-333	3.2	0
171	Autoantibody Discovery, Assay Development and Adoption: Death Valley, the Sea of Survival and Beyond. <i>Frontiers in Immunology</i> , 2021 , 12, 679613	8.4	5
170	Autoantibody profiles delineate distinct subsets of scleromyositis. <i>Rheumatology</i> , 2021 ,	3.9	2
169	Histopathological features of systemic sclerosis-associated myopathy: A scoping review. <i>Autoimmunity Reviews</i> , 2021 , 20, 102851	13.6	3
168	Anti-Ku antibodies: important points to consider. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, e182	2.4	1
167	Anti-Th/To Antibodies: Association With Lung Disease and Potential Protection From Systemic Sclerosis-Related Cancer? Comment on the Article by Mecoli et al. <i>Arthritis and Rheumatology</i> , 2021 , 73, 545-546	9.5	1
166	Influenza A (H3N2) infection followed by anti-signal recognition particle antibody-positive necrotizing myopathy: A case report. <i>International Journal of Infectious Diseases</i> , 2021 , 103, 33-36	10.5	1

165	Comment on: The reliability of immunoassays to detect autoantibodies in patients with myositis is dependent on autoantibody specificity. <i>Rheumatology</i> , 2021 , 60, e35-e37	3.9	3
164	Lung transplantation resulted in marked improvement of autoimmunity and scleroderma in diffuse cutaneous systemic sclerosis: a case report. <i>Rheumatology</i> , 2021 , 60, e129-e131	3.9	
163	Immune recognition of lysyl-tRNA synthetase and isoleucyl-tRNA synthetase by anti-OJ antibody-positive sera. <i>Journal of Autoimmunity</i> , 2021 , 122, 102680	15.5	3
162	Autoantibodies as biomarkers for interstitial lung disease in idiopathic inflammatory myositis and systemic sclerosis: The case of anti-eIF2B antibodies. <i>Journal of Translational Autoimmunity</i> , 2020 , 3, 100049	4.1	4
161	Subacute cutaneous lupus erythematosus with melanocyte elimination induced by pembrolizumab. <i>Journal of Dermatology</i> , 2020 , 47, e217-e219	1.6	4
160	Tumour necrosis factor alpha promotes secretion of 14-3-3 β by inducing necroptosis in macrophages. <i>Arthritis Research and Therapy</i> , 2020 , 22, 24	5.7	8
159	Establishment of international autoantibody reference standards for the detection of autoantibodies directed against PML bodies, GW bodies, and NuMA protein. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020 , 59, 197-207	5.9	2
158	Recognising the spectrum of scleromyositis: HEp-2 ANA patterns allow identification of a novel clinical subset with anti-SMN autoantibodies. <i>RMD Open</i> , 2020 , 6,	5.9	9
157	Evaluation of a novel particle-based assay for detection of autoantibodies in idiopathic inflammatory myopathies. <i>Journal of Immunological Methods</i> , 2019 , 474, 112661	2.5	8
156	Alpha-1-Antitrypsin Ameliorates Pristane Induced Diffuse Alveolar Hemorrhage in Mice. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
155	Distinctive association of peripheral immune cell phenotypes with capillaroscopic microvascular patterns in systemic sclerosis. <i>Rheumatology</i> , 2019 , 58, 2273-2283	3.9	12
154	Autoantibodies to a novel Rpp38 (Th/To) derived B-cell epitope are specific for systemic sclerosis and associate with a distinct clinical phenotype. <i>Rheumatology</i> , 2019 , 58, 1784-1793	3.9	2
153	Establishment of an international autoantibody reference standard for human anti-DFS70 antibodies: proof-of-concept study for a novel Megapool strategy by pooling individual specific sera. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019 , 57, 1754-1763	5.9	10
152	Anti-OJ autoantibodies: Rare or underdetected?. <i>Autoimmunity Reviews</i> , 2019 , 18, 658-664	13.6	25
151	Clinical relevance of HEp-2 indirect immunofluorescent patterns: the International Consensus on ANA patterns (ICAP) perspective. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 879-889	2.4	128
150	Standardisation of myositis-specific antibodies: where are we today?. <i>Annals of the Rheumatic Diseases</i> , 2019 ,	2.4	10
149	Small Cell Lung Cancer Patient with Anti-transcriptional Intermediary Factor 1 α Antibody Who Developed Dermatomyositis after Successful Chemoradiotherapy. <i>Internal Medicine</i> , 2019 , 58, 427-431	1.1	2
148	Clinical Features of Anti-MDA5 Antibody-positive Rapidly Progressive Interstitial Lung Disease without Signs of Dermatomyositis. <i>Internal Medicine</i> , 2019 , 58, 837-841	1.1	18

147	The two cases of acute acalculous cholecystitis associated with systemic lupus erythematosus (SLE) presented different clinical aspects. <i>Modern Rheumatology Case Reports</i> , 2019 , 3, 114-118	0.4	1
146	Reference standards for the detection of anti-mitochondrial and anti-rods/rings autoantibodies. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1789-1798	5.9	13
145	International Consensus on Antinuclear Antibody Patterns: defining negative results and reporting unidentified patterns. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1799-1802	5.9	18
144	Autoantibodies to the survival of motor neuron complex in a patient with necrotizing autoimmune myopathy. <i>Rheumatology</i> , 2018 , 57, 199-200	3.9	6
143	Detection of anti-mitochondrial antibodies by immunoprecipitation in patients with systemic sclerosis. <i>Journal of Immunological Methods</i> , 2018 , 452, 1-5	2.5	10
142	Elevated Edefensin levels in plasma and bronchoalveolar lavage fluid from patients with myositis-associated interstitial lung disease. <i>BMC Pulmonary Medicine</i> , 2018 , 18, 44	3.5	3
141	Relevance of interferon-gamma in pathogenesis of life-threatening rapidly progressive interstitial lung disease in patients with dermatomyositis. <i>Arthritis Research and Therapy</i> , 2018 , 20, 240	5.7	20
140	International consensus on antinuclear antibody patterns: definition of the AC-29 pattern associated with antibodies to DNA topoisomerase I. <i>Clinical Chemistry and Laboratory Medicine</i> , 2018 , 56, 1783-1788	5.9	32
139	A Comprehensive Overview on Myositis-Specific Antibodies: New and Old Biomarkers in Idiopathic Inflammatory Myopathy. <i>Clinical Reviews in Allergy and Immunology</i> , 2017 , 52, 1-19	12.3	184
138	Spontaneous Improvement of Interstitial Pneumonia with Autoimmune Features. <i>Internal Medicine</i> , 2017 , 56, 1607-1608	1.1	
137	Clinical characteristics of patients with anti-aminoacyl-tRNA synthetase antibody positive idiopathic interstitial pneumonia. <i>Respiratory Medicine</i> , 2017 , 132, 189-194	4.6	17
136	Autoantibodies to Su/Argonaute 2 in Japanese patients with inflammatory myopathy. <i>Clinica Chimica Acta</i> , 2017 , 471, 304-307	6.2	6
135	Myositis-specific autoantibodies and their association with malignancy in Italian patients with polymyositis and dermatomyositis. <i>Clinical Rheumatology</i> , 2017 , 36, 469-475	3.9	38
134	B Cell Tolerance to Deiminated Histones in BALB/c, C57BL/6, and Autoimmune-Prone Mouse Strains. <i>Frontiers in Immunology</i> , 2017 , 8, 362	8.4	6
133	Calcinosis in poly-dermatomyositis: clinical and laboratory predictors and treatment options. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 303-308	2.2	15
132	Ethnic Differences in Autoantibody Diversity and Hierarchy: More Clues from a US Cohort of Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2016 , 43, 1816-1824	4.1	15
131	Periodontal bacterial colonization in synovial tissues exacerbates collagen-induced arthritis in B10.RIII mice. <i>Arthritis Research and Therapy</i> , 2016 , 18, 161	5.7	30
130	Anti-rods/rings autoantibody seropositivity does not affect response to telaprevir treatment for chronic hepatitis C infection. <i>Autoimmunity Highlights</i> , 2016 , 7, 15	3.7	9

129	Report on the second International Consensus on ANA Pattern (ICAP) workshop in Dresden 2015. <i>Lupus</i> , 2016 , 25, 797-804	2.6	62
128	International consensus on ANA patterns (ICAP): the bumpy road towards a consensus on reporting ANA results. <i>Autoimmunity Highlights</i> , 2016 , 7, 1	3.7	86
127	Clinical subsets associated with different anti-aminoacyl transfer RNA synthetase antibodies and their association with coexisting anti-Ro52. <i>Modern Rheumatology</i> , 2016 , 26, 403-9	3.3	26
126	Associations Between Selected Xenobiotics and Antinuclear Antibodies in the National Health and Nutrition Examination Survey, 1999-2004. <i>Environmental Health Perspectives</i> , 2016 , 124, 426-36	8.4	17
125	Interleukin 1 β Responsive MicroRNA-146a Is Critical for the Cytokine-Induced Tolerance and Cross-Tolerance to Toll-Like Receptor Ligands. <i>Journal of Innate Immunity</i> , 2015 , 7, 428-40	6.9	43
124	The uses and misuses of multiplex autoantibody assays in systemic autoimmune rheumatic diseases. <i>Frontiers in Immunology</i> , 2015 , 6, 181	8.4	30
123	Influenza Vaccine and Autoimmune Diseases 2015 , 175-184		2
122	Report of the First International Consensus on Standardized Nomenclature of Antinuclear Antibody HEp-2 Cell Patterns 2014-2015. <i>Frontiers in Immunology</i> , 2015 , 6, 412	8.4	193
121	AB0794 Protein and Rna-Immunoprecipitation for the Identification of Autoantibodies in Patients Affected by Psoriatic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1164.4-1165	2.4	
120	Autoantibodies to the mitochondrial RNA processing (MRP) complex also known as Th/To autoantigen. <i>Autoimmunity Reviews</i> , 2015 , 14, 254-7	13.6	22
119	Positive correlation of STAT1 and miR-146a with anemia in patients with systemic lupus erythematosus. <i>Journal of Clinical Immunology</i> , 2014 , 34, 171-80	5.7	18
118	Reduced levels of CCL2 and CXCL10 in systemic lupus erythematosus patients under treatment with prednisone, mycophenolate mofetil, or hydroxychloroquine, except in a high STAT1 subset. <i>Arthritis Research and Therapy</i> , 2014 , 16, R23	5.7	18
117	Elevated signal transducers and activators of transcription 1 correlates with increased C-C motif chemokine ligand 2 and C-X-C motif chemokine 10 levels in peripheral blood of patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2014 , 16, R20	5.7	15
116	Autoantibodies to the Rpp25 component of the Th/To complex are the most common antibodies in patients with systemic sclerosis without antibodies detectable by widely available commercial tests. <i>Journal of Rheumatology</i> , 2014 , 41, 1334-43	4.1	16
115	AB0635 Clinical and Autoantibodies Features in Autoimmune/Inflammatory Syndrome Induced by Adjuvants: Mineral Oils and Silicone. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1015.3-1016	2.4	
114	Molecular cell biology and immunobiology of mammalian rod/ring structures. <i>International Review of Cell and Molecular Biology</i> , 2014 , 308, 35-74	6	40
113	Differential reactivity to IMPDH2 by anti-rods/rings autoantibodies and unresponsiveness to pegylated interferon-alpha/ribavirin therapy in US and Italian HCV patients. <i>Journal of Clinical Immunology</i> , 2013 , 33, 420-6	5.7	37
112	Implications in the difference of anti-Mi-2 and -p155/140 autoantibody prevalence in two dermatomyositis cohorts from Mexico City and Guadalajara. <i>Arthritis Research and Therapy</i> , 2013 , 15, R48	5.7	50

111	Rpp25 is a major target of autoantibodies to the Th/To complex as measured by a novel chemiluminescent assay. <i>Arthritis Research and Therapy</i> , 2013 , 15, R50	5.7	17
110	MicroRNA-146a in autoimmunity and innate immune responses. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72 Suppl 2, ii90-5	2.4	61
109	Autoantibodies to Argonaute 2 (Su antigen). <i>Advances in Experimental Medicine and Biology</i> , 2013 , 768, 45-59	3.6	18
108	Regulation of TLR2-mediated tolerance and cross-tolerance through IRAK4 modulation by miR-132 and miR-212. <i>Journal of Immunology</i> , 2013 , 190, 1250-63	5.3	125
107	AB0239 Autoantibody profile in a cohort of adult patients with inflammatory myopathies. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 651.4-651	2.4	
106	FRI0389 First report of anti-mda5 antibodies in a cohort of italian patients with dermatomyositis: clinical and serologic correlations. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A504.3-A505	2.4	
105	Common pathways of autoimmune inflammatory myopathies and genetic neuromuscular disorders. <i>Clinical Reviews in Allergy and Immunology</i> , 2012 , 42, 16-25	12.3	6
104	MicroRNAs and autoimmunity. <i>Current Opinion in Immunology</i> , 2012 , 24, 686-91	7.8	66
103	Autoantibodies to transcription intermediary factor TIF1 associated with dermatomyositis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R79	5.7	20
102	Prevalence and sociodemographic correlates of antinuclear antibodies in the United States. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2319-27		241
101	A new immunoprecipitation-real time quantitative PCR assay for anti-Th/To and anti-U3RNP antibody detection in systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R128	5.7	7
100	Coexistence of anti-RNA polymerase III and anti-U1RNP antibodies in patients with systemic lupus erythematosus: two cases without features of scleroderma. <i>Lupus</i> , 2012 , 21, 68-74	2.6	2
99	Pleiotropic IFN-dependent and -independent effects of IRF5 on the pathogenesis of experimental lupus. <i>Journal of Immunology</i> , 2012 , 188, 4113-21	5.3	48
98	Atypical clinical presentation of a subset of patients with anti-RNA polymerase III--non-scleroderma cases associated with dominant RNA polymerase I reactivity and nucleolar staining. <i>Arthritis Research and Therapy</i> , 2011 , 13, R119	5.7	4
97	Frequent coexistence of anti-topoisomerase I and anti-U1RNP autoantibodies in African American patients associated with mild skin involvement: a retrospective clinical study. <i>Arthritis Research and Therapy</i> , 2011 , 13, R73	5.7	4
96	Polyclonal hypergammaglobulinemia and autoantibody production induced by vaccination in farmed Atlantic salmon. <i>Fish and Shellfish Immunology</i> , 2011 , 30, 1080-6	4.3	12
95	MicroRNA in TLR signaling and endotoxin tolerance. <i>Cellular and Molecular Immunology</i> , 2011 , 8, 388-403	5.4	225
94	Antihistone and Antispliceosomal Antibodies 2011 , 275-292		2

93	Induction of cytoplasmic rods and rings structures by inhibition of the CTP and GTP synthetic pathway in mammalian cells. <i>PLoS ONE</i> , 2011 , 6, e29690	3.7	129
92	MicroRNAs in rheumatoid arthritis. <i>FEBS Letters</i> , 2011 , 585, 3667-74	3.8	76
91	Gender and ethnicity differences in the prevalence of scleroderma-related autoantibodies. <i>Clinical Rheumatology</i> , 2011 , 30, 1333-9	3.9	36
90	Autoantibodies to survival of motor neuron complex in patients with polymyositis: immunoprecipitation of D, E, F, and G proteins without other components of small nuclear ribonucleoproteins. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1972-8		28
89	MicroRNAs in systemic rheumatic diseases. <i>Arthritis Research and Therapy</i> , 2011 , 13, 229	5.7	87
88	Anti-argonaute2 (Ago2/Su) and -Ro antibodies identified by immunoprecipitation in primary anti-phospholipid syndrome (PAPS). <i>Autoimmunity</i> , 2011 , 44, 90-7	3	12
87	Mechanistic role of microRNA-146a in endotoxin-induced differential cross-regulation of TLR signaling. <i>Journal of Immunology</i> , 2011 , 186, 1723-34	5.3	172
86	IL-1 β modulates neutrophil recruitment in chronic inflammation induced by hydrocarbon oil. <i>Journal of Immunology</i> , 2011 , 186, 1747-54	5.3	45
85	Anti-MIT3 antibodies in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A84-A84	2.4	
84	Autoantibodies and Autoantigens in Sjögren's Syndrome 2011 , 111-132		
83	Formation of GW/P bodies as marker for microRNA-mediated regulation of innate immune signaling in THP-1 cells. <i>Immunology and Cell Biology</i> , 2010 , 88, 205-12	5	30
82	Anti-Th/To are common antinucleolar autoantibodies in Italian patients with scleroderma. <i>Journal of Rheumatology</i> , 2010 , 37, 2071-5	4.1	40
81	Manifestations of systemic autoimmunity in vaccinated salmon. <i>Vaccine</i> , 2010 , 28, 4961-9	4.1	47
80	High prevalence of autoantibodies to RNA helicase A in Mexican patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2010 , 12, R6	5.7	8
79	Autoantibodies to a miRNA-binding protein Argonaute2 (Su antigen) in patients with hepatitis C virus infection. <i>Clinical and Experimental Rheumatology</i> , 2010 , 28, 842-8	2.2	6
78	miR-146a is critical for endotoxin-induced tolerance: IMPLICATION IN INNATE IMMUNITY. <i>Journal of Biological Chemistry</i> , 2009 , 284, 34590-9	5.4	306
77	B cell proliferation, somatic hypermutation, class switch recombination, and autoantibody production in ectopic lymphoid tissue in murine lupus. <i>Journal of Immunology</i> , 2009 , 182, 4226-36	5.3	44
76	Induction of autoimmunity by pristane and other naturally occurring hydrocarbons. <i>Trends in Immunology</i> , 2009 , 30, 455-64	14.4	248

75	Reduced IgG anti-small nuclear ribonucleoprotein autoantibody production in systemic lupus erythematosus patients with positive IgM anti-cytomegalovirus antibodies. <i>Arthritis Research and Therapy</i> , 2009 , 11, R27	5.7	19
74	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. <i>Modern Rheumatology</i> , 2009 , 19, 219-228	3.3	88
73	Autoantibody to NA14 is an independent marker primarily for Sjogren's syndrome. <i>Frontiers in Bioscience - Landmark</i> , 2009 , 14, 3733-9	2.8	17
72	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. <i>Modern Rheumatology</i> , 2009 , 19, 219-28	3.3	44
71	Upregulated miR-146a expression in peripheral blood mononuclear cells from rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2008 , 10, R101	5.7	513
70	Identification of GW182 and its novel isoform TNGW1 as translational repressors in Ago2-mediated silencing. <i>Journal of Cell Science</i> , 2008 , 121, 4134-44	5.3	55
69	A novel type I IFN-producing cell subset in murine lupus. <i>Journal of Immunology</i> , 2008 , 180, 5101-8	5.3	96
68	Colocalization of antigen-specific B and T cells within ectopic lymphoid tissue following immunization with exogenous antigen. <i>Journal of Immunology</i> , 2008 , 181, 3259-67	5.3	14
67	TLR7-dependent and FcγR-independent production of type I interferon in experimental mouse lupus. <i>Journal of Experimental Medicine</i> , 2008 , 205, 2995-3006	16.6	171
66	Vaccination-induced systemic autoimmunity in farmed Atlantic salmon. <i>Journal of Immunology</i> , 2008 , 181, 4807-14	5.3	94
65	Patients with pulmonary tuberculosis are frequently positive for anti-cyclic citrullinated peptide antibodies, but their sera also react with unmodified arginine-containing peptide. <i>Arthritis and Rheumatism</i> , 2008 , 58, 1576-81		59
64	The role of GW/P-bodies in RNA processing and silencing. <i>Journal of Cell Science</i> , 2007 , 120, 1317-23	5.3	107
63	Autoantibodies to RNA helicase A: a new serologic marker of early lupus. <i>Arthritis and Rheumatism</i> , 2007 , 56, 596-604		44
62	Deficiency of the type I interferon receptor protects mice from experimental lupus. <i>Arthritis and Rheumatism</i> , 2007 , 56, 3770-83		152
61	Clinical implication of autoantibodies in patients with systemic rheumatic diseases. <i>Expert Review of Clinical Immunology</i> , 2007 , 3, 721-38	5.1	54
60	Small interfering RNA-mediated silencing induces target-dependent assembly of GW/P bodies. <i>Molecular Biology of the Cell</i> , 2007 , 18, 3375-87	3.5	42
59	Role of non-protein amino acid L-canavanine in autoimmunity. <i>Autoimmunity Reviews</i> , 2006 , 5, 429-35	13.6	34
58	Detection of the argonaute protein Ago2 and microRNAs in the RNA induced silencing complex (RISC) using a monoclonal antibody. <i>Journal of Immunological Methods</i> , 2006 , 317, 38-44	2.5	66

57	Unusually high frequency of autoantibodies to PL-7 associated with milder muscle disease in Japanese patients with polymyositis/dermatomyositis. <i>Arthritis and Rheumatism</i> , 2006 , 54, 2004-9		81
56	Nucleolar staining cannot be used as a screening test for the scleroderma marker anti-RNA polymerase I/III antibodies. <i>Arthritis and Rheumatism</i> , 2006 , 54, 3051-6		32
55	Role of PGE2 and EP receptors in the pathogenesis of rheumatoid arthritis and as a novel therapeutic strategy. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2006 , 6, 383-94	2.2	75
54	Autoantibodies against the replication protein A complex in systemic lupus erythematosus and other autoimmune diseases. <i>Arthritis Research and Therapy</i> , 2006 , 8, R111	5.7	19
53	Autoimmune targeting of key components of RNA interference. <i>Arthritis Research and Therapy</i> , 2006 , 8, R87	5.7	86
52	Type I interferon production by tertiary lymphoid tissue developing in response to 2,6,10,14-tetramethyl-pentadecane (pristane). <i>American Journal of Pathology</i> , 2006 , 168, 1227-40	5.8	90
51	Induction of lupus-related specific autoantibodies by non-specific inflammation caused by an intraperitoneal injection of n-hexadecane in BALB/c mice. <i>Toxicology</i> , 2006 , 218, 186-96	4.4	16
50	Pristane-induced autoimmunity in germ-free mice. <i>Clinical Immunology</i> , 2005 , 114, 110-8	9	32
49	Association of anti-nucleoprotein autoantibodies with upregulation of Type I interferon-inducible gene transcripts and dendritic cell maturation in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2005 , 117, 238-50	9	63
48	Disruption of GW bodies impairs mammalian RNA interference. <i>Nature Cell Biology</i> , 2005 , 7, 1267-74	23.4	368
47	Distinctive patterns of autoimmune response induced by different types of mineral oil. <i>Toxicological Sciences</i> , 2004 , 78, 222-8	4.4	44
46	ORIGINS OF ANTINUCLEAR ANTIBODIES 2004 , 401-431		1
45	Induction of Autoimmunity by Adjuvant Hydrocarbons 2004 , 87-104		1
44	Autoantibodies that stabilize U1snRNP are a significant component of human autoantibodies to snRNP and delay proteolysis of sm antigens in vitro. <i>Journal of Rheumatology</i> , 2004 , 31, 2382-9	4.1	4
43	Ecotropic murine leukemia viruses and exogenous mouse mammary tumor viruses are not essential for pristane-induced lupus. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2990-2		3
42	Nephritogenic autoantibodies but absence of nephritis in IL-12p35-deficient mice with pristane-induced lupus. <i>Kidney International</i> , 2003 , 64, 897-905	9.9	41
41	Induction of lupus autoantibodies by adjuvants. <i>Journal of Autoimmunity</i> , 2003 , 21, 1-9	15.5	82
40	Immunoregulatory role of CD1d in the hydrocarbon oil-induced model of lupus nephritis. <i>Journal of Immunology</i> , 2003 , 171, 2142-53	5.3	86

39	X-linked immunodeficient mice spontaneously produce lupus-related anti-RNA helicase A autoantibodies, but are resistant to pristane-induced lupus. <i>International Immunology</i> , 2003 , 15, 1117-24 ^{4.9}	17
38	Effect of an exogenous trigger on the pathogenesis of lupus in (NZB x NZW)F1 mice. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2235-44	39
37	Interferon-gamma is required for lupus nephritis in mice treated with the hydrocarbon oil pristane. <i>Kidney International</i> , 2001 , 60, 2173-80	9.9 91
36	Increased prevalence of autoantibodies to ku antigen in African American versus white patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2001 , 44, 2367-70	39
35	Titration emulation: a computer-assisted technique that simplifies the quantification of anti-dsDNA antibodies using the Crithidia luciliae assay. <i>Lupus</i> , 2001 , 10, 632-6	2.6 1
34	Widespread susceptibility among inbred mouse strains to the induction of lupus autoantibodies by pristane. <i>Clinical and Experimental Immunology</i> , 2000 , 121, 399-405	6.2 92
33	Fas and Fas ligand mutations inhibit autoantibody production in pristane-induced lupus. <i>Journal of Immunology</i> , 2000 , 165, 1036-43	5.3 58
32	Induction of hypergammaglobulinemia and macrophage activation by silicone gels and oils in female A.SW mice. <i>Vaccine Journal</i> , 2000 , 7, 366-70	26
31	B cell subsets in pristane-induced autoimmunity. <i>Current Topics in Microbiology and Immunology</i> , 2000 , 252, 201-7	3.3 4
30	Immunopathogenesis of environmentally induced lupus in mice. <i>Environmental Health Perspectives</i> , 1999 , 107 Suppl 5, 723-7	8.4 31
29	Disparate T cell requirements of two subsets of lupus-specific autoantibodies in pristane-treated mice. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 547-53	6.2 26
28	Autoantibodies define a family of proteins with conserved double-stranded RNA-binding domains as well as DNA binding activity. <i>Journal of Biological Chemistry</i> , 1999 , 274, 34598-604	5.4 35
27	Influence of microbial stimulation on hypergammaglobulinemia and autoantibody production in pristane-induced lupus. <i>Clinical Immunology and Immunopathology</i> , 1998 , 86, 271-9	43
26	Interleukin 6 dependence of anti-DNA antibody production: evidence for two pathways of autoantibody formation in pristane-induced lupus. <i>Journal of Experimental Medicine</i> , 1998 , 188, 985-90	16.6 167
25	Human anti-nuclear ribonucleoprotein antigen autoimmune sera contain a novel subset of autoantibodies that stabilizes the molecular interaction of U1RNP-C protein with the Sm core proteins. <i>Journal of Immunology</i> , 1997 , 158, 5017-25	5.3 25
24	Recombinant 52 kDa Ro(SSA) ELISA detects autoantibodies in Sjögren's syndrome sera that go undetected by conventional serologic assays. <i>Journal of Rheumatology</i> , 1997 , 24, 860-6	4.1 25
23	Autoantibodies that stabilize the molecular interaction of Ku antigen with DNA-dependent protein kinase catalytic subunit. <i>Clinical and Experimental Immunology</i> , 1996 , 105, 460-7	6.2 26
22	Distinctive immune response patterns of human and murine autoimmune sera to U1 small nuclear ribonucleoprotein C protein. <i>Journal of Clinical Investigation</i> , 1996 , 97, 2619-26	15.9 38

21	Ku and Ki Autoantibodies 1996 , 449-455		1
20	Clinical significance of autoantibodies to Ku and related antigens 1996 , 617-627		
19	Ku and related antigens 1996 , 343-364		
18	Autoantibodies to ribosomal P antigens with immune complex glomerulonephritis in SJL mice treated with pristane. <i>Journal of Immunology</i> , 1996 , 157, 3200-6	5.3	48
17	Absence of autoantigen Ku in mature human neutrophils and human promyelocytic leukemia line (HL-60) cells and lymphocytes undergoing apoptosis. <i>Journal of Experimental Medicine</i> , 1995 , 181, 2049-58	16.6	53
16	Changing autoantibody profiles with variable clinical manifestations in a patient with relapsing systemic lupus erythematosus and polymyositis. <i>Rheumatology</i> , 1995 , 34, 915-9	3.9	6
15	Pristane induces high titers of anti-Su and anti-nRNP/Sm autoantibodies in BALB/c mice. Quantitation by antigen capture ELISAs based on monospecific human autoimmune sera. <i>Journal of Immunological Methods</i> , 1995 , 182, 51-62	2.5	33
14	Anti-nuclear antibody production and immune-complex glomerulonephritis in BALB/c mice treated with pristane. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995 , 92, 10934-8	11.5	158
13	Role of free p70 (Ku) subunit in posttranslational stabilization of newly synthesized p80 during DNA-dependent protein kinase assembly. <i>European Journal of Cell Biology</i> , 1995 , 66, 127-35	6.1	27
12	Induction of lupus-associated autoantibodies in BALB/c mice by intraperitoneal injection of pristane. <i>Journal of Experimental Medicine</i> , 1994 , 180, 2341-6	16.6	235
11	Initiation of autoimmunity to the p53 tumor suppressor protein by complexes of p53 and SV40 large T antigen. <i>Journal of Experimental Medicine</i> , 1994 , 179, 1243-52	16.6	105
10	Characterization of the Su antigen, a macromolecular complex of 100/102 and 200-kDa proteins recognized by autoantibodies in systemic rheumatic diseases. <i>Clinical Immunology and Immunopathology</i> , 1994 , 73, 132-41		37
9	Similar DNA binding properties of free P70 (KU) subunit and P70/P80 heterodimer. <i>FEBS Letters</i> , 1994 , 351, 219-24	3.8	26
8	Onset of polymyositis with autoantibodies to threonyl-tRNA synthetase during pregnancy. <i>Journal of Rheumatology</i> , 1994 , 21, 1564-6	4.1	24
7	Association of autoantibodies to topoisomerase I and the phosphorylated (IIO) form of RNA polymerase II in Japanese scleroderma patients. <i>Journal of Immunology</i> , 1994 , 153, 5838-48	5.3	28
6	Autoantibodies to RNA polymerase II are common in systemic lupus erythematosus and overlap syndrome. Specific recognition of the phosphorylated (IIO) form by a subset of human sera. <i>Journal of Clinical Investigation</i> , 1994 , 94, 1981-9	15.9	56
5	Assembly and DNA binding of recombinant Ku (p70/p80) autoantigen defined by a novel monoclonal antibody specific for p70/p80 heterodimers. <i>Journal of Cell Science</i> , 1994 , 107, 3223-3233	5.3	37
4	Clinical applications of an anti-ku antigen-capture ELISA. <i>Clinical Immunology Newsletter</i> , 1993 , 13, 23-31		7

3	A case of long-standing classical rheumatoid arthritis complicated by serological and clinical characteristics of SLE. <i>Scandinavian Journal of Rheumatology</i> , 1993 , 22, 138-40	1.9	8
2	Murine monoclonal antibodies specific for conserved and non-conserved antigenic determinants of the human and murine Ku autoantigens. <i>Molecular Biology Reports</i> , 1993 , 18, 15-28	2.8	47
1	B-cell epitopes of autoantigenic DNA-binding proteins. <i>Molecular Biology Reports</i> , 1992 , 16, 191-8	2.8	12