

Thomas Pichler

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/180669/publications.pdf>

Version: 2024-02-01

370
papers

14,091
citations

16451

64
h-index

29157

104
g-index

382
all docs

382
docs citations

382
times ranked

12924
citing authors

#	ARTICLE	IF	CITATIONS
1	Carbon nanotube-dependent synthesis of armchair graphene nanoribbons. <i>Nano Research</i> , 2022, 15, 1709-1714.	10.4	8
2	Tuning of photoluminescence intensity and Fermi level position of individual single-walled carbon nanotubes by molecule confinement. <i>Carbon</i> , 2022, 186, 423-430.	10.3	3
3	Electronic structure of confined carbyne from joint wavelength-dependent resonant Raman spectroscopy and density functional theory investigations. <i>Carbon</i> , 2022, 189, 276-283.	10.3	8
4	Tip-Enhanced Stokes–Anti-Stokes Scattering from Carbyne. <i>Nano Letters</i> , 2022, , .	9.1	7
5	Unravelling the Complete Raman Response of Graphene Nanoribbons Discerning the Signature of Edge Passivation. <i>Small Methods</i> , 2022, 6, .	8.6	2
6	Well-defined sub-nanometer graphene ribbons synthesized inside carbon nanotubes. <i>Carbon</i> , 2021, 171, 221-229.	10.3	23
7	Toward Confined Carbyne with Tailored Properties. <i>Nano Letters</i> , 2021, 21, 1096-1101.	9.1	27
8	Isotopic Labelling of Confined Carbyne. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 9897-9901.	13.8	6
9	Isotopic Labelling of Confined Carbyne. <i>Angewandte Chemie</i> , 2021, 133, 9985-9989.	2.0	0
10	Controlling the Formation of Sodium/Black Phosphorus Intercalation Compounds Towards High Sodium Content. <i>Batteries and Supercaps</i> , 2021, 4, 1304-1309.	4.7	3
11	Deciphering the Intense Postgap Absorptions of Monolayer Transition Metal Dichalcogenides. <i>ACS Nano</i> , 2021, 15, 7783-7789.	14.6	4
12	Anti-Stokes Raman Scattering of Single Carbyne Chains. <i>ACS Nano</i> , 2021, 15, 12249-12255.	14.6	20
13	Photothermal synthesis of confined carbyne. <i>Carbon</i> , 2021, 182, 348-353.	10.3	4
14	<i>In situ</i> laser annealing as pathway for the metal free synthesis of tailored nanographenes. <i>Nanoscale Advances</i> , 2021, 3, 703-709.	4.6	0
15	Unraveling the Excitonic Transition and Associated Dynamics in Confined Long Linear Carbon Chains with Time-Resolved Resonance Raman Scattering. <i>Laser and Photonics Reviews</i> , 2021, 15, 2100259.	8.7	10
16	Diameter and metal-dependent growth properties of inner tubes inside metallocene-filled single-walled carbon nanotubes. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2020, 28, 20-26.	2.1	8
17	Approaching the Shockley–Queisser limit for fill factors in lead–tin mixed perovskite photovoltaics. <i>Journal of Materials Chemistry A</i> , 2020, 8, 693-705.	10.3	33
18	Raman Scattering Cross Section of Confined Carbyne. <i>Nano Letters</i> , 2020, 20, 6750-6755.	9.1	30

#	ARTICLE	IF	CITATIONS
19	Incidence of Quantum Confinement on Dark Triplet Excitons in Carbon Nanotubes. ACS Nano, 2020, 14, 11254-11261.	14.6	9
20	Selective phase growth and precise-layer control in MoTe2. Communications Materials, 2020, 1, .	6.9	25
21	Exclusive Substitutional Nitrogen Doping on Graphene Decoupled from an Insulating Substrate. Journal of Physical Chemistry C, 2020, 124, 22150-22157.	3.1	5
22	Ultralong Spin Lifetime in Light Alkali Atom Doped Graphene. ACS Nano, 2020, 14, 7492-7501.	14.6	8
23	Probing Exciton Dispersions of Freestanding Monolayer WSe_2 by Momentum-Resolved Electron Energy-Loss Spectroscopy. Physical Review Letters. 2020. 124. 087401.	7.8	24
24	Reversible changes in the electronic structure of carbon nanotube-hybrids upon NO ₂ exposure under ambient conditions. Journal of Materials Chemistry A, 2020, 8, 9753-9759.	10.3	4
25	Endohedral Functionalization of Metallicity-Sorted Single-Walled Carbon Nanotubes. Proceedings (mdpi), 2020, 56, .	0.2	4
26	Position and momentum mapping of vibrations in graphene nanostructures. Nature, 2019, 573, 247-250.	27.8	96
27	Oxidation stability of confined linear carbon chains, carbon nanotubes, and graphene nanoribbons as 1D nanocarbons. Nanoscale, 2019, 11, 15253-15258.	5.6	13
28	Improved Alkali Intercalation of Carbonaceous Materials in Ammonia Solution. Physica Status Solidi (B): Basic Research, 2019, 256, 1900324.	1.5	4
29	Nanoscale Vibrational Spectroscopy of Graphene by Large-q EELS. Microscopy and Microanalysis, 2019, 25, 612-613.	0.4	0
30	Towards controllable inner chirality in double-walled carbon nanotubes. Applied Physics Letters, 2019, 115, .	3.3	7
31	Toward a Predominant Substitutional Bonding Environment in B-Doped Single-Walled Carbon Nanotubes. ACS Omega, 2019, 4, 1941-1946.	3.5	4
32	Gitteröffnung durch reduktive kovalente Volumenfunktionalisierung von schwarzem Phosphor. Angewandte Chemie, 2019, 131, 5820-5826.	2.0	12
33	Lattice Opening upon Bulk Reductive Covalent Functionalization of Black Phosphorus. Angewandte Chemie - International Edition, 2019, 58, 5763-5768.	13.8	60
34	Exchange coupling in a frustrated trimetric molecular magnet reversed by a 1D nano-confinement. Nanoscale, 2019, 11, 10615-10621.	5.6	19
35	Wall- and Hybridisation-Selective Synthesis of Nitrogen-Doped Double-Walled Carbon Nanotubes. Angewandte Chemie, 2019, 131, 10382-10386.	2.0	2
36	Wall- and Hybridisation-Selective Synthesis of Nitrogen-Doped Double-Walled Carbon Nanotubes. Angewandte Chemie - International Edition, 2019, 58, 10276-10280.	13.8	4

#	ARTICLE	IF	CITATIONS
37	Metal-Organic Framework Co-MOF-74-Based Host-Guest Composites for Resistive Gas Sensing. ACS Applied Materials & Interfaces, 2019, 11, 14175-14181.	8.0	93
38	Revealing the doping effect of encapsulated lead halogenides on single-walled carbon nanotubes. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	2.3	15
39	Characterizing the maximum number of layers in chemically exfoliated graphene. Scientific Reports, 2019, 9, 19480.	3.3	14
40	Improved Laser-Based Photoluminescence on Single-Walled Carbon Nanotubes. Physica Status Solidi (B): Basic Research, 2019, 256, 1900235.	1.5	0
41	Improved Laser-Based Photoluminescence on Single-Walled Carbon Nanotubes. Physica Status Solidi (B): Basic Research, 2019, 256, 1970045.	1.5	0
42	Inner tube growth and electronic properties of metallicity-sorted nickelocene-filled semiconducting single-walled carbon nanotubes. Applied Physics A: Materials Science and Processing, 2018, 124, 1.	2.3	13
43	Unravel the Active Site in Nitrogen-Doped Double-Walled Carbon Nanotubes for Nitrogen Dioxide Gas Sensor. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800004.	1.8	11
44	Chiral vector and metal catalyst-dependent growth kinetics of single-wall carbon nanotubes. Carbon, 2018, 133, 283-292.	10.3	21
45	Templated direct growth of ultra-thin double-walled carbon nanotubes. Nanoscale, 2018, 10, 21254-21261.	5.6	16
46	Acid Free Oxidation and Simple Dispersion Method of MWCNT for High-Performance CFRP. Nanomaterials, 2018, 8, 912.	4.1	29
47	Measurement of Optical Excitations in Low-Dimensional Materials by Using a Monochromated Electron Source. Microscopy and Microanalysis, 2018, 24, 1574-1575.	0.4	1
48	Direct Proof of a Defect-Modulated Gap Transition in Semiconducting Nanotubes. Nano Letters, 2018, 18, 3920-3925.	9.1	13
49	Fermi level engineering of metallicity-sorted metallic single-walled carbon nanotubes by encapsulation of few-atom-thick crystals of silver chloride. Journal of Materials Science, 2018, 53, 13018-13029.	3.7	21
50	Silver Chloride Encapsulation-Induced Modifications of Raman Modes of Metallicity-Sorted Semiconducting Single-Walled Carbon Nanotubes. Journal of Spectroscopy, 2018, 2018, 1-9.	1.3	18
51	Comparison of Doping Levels of Single-Walled Carbon Nanotubes Synthesized by Arc-Discharge and Chemical Vapor Deposition Methods by Encapsulated Silver Chloride. Physica Status Solidi (B): Basic Research, 2018, 255, 1800178.	1.5	11
52	Extraction of Linear Carbon Chains Unravels the Role of the Carbon Nanotube Host. ACS Nano, 2018, 12, 8477-8484.	14.6	26
53	Raman resonance profile of an individual confined long linear carbon chain. Carbon, 2018, 139, 581-585.	10.3	22
54	Very high boron-doping on single-walled carbon nanotubes from a solid precursor. Carbon, 2018, 140, 259-264.	10.3	10

#	ARTICLE	IF	CITATIONS
55	Carbon Nanotube Chirality Determines Properties of Encapsulated Linear Carbon Chain. Nano Letters, 2018, 18, 5426-5431.	9.1	60
56	An optically detected magnetic resonance spectrometer with tunable laser excitation and wavelength resolved infrared detection. Review of Scientific Instruments, 2017, 88, 013902.	1.3	7
57	2D Heterostructures Derived from MoS ₂ Templated, Cobalt-Containing Conjugated Microporous Polymer Sandwiches for the Oxygen Reduction Reaction and Electrochemical Energy Storage. ChemElectroChem, 2017, 4, 709-715.	3.4	30
58	Chirality-dependent growth of single-wall carbon nanotubes as revealed inside nano-test tubes. Nanoscale, 2017, 9, 7998-8006.	5.6	29
59	Doping of metal-organic frameworks towards resistive sensing. Scientific Reports, 2017, 7, 2439.	3.3	45
60	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. Angewandte Chemie, 2017, 129, 15469-15475.	2.0	12
61	Exploring the Formation of Black Phosphorus Intercalation Compounds with Alkali Metals. Angewandte Chemie - International Edition, 2017, 56, 15267-15273.	13.8	69
62	Microscale magnetic compasses. Journal of Applied Physics, 2017, 122, .	2.5	0
63	Arrayed Arrangement of ¹³ C Isotopes During the Growth of Inner Single-Walled Carbon Nanotubes. Physica Status Solidi (B): Basic Research, 2017, 254, 1700217.	1.5	1
64	The growth of new extended carbon nanophases from ferrocene inside single-walled carbon nanotubes. Physica Status Solidi - Rapid Research Letters, 2017, 11, 1700158.	2.4	17
65	Doped carbon nanotubes as a model system of biased graphene. Physical Review B, 2017, 96, .	3.2	11
66	Synthesis of Nitrogen Doped Single Walled Carbon Nanotubes With Caffeine. Physica Status Solidi (B): Basic Research, 2017, 254, 1700364.	1.5	2
67	Separation of Nickelocene-Filled Single-Walled Carbon Nanotubes by Conductivity Type and Diameter. Physica Status Solidi (B): Basic Research, 2017, 254, 1700178.	1.5	8
68	Nitrogen-doped porous carbon/graphene nanosheets derived from two-dimensional conjugated microporous polymer sandwiches with promising capacitive performance. Materials Chemistry Frontiers, 2017, 1, 278-285.	5.9	62
69	Electronic band gaps of confined linear carbon chains ranging from polyyne to carbyne. Physical Review Materials, 2017, 1, .	2.4	61
70	Selective Enhancement of Inner Tube Photoluminescence in Filled Double-Walled Carbon Nanotubes. Advanced Functional Materials, 2016, 26, 4874-4881.	14.9	18
71	Controlled Isotope Arrangement in ¹³ C Enriched Carbon Nanotubes. Journal of Physical Chemistry C, 2016, 120, 29520-29524.	3.1	5
72	Confined linear carbon chains as a route to bulk carbyne. Nature Materials, 2016, 15, 634-639.	27.5	341

#	ARTICLE	IF	CITATIONS
73	Potassium intercalated multiwalled carbon nanotubes. Carbon, 2016, 105, 90-95.	10.3	15
74	Electron Spectroscopy of Single Quantum Objects To Directly Correlate the Local Structure to Their Electronic Transport and Optical Properties. Nano Letters, 2016, 16, 3661-3667.	9.1	14
75	Environmental control of electron-phonon coupling in barium doped graphene. 2D Materials, 2016, 3, 045003.	4.4	14
76	Disentangling Vacancy Oxidation on Metallicity-Sorted Carbon Nanotubes. Journal of Physical Chemistry C, 2016, 120, 18316-18322.	3.1	8
77	Growth dynamics of inner tubes inside cobaltocene-filled single-walled carbon nanotubes. Applied Physics A: Materials Science and Processing, 2016, 122, 1.	2.3	10
78	Polyyne electronic and vibrational properties under environmental interactions. Physical Review B, 2016, 94, .	3.2	45
79	Semiconducting response in single-walled carbon nanotubes filled with cadmium chloride. Physica Status Solidi (B): Basic Research, 2016, 253, 2433-2439.	1.5	8
80	Atomically precise semiconductor-graphene and hBN interfaces by Ge intercalation. Scientific Reports, 2015, 5, 17700.	3.3	24
81	Nickel clusters embedded in carbon nanotubes as high performance magnets. Scientific Reports, 2015, 5, 15033.	3.3	23
82	Temperature-dependent inner tube growth and electronic structure of nickelocene-filled single-walled carbon nanotubes. Physica Status Solidi (B): Basic Research, 2015, 252, 2485-2490.	1.5	15
83	Tailoring the electronic properties of single-walled carbon nanotubes via filling with nickel acetylacetonate. Physica Status Solidi (B): Basic Research, 2015, 252, 2546-2550.	1.5	6
84	A Fourier transform Raman spectrometer with visible laser excitation. Journal of Raman Spectroscopy, 2015, 46, 327-332.	2.5	18
85	Comprehensive spectroscopic characterization of high purity metallicity-sorted single-walled carbon nanotubes. Physica Status Solidi (B): Basic Research, 2015, 252, 2512-2518.	1.5	10
86	Raman and XPS analyses of pristine and annealed N-doped double-walled carbon nanotubes. Physica Status Solidi (B): Basic Research, 2015, 252, 2558-2563.	1.5	10
87	The origin of nondispersive Raman lines in the D-band region for ferrocene@HiPco SWCNTs transformed at high temperatures. Physica Status Solidi (B): Basic Research, 2015, 252, 2530-2535.	1.5	4
88	Straightforward Generation of Pillared, Microporous Graphene Frameworks for Use in Supercapacitors. Advanced Materials, 2015, 27, 6714-6721.	21.0	137
89	Transport, magnetic and vibrational properties of chemically exfoliated few-layer graphene. Physica Status Solidi (B): Basic Research, 2015, 252, 2438-2443.	1.5	5
90	X-ray photoelectron spectroscopy of graphitic carbon nanomaterials doped with heteroatoms. Beilstein Journal of Nanotechnology, 2015, 6, 177-192.	2.8	319

#	ARTICLE	IF	CITATIONS
91	Tuning Localized Transverse Surface Plasmon Resonance in Electricity-Selected Single-Wall Carbon Nanotubes by Electrochemical Doping. <i>Physical Review Letters</i> , 2015, 114, 176807.	7.8	30
92	Nanofibrous and Graphene-Templated Conjugated Microporous Polymer Materials for Flexible Chemosensors and Supercapacitors. <i>Chemistry of Materials</i> , 2015, 27, 7403-7411.	6.7	164
93	Doping of single-walled carbon nanotubes controlled via chemical transformation of encapsulated nickelocene. <i>Nanoscale</i> , 2015, 7, 1383-1391.	5.6	60
94	On the bonding environment of phosphorus in purified doped single-walled carbon nanotubes. <i>Carbon</i> , 2015, 81, 91-95.	10.3	19
95	Raman spectroscopy of graphite intercalation compounds: Charge transfer, strain, and electron-phonon coupling in graphene layers. <i>Physica Status Solidi (B): Basic Research</i> , 2014, 251, 2337-2355.	1.5	75
96	Toward Synthesis and Characterization of Unconventional C ₆₆ and C ₆₈ Fullerenes inside Carbon Nanotubes. <i>Journal of Physical Chemistry C</i> , 2014, 118, 30260-30268.	3.1	6
97	Nondispersive Raman lines in the D-band region for ferrocene functionalized carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2014, 251, 2457-2460.	1.5	7
98	<i>In situ</i> Raman spectroscopy studies on time-dependent inner tube growth in ferrocene-filled large diameter single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2014, 251, 2394-2400.	1.5	8
99	Purification, separation and extraction of inner tubes from double-walled carbon nanotubes by tailoring density gradient ultracentrifugation using optical probes. <i>Carbon</i> , 2014, 74, 282-290.	10.3	11
100	Revealing the Adsorption Mechanisms of Nitroxides on Ultrapure, Metallicity-Sorted Carbon Nanotubes. <i>ACS Nano</i> , 2014, 8, 1375-1383.	14.6	31
101	Length scales in orientational order of vertically aligned single walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2631-2634.	1.5	2
102	Internal charge transfer in metallicity sorted ferrocene filled carbon nanotube hybrids. <i>Carbon</i> , 2013, 59, 237-245.	10.3	33
103	Manifestation of Charged and Strained Graphene Layers in the Raman Response of Graphite Intercalation Compounds. <i>ACS Nano</i> , 2013, 7, 9249-9259.	14.6	100
104	Microscopic insight into the bilateral formation of carbon spirals from a symmetric iron core. <i>Scientific Reports</i> , 2013, 3, 1840.	3.3	7
105	Hybrid Carbon Nanotube Networks as Efficient Hole Extraction Layers for Organic Photovoltaics. <i>ACS Nano</i> , 2013, 7, 556-565.	14.6	102
106	Tunable Interface Properties between Pentacene and Graphene on the SiC Substrate. <i>Journal of Physical Chemistry C</i> , 2013, 117, 3969-3975.	3.1	19
107	Observation of conduction electron spin resonance in boron-doped diamond. <i>Physical Review B</i> , 2013, 87, .	3.2	13
108	Orbital and spin magnetic moments of transforming one-dimensional iron inside metallic and semiconducting carbon nanotubes. <i>Physical Review B</i> , 2013, 87, .	3.2	23

#	ARTICLE	IF	CITATIONS
109	Carbon nanotubes from enhanced direct injection pyrolytic synthesis as templates for long linear carbon chain formation. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2611-2615.	1.5	19
110	Challenging the nature of low-energy plasmon excitations in CaC ₆ using electron energy-loss spectroscopy. <i>Europhysics Letters</i> , 2013, 102, 17001.	2.0	7
111	Environmental stability of ferrocene filled in purely metallic single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2599-2604.	1.5	6
112	Structural properties of mirrored carbon spirals as revealed by scanning electron microscopy and micro-Raman spectroscopy. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2737-2740.	1.5	0
113	Inner tube growth properties and electronic structure of ferrocene-filled large diameter single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2013, 250, 2575-2580.	1.5	29
114	Raman response of stage-1 graphite intercalation compounds revisited. <i>Physical Review B</i> , 2012, 86, .	3.2	26
115	Electronic structure of Eu atomic wires encapsulated inside single-wall carbon nanotubes. <i>Physical Review B</i> , 2012, 86, .	3.2	29
116	Orbital and spin magnetic moments of ferrocene encapsulated in metallicity sorted single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2424-2427.	1.5	2
117	<i>In situ</i> filling of metallic single-walled carbon nanotubes with ferrocene molecules. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2408-2411.	1.5	18
118	Deintercalation process from <i>Stage</i> 1 to <i>Stage</i> 2 graphite intercalation compounds revisited. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2640-2643.	1.5	4
119	Spectroscopic study of the diameter distribution of B-doped single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2469-2472.	1.5	3
120	A detailed analysis of the Raman spectra in superconducting boron doped nanocrystalline diamond. <i>Physica Status Solidi (B): Basic Research</i> , 2012, 249, 2656-2659.	1.5	38
121	Channeling of charge carrier plasmons in carbon nanotubes. <i>Physical Review B</i> , 2012, 85, .	3.2	12
122	Spectroscopic investigation of nitrogen doped graphene. <i>Applied Physics Letters</i> , 2012, 101, .	3.3	52
123	Direct probe of linearly dispersing 2D interband plasmons in a free-standing graphene monolayer. <i>Europhysics Letters</i> , 2012, 97, 57005.	2.0	68
124	Selective Enhancement of Photoluminescence in Filled Single-Walled Carbon Nanotubes. <i>Advanced Functional Materials</i> , 2012, 22, 3202-3208.	14.9	40
125	Nitrogen-Doped Single-Walled Carbon Nanotube Thin Films Exhibiting Anomalous Sheet Resistances. <i>Chemistry of Materials</i> , 2011, 23, 2201-2208.	6.7	43
126	Computing C1σ and X-ray Absorption for Single-Walled Carbon Nanotubes with Distinct Electronic Type. <i>Materials Express</i> , 2011, 1, 225-230.	0.5	8

#	ARTICLE	IF	CITATIONS
127	Unraveling Electron Chirality in Graphene. <i>Physics Magazine</i> , 2011, 4, .	0.1	1
128	High resolution X-ray absorption on metallicity selected C ₆₀ peapods, single-walled and double walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2544-2547.	1.5	1
129	Nanochemical reactions by laser annealing of ferrocene filled single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2488-2491.	1.5	18
130	Temperature dependence of inner tube growth from ferrocene-filled single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2492-2495.	1.5	20
131	Defect modulated Raman response of KC ₈ single crystals. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2744-2747.	1.5	14
132	On the purification of CVD grown boron doped single-walled carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2504-2507.	1.5	7
133	Adaptation of a commercial Raman spectrometer for multiline and broadband laser operation. <i>Physica Status Solidi (B): Basic Research</i> , 2011, 248, 2581-2584.	1.5	4
134	A Resonant Photoemission Insight to the Electronic Structure of Gd Nanowires Templated in the Hollow Core of SWCNTs. <i>Materials Express</i> , 2011, 1, 30-35.	0.5	20
135	Disentanglement of the unoccupied electronic structure in metallic and semiconducting C ₆₀ peapods. <i>Physical Review B</i> , 2011, 83, .	3.2	7
136	A broadband and high throughput single-monochromator Raman spectrometer: Application for single-wall carbon nanotubes. <i>Review of Scientific Instruments</i> , 2011, 82, 023905.	1.3	15
137	Direct observation of a dispersionless impurity band in hydrogenated graphene. <i>Physical Review B</i> , 2011, 83, .	3.2	49
138	Templating rare-earth hybridization via ultrahigh vacuum annealing of ErCl ₃ nanowires inside carbon nanotubes. <i>Physical Review B</i> , 2011, 83, .	3.2	29
139	Spectroscopic Characterization of N-Doped Single-Walled Carbon Nanotube Strands: An X-ray Photoelectron Spectroscopy and Raman Study. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 3959-3964.	0.9	34
140	An X-ray absorption approach to mixed and metallicity-sorted single-walled carbon nanotubes. <i>Journal of Materials Science</i> , 2010, 45, 5318-5322.	3.7	8
141	Catalyst and Chirality Dependent Growth of Carbon Nanotubes Determined Through Nano-Test Tube Chemistry. <i>Advanced Materials</i> , 2010, 22, 3685-3689.	21.0	54
142	The doping of carbon nanotubes with nitrogen and their potential applications. <i>Carbon</i> , 2010, 48, 575-586.	10.3	513
143	Mechanism study of floating catalyst CVD synthesis of SWCNTs. <i>Physica Status Solidi (B): Basic Research</i> , 2010, 247, 2708-2712.	1.5	8
144	Nitrogen-doped SWCNT synthesis using ammonia and carbon monoxide. <i>Physica Status Solidi (B): Basic Research</i> , 2010, 247, 2726-2729.	1.5	19

#	ARTICLE	IF	CITATIONS
145	Low-temperature growth of single-wall carbon nanotubes inside nano test tubes. Physica Status Solidi (B): Basic Research, 2010, 247, 2730-2733.	1.5	9
146	A combined photoemission and <i>ab initio</i> study of the electronic structure of (6,4)/(6,5) enriched single wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2010, 247, 2875-2879.	1.5	3
147	Raman response from double-wall carbon nanotubes based on metallicity selected host SWCNTs. Physica Status Solidi (B): Basic Research, 2010, 247, 2880-2883.	1.5	2
148	Insight to the valence band electronic structure of metallicity selected single wall carbon nanotubes from a photoemission viewpoint. Physica Status Solidi (B): Basic Research, 2010, 247, 2779-2783.	1.5	0
149	Plasma dynamics in graphite and SWNT probed by inelastic electron and X-ray scattering. Physica Status Solidi C: Current Topics in Solid State Physics, 2010, 7, 2789-2792.	0.8	0
150	Tuning Carbon Nanotubes Through Poor Metal Addition to Iron Catalysts in CVD. Fullerenes Nanotubes and Carbon Nanostructures, 2010, 18, 37-44.	2.1	6
151	Exchange interactions of spin-active metallofullerenes in solid-state carbon networks. Physical Review B, 2010, 81, .	3.2	8
152	Interband and plasma excitations in single-walled carbon nanotubes and graphite in inelastic x-ray and electron scattering. Physical Review B, 2010, 81, .	3.2	9
153	Incidence of the Tomonaga-Luttinger liquid state on the NMR spin-lattice relaxation in carbon nanotubes. Europhysics Letters, 2010, 90, 17004.	2.0	20
154	Tunable Band Gap in Hydrogenated Quasi-Free-Standing Graphene. Nano Letters, 2010, 10, 3360-3366.	9.1	297
155	Evidence for substitutional boron in doped single-walled carbon nanotubes. Applied Physics Letters, 2010, 96, .	3.3	60
156	Ethanol-Promoted Fabrication of Tungsten Oxide Nanobelts with Defined Crystal Orientation. Journal of Physical Chemistry C, 2010, 114, 10-14.	3.1	20
157	The physical and chemical properties of heteronanotubes. Reviews of Modern Physics, 2010, 82, 1843-1885.	45.6	239
158	Combined experimental and <i>ab initio</i> study of the electronic structure of narrow-diameter single-wall carbon nanotubes with predominant (6,4),(6,5) chirality. Physical Review B, 2010, 82, .	3.2	19
159	Disentanglement of the electronic properties of metallicity-selected single-walled carbon nanotubes. Physical Review B, 2009, 80, .	3.2	73
160	Electronic structure and electron-phonon coupling of doped graphene layers in $K C_8$ Physical Review B, 2009, 79, .	3.2	81
161	Screening the Missing Electron: Nanochemistry in Action. Physical Review Letters, 2009, 102, 046804.	7.8	64
162	Substitutionally-Functionalized vs Metallicity-Selected Single-Walled Carbon Nanotubes: A High Energy Spectroscopy Viewpoint. Materials Research Society Symposia Proceedings, 2009, 1204, 1.	0.1	0

#	ARTICLE	IF	CITATIONS
163	Metal-to-insulator transition in thin-film polymericAC60. <i>New Journal of Physics</i> , 2009, 11, 023035.	2.9	3
164	Functionalizing Single-Wall Carbon Nanotubes in Hollow Cathode Glow Discharges. <i>Plasma Chemistry and Plasma Processing</i> , 2009, 29, 79-90.	2.4	12
165	Oxide catalysts for carbon nanotube and few layer graphene formation. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2530-2533.	1.5	4
166	Carbon nanotube synthesis via ceramic catalysts. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2486-2489.	1.5	7
167	Electronic and optical properties of alkali metal doped carbon nanotubes. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2693-2698.	1.5	6
168	Identifying the electron spin resonance of conduction electrons in alkali doped SWCNTs. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2760-2763.	1.5	15
169	Raman response of FeCl ₃ intercalated single-wall carbon nanotubes at high doping. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2732-2736.	1.5	25
170	Electronic properties of single-walled carbon nanotubes encapsulating a cerium organometallic compound. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2626-2630.	1.5	15
171	Study of the role of Fe based catalysts on the growth of B-doped SWCNTs synthesized by CVD. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2518-2522.	1.5	15
172	Hydrogen activated axial inter-conversion in SiC nanowires. <i>Journal of Solid State Chemistry</i> , 2009, 182, 602-607.	2.9	12
173	Boron doped carbon nanotubes via ceramic catalysts. <i>Physica Status Solidi - Rapid Research Letters</i> , 2009, 3, 193-195.	2.4	8
174	Phonon surface mapping of graphite: Disentangling quasi-degenerate phonon dispersions. <i>Physical Review B</i> , 2009, 80, .	3.2	83
175	Potassium-intercalated single-wall carbon nanotube bundles: Archetypes for semiconductor/metal hybrid systems. <i>Physical Review B</i> , 2009, 79, .	3.2	23
176	Angle-resolved photoemission study of the graphite intercalation compoundKC8: A key to graphene. <i>Physical Review B</i> , 2009, 80, .	3.2	69
177	A parametric study of the synthesis and purification of single-walled carbon nanotubes using the high-pressure carbon monoxide process. <i>Applied Physics A: Materials Science and Processing</i> , 2008, 90, 637-643.	2.3	8
178	A continuous synthesis of carbon nanotubes by dc thermal plasma jet. <i>Applied Physics A: Materials Science and Processing</i> , 2008, 91, 223-228.	2.3	11
179	Tailoring the diameter, density and number of walls of carbon nanotubes through predefined catalyst particles. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 1382-1385.	1.8	16
180	Unifying catalyst size dependencies in floating catalyst and supported catalyst carbon nanotube synthesis. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2008, 205, 1386-1390.	1.8	1

#	ARTICLE	IF	CITATIONS
181	On the graphitisation role of oxide supports in carbon nanotube CVD synthesis. Physica Status Solidi (B): Basic Research, 2008, 245, 1939-1942.	1.5	8
182	Lossâ€spectroscopy on sparse arrays of aligned singleâ€wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2008, 245, 2284-2287.	1.5	7
183	Comparative study on thermal and plasma enhanced CVD grown carbon nanotubes from gas phase prepared elemental and binary catalyst particles. Physica Status Solidi (B): Basic Research, 2008, 245, 1919-1922.	1.5	7
184	Capillary filling of singleâ€walled carbon nanotubes with ferrocene in an organic solvent. Physica Status Solidi (B): Basic Research, 2008, 245, 1983-1985.	1.5	15
185	CVD growth of singleâ€walled Bâ€doped carbon nanotubes. Physica Status Solidi (B): Basic Research, 2008, 245, 1935-1938.	1.5	26
186	Bonding environment and electronic structure of Gd metallofullerene and Gd nanowire filled singleâ€wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2008, 245, 2038-2041.	1.5	19
187	Electron spin resonance in alkali doped SWCNTs. Physica Status Solidi (B): Basic Research, 2008, 245, 1975-1978.	1.5	10
188	La@C₈₂ as a spinâ€active filling of SWCNTs: ESR study of magnetic and photophysical properties. Physica Status Solidi (B): Basic Research, 2008, 245, 2042-2046.	1.5	8
189	Preparation and electronic properties of potassium doped graphite single crystals. Physica Status Solidi (B): Basic Research, 2008, 245, 2072-2076.	1.5	8
190	A Catalytic Reaction Inside a Singleâ€Walled Carbon Nanotube. Advanced Materials, 2008, 20, 1443-1449.	21.0	178
191	One-step catalyst-free generation of carbon nanospheres via laser-induced pyrolysis of anthracene. Journal of Solid State Chemistry, 2008, 181, 2796-2803.	2.9	27
192	Cyclohexane triggers staged growth of pure and vertically aligned single wall carbon nanotubes. Chemical Physics Letters, 2008, 454, 332-336.	2.6	13
193	Linear Plasmon Dispersion in Single-Wall Carbon Nanotubes and the Collective Excitation Spectrum of Graphene. Physical Review Letters, 2008, 100, 196803.	7.8	211
194	A one step approach to B-doped single-walled carbon nanotubes. Journal of Materials Chemistry, 2008, 18, 5676.	6.7	68
195	Subnanometer Motion of Cargoes Driven by Thermal Gradients Along Carbon Nanotubes. Science, 2008, 320, 775-778.	12.6	322
196	Tight-binding description of the quasiparticle dispersion of graphite and few-layer graphene. Physical Review B, 2008, 78, .	3.2	243
197	On the Formation of Single-Walled Carbon Nanotubes in Pulsed-Laser-Assisted Chemical Vapor Deposition. Chemistry of Materials, 2008, 20, 128-134.	6.7	4
198	Fine tuning the charge transfer in carbon nanotubes via the interconversion of encapsulated molecules. Physical Review B, 2008, 77, .	3.2	79

#	ARTICLE	IF	CITATIONS
199	High-Quality Double-Walled Carbon Nanotubes Grown by a Cold-Walled Radio Frequency Chemical Vapor Deposition Process. <i>Chemistry of Materials</i> , 2008, 20, 3466-3472.	6.7	41
200	Exposing Multiple Roles of H ₂ O in High-Temperature Enhanced Carbon Nanotube Synthesis. <i>Chemistry of Materials</i> , 2008, 20, 6586-6588.	6.7	19
201	Single-Walled Carbon Nanotubes Synthesis: A Direct Comparison of Laser Ablation and Carbon Arc Routes. <i>Journal of Nanoscience and Nanotechnology</i> , 2008, 8, 6178-6186.	0.9	14
202	Electron-Electron Correlation in Graphite: A Combined Angle-Resolved Photoemission and First-Principles Study. <i>Physical Review Letters</i> , 2008, 100, 037601.	7.8	103
203	Unraveling van Hove singularities in x-ray absorption response of single-wall carbon nanotubes. <i>Physical Review B</i> , 2007, 75, .	3.2	58
204	Electronic surface reconstruction and correlation in the fcc and dimer phases of RbC ₆₀ . <i>Physical Review B</i> , 2007, 75, .	3.2	6
205	Purification-induced sidewall functionalization of magnetically pure single-walled carbon nanotubes. <i>Nanotechnology</i> , 2007, 18, 375601.	2.6	63
206	Catalyst Volume to Surface Area Constraints for Nucleating Carbon Nanotubes. <i>Journal of Physical Chemistry B</i> , 2007, 111, 8234-8241.	2.6	59
207	Nanoengineered Catalyst Particles as a Key for Tailor-Made Carbon Nanotubes. <i>Chemistry of Materials</i> , 2007, 19, 5006-5009.	6.7	47
208	Tailoring N-Doped Single and Double Wall Carbon Nanotubes from a Nondiluted Carbon/Nitrogen Feedstock. <i>Journal of Physical Chemistry C</i> , 2007, 111, 2879-2884.	3.1	119
209	Facilitating the CVD synthesis of seamless double-walled carbon nanotubes. <i>Nanotechnology</i> , 2007, 18, 275610.	2.6	26
210	Effects of the reaction atmosphere composition on the synthesis of single and multiwalled nitrogen-doped nanotubes. <i>Journal of Chemical Physics</i> , 2007, 127, 184709.	3.0	36
211	Revealing the Small-Bundle Internal Structure of Vertically Aligned Single-Walled Carbon Nanotube Films. <i>Journal of Physical Chemistry C</i> , 2007, 111, 17861-17864.	3.1	37
212	Isotope-Engineered Single-Wall Carbon Nanotubes; A Key Material for Magnetic Studies. <i>Journal of Physical Chemistry C</i> , 2007, 111, 4094-4098.	3.1	50
213	Double-Wall Carbon Nanotubes. <i>Topics in Applied Physics</i> , 2007, , 495-530.	0.8	40
214	Influence of the Catalyst Hydrogen Pretreatment on the Growth of Vertically Aligned Nitrogen-Doped Carbon Nanotubes. <i>Chemistry of Materials</i> , 2007, 19, 6131-6137.	6.7	56
215	On the Graphitization Nature of Oxides for the Formation of Carbon Nanostructures. <i>Chemistry of Materials</i> , 2007, 19, 4105-4107.	6.7	121
216	Single-wall carbon nanotubes prepared with different kinds of Ni-Co catalysts: Raman and optical spectrum analysis. <i>Carbon</i> , 2007, 45, 196-202.	10.3	8

#	ARTICLE	IF	CITATIONS
217	Control of the single-wall carbon nanotube mean diameter in sulphur promoted aerosol-assisted chemical vapour deposition. Carbon, 2007, 45, 55-61.	10.3	45
218	Carbon nanotubes grown from individual gas phase prepared iron catalyst particles. Physica Status Solidi (A) Applications and Materials Science, 2007, 204, 1786-1790.	1.8	13
219	Low energy quasiparticle dispersion of graphite by angle-resolved photoemission spectroscopy. Physica Status Solidi (B): Basic Research, 2007, 244, 4129-4133.	1.5	5
220	Growth mechanisms of inner-shell tubes in double-wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2007, 244, 4097-4101.	1.5	6
221	Catalyst size dependencies for carbon nanotube synthesis. Physica Status Solidi (B): Basic Research, 2007, 244, 3911-3915.	1.5	35
222	Ferrocene encapsulated in single-wall carbon nanotubes: a precursor to secondary tubes. Physica Status Solidi (B): Basic Research, 2007, 244, 4102-4105.	1.5	23
223	Anisotropy in the X-ray absorption of vertically aligned single wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2007, 244, 3978-3981.	1.5	7
224	Chemical vapor deposition of functionalized single-walled carbon nanotubes with defined nitrogen doping. Physica Status Solidi (B): Basic Research, 2007, 244, 4051-4055.	1.5	24
225	Carbon ahead. Nature Materials, 2007, 6, 332-333.	27.5	34
226	Oxide-Driven Carbon Nanotube Growth in Supported Catalyst CVD. Journal of the American Chemical Society, 2007, 129, 15772-15773.	18.7	91
227	Detailed analysis of the Raman response of n-doped double-wall carbon nanotubes. Physical Review B, 2006, 74, .	3.2	33
228	Filling factor and electronic structure of Dy ₃ N@C ₈₀ filled single-wall carbon nanotubes studied by photoemission spectroscopy. Physical Review B, 2006, 73, .	3.2	24
229	Thermal Decomposition of Ferrocene as a Method for Production of Single-Walled Carbon Nanotubes without Additional Carbon Sources. Journal of Physical Chemistry B, 2006, 110, 20973-20977.	2.6	96
230	Silver filled single-wall carbon nanotubes synthesis, structural and electronic properties. Nanotechnology, 2006, 17, 2415-2419.	2.6	47
231	Study on hydrogen uptake of functionalized carbon nanotubes. Physica Status Solidi (B): Basic Research, 2006, 243, 3226-3229.	1.5	7
232	Novel catalysts for low temperature synthesis of single wall carbon nanotubes. Physica Status Solidi (B): Basic Research, 2006, 243, 3101-3105.	1.5	20
233	Iron filled singlewalled carbon nanotubes synthesis and characteristic properties. Physica Status Solidi (B): Basic Research, 2006, 243, 3277-3280.	1.5	10
234	Synthesis of single wall carbon nanotubes with defined ¹³ C content. Physica Status Solidi (B): Basic Research, 2006, 243, 3050-3053.	1.5	4

#	ARTICLE	IF	CITATIONS
235	Charge distribution of potassium intercalated Dy ₃ N@C ₈₀ observed with core-level and valence-band photoemission. <i>Physica Status Solidi (B): Basic Research</i> , 2006, 243, 3004-3007.	1.5	7
236	Growth of carbon nanotubes from wet chemistry and thin film multilayer catalysts. <i>Physica Status Solidi (B): Basic Research</i> , 2006, 243, 3054-3057.	1.5	7
237	A photoemission study of the metallic ground state of potassium-doped C ₆₀ peapods. <i>Physica Status Solidi (B): Basic Research</i> , 2006, 243, 3013-3016.	1.5	1
238	Infra-red and Raman spectroscopic study on the thermal stability and high temperature transformation of hydroazafullerene C ₅₉ HN. <i>Carbon</i> , 2006, 44, 1420-1424.	10.3	2
239	High quality double wall carbon nanotubes with a defined diameter distribution by chemical vapor deposition from alcohol. <i>Carbon</i> , 2006, 44, 3177-3182.	10.3	66
240	Iron filled single-wall carbon nanotubes – A novel ferromagnetic medium. <i>Chemical Physics Letters</i> , 2006, 421, 129-133.	2.6	130
241	Eutectic limit for the growth of carbon nanotubes from a thin iron film by chemical vapor deposition of cyclohexane. <i>Chemical Physics Letters</i> , 2006, 425, 301-305.	2.6	24
242	Catalytic decomposition of n-heptane for the growth of high quality single wall carbon nanotubes. <i>Chemical Physics Letters</i> , 2006, 428, 416-420.	2.6	9
243	Synthesis of Heterogenous Multi-Walled Carbon Nanotubes in a Carbon Arc in Water. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2006, 14, 207-213.	2.1	4
244	On the effects of solution and reaction parameters for the aerosol-assisted CVD growth of long carbon nanotubes. <i>Applied Physics A: Materials Science and Processing</i> , 2006, 82, 719-725.	2.3	26
245	Synthesis of single wall carbon nanotubes with invariant diameters using a modified laser assisted chemical vapour deposition route. <i>Nanotechnology</i> , 2006, 17, 5469-5473.	2.6	10
246	Analysis of the anisotropy of excitons in pentacene single crystals using reflectivity measurements and electron energy-loss spectroscopy. <i>Physical Review B</i> , 2006, 74, .	3.2	16
247	Bulk quantity and physical properties of boron nitride nanocapsules with a narrow size distribution. <i>Carbon</i> , 2005, 43, 615-621.	10.3	9
248	Tailoring carbon nanostructures via temperature and laser irradiation. <i>Chemical Physics Letters</i> , 2005, 407, 254-259.	2.6	36
249	On the formation process of silicon carbide nanophases via hydrogenated thermally induced templated synthesis. <i>Applied Physics A: Materials Science and Processing</i> , 2005, 80, 1653-1656.	2.3	15
250	Reshaping of Peapods via Temperature and Laser Irradiation. <i>AIP Conference Proceedings</i> , 2005, , .	0.4	0
251	Metal Oxides and Low Temperature SWCNT Synthesis via Laser Evaporation. <i>AIP Conference Proceedings</i> , 2005, , .	0.4	0
252	Electronic structures of the pristine and K-intercalated Tm ₃ N@C ₈₀ endohedral fullerenes. <i>Physical Review B</i> , 2005, 72, .	3.2	16

#	ARTICLE	IF	CITATIONS
253	Electronic structure of the trimetal nitride fullerene Dy ₃ N@C ₈₀ . Physical Review B, 2005, 72, .	3.2	31
254	Influence of the C ₆₀ filling on the nature of the metallic ground state in intercalated peapods. Physical Review B, 2005, 72, .	3.2	20
255	A photoemission study of the nature of the metallic state in single wall carbon nanotube bundles at low potassium doping. Synthetic Metals, 2005, 153, 333-336.	3.9	7
256	Formation of novel nanostructures using carbon nanotubes as a frame. Synthetic Metals, 2005, 153, 345-348.	3.9	19
257	Modification of SiC based nanorods via a hydrogenated annealing process. Synthetic Metals, 2005, 153, 349-352.	3.9	7
258	Structural, optical, and electronic properties of vanadium oxide nanotubes. Physical Review B, 2005, 72, .	3.2	34
259	Bulk synthesis of carbon-filled silicon carbide nanotubes with a narrow diameter distribution. Journal of Applied Physics, 2005, 97, 056102.	2.5	74
260	Novel Catalysts, Room Temperature, and the Importance of Oxygen for the Synthesis of Single-Walled Carbon Nanotubes. Nano Letters, 2005, 5, 1209-1215.	9.1	120
261	The Electronic and Vibrational Structure of Endohedral Tm ₃ N@C ₈₀ (I) Fullerene \hat{a} Proof of an Encaged Tm ³⁺ . Journal of Physical Chemistry A, 2005, 109, 7088-7093.	2.5	69
262	Covalent interaction in Ba-doped single-wall carbon nanotubes. AIP Conference Proceedings, 2004, , .	0.4	1
263	Thermally Induced Templated Synthesis for the Formation of SiC Nanotubes and more. AIP Conference Proceedings, 2004, , .	0.4	0
264	Electronic properties of potassium-intercalated C ₆₀ peapods. Physical Review B, 2004, 69, .	3.2	19
265	Electronic properties of barium-intercalated single-wall carbon nanotubes. Physical Review B, 2004, 70, .	3.2	30
266	Transition from a Tomonaga-Luttinger Liquid to a Fermi Liquid in Potassium-Intercalated Bundles of Single-Wall Carbon Nanotubes. Physical Review Letters, 2004, 93, 096805.	7.8	131
267	Studies on the Preparation and Characterisation of Carbon Nanostructures. Solid State Phenomena, 2004, 99-100, 269-272.	0.3	1
268	Elimination of metal catalyst and carbon-like impurities from single-wall carbon nanotube raw material. Applied Physics A: Materials Science and Processing, 2004, 78, 311-314.	2.3	26
269	Low temperature fullerene encapsulation in single wall carbon nanotubes: synthesis of N@C ₆₀ @SWCNT. Chemical Physics Letters, 2004, 383, 362-367.	2.6	122
270	Synthesis and electronic properties of B-doped single wall carbon nanotubes. Carbon, 2004, 42, 1123-1126.	10.3	81

#	ARTICLE	IF	CITATIONS
271	Formation and electronic properties of BC ₃ single-wall nanotubes upon boron substitution of carbon nanotubes. <i>Physical Review B</i> , 2004, 69, .	3.2	119
272	Electronic and mechanical coupling between guest and host in carbon peapods. <i>Physical Review B</i> , 2004, 69, .	3.2	52
273	Electronic properties of FeCl ₃ -intercalated single-wall carbon nanotubes. <i>Physical Review B</i> , 2004, 70, .	3.2	64
274	Functionalization of carbon nanotubes. <i>Synthetic Metals</i> , 2004, 141, 113-122.	3.9	250
275	Bulk synthesis and characteristic properties of boron nitride nanostructures: nanocapsules and nanotubes. <i>AIP Conference Proceedings</i> , 2004, , .	0.4	1
276	A Photoemission Study of Potassium-Doped Single Wall Carbon Nanotubes. <i>AIP Conference Proceedings</i> , 2004, , .	0.4	1
277	The Nanospace Inside Single-Wall Carbon Nanotubes. , 2004, , 171-184.		3
278	Analysis of the concentration of C ₆₀ fullerenes in single wall carbon nanotubes. <i>Applied Physics A: Materials Science and Processing</i> , 2003, 76, 449-456.	2.3	41
279	Efficient production of B-substituted single-wall carbon nanotubes. <i>Chemical Physics Letters</i> , 2003, 378, 516-520.	2.6	95
280	Unusual High Degree of Unperturbed Environment in the Interior of Single-Wall Carbon Nanotubes. <i>Physical Review Letters</i> , 2003, 90, 225501.	7.8	158
281	Determination of the filling factor of C ₆₀ peapods by electron energy-loss spectroscopy in transmission. <i>Synthetic Metals</i> , 2003, 135-136, 715-716.	3.9	5
282	CHARGE TRANSFER IN DOPED SINGLE WALL CARBON NANOTUBES. <i>Synthetic Metals</i> , 2003, 135-136, 717-719.	3.9	20
283	Extraordinarily high reduction states of fullerenes produced by intercalation with divalent metals. <i>Synthetic Metals</i> , 2003, 135-136, 791-793.	3.9	1
284	Electronic structure of multiwall boron nitride nanotubes. <i>Physical Review B</i> , 2003, 67, .	3.2	99
285	Diameter selective doping of single wall carbon nanotubes. <i>Physical Chemistry Chemical Physics</i> , 2003, 5, 582-587.	2.8	82
286	Infrared response of multiwalled boron nitride nanotubes. <i>Chemical Communications</i> , 2003, , 82-83.	4.1	53
287	Electronic and optical properties of alkali-metal-intercalated single-wall carbon nanotubes. <i>Physical Review B</i> , 2003, 67, .	3.2	93
288	Quasicontinuous electron and hole doping of C ₆₀ peapods. <i>Physical Review B</i> , 2003, 67, .	3.2	64

#	ARTICLE	IF	CITATIONS
289	Electronic properties of intercalated single-wall carbon nanotubes and C60peapods. <i>New Journal of Physics</i> , 2003, 5, 156-156.	2.9	43
290	Optical properties of intercalated single-wall carbon nanotubes. <i>AIP Conference Proceedings</i> , 2003, , .	0.4	0
291	Defect Free Inner Tubes in DWCNTs. <i>AIP Conference Proceedings</i> , 2003, , .	0.4	6
292	Electronic structure and optical properties of boron doped single-wall carbon nanotubes. <i>AIP Conference Proceedings</i> , 2003, , .	0.4	6
293	Production and characterization of MWBNT and B-doped SWCNT. <i>AIP Conference Proceedings</i> , 2003, , .	0.4	4
294	Electronic Properties of Multiwall Boron Nitride Nanotubes. <i>AIP Conference Proceedings</i> , 2003, , .	0.4	2
295	Doppler imaging of stellar surface structure. <i>Astronomy and Astrophysics</i> , 2003, 411, 595-604.	5.1	35
296	Exploring the Concave Nanospace of Fullerenic Material. , 2003, , 109-119.		0
297	Electronic structure of pristine and intercalated Sc ₃ N@C ₈₀ metallofullerene. <i>Physical Review B</i> , 2002, 66, .	3.2	78
298	Final-state interference effects in valence band photoemission of (C ₅₉ N) ₂ . <i>Physical Review B</i> , 2002, 66, .	3.2	7
299	Filling factors, structural, and electronic properties of C ₆₀ molecules in single-wall carbon nanotubes. <i>Physical Review B</i> , 2002, 65, .	3.2	108
300	Diameter selective charge transfer in p- and n-doped single wall carbon nanotubes synthesized by the HiPCO method. <i>Chemical Communications</i> , 2002, , 1730-1731.	4.1	57
301	Spectroscopic analysis of single-wall carbon nanotubes and carbon nanotube peapods. <i>Diamond and Related Materials</i> , 2002, 11, 957-960.	3.9	32
302	Optimization of purification and selective burning of single-wall carbon nanotubes. <i>AIP Conference Proceedings</i> , 2002, , .	0.4	1
303	Electronic structure of intercalated single-wall carbon nanotubes. <i>AIP Conference Proceedings</i> , 2002, , .	0.4	1
304	Variation of the Growth Time of Carbon Nanotubes in Different Gases. <i>AIP Conference Proceedings</i> , 2002, , .	0.4	0
305	Resonance Raman Properties of Pristine and Intercalated HiPCO SWNTs. <i>AIP Conference Proceedings</i> , 2002, , .	0.4	0
306	Reduced diameter distribution of single-wall carbon nanotubes by selective oxidation. <i>Chemical Physics Letters</i> , 2002, 363, 567-572.	2.6	93

#	ARTICLE	IF	CITATIONS
307	Anisotropy and Interplane Interactions in the Dielectric Response of Graphite. <i>Physical Review Letters</i> , 2002, 89, 076402.	7.8	119
308	Detailed analysis of the mean diameter and diameter distribution of single-wall carbon nanotubes from their optical response. <i>Physical Review B</i> , 2002, 66, .	3.2	167
309	Electronic structure and optical properties of concentric-shell fullerenes from electron-energy-loss spectroscopy in transmission. <i>Physical Review B</i> , 2001, 63, .	3.2	34
310	Metallic Polymers of C ₆₀ Inside Single-Walled Carbon Nanotubes. <i>Physical Review Letters</i> , 2001, 87, 267401.	7.8	140
311	An electron energy-loss study of the structural and electronic properties of magnetically aligned single wall carbon nanotubes. <i>Synthetic Metals</i> , 2001, 121, 1183-1186.	3.9	31
312	The phases of quenched fullerenes RbC ₆₀ . <i>Synthetic Metals</i> , 2001, 121, 1107-1108.	3.9	0
313	Thermal Stability and High Temperature Graphitization of Bisazafullerene (C ₅₉ N) ₂ As Studied by IR and Raman Spectroscopy. <i>Journal of Physical Chemistry B</i> , 2001, 105, 11964-11969.	2.6	12
314	Electronic structure studies of carbon nanotubes: Aligned, doped and filled. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	0
315	Quantum oscillations for the spectral moments of Raman spectra from SWCNT. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	0
316	Optical absorption study of factors influencing the carbon nanotube nucleation process. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	1
317	Electronic structure and optical properties of single wall carbon nanotubes and C _[sub 60] peapods. <i>AIP Conference Proceedings</i> , 2001, , .	0.4	3
318	Determination of SWCNT diameters from the Raman response of the radial breathing mode. <i>European Physical Journal B</i> , 2001, 22, 307-320.	1.5	260
319	Phases for the azafullerides Rb _x C ₅₉ N. <i>Physical Review B</i> , 2001, 63, .	3.2	3
320	High Resolution Fermi Surface Mapping of Pb-Doped Bi-2212. , 2001, , 43-50.		0
321	Electronic structure of carbon nanotubes. , 2000, , 205-218.		1
322	The topology of the Fermi surface of Bi ₂ Sr ₂ CaCu ₂ O ₈ δ \sim 1 from angle resolved photoemission. <i>Physica C: Superconductivity and Its Applications</i> , 2000, 341-348, 2099-2102.	1.2	8
323	Fermi surface mapping of Bi-2212 using high resolution angle-scanned photoemission. , 2000, , 697-711.		1
324	The spectroscopic investigation of the optical and electronic properties of SWCNT. <i>AIP Conference Proceedings</i> , 2000, , .	0.4	4

#	ARTICLE	IF	CITATIONS
325	Proof for trivalent Sc ions in Sc_2C_8 from high-energy spectroscopy. <i>Physical Review B</i> , 2000, 62, 13196-13201.	3.2	38
326	Normal-state Fermi surface of pristine and Pb-doped $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ from angle-resolved photoemission measurements and its photon energy independence. <i>Physical Review B</i> , 2000, 62, 154-157.	3.2	25
327	Joys and Pitfalls of Fermi Surface Mapping in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Using Angle Resolved Photoemission. <i>Physical Review Letters</i> , 2000, 84, 4453-4456.	7.8	88

328

#	ARTICLE	IF	CITATIONS
343	Electronic structure studies of intercalated, hetero and endohedral fullerenes. Carbon, 1998, 36, 625-631.	10.3	5
344	The electronic structure of from high energy spectroscopy. European Physical Journal B, 1998, 1, 11-17.	1.5	29
345	The metallofullerene Tm@C 82 : isomer-selective electronic structure. Applied Physics A: Materials Science and Processing, 1998, 66, 281-285.	2.3	28
346	Localized and Delocalized Electronic States in Single-Wall Carbon Nanotubes. Physical Review Letters, 1998, 80, 4729-4732.	7.8	395
347	The electronic structure of doped fullerenes studied using high energy spectroscopy. , 1998, , .		0
348	Electronic structure studies of single-wall carbon nanotubes using electron energy-loss spectroscopy in transmission. , 1998, , .		1
349	On-Ball Doping of Fullerenes: The Electronic Structure of C ₅₉ N Dimers from Experiment and Theory. Physical Review Letters, 1997, 78, 4249-4252.	7.8	79
350	Monometallofullerene Tm@C ₈₂ : Proof of an Encapsulated Divalent Tm Ion by High-Energy Spectroscopy. Physical Review Letters, 1997, 79, 3026-3029.	7.8	80
351	The dielectric function of dimerised C ₅₉ N. Synthetic Metals, 1997, 86, 2313-2314.	3.9	7
352	The electronic structure of polymerized fullerenes and dimerized heterofullerenes. Applied Physics A: Materials Science and Processing, 1997, 64, 301-305.	2.3	16
353	Vibrational structure of C ₈₄ and Sc ₂ @C ₈₄ analyzed by IR spectroscopy. Journal of Molecular Structure, 1997, 408-409, 359-362.	3.6	21
354	Fullerene Single Crystals: Structure and Electronic Properties. Fullerenes, Nanotubes, and Carbon Nanostructures, 1996, 4, 227-255.	0.6	6
355	Equilibrium phases in alkali metal doped C ₆₀ films and single crystals from in situ IR-reflectivity. Synthetic Metals, 1995, 70, 1329-1332.	3.9	9
356	Infrared spectroscopy of fullerenes. Journal of Physics Condensed Matter, 1995, 7, 6601-6624.	1.8	94
357	Air stability of single crystal Rb ₁ C ₆₀ from infrared reflectivity measurements. Applied Physics Letters, 1995, 66, 1211-1213.	3.3	19
358	Resonance Raman and infrared spectroscopy of carbon nanotubes. Chemical Physics Letters, 1994, 221, 53-58.	2.6	346
359	Vibrational analysis of IR reflection-transmission from single crystal C ₆₀ . European Physical Journal B, 1994, 96, 39-45.	1.5	19
360	Equilibrium phases in K- and Rb-doped C ₆₀ from in situ infrared reflectivity measurements. Physical Review B, 1994, 49, 15879-15889.	3.2	151

#	ARTICLE	IF	CITATIONS
361	Vibrational Spectroscopy of Fullerites and Fullerides. , 1994, , 287-309.		2
362	Electron-vibrational mode coupling in K ₃ C ₆₀ from IR-transmittance and reflectivity. Solid State Communications, 1993, 86, 221-225.	1.9	50
363	Doping and temperature induced phase transitions in C ₆₀ . Synthetic Metals, 1993, 56, 3110-3118.	3.9	4
364	In-situ UV/VIS and Infrared Spectroscopy of Potassium-Doped C ₆₀ . Springer Series in Solid-state Sciences, 1993, , 497-500.	0.3	1
365	Phase separation in K _x C ₆₀ (0 ≤ x ≤ 6) as obtained from in situ Raman spectroscopy. Physical Review B, 1992, 45, 13841-13844.	3.2	90
366	Electronic transitions in K _x C ₆₀ (0 ≤ x ≤ 6) from in situ absorption spectroscopy. Solid State Communications, 1992, 81, 859-862.	1.9	69
367	Phonon anomalies and gap anisotropy in substituted ceramics and oriented thin films of 123 superconductors. Physica C: Superconductivity and Its Applications, 1991, 185-189, 1775-1776.	1.2	1
368	Oxygen doping of tetragonal YBa ₂ (Cu,Ga) ₃ O _x superconductors. Physica C: Superconductivity and Its Applications, 1989, 162-164, 967-968.	1.2	5
369	Single phase superconductivity at 112 K in (BiPb)CaSrCuO. Physica C: Superconductivity and Its Applications, 1989, 162-164, 1219-1220.	1.2	7
370	Charge Transfer and Bonding in Endohedral Fullerenes from High-Energy Spectroscopy. Structure and Bonding, 0, , 201-229.	1.0	6