## **Alexandre Dehaut**

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/180672/alexandre-dehaut-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21 1,363 12 22 g-index

22 1,857 6.4 4.71 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
21	Microplastics Detection Using Pyrolysis-GC/MS-Based Methods <b>2022</b> , 141-175		
20	Oral exposure to polyethylene microplastics alters gut morphology, immune response, and microbiota composition in mice <i>Environmental Research</i> , <b>2022</b> , 113230	7.9	1
19	Relationship Between Particle Properties and Immunotoxicological Effects of Environmentally-Sourced Microplastics. <i>Frontiers in Water</i> , <b>2022</b> , 4,	2.6	1
18	Identification and quantification of plastic additives using pyrolysis-GC/MS: A review. <i>Science of the Total Environment</i> , <b>2021</b> , 773, 145073	10.2	23
17	Reporting Guidelines to Increase the Reproducibility and Comparability of Research on Microplastics. <i>Applied Spectroscopy</i> , <b>2020</b> , 74, 1066-1077	3.1	77
16	Microplastics Detection Using Pyrolysis-GC/MS-Based Methods <b>2020</b> , 1-35		2
15	Impacts of microplastics exposure on mussel (Mytilus edulis) gut microbiota. <i>Science of the Total Environment</i> , <b>2020</b> , 745, 141018	10.2	29
14	An Irgafos 168 story: When the ubiquity of an additive prevents studying its leaching from plastics. <i>Science of the Total Environment</i> , <b>2020</b> , 749, 141651	10.2	7
13	Juvenile fish caging as a tool for assessing microplastics contamination in estuarine fish nursery grounds. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 3548-3559	5.1	12
12	Microplastic contamination and pollutant levels in mussels and cockles collected along the channel coasts. <i>Environmental Pollution</i> , <b>2019</b> , 250, 807-819	9.3	64
11	Occurrence and identification of microplastics in beach sediments from the Hauts-de-France region. <i>Environmental Science and Pollution Research</i> , <b>2019</b> , 26, 28010-28021	5.1	27
10	Current frontiers and recommendations for the study of microplastics in seafood. <i>TrAC - Trends in Analytical Chemistry</i> , <b>2019</b> , 116, 346-359	14.6	90
9	Optimization, performance, and application of a pyrolysis-GC/MS method for the identification of microplastics. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 6663-6676	4.4	113
8	Occurrence and effects of plastic additives on marine environments and organisms: A review. <i>Chemosphere</i> , <b>2017</b> , 182, 781-793	8.4	452
7	Volatile Compounds Selection via Quantile Correlation and Composite Quantile Correlation: A Whiting Case Study. <i>Open Journal of Statistics</i> , <b>2016</b> , 06, 995-1002	0.3	O
6	Development of an SPME-GC-MS method for the specific quantification of dimethylamine and trimethylamine: use of a new ratio for the freshness monitoring of cod fillets. <i>Journal of the Science of Food and Agriculture</i> , <b>2016</b> , 96, 3787-94	4.3	13
5	Monitoring the freshness of fish: development of a qPCR method applied to MAP chilled whiting. Journal of the Science of Food and Agriculture, 2016, 96, 2080-9	4.3	2

## LIST OF PUBLICATIONS

4	Microplastics in seafood: Benchmark protocol for their extraction and characterization. <i>Environmental Pollution</i> , <b>2016</b> , 215, 223-233	9.3	408
3	Differentiation between fresh and frozen-thawed sea bass (Dicentrarchus labrax) fillets using two-dimensional gel electrophoresis. <i>Food Chemistry</i> , <b>2015</b> , 176, 294-301	8.5	13
2	Evolution of volatile compounds and biogenic amines throughout the shelf life of marinated and salted anchovies (Engraulis encrasicolus). <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 8014-22	5.7	23
1	Phenotypic and genotypic characterization of H2 S-positive and H2 S-negative strains of Shewanella baltica isolated from spoiled whiting (Merlangius merlangus). <i>Letters in Applied Microbiology</i> , <b>2014</b> , 59, 542-8	2.9	6