Francesco Fiori

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1806848/francesco-fiori-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152
papers

3,072
citations

44
g-index

159
ext. papers

3,908
ext. citations

4.7
avg, IF

L-index

#	Paper	IF	Citations
152	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
151	Running of the top quark mass from proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2020 , 803, 135263	4.2	9
150	Search for new neutral Higgs bosons through the (mathrm{H}to mathrm{ZA}to {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}}) process in pp collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1	5.4	10
149	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
148	Multiparticle correlation studies in pPb collisions at sNN=8.16 TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
147	Measurement of electroweak production of a boson in association with two jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 43	4.2	6
146	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
145	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
144	Evidence for (text {W}text {W}) production from double-parton interactions in proton proton collisions at (sqrt{s} = 13 ,text {TeV}). European Physical Journal C, 2020 , 80, 1	4.2	4
143	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24
142	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
141	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
140	Search for lepton flavour violating decays of a neutral heavy Higgs boson to hand elin proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
139	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	11
138	Study of excited B0 states decaying to B0HIn proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2020 , 803, 135345	4.2	19
137	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
136	A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10

135	Production of 🗄+ baryons in proton-proton and lead-lead collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135328	4.2	11
134	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	16
133	Observation of the Bo-jJ/I decay in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
132	Observation of nuclear modifications in W\(\text{H}\) boson production in pPb collisions at sNN=8.16TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135048	4.2	9
131	Search for light pseudoscalar boson pairs produced from decays of the 125 GeV Higgs boson in final states with two muons and two nearby tracks in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135087	4.2	15
130	Measurement of the single top quark and antiquark production cross sections in the t channel and their ratio in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135042	4.2	8
129	Bose-Einstein correlations of charged hadrons in proton-proton collisions at (sqrt{s}) = 13 TeV. Journal of High Energy Physics, 2020 , 2020, 1	5.4	2
128	Search for electroweak production of a vector-like T quark using fully hadronic final states. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
127	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
126	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
125	Measurement of the top quark pair production cross section in dilepton final states containing one \Box lepton in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	О
124	Measurement of the tt?bb? production cross section in the all-jet final state in pp collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135	28 3	5
123	Evidence for light-by-light scattering and searches for axion-like particles in ultraperipheral PbPb collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134826	4.2	35
122	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19
121	A search for pair production of new light bosons decaying into muons in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 131-1	15 ⁴ 4 ²	16
120	Measurement of Bs0 meson production in pp and PbPb collisions at sNN=5.02 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2019 , 796, 168-190	4.2	5
119	Measurement and interpretation of differential cross sections for Higgs boson production at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 369.	-31926	18
118	Measurement of associated production of a boson and a charm quark in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 269	4.2	9

117	Combinations of single-top-quark production cross-section measurements and $ fLVVtb $ determinations at (sqrt{s}) = 7 and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
116	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
115	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-	12 ⁴ 9 ²	27
114	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
113	Measurement of the energy density as a function of pseudorapidity in protonproton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	7
112	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
111	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
110	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
109	Inclusive search for supersymmetry in pp collisions at (sqrt{s}=13) TeV using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
108	Measurement of exclusive photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
107	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19
106	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
105	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
104	An embedding technique to determine Backgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
103	Measurement of the top quark Yukawa coupling from tt□kinematic distributions in the lepton+jets final state in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
102	Charged-particle angular correlations in XeXe collisions at sNN=5.44 TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	14
101	Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
100	Measurement of the top quark polarization and tt□spin correlations using dilepton final states in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	13

99	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to [lepton pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
98	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 893	4.2	6
97	Measurement of differential cross sections for Z boson pair production in association with jets at s=8 and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
96	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30
95	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
94	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
93	Measurement of quarkonium production cross sections in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 780, 251-272	4.2	20
92	Pseudorapidity distributions of charged hadrons in proton-lead collisions at (sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
91	Search for Higgsino pair production in pp collisions at s=13 TeV in final states with large missing transverse momentum and two Higgs bosons decaying via H-bb \square <i>Physical Review D</i> , 2018 , 97,	4.9	8
90	Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2018 , 2018, 1	5.4	19
89	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in protonproton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
88	Measurements of tt□cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12
87	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
86	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
85	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
84	Search for ZZ resonances in the 2DI inal state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
83	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4.2	9
82	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20

81	Search for top squarks and dark matter particles in opposite-charge dilepton final states at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	26
80	Azimuthal anisotropy of charged particles with transverse momentum up to 100\textsup GeV/c in PbPb collisions at sNN=5.02\textsup TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 776, 195-216	4.2	27
79	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
78	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
77	Search for Dark Matter and Supersymmetry with a Compressed Mass Spectrum in the Vector Boson Fusion Topology in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2017 , 118, 0218	02 ^{7.4}	23
76	Observation of the decay B+- [2S)?(1020)K+ in pp collisions at s=8TeV. <i>Physics Letters, Section B:</i> Nuclear, Elementary Particle and High-Energy Physics, 2017 , 764, 66-86	4.2	2
75	Measurement of the WZ production cross section in pp collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 766, 268-290	4.2	22
74	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11
73	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
72	Inclusive search for supersymmetry using razor variables in pp collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
71	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
70	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
69	Search for electroweak production of charginos in final states with two leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
68	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. European Physical Journal C, 2017, 77, 92	4.2	7
67	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017, 77, 236	4.2	21
66	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
65	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
64	Measurement of the cross section for electroweak production of Zin association with two jets and constraints on anomalous quartic gauge couplings in protonproton collisions at s=8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 380-402	4.2	22

(2017-2017)

63	Multiplicity and rapidity dependence of strange hadron production in pp, pPb, and PbPb collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 103-129	4.2	23	
62	Search for dijet resonances in protonproton collisions at s=13TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74	
61	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos, and b quarks. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 768, 137-162	4.2	13	
60	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72	
59	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171	
58	Search for Supersymmetry in pp Collisions at sqrt[s]=13 TeV in the Single-Lepton Final State Using the Sum of Masses of Large-Radius Jets. <i>Physical Review Letters</i> , 2017 , 119, 151802	7.4	7	
57	Measurement of the B $^{\{ \!\!\!\ \} \!\!\!\!}$ Meson Nuclear Modification Factor in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2017 , 119, 152301	7:4	37	
56	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15	
55	Pseudorapidity dependence of long-range two-particle correlations in pPb collisions at sNN=5.02 TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	5	
54	Measurement of inclusive jet cross sections in pp and PbPb collisions at sNN=2.76 TeV. <i>Physical Review C</i> , 2017 , 96,	2.7	39	
53	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16	
52	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text]. European Physical Journal C, 2017, 77, 467	4.2	14	
51	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7:4	28	
50	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15	
49	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at (sqrt{s}=8) TeV using H-jWW decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10	
48	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21	
47	Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5∙4	64	
46	Measurement of the mass difference between top quark and antiquark in pp collisions at s=8 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 50-71	4.2	6	

45	Search for anomalous couplings in boosted WW/WZ-月q? production in protonproton collisions at s=8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 21-42	4.2	22
44	Measurements of the charm jet cross section and nuclear modification factor in pPb collisions at sNN=5.02(TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 306-329	4.2	14
43	Coherent J/lphotoproduction in ultra-peripheral PbPb collisions at sNN=2.76TeV with the CMS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 489-511	4.2	58
42	Cross section measurement of t-channel single top quark production in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 752-776	4.2	32
41	Measurement of differential cross sections for top quark pair production using the lepton+jets final state in proton-proton collisions at 13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	41
40	Search for associated production of dark matter with a Higgs boson decaying to (mathrm{b}overline{mathrm{b}}) or Lat (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
39	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11
38	Observation of Y(1S) pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
37	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	26
36	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32
35	Measurement of the semileptonic (mathrm{t}overline{mathrm{t}}) + Γ production cross section in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
34	Mechanical stability of the CMS strip tracker measured with a laser alignment system. <i>Journal of Instrumentation</i> , 2017 , 12, P04023-P04023	1	
33	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
32	Search for black holes and other new phenomena in high-multiplicity final states in proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 279-307	4.2	10
31	Combination of searches for heavy resonances decaying to WW, WZ, ZZ, WH, and ZH boson pairs in proton proton collisions at s=8 and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 533-558	4.2	25
30	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	19
29	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
28	Measurements of differential cross sections for associated production of a W boson and jets in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	10

(2017-2017)

27	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15	
26	Measurement of the differential inclusive B+ hadron cross sections in pp collisions at s=13 TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 771, 435-456	4.2	15	
25	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. European Physical Journal C, 2017, 77, 354	4.2	8	
24	Relative Modification of Prompt (PS) and J/IY ields from pp to PbPb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2017 , 118, 162301	7.4	18	
23	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22	
22	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7.4	23	
21	Measurement of electroweak-induced production of Wīwith two jets in pp collisions at (sqrt{s}=8) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9	
20	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5	
19	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18	
18	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11	
17	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12	
16	Search for Higgs boson pair production in the bblfinal state in proton-proton collisions at (s)=8 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	14	
15	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton rollisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2017 , 774, 682-705	4.2	29	
14	Search for a heavy composite Majorana neutrino in the final state with two leptons and two quarks at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 315-337	4.2	6	
13	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	14	
12	Search for a heavy resonance decaying to a top quark and a vector-like top quark at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4	
11	Measurements of jet charge with dijet events in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10	
10	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10	

9	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
8	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
7	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying [leptons and two jets in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
6	Search for CP violation in (toverline{t}) production and decay in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
5	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
4	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
3	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
2	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
1	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16