
## Francesca Tosetti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1807577/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	ADAM10 Site-Dependent Biology: Keeping Control of a Pervasive Protease. International Journal of Molecular Sciences, 2021, 22, 4969.	4.1	11
2	Inhibitors of A Disintegrin And Metalloproteinases-10 reduce Hodgkin lymphoma cell growth in 3D microenvironments and enhance brentuximab-vedotin effect. Haematologica, 2021, , .	3.5	9
3	Cancer Nanomedicine Special Issue Review Anticancer Drug Delivery with Nanoparticles: Extracellular Vesicles or Synthetic Nanobeads as Therapeutic Tools for Conventional Treatment or Immunotherapy. Cancers, 2020, 12, 1886.	3.7	19
4	Aspartate β-hydroxylase targeting in castration-resistant prostate cancer modulates the NOTCH/HIF1α/GSK3β crosstalk. Carcinogenesis, 2020, 41, 1246-1252.	2.8	16
5	Evaluation of Glycosylated PTGS2 in Colorectal Cancer for NSAIDS-Based Adjuvant Therapy. Cells, 2020, 9, 683.	4.1	11
6	Human Gut-Associated Natural Killer Cells in Health and Disease. Frontiers in Immunology, 2019, 10, 961.	4.8	101
7	Specific ADAM10 inhibitors localize in exosome-like vesicles released by Hodgkin lymphoma and stromal cells and prevent sheddase activity carried to bystander cells. Oncolmmunology, 2018, 7, e1421889.	4.6	28
8	Synthesis and in vitro Evaluation of ADAM10 and ADAM17 Highly Selective Bioimaging Probes. ChemMedChem, 2018, 13, 2119-2131.	3.2	7
9	Zoledronate can induce colorectal cancer microenvironment expressing BTN3A1 to stimulate effector Î <sup>3</sup> δT cells with antitumor activity. Oncolmmunology, 2017, 6, e1278099.	4.6	62
10	The ErbB family and androgen receptor signaling are targets ofÂCelecoxib in prostate cancer. Cancer Letters, 2017, 400, 9-17.	7.2	29
11	ADAM10 new selective inhibitors reduce NKG2D ligand release sensitizing Hodgkin lymphoma cells to NKG2D-mediated killing. Oncolmmunology, 2016, 5, e1123367.	4.6	50
12	Celecoxib increases EGF signaling in colon tumor associated fibroblasts, modulating EGFR expression and degradation. Oncotarget, 2015, 6, 12310-12325.	1.8	20
13	Glycogen Synthase Kinase 3 Regulates Cell Death and Survival Signaling in Tumor Cells under Redox Stress. Neoplasia, 2014, 16, 710-722.	5.3	19
14	On Arsenic and Plague. Clinical Infectious Diseases, 2014, 59, 1806-1808.	5.8	2
15	The engagement of CTLA-4 on primary melanoma cell lines induces antibody-dependent cellular cytotoxicity and TNF-α production. Journal of Translational Medicine, 2013, 11, 108.	4.4	136
16	Evidence of epidermal growth factor receptor expression in uveal melanoma: Inhibition of epidermal growth factor-mediated signalling by Gefitinib and Cetuximab triggered antibody-dependent cellular cytotoxicity. European Journal of Cancer, 2013, 49, 3353-3365.	2.8	32
17	Cancer prevention by targeting angiogenesis. Nature Reviews Clinical Oncology, 2012, 9, 498-509.	27.6	264
18	Xanthohumol Impairs Human Prostate Cancer Cell Growth and Invasion and Diminishes the Incidence and Progression of Advanced Tumors in TRAMP Mice. Molecular Medicine, 2012, 18, 1292-1302.	4.4	63

Francesca Tosetti

#	Article	IF	CITATIONS
19	Response: Re: Neurocognitive Functioning in Adult Survivors of Childhood Noncentral Nervous System Cancers. Journal of the National Cancer Institute, 2011, 103, 608-609.	6.3	2
20	Diet-Derived Phytochemicals: From Cancer Chemoprevention to Cardio-Oncological Prevention. Current Drug Targets, 2011, 12, 1909-1924.	2.1	36
21	Angioprevention with fenretinide: Targeting angiogenesis in prevention and therapeutic strategies. Critical Reviews in Oncology/Hematology, 2010, 75, 2-14.	4.4	39
22	The chemopreventive retinoid 4HPR impairs prostate cancer cell migration and invasion by interfering with FAK/AKT/GSK3β pathway and β-catenin stability. Molecular Cancer, 2010, 9, 142.	19.2	40
23	Metabolic regulation and redox activity as mechanisms for angioprevention by dietary phytochemicals. International Journal of Cancer, 2009, 125, 1997-2003.	5.1	64
24	Anti-angiogenic properties of Chemopreventive Drugs: Fenretinide as a Prototype Recent Results in Cancer Research, 2009, 181, 71-76.	1.8	19
25	The redox state of the lung cancer microenvironment depends on the levels of thioredoxin expressed by tumor cells and affects tumor progression and response to prooxidants. International Journal of Cancer, 2008, 123, 1770-1778.	5.1	73
26	Glycogen Synthase Kinase 3β Regulates Cell Death Induced by Synthetic Triterpenoids. Cancer Research, 2008, 68, 6987-6996.	0.9	36
27	Antileukemia effects of xanthohumol in Bcr/Abl-transformed cells involve nuclear factor-ÂB and p53 modulation. Molecular Cancer Therapeutics, 2008, 7, 2692-2702.	4.1	73
28	Novel cell death pathways induced by N-(4-hydroxyphenyl)retinamide: therapeutic implications. Molecular Cancer Therapeutics, 2007, 6, 286-298.	4.1	23
29	Identification of a new truncated form and deamidation products of fibrinopeptide B released by thrombin from human fibrinogen. Thrombosis and Haemostasis, 2006, 96, 302-308.	3.4	5
30	Choking Hypoxia-Inducible Factor 1α: A Novel Mechanism for Connective Tissue Growth Factor Inhibition of Angiogenesis. Journal of the National Cancer Institute, 2006, 98, 946-948.	6.3	2
31	Tumor Inflammatory Angiogenesis and Its Chemoprevention. Cancer Research, 2005, 65, 10637-10641.	0.9	184
32	Anti-angiogenesis and angioprevention: mechanisms, problems and perspectives. Cancer Detection and Prevention, 2003, 27, 229-238.	2.1	62
33	N-(4-Hydroxyphenyl)retinamide Inhibits Retinoblastoma Growth through Reactive Oxygen Species-Mediated Cell Death. Molecular Pharmacology, 2003, 63, 565-573.	2.3	42
34	â€~Angioprevention': angiogenesis is a common and key target for cancer chemopreventive agents. FASEB Journal, 2002, 16, 2-14.	0.5	309
35	The Angiogenic Switch in Solid Tumors: Clinical Implications. Tumori, 2002, 1, S9-S11.	1.1	8
36	Transient modulation of cytoplasmic and nuclear retinoid receptors expression in differentiating human teratocarcinoma NT2 cells. Journal of Neurochemistry, 2002, 84, 94-104.	3.9	10

Francesca Tosetti

#	Article	IF	CITATIONS
37	The angiogenic switch in solid tumors: clinical implications. I Supplementi Di Tumori, 2002, 1, S9-11.	0.1	4
38	Growth factor supplemented matrigel improves ectopic skeletal muscle formation?a cell therapy approach. Journal of Cellular Physiology, 2001, 186, 183-192.	4.1	47
39	Studies on the Cellular Uptake of Retinol Binding Protein and Retinol. Experimental Cell Research, 1999, 250, 423-433.	2.6	7
40	Retinol Binding Protein and Transthyretin Are Secreted as a Complex Formed in the Endoplasmic Reticulum in HepG2 Human Hepatocarcinoma Cells. Experimental Cell Research, 1996, 222, 77-83.	2.6	66
41	A Retinoic Acid Resistant HL-60 Cell Clone Sensitive to N-(4-hydroxyphenyl) Retinamide-Mediated Clonal Growth Inhibition. Leukemia and Lymphoma, 1995, 17, 175-180.	1.3	8
42	An Improved RT-PCR Protocol for the Quantitation of Human Retinoic Acid Receptor RNA. Experimental Cell Research, 1994, 211, 121-126.	2.6	8
43	Regulation of plasma retinol binding protein secretion in human HepG2 cells. Experimental Cell Research, 1992, 200, 467-472.	2.6	17
44	Histone acetylation in conjugating Tetrahymena thermophila [published erratum appears in J Cell Biol 1989 Dec;109(6 Pt 1):3214-7]. Journal of Cell Biology, 1989, 109, 1007-1014.	5.2	16
45	Histone hyperacetylation is induced in chick erythrocyte nuclei during reactivation in heterokaryons*1. Experimental Cell Research, 1988, 178, 25-30.	2.6	16
46	Denitrosation of N-Nitrosdimethylamine and N-Nitrosomethylurea by liver microsomes from trout (Salmo gairdneri Rich.). Environmental Research, 1987, 42, 366-371.	7.5	2