

# Kristine E Fasmer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1808199/publications.pdf>

Version: 2024-02-01

30  
papers

1,218  
citations

623734

14  
h-index

454955

30  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1493  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preoperative pelvic MRI and 2-[18F]FDG PET/CT for lymph node staging and prognostication in endometrial cancer—time to revisit current imaging guidelines?. <i>European Radiology</i> , 2023, 33, 221-232.	4.5	3
2	MRI-assessed tumor-free distance to serosa predicts deep myometrial invasion and poor outcome in endometrial cancer. <i>Insights Into Imaging</i> , 2022, 13, 1.	3.4	14
3	Whole-Volume Tumor MRI Radiomics for Prognostic Modeling in Endometrial Cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2021, 53, 928-937.	3.4	47
4	Obesity and visceral fat: Survival impact in high-grade endometrial cancer. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 425-432.	1.1	15
5	Automated segmentation of endometrial cancer on MR images using deep learning. <i>Scientific Reports</i> , 2021, 11, 179.	3.3	24
6	An MRI-Based Radiomic Prognostic Index Predicts Poor Outcome and Specific Genetic Alterations in Endometrial Cancer. <i>Journal of Clinical Medicine</i> , 2021, 10, 538.	2.4	15
7	The role of sarcopenic obesity in high-grade endometrial cancer. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 154, 248-255.	2.3	3
8	Feasibility and utility of MRI and dynamic 18F-FDG-PET in an orthotopic organoid-based patient-derived mouse model of endometrial cancer. <i>Journal of Translational Medicine</i> , 2021, 19, 406.	4.4	5
9	A Gene Signature Identifying CIN3 Regression and Cervical Cancer Survival. <i>Cancers</i> , 2021, 13, 5737.	3.7	9
10	A radiogenomics application for prognostic profiling of endometrial cancer. <i>Communications Biology</i> , 2021, 4, 1363.	4.4	14
11	Preoperative 18F-FDG PET/CT tumor markers outperform MRI-based markers for the prediction of lymph node metastases in primary endometrial cancer. <i>European Radiology</i> , 2020, 30, 2443-2453.	4.5	15
12	Development of prediction models for lymph node metastasis in endometrioid endometrial carcinoma. <i>British Journal of Cancer</i> , 2020, 122, 1014-1022.	6.4	9
13	Near-Infrared Fluorescent Imaging for Monitoring of Treatment Response in Endometrial Carcinoma Patient-Derived Xenograft Models. <i>Cancers</i> , 2020, 12, 370.	3.7	10
14	Blood Metabolites Associate with Prognosis in Endometrial Cancer. <i>Metabolites</i> , 2019, 9, 302.	2.9	12
15	Imaging of Preclinical Endometrial Cancer Models for Monitoring Tumor Progression and Response to Targeted Therapy. <i>Cancers</i> , 2019, 11, 1885.	3.7	5
16	Blood steroids are associated with prognosis and fat distribution in endometrial cancer. <i>Gynecologic Oncology</i> , 2019, 152, 46-52.	1.4	13
17	Preoperative quantitative dynamic contrast-enhanced MRI and diffusion-weighted imaging predict aggressive disease in endometrial cancer. <i>Acta Radiologica</i> , 2018, 59, 1010-1017.	1.1	33
18	Preoperative tumor texture analysis on MRI predicts high-risk disease and reduced survival in endometrial cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1637-1647.	3.4	91

#	ARTICLE	IF	CITATIONS
19	Preoperative imaging markers and PDZ-binding kinase tissue expression predict low-risk disease in endometrial hyperplasias and low grade cancers. <i>Oncotarget</i> , 2017, 8, 68530-68541.	1.8	7
20	Tissue and imaging biomarkers for hypoxia predict poor outcome in endometrial cancer. <i>Oncotarget</i> , 2016, 7, 69844-69856.	1.8	30
21	Assessment of exocrine pancreatic function by secretin-stimulated magnetic resonance cholangiopancreatography and diffusion-weighted imaging in healthy controls. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 448-454.	3.4	31
22	Dynamic contrast-enhanced MRI in endometrial carcinoma identifies patients at increased risk of recurrence. <i>European Radiology</i> , 2013, 23, 2916-2925.	4.5	36
23	Magnetic resonance imaging performs better than endocervical curettage for preoperative prediction of cervical stromal invasion in endometrial carcinomas. <i>Gynecologic Oncology</i> , 2012, 126, 413-418.	1.4	18
24	Staging of endometrial carcinomas with MRI using traditional and novel MRI techniques. <i>Clinical Radiology</i> , 2012, 67, 2-12.	1.1	77
25	Standard 1.5-T MRI of endometrial carcinomas: modest agreement between radiologists. <i>European Radiology</i> , 2012, 22, 1601-1611.	4.5	48
26	Central Nervous System Lymphoma: Characteristic Findings on Traditional and Advanced Imaging. <i>American Journal of Neuroradiology</i> , 2011, 32, 984-992.	2.4	364
27	CT and MR Imaging Features of Primary Central Nervous System Lymphoma in Norway, 1989-2003. <i>American Journal of Neuroradiology</i> , 2009, 30, 744-751.	2.4	108
28	Increasing incidence and continued dismal outcome of primary central nervous system lymphoma in Norway 1989-2003. <i>Cancer</i> , 2007, 110, 1803-1814.	4.1	88
29	Diagnostic delay in primary central nervous system lymphoma. <i>Acta Oncologica</i> , 2005, 44, 728-734.	1.8	62
30	Incidence, clinical features, treatment and outcome of primary central nervous system lymphoma in Norway A ten-year national survey. <i>Acta Oncologica</i> , 2004, 43, 520-529.	1.8	12