

Monique Mendelson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1808712/publications.pdf>

Version: 2024-02-01

21
papers

475
citations

933447

10
h-index

752698

20
g-index

21
all docs

21
docs citations

21
times ranked

671
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of exercise training on sleep apnoea in patients with coronary artery disease: a randomised trial. <i>European Respiratory Journal</i> , 2016, 48, 142-150.	6.7	97
2	Obstructive Sleep Apnea Syndrome, Objectively Measured Physical Activity and Exercise Training Interventions: A Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2018, 9, 73.	2.4	83
3	CPAP Treatment Supported by Telemedicine Does Not Improve Blood Pressure in High Cardiovascular Risk OSA Patients: A Randomized, Controlled Trial. <i>Sleep</i> , 2014, 37, 1863-1870.	1.1	62
4	Maximal exercise capacity in patients with obstructive sleep apnoea syndrome: a systematic review and meta-analysis. <i>European Respiratory Journal</i> , 2018, 51, 1702697.	6.7	38
5	Objective Relationship Between Sleep Apnea and Frequency of Snoring Assessed by Machine Learning. <i>Journal of Clinical Sleep Medicine</i> , 2019, 15, 463-470.	2.6	32
6	Ventilatory responses to exercise training in obese adolescents. <i>Respiratory Physiology and Neurobiology</i> , 2012, 184, 73-79.	1.6	23
7	Low Physical Activity Is a Determinant for Elevated Blood Pressure in High Cardiovascular Risk Obstructive Sleep Apnea. <i>Respiratory Care</i> , 2014, 59, 1218-1227.	1.6	23
8	Can crossover and maximal fat oxidation rate points be used equally for ergocycling and walking/running on a track?. <i>Diabetes and Metabolism</i> , 2012, 38, 264-270.	2.9	16
9	Prediction of maximal lactate steady state in runners with an incremental test on the field. <i>Journal of Sports Sciences</i> , 2012, 30, 609-616.	2.0	14
10	Exercise training improves breathing strategy and performance during the six-minute walk test in obese adolescents. <i>Respiratory Physiology and Neurobiology</i> , 2014, 200, 18-24.	1.6	14
11	Multidimensional Evaluation of Continuous Positive Airway Pressure (CPAP) Treatment for Sleep Apnea in Different Clusters of Couples. <i>Journal of Clinical Medicine</i> , 2020, 9, 1658.	2.4	11
12	The Impact of the COVID-19 Lockdown on Weight Loss and Body Composition in Subjects with Overweight and Obesity Participating in a Nationwide Weight-Loss Program: Impact of a Remote Consultation Follow-Up—The CO-RNPC Study. <i>Nutrients</i> , 2021, 13, 2152.	4.1	11
13	Utility of Screening for Obstructive Sleep Apnea in Cardiac Rehabilitation. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2016, 36, 413-420.	2.1	9
14	Long-term effects of cardiac rehabilitation on sleep apnea severity in patients with coronary artery disease. <i>Journal of Clinical Sleep Medicine</i> , 2020, 16, 65-71.	2.6	9
15	Effects of high intensity interval training on sustained reduction in cardiometabolic risk associated with overweight/obesity. A randomized trial. <i>Journal of Exercise Science and Fitness</i> , 2022, 20, 172-181.	2.2	9
16	Physiological correlates to spontaneous physical activity variability in obese patients with already treated sleep apnea syndrome. <i>Sleep and Breathing</i> , 2017, 21, 61-68.	1.7	8
17	Validation of an apnea and hypopnea detection algorithm implemented in implantable cardioverter defibrillators. The AIRLESS study. <i>Scientific Reports</i> , 2019, 9, 9597.	3.3	5
18	Low Cardiorespiratory Fitness Is Partially Linked to Ventilatory Factors in Obese Adolescents. <i>Pediatric Exercise Science</i> , 2016, 28, 87-97.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Physical activity: the key to cardiometabolic risk reduction in obstructive sleep apnoea. European Respiratory Journal, 2018, 52, 1801775.	6.7	4
20	Prevalence of obstructive sleep apnea syndrome in patients with lymphedema referred for complete decongestive therapy. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2020, 8, 137-142.	1.6	3
21	Long-term effects of cardiac rehabilitation on sleep apnea severity in patients with coronary artery disease. , 2017, , .		0