

Keyvan Karkouti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1809522/keyvan-karkouti-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

7,302
citations

45
h-index

84
g-index

164
ext. papers

8,565
ext. citations

4.9
avg, IF

5.8
L-index

#	Paper	IF	Citations
147	Acute kidney injury after cardiac surgery: focus on modifiable risk factors. <i>Circulation</i> , 2009 , 119, 495-502	16.7	503
146	Risk associated with preoperative anemia in cardiac surgery: a multicenter cohort study. <i>Circulation</i> , 2008 , 117, 478-84	16.7	338
145	The independent association of massive blood loss with mortality in cardiac surgery. <i>Transfusion</i> , 2004 , 44, 1453-62	2.9	300
144	Risk associated with preoperative anemia in noncardiac surgery: a single-center cohort study. <i>Anesthesiology</i> , 2009 , 110, 574-81	4.3	287
143	Derivation and validation of a simplified predictive index for renal replacement therapy after cardiac surgery. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 1801-9	27.4	278
142	Hemodilution during cardiopulmonary bypass is an independent risk factor for acute renal failure in adult cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 129, 391-400	1.5	272
141	Hyperchloremia after noncardiac surgery is independently associated with increased morbidity and mortality: a propensity-matched cohort study. <i>Anesthesia and Analgesia</i> , 2013 , 117, 412-21	3.9	263
140	A propensity score case-control comparison of aprotinin and tranexamic acid in high-transfusion-risk cardiac surgery. <i>Transfusion</i> , 2006 , 46, 327-38	2.9	238
139	Off-pump coronary artery surgery for reducing mortality and morbidity: meta-analysis of randomized and observational studies. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 872-82	15.1	233
138	Transfusion and risk of acute kidney injury in cardiac surgery. <i>British Journal of Anaesthesia</i> , 2012 , 109 Suppl 1, i29-i38	5.4	216
137	Universal definition of perioperative bleeding in adult cardiac surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 1458-1463.e1	1.5	206
136	Low hematocrit during cardiopulmonary bypass is associated with increased risk of perioperative stroke in cardiac surgery. <i>Annals of Thoracic Surgery</i> , 2005 , 80, 1381-7	2.7	195
135	Assessment of functional capacity before major non-cardiac surgery: an international, prospective cohort study. <i>Lancet, The</i> , 2018 , 391, 2631-2640	40	186
134	Point-of-Care Hemostatic Testing in Cardiac Surgery: A Stepped-Wedge Clustered Randomized Controlled Trial. <i>Circulation</i> , 2016 , 134, 1152-1162	16.7	160
133	The pathophysiology and consequences of red blood cell storage. <i>Anaesthesia</i> , 2015 , 70 Suppl 1, 29-37, e9-12	6.6	150
132	Cryoprecipitate: the current state of knowledge. <i>Transfusion Medicine Reviews</i> , 2009 , 23, 177-88	7.4	140
131	Predicting difficult intubation: a multivariable analysis. <i>Canadian Journal of Anaesthesia</i> , 2000 , 47, 730-9	3	135

130	Recombinant factor VIIa for intractable blood loss after cardiac surgery: a propensity score-matched case-control analysis. <i>Transfusion</i> , 2005 , 45, 26-34	2.9	134
129	Influence of erythrocyte transfusion on the risk of acute kidney injury after cardiac surgery differs in anemic and nonanemic patients. <i>Anesthesiology</i> , 2011 , 115, 523-30	4.3	111
128	Inter-observer reliability of ten tests used for predicting difficult tracheal intubation. <i>Canadian Journal of Anaesthesia</i> , 1996 , 43, 554-9	3	111
127	A systematic review and consensus definitions for standardised end-points in perioperative medicine: pulmonary complications. <i>British Journal of Anaesthesia</i> , 2018 , 120, 1066-1079	5.4	93
126	Interrelationship of preoperative anemia, intraoperative anemia, and red blood cell transfusion as potentially modifiable risk factors for acute kidney injury in cardiac surgery: a historical multicentre cohort study. <i>Canadian Journal of Anaesthesia</i> , 2015 , 62, 377-84	3	92
125	The influence of perioperative coagulation status on postoperative blood loss in complex cardiac surgery: a prospective observational study. <i>Anesthesia and Analgesia</i> , 2010 , 110, 1533-40	3.9	91
124	Prediction of massive blood transfusion in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 781-94	3	90
123	Does tight heart rate control improve beta-blocker efficacy? An updated analysis of the noncardiac surgical randomized trials. <i>Anesthesia and Analgesia</i> , 2008 , 106, 1039-48, table of contents	3.9	88
122	A multivariable model for predicting the need for blood transfusion in patients undergoing first-time elective coronary bypass graft surgery. <i>Transfusion</i> , 2001 , 41, 1193-203	2.9	85
121	Comprehensive Canadian review of the off-label use of recombinant activated factor VII in cardiac surgery. <i>Circulation</i> , 2008 , 118, 331-8	16.7	84
120	Improving the identification of patients at risk of postoperative renal failure after cardiac surgery. <i>Anesthesiology</i> , 2006 , 104, 65-72	4.3	84
119	Acute surgical anemia influences the cardioprotective effects of beta-blockade: a single-center, propensity-matched cohort study. <i>Anesthesiology</i> , 2010 , 112, 25-33	4.3	83
118	Mild to moderate atheromatous disease of the thoracic aorta and new ischemic brain lesions after conventional coronary artery bypass graft surgery. <i>Stroke</i> , 2004 , 35, e356-8	6.7	82
117	The role of point-of-care platelet function testing in predicting postoperative bleeding following cardiac surgery: a systematic review and meta-analysis. <i>Anaesthesia</i> , 2015 , 70, 715-31	6.6	77
116	The relationship between fibrinogen levels after cardiopulmonary bypass and large volume red cell transfusion in cardiac surgery: an observational study. <i>Anesthesia and Analgesia</i> , 2013 , 117, 14-22	3.9	73
115	The influence of baseline hemoglobin concentration on tolerance of anemia in cardiac surgery. <i>Transfusion</i> , 2008 , 48, 666-72	2.9	71
114	Evaluation of a novel transfusion algorithm employing point-of-care coagulation assays in cardiac surgery: a retrospective cohort study with interrupted time-series analysis. <i>Anesthesiology</i> , 2015 , 122, 560-70	4.3	68
113	Variability and predictability of large-volume red blood cell transfusion in cardiac surgery: a multicenter study. <i>Transfusion</i> , 2007 , 47, 2081-8	2.9	68

112	The risk-benefit profile of aprotinin versus tranexamic acid in cardiac surgery. <i>Anesthesia and Analgesia</i> , 2010 , 110, 21-9	3.9	66
111	Efficacy and safety of recombinant factor XIII on reducing blood transfusions in cardiac surgery: a randomized, placebo-controlled, multicenter clinical trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 927-39	1.5	65
110	Advance targeted transfusion in anemic cardiac surgical patients for kidney protection: an unblinded randomized pilot clinical trial. <i>Anesthesiology</i> , 2012 , 116, 613-21	4.3	65
109	Intravenous iron and recombinant erythropoietin for the treatment of postoperative anemia. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 11-9	3	64
108	Dual antiplatelet therapy in patients requiring urgent coronary artery bypass grafting surgery: a position statement of the Canadian Cardiovascular Society. <i>Canadian Journal of Cardiology</i> , 2009 , 25, 683-9	3.8	63
107	Platelet transfusions are not associated with increased morbidity or mortality in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 279-87	3	57
106	The safety of perioperative esmolol: a systematic review and meta-analysis of randomized controlled trials. <i>Anesthesia and Analgesia</i> , 2011 , 112, 267-81	3.9	53
105	Effect of Fibrinogen Concentrate vs Cryoprecipitate on Blood Component Transfusion After Cardiac Surgery: The FIBRES Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 322, 1966-1976	27.4	52
104	Use of clinically based troponin underestimates the cardiac injury in non-cardiac surgery: a single-centre cohort study in 51,701 consecutive patients. <i>Canadian Journal of Anaesthesia</i> , 2012 , 59, 1013-22	3	47
103	Determinants of complications with recombinant factor VIIa for refractory blood loss in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 802-9	3	45
102	Technical report: analysis of citrated blood with thromboelastography: comparison with fresh blood samples. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 284-9	3	42
101	The role of recombinant factor VIIa in on-pump cardiac surgery: proceedings of the Canadian Consensus Conference. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 573-82	3	41
100	Validity of Thromboelastometry for Rapid Assessment of Fibrinogen Levels in Heparinized Samples During Cardiac Surgery: A Retrospective, Single-center, Observational Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2016 , 30, 90-5	2.1	37
99	Platelet dysfunction as measured by a point-of-care monitor is an independent predictor of high blood loss in cardiac surgery. <i>Anesthesia and Analgesia</i> , 2014 , 118, 257-263	3.9	35
98	Evaluating surrogate measures of renal dysfunction after cardiac surgery. <i>Anesthesia and Analgesia</i> , 2003 , 96, 1265-1273	3.9	35
97	Integration of the Duke Activity Status Index into preoperative risk evaluation: a multicentre prospective cohort study. <i>British Journal of Anaesthesia</i> , 2020 , 124, 261-270	5.4	35
96	Risk factors for major complications after extrapleural pneumonectomy for malignant pleural mesothelioma. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 1206-10	2.7	34
95	Use of prothrombin complex concentrate for management of coagulopathy after cardiac surgery: a propensity score matched comparison to plasma. <i>British Journal of Anaesthesia</i> , 2018 , 120, 928-934	5.4	28

94	Using the 6-minute walk test to predict disability-free survival after major surgery. <i>British Journal of Anaesthesia</i> , 2019 , 122, 111-119	5.4	28
93	N-acetylcysteine is associated with increased blood loss and blood product utilization during cardiac surgery. <i>Critical Care Medicine</i> , 2009 , 37, 1929-34	1.4	27
92	The incremental value of thrombelastography for prediction of excessive blood loss after cardiac surgery: an observational study. <i>Anesthesia and Analgesia</i> , 2010 , 111, 331-8	3.9	27
91	Relationship of erythrocyte transfusion with short- and long-term mortality in a population-based surgical cohort. <i>Anesthesiology</i> , 2012 , 117, 1175-83	4.3	25
90	Point-of-care viscoelastic hemostatic testing in cardiac surgery patients: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1333-1347	3	24
89	Seek and you shall find--but then what do you do? Cold agglutinins in cardiopulmonary bypass and a single-center experience with cold agglutinin screening before cardiac surgery. <i>Transfusion Medicine Reviews</i> , 2013 , 27, 65-73	7.4	23
88	Systematic review and consensus definitions for standardised endpoints in perioperative medicine: postoperative cancer outcomes. <i>British Journal of Anaesthesia</i> , 2018 , 121, 38-44	5.4	22
87	Comparison of Two Major Perioperative Bleeding Scores for Cardiac Surgery Trials: Universal Definition of Perioperative Bleeding in Cardiac Surgery and European Coronary Artery Bypass Grafting Bleeding Severity Grade. <i>Anesthesiology</i> , 2018 , 129, 1092-1100	4.3	22
86	N-acetylcysteine to reduce renal failure after cardiac surgery: a systematic review and meta-analysis. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 827-35	3	22
85	The effects of a treatment protocol for cardiac surgical patients with excessive blood loss on clinical outcomes. <i>Vox Sanguinis</i> , 2006 , 91, 148-56	3.1	22
84	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine initiative: clinical indicators. <i>British Journal of Anaesthesia</i> , 2019 , 123, 228-237	5.4	20
83	Calcium antagonists are associated with reduced mortality after cardiac surgery: a propensity analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004 , 127, 755-62	1.5	19
82	Transfusion-related Acute Lung Injury in the Perioperative Patient. <i>Anesthesiology</i> , 2019 , 131, 693-715	4.3	19
81	Safe application of a restrictive transfusion protocol in moderate-risk patients undergoing cardiac operations. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 1630-5	2.7	18
80	Effectiveness of platelet inhibition on major adverse cardiac events in non-cardiac surgery after percutaneous coronary intervention: a prospective cohort study. <i>British Journal of Anaesthesia</i> , 2016 , 116, 493-500	5.4	17
79	Commentary: recombinant activated factor VII: the controversial conundrum regarding its off-label use. <i>Anesthesia and Analgesia</i> , 2011 , 113, 711-2	3.9	16
78	Perioperative hemostasis and thrombosis. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 1260-2	3	16
77	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: renal endpoints. <i>British Journal of Anaesthesia</i> , 2018 , 121, 1013-1024	5.4	16

76	Antithrombotic therapy management of adult and pediatric cardiac surgery patients. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 2133-2146	15.4	16
75	Managing clotting: a North American perspective. <i>Current Opinion in Anaesthesiology</i> , 2012 , 25, 74-9	2.9	14
74	Con: Aprotinin has a good efficacy and safety profile relative to other alternatives for prevention of bleeding in cardiac surgery. <i>Anesthesia and Analgesia</i> , 2006 , 103, 1360-4	3.9	14
73	Case report: transfusion-related acute lung injury (TRALI) - a clear and present danger. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 1011-6	3	13
72	The post-BART anti-fibrinolytic dilemma?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2011 , 25, 3-5	2.1	12
71	The utility of thromboelastography for guiding recombinant activated factor VII therapy for refractory hemorrhage after cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2009 , 23, 828-34	2.1	12
70	Aprotinin is useful as a hemostatic agent in cardiopulmonary surgery: no. <i>Journal of Thrombosis and Haemostasis</i> , 2006 , 4, 1879-81	15.4	12
69	Off-label use of recombinant activated factor VII in surgical and non-surgical patients at 16 Canadian hospitals from 2007 to 2010 (Canadian Registry Report). <i>Canadian Journal of Anaesthesia</i> , 2014 , 61, 727-35	3	11
68	Systematic review and consensus definitions for the Standardised Endpoints in Perioperative Medicine (StEP) initiative: infection and sepsis. <i>British Journal of Anaesthesia</i> , 2019 , 122, 500-508	5.4	11
67	Fibrinogen Supplementation and Its Indications. <i>Seminars in Thrombosis and Hemostasis</i> , 2020 , 46, 38-49	5.3	11
66	Protocol for a phase III, non-inferiority, randomised comparison of a new fibrinogen concentrate versus cryoprecipitate for treating acquired hypofibrinogenaemia in bleeding cardiac surgical patients: the FIBRES trial. <i>BMJ Open</i> , 2018 , 8, e020741	3	10
65	Early rise in postoperative creatinine for identification of acute kidney injury after cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2017 , 64, 801-809	3	10
64	A simplified (modified) Duke Activity Status Index (M-DASI) to characterise functional capacity: a secondary analysis of the Measurement of Exercise Tolerance before Surgery (METS) study. <i>British Journal of Anaesthesia</i> , 2021 , 126, 181-190	5.4	10
63	Systematic review and consensus definitions for the Standardized Endpoints in Perioperative Medicine (StEP) initiative: cardiovascular outcomes. <i>British Journal of Anaesthesia</i> , 2021 , 126, 56-66	5.4	10
62	The rationale for platelet transfusion during cardiopulmonary bypass: an observational study. <i>Canadian Journal of Anaesthesia</i> , 2013 , 60, 345-54	3	9
61	Comparison of 4-Factor Prothrombin Complex Concentrate With Frozen Plasma for Management of Hemorrhage During and After Cardiac Surgery: A Randomized Pilot Trial. <i>JAMA Network Open</i> , 2021 , 4, e213936	10.4	9
60	Red Cell Transfusion-Associated Hemolysis in Cardiac Surgery: An Observational Cohort Study. <i>Anesthesia and Analgesia</i> , 2017 , 124, 1986-1991	3.9	8
59	Thrombin generation and bleeding in cardiac surgery: a clinical narrative review. <i>Canadian Journal of Anaesthesia</i> , 2020 , 67, 746-753	3	8

58	Pro: The role of recombinant factor VIIa in cardiac surgery. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008 , 22, 779-82	2.1	8
57	The association between platelet dysfunction and adverse outcomes in cardiac surgical patients. <i>Anaesthesia</i> , 2019 , 74, 1130-1137	6.6	7
56	Association of preoperative anaemia with cardiopulmonary exercise capacity and postoperative outcomes in noncardiac surgery: a substudy of the Measurement of Exercise Tolerance before Surgery (METS) Study. <i>British Journal of Anaesthesia</i> , 2019 , 123, 161-169	5.4	7
55	From the Journal archives: The red blood cell storage lesion: past, present, and future. <i>Canadian Journal of Anaesthesia</i> , 2014 , 61, 583-6	3	7
54	Preventing and managing catastrophic bleeding during extracorporeal circulation. <i>Hematology American Society of Hematology Education Program</i> , 2018 , 2018, 522-529	3.1	7
53	Managing the coagulopathy associated with cardiopulmonary bypass. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 617-632	15.4	7
52	A regional massive hemorrhage protocol developed through a modified Delphi technique. <i>CMAJ Open</i> , 2019 , 7, E546-E561	2.5	5
51	Aprotinin or tranexamic acid in cardiac surgery: a propensity analysis. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A64-A64	3	5
50	Pulmonary-artery catheters in high-risk surgical patients. <i>New England Journal of Medicine</i> , 2003 , 348, 2035-7; author reply 2035-7	59.2	5
49	Utilization and Effectiveness of Desmopressin Acetate After Cardiac Surgery Supplemented With Point-of-Care Hemostatic Testing: A Propensity-Score-Matched Analysis. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2017 , 31, 883-895	2.1	4
48	Pre-operative anaemia, intra-operative hepcidin concentration and acute kidney injury after cardiac surgery: a retrospective observational study. <i>Anaesthesia</i> , 2018 , 73, 1097-1102	6.6	4
47	Freeze-dried plasma for major trauma - Systematic review and meta-analysis. <i>Journal of Trauma and Acute Care Surgery</i> , 2021 , 90, 589-602	3.3	4
46	A Pragmatic Non-Randomized Trial of Prehabilitation Prior to Cancer Surgery: Study Protocol and COVID-19-Related Adaptations. <i>Frontiers in Oncology</i> , 2021 , 11, 629207	5.3	4
45	Transfusion Medicine and Coagulation Disorders 2018 , 685-714		3
44	A hemorrhage of off-label use. <i>Annals of Internal Medicine</i> , 2011 , 155, 339; author reply 339-40	8	3
43	Is tranexamic acid indicated for total knee replacement surgery?. <i>Anesthesia and Analgesia</i> , 2000 , 91, 244-5	3.9	3
42	Albumin in adult cardiac surgery: a narrative review. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 1197-1213		3
41	Oxygen extraction ratio (oer) and blood transfusion in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26342-26342	3	2

40	Albumin use in bleeding cardiac surgical patients and associated patient outcomes. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 1514-1526	3	2
39	Beta blockers increase perioperative risk in acute anemia surgery. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 4745621-4745622	3	1
38	Colloids use in the perioperative setting: a canadian review. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26460-26460	3	1
37	Prognostic value of postoperative proteinuria in cardiac surgery: a pilot study. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 500-6	3	1
36	The above two letters were sent to Karkouti et al.; Drs Karkouti and Beattie offered the following reply. <i>Transfusion</i> , 2006 , 46, 2209-2210	2.9	1
35	The Fares Study: A Multicenter, Randomized, Active-Control, Pragmatic, Phase 2 Pilot Study Comparing Prothrombin Complex Concentrate Versus Frozen Plasma in Bleeding Adult Cardiac Surgical Patients. <i>Blood</i> , 2020 , 136, 28-29	2.2	1
34	Evaluation of N95 respirators, modified snorkel masks and low-cost powered air-purifying respirators: a prospective observational cohort study in healthcare workers. <i>Anaesthesia</i> , 2021 , 76, 617-622	6.6	1
33	Protocol for a multicentre, randomised, parallel-control, superiority trial comparing administration of clotting factor concentrates with a standard massive haemorrhage protocol in severely bleeding trauma patients: the FiiRST 2 trial (a 2020 EAST multicentre trial). <i>BMJ Open</i> , 2021 , 11, e051003	3	1
32	The association of thrombin generation with bleeding outcomes in cardiac surgery: a prospective observational study.. <i>Canadian Journal of Anaesthesia</i> , 2021 , 69, 311	3	1
31	Consensus statement: Hemostasis trial outcomes in cardiac surgery/mechanical support. <i>Annals of Thoracic Surgery</i> , 2021 ,	2.7	0
30	The association of prothrombin complex concentrates with postoperative outcomes in cardiac surgery: an observational substudy of the FIBRES randomized controlled trial. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 1789-1801	3	0
29	Rationale and design of the intravenous iron for treatment of anemia before cardiac surgery trial. <i>American Heart Journal</i> , 2021 , 239, 64-72	4.9	0
28	Albumin use for fluid resuscitation in cardiac surgical patients: a survey of Canadian perioperative care providers.. <i>Canadian Journal of Anaesthesia</i> , 2022 , 1	3	0
27	Effect of intravenous acetaminophen on postoperative outcomes in hip fracture patients: a systematic review and narrative synthesis.. <i>Canadian Journal of Anaesthesia</i> , 2022 , 1	3	0
26	Which is the preferred blood product for fibrinogen replacement in the bleeding patient with acquired hypofibrinogenemia-cryoprecipitate or fibrinogen concentrate?. <i>Transfusion</i> , 2020 , 60 Suppl 3, S17-S23	2.9	
25	In reply: Use of early postoperative serum creatinine elevation to identify acute kidney injury after cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 129-130	3	
24	In Reply. <i>Anesthesiology</i> , 2015 , 123, 975-6	4.3	
23	Anesthesiologists and the pharmaceutical industry: awareness is paramount. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 1026-7; author reply 1027-8	3	

22	Starches use in cardiac surgery: Inter-institutional variability and transfusion. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 44449-44449	3
21	An update on the beta blocker meta analysis: heart rate control reduces post-operative MI. <i>Canadian Journal of Anaesthesia</i> , 2007 , 54, 44502-44502	3
20	Predictors of peri-operative red blood cell transfusion in lung transplantation. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 4738671-4738671	3
19	Coronary artery stents and mortality after cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 4746601-4746601	3
18	Can tromboelastography guide recombinant factor VIIA therapy for refractory hemorrhage after cardiac surgery? An observational study. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 4754571-4754572	3
17	Perioperative blood conservation strategies: weighing the medical evidence - II. <i>Canadian Journal of Anaesthesia</i> , 2008 , 55, 248-9; author reply 249-50	3
16	Impact of a treatment protocol for excessive blood loss in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26370-26370	3
15	Withdrawal of beta blockers and risks of perioperative MI. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26452-26452	3
14	Blood transfusion in live and deceased donor liver transplantation. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26463-26463	3
13	Withdrawal of aspirin increases the risk of perioperative. <i>Canadian Journal of Anaesthesia</i> , 2006 , 53, 26475-26475	3
12	Impact of routine tranexamic acid in cardiac surgery: Single centre review. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A63-A63	3
11	Predicting massive blood loss in cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A70-A70	3
10	Thoracic epidural or beta-blockers do not reduce Post Operative MI. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A112-A112	3
9	The use of autologous blood donation for live-donor right hepatectomy. <i>Canadian Journal of Anaesthesia</i> , 2005 , 52, A171-A171	3
8	Association between ROTEM Hypercoagulable Profile and Outcome in a Cohort of Severely Ill COVID-19 Patients Under Mechanical Ventilation. <i>Blood</i> , 2020 , 136, 12-13	2.2
7	Fiirst-2: Prospective, Randomized Study Comparing Administration of Clotting Factor Concentrates with Standard Massive Hemorrhage Protocol in Severely Bleeding Trauma Patients. <i>Blood</i> , 2020 , 136, 6-6	2.2
6	Is the Integration of Prehabilitation into Routine Clinical Practice Financially Viable? A Financial Projection Analysis. <i>Current Anesthesiology Reports</i> , 2022 , 12, 166	1
5	Perioperative Antifibrinolytics and Coagulation Management 2021 , 287-296	

4	Acute kidney injury after cardiac surgery: Sustained low efficiency compared to continuous renal replacement therapy.. <i>Journal of Clinical Anesthesia</i> , 2021 , 77, 110642	1.9
3	Fibrinogen Concentrate Vs. Cryoprecipitate for Acquired Hypofibrinogenemia in Cardiac Surgery □ the FIBRES Study. <i>Blood</i> , 2018 , 132, 5080-5080	2.2
2	A Regional Massive Hemorrhage Protocol: Designed with a Modified Delphi Technique to Obtain Consensus. <i>Blood</i> , 2019 , 134, 5792-5792	2.2
1	Analysis of the effect of varying protamine-to-heparin ratio on coagulation in vitro. <i>British Journal of Anaesthesia</i> , 2021 , 127, e128-e130	5.4