

Lucia Salvemini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1809715/publications.pdf>

Version: 2024-02-01

22
papers

893
citations

623574

14
h-index

677027

22
g-index

23
all docs

23
docs citations

23
times ranked

1493
citing authors

#	ARTICLE	IF	CITATIONS
1	A Serum Resistin and Multicytokine Inflammatory Pathway Is Linked With and Helps Predict All-cause Death in Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4350-e4359.	1.8	5
2	Serum resistin is causally related to mortality risk in patients with type 2 diabetes: preliminary evidences from genetic data. <i>Scientific Reports</i> , 2017, 7, 61.	1.6	11
3	Suggestive evidence of a multi-cytokine resistin pathway in humans and its role on cardiovascular events in high-risk individuals. <i>Scientific Reports</i> , 2017, 7, 44337.	1.6	13
4	Evidence of a causal relationship between high serum adiponectin levels and increased cardiovascular mortality rate in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2016, 15, 17.	2.7	48
5	The combined effect of adiponectin and resistin on all-cause mortality in patients with type 2 diabetes: Evidence of synergism with abdominal adiposity. <i>Atherosclerosis</i> , 2016, 250, 23-29.	0.4	8
6	The paradoxical association of adiponectin with mortality rate in patients with type 2 diabetes: evidence of synergism with kidney function. <i>Atherosclerosis</i> , 2016, 245, 222-227.	0.4	16
7	Association between Resistin Levels and All-Cause and Cardiovascular Mortality: A New Study and a Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2015, 10, e0120419.	1.1	69
8	Serum Adiponectin and Glomerular Filtration Rate in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0140631.	1.1	15
9	Strong evidence of sexual dimorphic effect of adiposity excess on insulin sensitivity. <i>Acta Diabetologica</i> , 2015, 52, 991-998.	1.2	4
10	Serum Resistin and Glomerular Filtration Rate in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0119529.	1.1	15
11	Circulating adiponectin and cardiovascular mortality in patients with type 2 diabetes mellitus: evidence of sexual dimorphism. <i>Cardiovascular Diabetology</i> , 2014, 13, 130.	2.7	33
12	Role of obesity on all-cause mortality in whites with type 2 diabetes from Italy. <i>Acta Diabetologica</i> , 2013, 50, 971-976.	1.2	10
13	Serum Resistin, Cardiovascular Disease and All-Cause Mortality in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e64729.	1.1	71
14	Serum Resistin and Kidney Function: A Family-Based Study in Non-Diabetic, Untreated Individuals. <i>PLoS ONE</i> , 2012, 7, e38414.	1.1	29
15	Novel Locus <i>FER</i> Is Associated With Serum HMW Adiponectin Levels. <i>Diabetes</i> , 2011, 60, 2197-2201.	0.3	58
16	Relationship between <i>ADIPOQ</i> gene, circulating high molecular weight adiponectin and albuminuria in individuals with normal kidney function: evidence from a family-based study. <i>Diabetologia</i> , 2011, 54, 812-818.	2.9	14
17	Circulating high molecular weight adiponectin isoform is heritable and shares a common genetic background with insulin resistance in nondiabetic White Caucasians from Italy: evidence from a family-based study. <i>Journal of Internal Medicine</i> , 2010, 267, 287-294.	2.7	37
18	Heritability of Serum Resistin and Its Genetic Correlation with Insulin Resistance-Related Features in Nondiabetic Caucasians. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2792-2795.	1.8	125

#	ARTICLE	IF	CITATIONS
19	Lack of evidence for interaction between APM1 and PPARgamma2 genes in modulating insulin sensitivity in nondiabetic Caucasians from Italy. <i>Journal of Internal Medicine</i> , 2005, 257, 315-317.	2.7	4
20	The K121Q Polymorphism of the ENPP1/PC-1 Gene Is Associated With Insulin Resistance/Atherogenic Phenotypes, Including Earlier Onset of Type 2 Diabetes and Myocardial Infarction. <i>Diabetes</i> , 2005, 54, 3021-3025.	0.3	110
21	The +276 G/T Single Nucleotide Polymorphism of the Adiponectin Gene Is Associated With Coronary Artery Disease in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2004, 27, 2015-2020.	4.3	131
22	Multigenic control of serum adiponectin levels: evidence for a role of the APM1 gene and a locus on 14q13. <i>Physiological Genomics</i> , 2004, 19, 170-174.	1.0	67