Chi-Hang Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1809870/publications.pdf

Version: 2024-02-01

| 197 | 4,978 | 36 | 64 |
|----------|----------------|--------------|---------------------|
| papers | citations | h-index | g-index |
| 199 | 199 | 199 | 4761 citing authors |
| all docs | docs citations | times ranked | |

| # | Article | IF | CITATIONS |
|----|---|---------------------|---------------|
| 1 | Catheter-Based intramyocardial injection of autologous skeletal myoblasts as a primary treatment of ischemic heart failure. Journal of the American College of Cardiology, 2003, 42, 2063-2069. | 1.2 | 516 |
| 2 | Acetylcysteine for Prevention of Acute Deterioration of Renal Function Following Elective Coronary Angiography and Intervention. JAMA - Journal of the American Medical Association, 2003, 289, 553. | 3.8 | 381 |
| 3 | Obstructive Sleep Apnea and Cardiovascular Events After Percutaneous Coronary Intervention. Circulation, 2016, 133, 2008-2017. | 1.6 | 178 |
| 4 | Long-Term Follow-Up of Incomplete Stent Apposition in Patients Who Received Sirolimus-Eluting Stent for De Novo Coronary Lesions. Circulation, 2003, 108, 2747-2750. | 1.6 | 151 |
| 5 | Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes. Journal of the American College of Cardiology, 2003, 41, 2093-2099. | 1.2 | 150 |
| 6 | Absorb Bioresorbable Vascular Scaffold Versus Everolimus-Eluting Metallic Stent inÂST-Segment Elevation Myocardial Infarction: 1-Year Results of a Propensity Score Matching Comparison. JACC: Cardiovascular Interventions, 2015, 8, 189-197. | 1.1 | 145 |
| 7 | Obstructive Sleep Apnea in Patients Admitted for Acute Myocardial Infarction. Chest, 2009, 135, 1488-1495. | 0.4 | 135 |
| 8 | Use of endothelial progenitor cell capture stent (Genous Bio-Engineered R Stent) during primary percutaneous coronary intervention in acute myocardial infarction: Intermediate- to long-term clinical follow-up. American Heart Journal, 2008, 155, 128-132. | 1.2 | 126 |
| 9 | Restenosis rates following bifurcation stenting with sirolimus-eluting stents for de novo narrowings. American Journal of Cardiology, 2004, 94, 115-118. | 0.7 | 124 |
| 10 | Sirolimus-Eluting Stent Implantation in ST-Elevation Acute Myocardial Infarction. Circulation, 2003, 108, 1927-1929. | 1.6 | 110 |
| 11 | Severe Obstructive Sleep Apnea and Outcomes Following Myocardial Infarction. Journal of Clinical Sleep Medicine, 2011, 07, 616-621. | 1.4 | 97 |
| 12 | Very long sirolimus-eluting stent implantation for de novo coronary lesions. American Journal of Cardiology, 2004, 93, 826-829. | 0.7 | 91 |
| 13 | Using the Berlin Questionnaire to Predict Obstructive Sleep Apnea in the General Population. Journal of Clinical Sleep Medicine, 2017, 13, 427-432. | 1.4 | 79 |
| 14 | Effectiveness of sirolimus-eluting stent for treatment of left main coronary artery disease. American Journal of Cardiology, 2003, 92, 327-329. | 0.7 | 68 |
| 15 | New Set of Intravascular Ultrasound-Derived Anatomic Criteria for Defining Functionally Significant Stenoses in Small Coronary Arteries (Results from Intravascular Ultrasound Diagnostic Evaluation) Tj ETQq1 1 0. | 78 ⊕3 ⁄14 rg | ;BT6 ©verlock |
| 16 | The Global Effect of the COVID-19 Pandemic on STEMI Care: A Systematic Review and Meta-analysis. Canadian Journal of Cardiology, 2021, 37, 1450-1459. | 0.8 | 64 |
| 17 | Visit-to-visit variability in LDL- and HDL-cholesterol is associated with adverse events after ST-segment elevation myocardial infarction: A 5-year follow-up study. Atherosclerosis, 2016, 244, 86-92. | 0.4 | 62 |
| 18 | Prevalence of sleep-disordered breathing in a multiethnic Asian population in Singapore: A community-based study. Respirology, 2016, 21, 943-950. | 1.3 | 61 |

| # | Article | IF | CITATIONS |
|----|---|---------|------------|
| 19 | OSA and Coronary Plaque Characteristics. Chest, 2014, 145, 322-330. | 0.4 | 57 |
| 20 | Effects of Sodium/Glucose Cotransporter 2 (SGLT2) Inhibitors on Cardiovascular and Metabolic Outcomes in Patients Without Diabetes Mellitus: A Systematic Review and Metaâ€Analysis of Randomizedâ€Controlled Trials. Journal of the American Heart Association, 2021, 10, e019463. | 1.6 | 55 |
| 21 | Everolimus-eluting bioresorbable vascular scaffold (BVS) implantation in patients with ST-segment elevation myocardial infarction (STEMI). EuroIntervention, 2013, 9, 501-504. | 1.4 | 52 |
| 22 | Effectiveness of sirolimus-eluting stent implantation for recurrent in-stent restenosis after brachytherapy. American Journal of Cardiology, 2003, 92, 200-203. | 0.7 | 51 |
| 23 | Treatment of very small vessels with 2.25-mm diameter sirolimus-eluting stents (from the RESEARCH) Tj $ETQq1\ 1$ | 0784314 | rgBT /Over |
| 24 | Prioritizing Candidates of Post–Myocardial Infarction Heart Failure Using Plasma Proteomics and Single-Cell Transcriptomics. Circulation, 2020, 142, 1408-1421. | 1.6 | 50 |
| 25 | Impact of the COVID-19 Pandemic on Door-to-Balloon Time for Primary Percutaneous Coronary Intervention ― Results From the Singapore Western STEMI Network ―. Circulation Journal, 2021, 85, 139-149. | 0.7 | 50 |
| 26 | Predicting obstructive sleep apnea using the STOP-Bang questionnaire in the general population. Sleep Medicine, 2016, 27-28, 66-71. | 0.8 | 49 |
| 27 | Vitamin E TPGS-emulsified poly(lactic-co-glycolic acid) nanoparticles for cardiovascular restenosis treatment. Nanomedicine, 2007, 2, 333-344. | 1.7 | 48 |
| 28 | The long-term predictive value of the neutrophil-to-lymphocyte ratio in Type 2 diabetic patients presenting with acute myocardial infarction. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 1075-1082. | 0.2 | 48 |
| 29 | Awareness and knowledge of obstructive sleep apnea among theÂgeneral population. Sleep Medicine, 2017, 36, 10-17. | 0.8 | 48 |
| 30 | Pretreatment with intracoronary adenosine reduces the incidence of myonecrosis after non-urgent percutaneous coronary intervention: a prospective randomized study. European Heart Journal, 2006, 28, 19-25. | 1.0 | 47 |
| 31 | Incidence of thrombotic stent occlusion during the first three months after sirolimus-eluting stent implantation in 500 consecutive patients. American Journal of Cardiology, 2004, 93, 1271-1275. | 0.7 | 46 |
| 32 | Fulminant dengue myocarditis masquerading as acute myocardial infarction. International Journal of Cardiology, 2009, 136, e69-e71. | 0.8 | 44 |
| 33 | Endothelial Progenitor Cell Capture Stent: Safety and Effectiveness. Journal of Interventional Cardiology, 2012, 25, 493-500. | 0.5 | 43 |
| 34 | Validation of NoSAS score for screening of sleep-disordered breathing in a multiethnic Asian population. Sleep and Breathing, 2017, 21, 1033-1038. | 0.9 | 42 |
| 35 | Intravascular ultrasound evaluation after sirolimus eluting stent implantation for de novo and in-stent restenosis lesions. European Heart Journal, 2004, 25, 32-38. | 1.0 | 41 |
| 36 | Prognostic implication of obstructive sleep apnea diagnosed by post-discharge sleep study in patients presenting with acute coronary syndrome. Sleep Medicine, 2014, 15, 631-636. | 0.8 | 39 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Local Drug Delivery Using Coated Stents: New Developments and Future Perspectives. Current Pharmaceutical Design, 2004, 10, 357-367. | 0.9 | 37 |
| 38 | Endothelial progenitor cell capture stent implantation in patients with ST-segment elevation acute myocardial infarction: one year follow-up. EuroIntervention, 2010, 5, 698-702. | 1.4 | 37 |
| 39 | Diverse clinical spectrum of stress-induced cardiomyopathy. International Journal of Cardiology, 2009, 133, 272-275. | 0.8 | 36 |
| 40 | Cardiac Troponin Values in Patients With Acute Coronary Syndrome and Sleep Apnea. Chest, 2018, 153, 329-338. | 0.4 | 36 |
| 41 | Usefulness of percutaneous left ventricular assistance to support high-risk percutaneous coronary interventions. American Journal of Cardiology, 2003, 91, 479-481. | 0.7 | 35 |
| 42 | <i>CYP2C19</i> and <i>PON1</i> polymorphisms regulating clopidogrel bioactivation in Chinese, Malay and Indian subjects. Pharmacogenomics, 2012, 13, 533-542. | 0.6 | 35 |
| 43 | Evaluation of coronary remodeling after Sirolimus-Eluting stent implantation by serial Three-Dimensional intravascular ultrasound. American Journal of Cardiology, 2003, 91, 1046-1050. | 0.7 | 33 |
| 44 | Impact of Reversibility of No Reflow Phenomenon on 30-Day Mortality Following Percutaneous Revascularization for Acute Myocardial Infarction-Insights from a 1,328 Patient Registry. Journal of Interventional Cardiology, 2005, 18, 261-266. | 0.5 | 33 |
| 45 | Novel Index of Maladaptive Myocardial Remodeling in Hypertension. Circulation: Cardiovascular Imaging, 2017, 10, . | 1.3 | 32 |
| 46 | Obstructive Sleep Apnea and Diabetes Independently Add to Cardiovascular Risk After Coronary Revascularization. Diabetes Care, 2018, 41, e12-e14. | 4.3 | 30 |
| 47 | Ethnicity Modifies Associations between Cardiovascular Risk Factors and Disease Severity in Parallel Dutch and Singapore Coronary Cohorts. PLoS ONE, 2015, 10, e0132278. | 1.1 | 28 |
| 48 | Sleep apnea is associated with new-onset atrial fibrillation after coronary artery bypass grafting. Journal of Critical Care, 2015, 30, 1418.e1-1418.e5. | 1.0 | 28 |
| 49 | Prevalence, Characteristics, and Association of Obstructive Sleep Apnea with Blood Pressure Control in Patients with Resistant Hypertension. Annals of the American Thoracic Society, 2019, 16, 1414-1421. | 1.5 | 28 |
| 50 | The Relative Impact of Obstructive Sleep Apnea and Hypertension on the Structural and Functional Changes of the Thoracic Aorta. Sleep, 2010, 33, 1173-1176. | 0.6 | 27 |
| 51 | Optimal Intravascular Ultrasound Criteria for Defining the Functional Significance of Intermediate Coronary Stenosis: An International Multicenter Study. Cardiology, 2014, 127, 256-262. | 0.6 | 27 |
| 52 | Markers of Focal and Diffuse Nonischemic Myocardial Fibrosis Are Associated With Adverse Cardiac Remodeling and Prognosis in Patients With Hypertension: The REMODEL Study. Hypertension, 2022, 79, 1804-1813. | 1.3 | 25 |
| 53 | Twoâ€Year Clinical Registry Followâ€up of Endothelial Progenitor Cell Capture Stent Versus Sirolimusâ€Eluting Bioabsorbable Polymerâ€Coated Stent Versus Bare Metal Stents in Patients Undergoing Primary Percutaneous Coronary Intervention for ST Elevation Myocardial Infarction. Iournal of Interventional Cardiology, 2010, 23, 101-108. | 0.5 | 24 |
| 54 | Prognostic Outcomes in Acute Myocardial Infarction Patients Without Standard Modifiable Risk Factors: A Multiethnic Study of 8,680 Asian Patients. Frontiers in Cardiovascular Medicine, 2022, 9, 869168. | 1.1 | 24 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | SGLT inhibitors on weight and body mass: A metaâ€analysis of 116 randomizedâ€controlled trials. Obesity, 2022, 30, 117-128. | 1.5 | 24 |
| 56 | Usefulness of combined intravascular ultrasound parameters to predict functional significance of coronary artery stenosis and determinants of mismatch. EuroIntervention, 2015, 11, 163-170. | 1.4 | 22 |
| 57 | Continuous positive airway pressure and adverse cardiovascular events in obstructive sleep apnea: are participants of randomized trials representative of sleep clinic patients?. Sleep, 2022, 45, . | 0.6 | 22 |
| 58 | Effectiveness and Safety of the Genous Endothelial Progenitor Cell-Capture Stent in Acute ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2011, 108, 202-205. | 0.7 | 20 |
| 59 | ABSORB bioresorbable vascular scaffold vs. everolimus-eluting metallic stent in ST-segment elevation myocardial infarction (BVS EXAMINATION study): 2-Year results from a propensity score matched comparison. International Journal of Cardiology, 2016, 214, 483-484. | 0.8 | 20 |
| 60 | Screening for Obstructive Sleep Apnea in the Assessment of Coronary Risk. American Journal of Cardiology, 2017, 119, 996-1002. | 0.7 | 19 |
| 61 | Excessive Daytime Sleepiness is Associated with Longer Culprit Lesion and Adverse Outcomes in Patients with Coronary Artery Disease. Journal of Clinical Sleep Medicine, 2013, 09, 1267-1272. | 1.4 | 19 |
| 62 | Effect of sodium-glucose cotransporter-2 (SGLT2) inhibitors on serum urate levels in patients with and without diabetes: a systematic review and meta-regression of 43 randomized controlled trials. Therapeutic Advances in Chronic Disease, 2022, 13, 204062232210835. | 1.1 | 19 |
| 63 | Shortening of Median Doorâ€toâ€Balloon Time in Primary Percutaneous Coronary Intervention in Singapore by Simple and Inexpensive Operational Measures: Clinical Practice Improvement Program. Journal of Interventional Cardiology, 2008, 21, 414-423. | 0.5 | 18 |
| 64 | Correlation between high density lipoprotein-cholesterol and remodeling index in patients with coronary artery disease: IDEAS (IVUS diagnostic evaluation of atherosclerosis in Singapore)-HDL study. International Journal of Cardiovascular Imaging, 2012, 28, 33-41. | 0.7 | 18 |
| 65 | Sirolimus-eluting, bioabsorbable polymer-coated constant stent (Cura) in acute ST-elevation myocardial infarction: a clinical and angiographic study (CURAMI Registry). Journal of Invasive Cardiology, 2007, 19, 182-5. | 0.4 | 17 |
| 66 | Clinical Experience of StarClose Vascular Closure Device in Patients with First and Recurrent Femoral Punctures. Journal of Interventional Cardiology, 2008, 21, 67-73. | 0.5 | 16 |
| 67 | Impact of Obstructive Sleep Apnea on Cardiovascular Outcomes in Patients Treated With Percutaneous Coronary Intervention: Rationale and Design of the Sleep and Stent Study. Clinical Cardiology, 2014, 37, 261-269. | 0.7 | 16 |
| 68 | Platelet inhibition to target reperfusion injury trial: Rationale and study design. Clinical Cardiology, 2019, 42, 5-12. | 0.7 | 15 |
| 69 | Transcatheter closure of atrial septal defect using Amplatzer septal occluder in Chinese adults. Catheterization and Cardiovascular Interventions, 2001, 53, 373-377. | 0.7 | 14 |
| 70 | Vascular Growth Factors for Coronary Angiogenesis. Journal of Interventional Cardiology, 2002, 15, 511-518. | 0.5 | 14 |
| 71 | Impact of different anatomical patterns of left main coronary stenting on long-term survival. American Journal of Cardiology, 2003, 92, 718-720. | 0.7 | 14 |
| 72 | Microvascular obstruction after percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2010, 75, 369-377. | 0.7 | 14 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 73 | Sleep apnoea is a risk factor for acute kidney injury after coronary artery bypass grafting. European Journal of Cardio-thoracic Surgery, 2016, 49, 1188-1194. | 0.6 | 14 |
| 74 | Effects of Ethnicity on the Prevalence of Obstructive Sleep Apnoea in Patients with Acute Coronary Syndrome: A Pooled Analysis of the ISAACC Trial and Sleep and Stent Study. Heart Lung and Circulation, 2017, 26, 486-494. | 0.2 | 14 |
| 75 | Incidence and predictors of target lesion failure in a multiethnic Asian population receiving the SYNERGY coronary stent: A prospective allâ \in comers registry. Catheterization and Cardiovascular Interventions, 2018, 92, 1097-1103. | 0.7 | 14 |
| 76 | Sleep apnoea and cardiovascular outcomes after coronary artery bypass grafting. Heart, 2020, 106, 1495-1502. | 1.2 | 14 |
| 77 | One-year outcomes of patients with ST-segment elevation myocardial infarction during the COVID-19 pandemic. Journal of Thrombosis and Thrombolysis, 2022, 53, 335-345. | 1.0 | 14 |
| 78 | Satisfaction and acceptance after transradial coronary intervention in elderly. International Journal of Angiology, 2000, 9, 147-150. | 0.2 | 13 |
| 79 | Sleep apnoea and unscheduled re-admission in patients undergoing coronary artery bypass surgery. Atherosclerosis, 2015, 242, 128-134. | 0.4 | 13 |
| 80 | Obstructive sleep apnea affects the clinical outcomes of patients undergoing percutaneous coronary intervention. Patient Preference and Adherence, 2016, 10, 871. | 0.8 | 13 |
| 81 | Clinical predictors of stent thrombosis in the "real world―drug-eluting stent era. International Journal of Cardiology, 2010, 145, 422-425. | 0.8 | 12 |
| 82 | Cardiac Rehabilitation After Percutaneous Coronary Intervention in a Multiethnic Asian Country: Enrollment and Barriers. Archives of Physical Medicine and Rehabilitation, 2015, 96, 1733-1738. | 0.5 | 12 |
| 83 | Beta-blockers and renin-angiotensin system inhibitors in acute myocardial infarction managed with inhospital coronary revascularization. Scientific Reports, 2020, 10, 15184. | 1.6 | 12 |
| 84 | The remodelling index risk stratifies patients with hypertensive left ventricular hypertrophy. European Heart Journal Cardiovascular Imaging, 2021, 22, 670-679. | 0.5 | 12 |
| 85 | Transcatheter Closure of the Patent Ductus Arteriosus Using an Amplatzer Duct Occluder in Adults International Heart Journal, 2001, 42, 533-537. | 0.6 | 12 |
| 86 | Obstructive sleep apnea therapy for cardiovascular risk reduction—Time for a rethink?. Clinical Cardiology, 2021, 44, 1729-1738. | 0.7 | 12 |
| 87 | Relation between Doorâ€ŧoâ€Balloon Time and Microvascular Perfusion as Evaluated by Myocardial Blush Grade, Corrected TIMI Frame Count, and STâ€segment Resolution in Treatment of Acute Myocardial Infarction. Journal of Interventional Cardiology, 2009, 22, 437-443. | 0.5 | 11 |
| 88 | Prevalence and predictors of premature discontinuation of dual antiplatelet therapy after drugâ€eluting stent implantation: importance of social factors in Asian patients. Internal Medicine Journal, 2011, 41, 623-629. | 0.5 | 11 |
| 89 | Independent predictors of physical health in community-dwelling patients with coronary heart disease in Singapore. Health and Quality of Life Outcomes, 2016, 14, 113. | 1.0 | 11 |
| 90 | Sleep Apnea Evolution and Left Ventricular Recovery After Percutaneous Coronary Intervention for Myocardial Infarction. Journal of Clinical Sleep Medicine, 2018, 14, 1773-1781. | 1.4 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Remote Postdischarge Treatment of Patients With Acute Myocardial Infarction by Allied Health Care Practitioners vs Standard Care. JAMA Cardiology, 2021, 6, 830. | 3.0 | 11 |
| 92 | Instant dissolution of intracoronary thrombus by abciximab. International Journal of Cardiology, 2005, 104, 102-103. | 0.8 | 10 |
| 93 | Type A aortic dissection: a hidden and lethal cause for failed thrombolytic treatment in acute myocardial infarction. Heart, 2007, 93, 825-825. | 1.2 | 10 |
| 94 | The influence of timing of polysomnography on diagnosis of obstructive sleep apnea in patients presenting with acute myocardial infarction and stable coronary artery disease. Sleep Medicine, 2013, 14, 985-990. | 0.8 | 10 |
| 95 | Treating Very Long Coronary Artery Lesions in the Contemporary Drug-Eluting-Stent Era: Single Long 48 mm Stent Versus Two Overlapping Stents Showed Comparable Clinical Outcomes. Cardiovascular Revascularization Medicine, 2020, 21, 1115-1118. | 0.3 | 10 |
| 96 | Initial experience in the clinical use of everolimus-eluting bioresorbable vascular scaffold (BVS) in a single institution. International Journal of Cardiology, 2013, 168, 1536-1537. | 0.8 | 9 |
| 97 | Effects of Sodium-Glucose Cotransporter 2 on Amputation Events: A Systematic Review and Meta-Analysis of Randomized-Controlled Trials. Pharmacology, 2022, 107, 123-130. | 0.9 | 9 |
| 98 | Direct Stenting Compared to Conventional Stenting in Diabetic Patients Undergoing Elective Angioplasty for Coronary Artery Disease (DECIDE): A multicenter, open label, randomized, controlled efficacy study. American Heart Journal, 2004, 148, 1007-1011. | 1.2 | 8 |
| 99 | Incidence, predictors, and outcomes of device failure of X-sizer thrombectomy: Real-world experience of 200 cases in 5 years. American Heart Journal, 2007, 153, 14.e13-14.e19. | 1.2 | 8 |
| 100 | Impact of different Asian ethnic groups on correlation between heparin dose, activated clotting time and complications in percutaneous coronary intervention. International Journal of Cardiology, 2008, 130, 500-502. | 0.8 | 8 |
| 101 | A novel drug-eluting stent using bioabsorbable polymer technology: Two-year follow-up of the CURAMI registry. International Journal of Cardiology, 2009, 131, 272-274. | 0.8 | 8 |
| 102 | Obstructive sleep apnea is associated with visit-to-visit variability in low-density lipoprotein-cholesterol in patients with coronary artery disease. Sleep and Breathing, 2017, 21, 271-278. | 0.9 | 8 |
| 103 | Comparing the clinical outcomes across different sodium/glucose cotransporter 2 (SGLT2) inhibitors in heart failure patients: a systematic review and network meta-analysis of randomized controlled trials. European Journal of Clinical Pharmacology, 2021, 77, 1453-1464. | 0.8 | 8 |
| 104 | Comparison of Outcomes of Asymptomatic Moderate Aortic Stenosis With Preserved Left Ventricular Ejection Fraction in Patients ≥80 Years Versus 70-79 Years Versus <70 Years. American Journal of Cardiology, 2021, 157, 93-100. | 0.7 | 8 |
| 105 | Effects of Gender on the Prevalence of Obstructive Sleep Apnea in Patients with Coronary Artery Disease. Journal of Clinical Sleep Medicine, 2014, 10, 1279-1284. | 1.4 | 8 |
| 106 | Angiographic and platelet reactivity outcomes with prasugrel 60Âmg pretreatment and clopidogrel 600Âmg pretreatment in primary percutaneous coronary intervention. Journal of Thrombosis and Thrombolysis, 2012, 34, 499-505. | 1.0 | 7 |
| 107 | Intravascular Ultrasound Guided Percutaneous Coronary Intervention: A Practical Approach. Journal of Interventional Cardiology, 2012, 25, 86-94. | 0.5 | 7 |
| 108 | A single-center experience of transitioning from a routine transfemoral to a transradial intervention approach in ST-elevation myocardial infarction: Impact on door-to-balloon time and clinical outcomes. Journal of Cardiology, 2013, 62, 12-17. | 0.8 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Optimal Body Mass Index Cut-offs for Identification of Patients with Coronary Artery Disease at High Risk of Obstructive Sleep Apnoea. Heart Lung and Circulation, 2016, 25, 847-854. | 0.2 | 7 |
| 110 | Sleep-disordered Breathing in Cardiac Rehabilitation: Prevalence, Predictors, and Influence on the Six-Minute Walk Test. Heart Lung and Circulation, 2016, 25, 584-591. | 0.2 | 7 |
| 111 | Assessment of left atrial appendage function by transthoracic pulsed Doppler echocardiography: Comparing against transesophageal interrogation and predicting echocardiographic risk factors for stroke. Echocardiography, 2017, 34, 1478-1485. | 0.3 | 7 |
| 112 | Treatment of obstructive sleep apnoea as primary or secondary prevention of cardiovascular disease. Current Opinion in Pulmonary Medicine, 2018, 24, 537-542. | 1.2 | 7 |
| 113 | Comparison of Clinical and Echocardiographic Features of Asymptomatic Patients With Stenotic Bicuspid Versus Tricuspid Aortic Valves. American Journal of Cardiology, 2020, 128, 210-215. | 0.7 | 7 |
| 114 | Sleep Apnea and Heart. Sleep Medicine Research, 2019, 10, 67-74. | 0.2 | 7 |
| 115 | Long-term Prognosis in Patients With Concomitant Acute Coronary Syndrome and Aortic Stenosis. Canadian Journal of Cardiology, 2022, 38, 1220-1227. | 0.8 | 7 |
| 116 | Meta-Analysis of Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting for Left Main Narrowing. American Journal of Cardiology, 2022, 173, 39-47. | 0.7 | 7 |
| 117 | Experience with Four French catheters for outpatient coronary angiography. International Journal of Angiology, 2000, 9, 122-124. | 0.2 | 6 |
| 118 | Relationship between apnoea-hypopnoea index and angiographic †coronary disease phenotypes in patients presenting with acute †myocardial infarction. Acute Cardiac Care, 2013, 15, 26-33. | 0.2 | 6 |
| 119 | Prognostic Implications of Bicuspid and Tricuspid Aortic Valve Phenotype on Progression of Moderate Aortic Stenosis and Ascending Aorta Dilatation. American Journal of Cardiology, 2021, 161, 76-83. | 0.7 | 6 |
| 120 | Post-ST-Segment Elevation Myocardial Infarction Follow-Up Care During the COVID-19 Pandemic and the Possible Benefit of Telemedicine: An Observational Study. Frontiers in Cardiovascular Medicine, 2021, 8, 755822. | 1.1 | 6 |
| 121 | Update on Drug-Eluting Stents for Prevention of Restenosis. Asian Cardiovascular and Thoracic Annals, 2006, 14, 75-82. | 0.2 | 5 |
| 122 | Long-term follow-up after percutaneous coronary intervention in patients with systemic lupus erythematosus. International Journal of Cardiology, 2008, 126, 430-432. | 0.8 | 5 |
| 123 | Immigrant status and disparities in health care delivery in patients with myocardial infarction. International Journal of Cardiology, 2013, 166, 696-701. | 0.8 | 5 |
| 124 | Screening of hospitalized patients at high risk of obstructive sleep apnea in general cardiology service. International Journal of Cardiology, 2013, 164, 368-370. | 0.8 | 5 |
| 125 | Determination of the severity of underlying lesions in acute myocardial infarction on the basis of collateral vessel development. Coronary Artery Disease, 2014, 25, 493-497. | 0.3 | 5 |
| 126 | Safety of combination therapy with milrinone and esmolol for heart protection during percutaneous coronary intervention in acute myocardial infarction. European Journal of Clinical Pharmacology, 2014, 70, 527-530. | 0.8 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Prognostic Implications of Dual Platelet Reactivity Testing in Acute Coronary Syndrome. Thrombosis and Haemostasis, 2018, 118, 415-426. | 1.8 | 5 |
| 128 | The effect of a selfâ€help psychoeducation programme for people with coronary heart disease: A randomized controlled trial. Journal of Advanced Nursing, 2018, 74, 2416-2426. | 1.5 | 5 |
| 129 | Diabetes mellitus is associated with high sleep-time systolic blood pressure and non-dipping pattern. Postgraduate Medicine, 2020, 132, 346-351. | 0.9 | 5 |
| 130 | Outcomes of a multi-ethnic Asian population on combined treatment with clopidogrel and omeprazole in 12,440 patients. Journal of Thrombosis and Thrombolysis, 2021, 52, 925-933. | 1.0 | 5 |
| 131 | Obstructive sleep apnea, sleep duration and chronic kidney disease in patients with coronary artery disease. Sleep Medicine, 2021, 84, 268-274. | 0.8 | 5 |
| 132 | Effects of Sodium/Glucose Cotransporter 2 (SGLT2) Inhibitors on Cardiac Imaging Parameters: A Systematic Review and Meta-analysis of Randomized Controlled Trials. Journal of Cardiovascular Imaging, 2022, 30, 153. | 0.2 | 5 |
| 133 | Complete fracture of an Ikari guiding catheter in the axillary artery during transradial coronary intervention. International Journal of Angiology, 2008, 17, 40-42. | 0.2 | 4 |
| 134 | Utilisation of emergency medical service among Singapore patients presenting with ST-segment elevation myocardial infarction: prevalence and impact on ischaemic time. Internal Medicine Journal, 2011, 41, 809-814. | 0.5 | 4 |
| 135 | Watchâ€PAT versus level III device in diagnosing sleep disordered breathing in first myocardial infarction. Clinical Respiratory Journal, 2018, 12, 2332-2339. | 0.6 | 4 |
| 136 | Screening and treatment of obstructive sleep apnea in acute coronary syndrome. A randomized clinical trial. International Journal of Cardiology, 2020, 299, 20-25. | 0.8 | 4 |
| 137 | Sleep apnea and diabetes mellitus are independently associated with cardiovascular events and hospitalization for heart failure after coronary artery bypass grafting. Scientific Reports, 2020, 10, 21664. | 1.6 | 4 |
| 138 | Comparing Sacubitril/Valsartan Against Sodium-Glucose Cotransporter 2 Inhibitors in Heart Failure: A Systematic Review and Network Meta-analysis. Clinical Drug Investigation, 2022, 42, 1-16. | 1.1 | 4 |
| 139 | Lethal presentations of coronary artery spasm after an event-free period of six years following initial diagnosis. Journal of Invasive Cardiology, 2008, 20, E30-2. | 0.4 | 4 |
| 140 | Fluvastatin: efficacy and safety in reducing cardiac events. Expert Opinion on Pharmacotherapy, 2005, 6, 1883-1895. | 0.9 | 3 |
| 141 | In-hospital versus out-of-hospital cardiac arrest complicating myocardial infarction: survival after percutaneous coronary revascularization. International Journal of Cardiology, 2005, 98, 359-360. | 0.8 | 3 |
| 142 | Pseudo-no-reflow phenomenon in ostial saphenous vein graft intervention using FilterWire EX protection. International Journal of Cardiology, 2005, 104, 233-234. | 0.8 | 3 |
| 143 | Inverse relation between diastolic blood pressure and long-term outcomes in patients undergoing pharmacoinvasive therapy for myocardial infarction: the J-shaped relation in the contemporary era of revascularisation. Journal of Cardiovascular Medicine, 2006, 7, 806-811. | 0.6 | 3 |
| 144 | CYPHER versus TAXUS stent for bifurcation lesions beyond 30Âdaysâ€"long-term follow-up results. International Journal of Cardiology, 2007, 117, 422-424. | 0.8 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Dilemma of drug-eluting stent implantation in a patient with systemic lupus erythematosus. International Journal of Cardiology, 2007, 114, E107-E108. | 0.8 | 3 |
| 146 | Comparison between fixed-dose, intracoronary bolus-only versus standard weight-adjusted dose, intravenous bolus and infusion administration of abciximab in patients undergoing primary percutaneous coronary intervention. International Journal of Cardiology, 2010, 145, 355-357. | 0.8 | 3 |
| 147 | Myocardial Infarction in Singapore: Ethnic Variation in Evidence-Based Therapy and Its Association with Socioeconomic Status, Social Network Size and Perceived Stress Level. Heart Lung and Circulation, 2013, 22, 1011-1017. | 0.2 | 3 |
| 148 | Patients with acute and chronic coronary syndromes have elevated long-term thrombin generation. Journal of Thrombosis and Thrombolysis, 2020, 50, 421-429. | 1.0 | 3 |
| 149 | Obstructive sleep apnea during acute coronary syndrome is related to myocardial necrosis and wall stress. Sleep Medicine, 2021, 79, 79-82. | 0.8 | 3 |
| 150 | The Emerging Role of Drug-Induced Sleep Endoscopy in the Management of Obstructive Sleep Apnea. Clinical and Experimental Otorhinolaryngology, 2021, 14, 149-158. | 1.1 | 3 |
| 151 | Sleep apnea and recurrent heart failure hospitalizations after coronary artery bypass grafting. Journal of Clinical Sleep Medicine, 2021, 17, 2399-2407. | 1.4 | 3 |
| 152 | An Asian Perspective on Gender Differences in In-Hospital and Long-Term Outcome of Cardiac Mortality and Ischemic Stroke after Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. Journal of Stroke and Cerebrovascular Diseases, 2022, 31, 106215. | 0.7 | 3 |
| 153 | Inter-Ethnic Differences in Valvular Dysfunction, Aortopathy, and Progression of Disease of an Asian Bicuspid Aortic Valve Population. Heart Lung and Circulation, 2022, 31, 469-479. | 0.2 | 3 |
| 154 | Characteristics and outcomes of patients with coronary artery ectasia presenting with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. Cardiovascular Revascularization Medicine, 2021, , . | 0.3 | 3 |
| 155 | Prevalence, types and treatment of bradycardia in obstructive sleep apnea - A systematic review and meta-analysis. Sleep Medicine, 2022, 89, 104-113. | 0.8 | 3 |
| 156 | Clinical features and outcomes of primary percutaneous coronary intervention for subacute stent thrombosisâ€"a case series. International Journal of Cardiology, 2005, 98, 171-172. | 0.8 | 2 |
| 157 | Acute occlusion of the left anterior descending artery following intravascular ultrasound examination of left main coronary artery. International Journal of Cardiology, 2007, 120, 407-409. | 0.8 | 2 |
| 158 | An Intravascular Ultrasound Study of Cypher, Taxus, and Endeavor Stents on Relation between Neointimal Proliferation and Residual Plaque Burden. Journal of Interventional Cardiology, 2008, 21, 519-527. | 0.5 | 2 |
| 159 | Progressive coronary artery aneurysm presenting as acute myocardial infarction. International Journal of Cardiology, 2009, 132, 280-282. | 0.8 | 2 |
| 160 | Adiponectin Profile in Asian Patients Undergoing Coronary Revascularization and Its Association With Plaque Vulnerability: IDEASâ€ADIPO Study. Obesity, 2012, 20, 2451-2457. | 1.5 | 2 |
| 161 | Practice patterns, feasibility and efficacy of percutaneous coronary interventions (PCI) using small French size vascular access. International Journal of Cardiology, 2013, 168, 4287-4288. | 0.8 | 2 |
| 162 | Sleep study–guided multidisciplinary therapy (SGMT) for patients with acute coronary syndrome: Trial rationale and design. Clinical Cardiology, 2018, 41, 721-728. | 0.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Some Cardiologists' Perspective on Past, Current, and Future of Sleep Medicine. American Journal of Cardiology, 2018, 121, 388-389. | 0.7 | 2 |
| 164 | Sex Differences in 1-Year Rehospitalization for Heart Failure and Myocardial Infarction After Primary Percutaneous Coronary Intervention. American Journal of Cardiology, 2019, 123, 1935-1940. | 0.7 | 2 |
| 165 | Effects of Colchicine on Cardiovascular Outcomes in Patients with Coronary Artery Disease: A Systematic Review and One-Stage and Two-Stage Meta-Analysis of Randomized-Controlled Trials. High Blood Pressure and Cardiovascular Prevention, 2021, 28, 343-354. | 1.0 | 2 |
| 166 | Type A aortic dissection: a hidden and lethal cause for failed thrombolytic treatment in acute myocardial infarction. BMJ Case Reports, 2009, 2009, bcr2006100156-bcr2006100156. | 0.2 | 2 |
| 167 | Long-term safety and efficacy are observed after implantation of Zotarolimus-Eluting Stent in real-world clinical practice. EuroIntervention, 2008, 4, 338-344. | 1.4 | 2 |
| 168 | Sudden deterioration of CPAP adherence after myocardial infarction in a Chinese patient: potential effect of ACEI-induced airway hyperresponsiveness. Journal of Clinical Sleep Medicine, 2022, , . | 1.4 | 2 |
| 169 | Comparison of the Efficacy and Safety of Non-vitamin K Antagonist Oral Anticoagulants with Warfarin in Atrial Fibrillation Patients with a History of Bleeding: A Systematic Review and Meta-Analysis. American Journal of Cardiovascular Drugs, 2022, , 1. | 1.0 | 2 |
| 170 | Ethanol septal ablation for hypertrophic obstructive cardiomyopathy in a very old patient. Age and Ageing, 2001, 30, 351-353. | 0.7 | 1 |
| 171 | Relationship between CHA65DS2 score and obstructive sleep apnea (CHA65DS2 and OSA). International Journal of Cardiology, 2013, 168, 5037-5039. | 0.8 | 1 |
| 172 | Culprit versus non-culprit lesion related adverse cardiac events in patients with obstructive sleep apnoea. Heart Asia, 2013, 5, 162-167. | 1.1 | 1 |
| 173 | Relationship between severity of obstructive sleep apnea and adverse cardiac outcomes in non-diabetic patients presenting with myocardial infarction. European Archives of Oto-Rhino-Laryngology, 2015, 272, 2527-2533. | 0.8 | 1 |
| 174 | Adaptive servoventilation for central sleep apnoea in heart failure: a broken dream. Lancet Respiratory Medicine, the, 2016, 4, 846-847. | 5.2 | 1 |
| 175 | Screening questionnaires for sleep-disordered breathing and six-minute walk test in patients attending cardiac rehabilitation. International Journal of Cardiology, 2016, 207, 20-22. | 0.8 | 1 |
| 176 | Obstructive sleep apnea during rapid eye movement sleep in patients after percutaneous coronary intervention: a multicenter study. Sleep and Breathing, 2021, 25, 125-133. | 0.9 | 1 |
| 177 | Reply to letter to the editor obstructive sleep apnea and cardiac biomarkers in patients with acute coronary syndrome. Sleep Medicine, 2021, 81, 245. | 0.8 | 1 |
| 178 | Obstructive sleep apnea and atrial fibrillation: we need to go step by step. Journal of Clinical Sleep Medicine, 2021, 17, 869-870. | 1.4 | 1 |
| 179 | Obstructive Sleep Apnea and Arrhythmias in the Elderly. Current Sleep Medicine Reports, 0 , 1 . | 0.7 | 1 |
| 180 | High-grade culprit lesions are a common cause of STâ€'segment elevation myocardial infarction. Singapore Medical Journal, 2015, 56, 334-338. | 0.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Asian Pacific Society of Cardiology Consensus Statements on the Diagnosis and Management of Obstructive Sleep Apnoea in Patients with Cardiovascular Disease. European Cardiology Review, 0, 17, . | 0.7 | 1 |
| 182 | Does X-sizer thrombectomy abrogate the inferior outcomes in patients with impaired TIMI flow before mechanical reperfusion for acute myocardial infarction?. International Journal of Cardiology, 2005, 103, 212-213. | 0.8 | 0 |
| 183 | CA 19-9 and right heart failure secondary to chronic pulmonary embolism. International Journal of Cardiology, 2008, 125, e10-e11. | 0.8 | О |
| 184 | Factors That May Influence Apnea-Hypopnea Index in Patients With Acute Myocardial Infarction: Response. Chest, 2009, 136, 1445. | 0.4 | 0 |
| 185 | Noncardiac surgery following percutaneous coronary intervention. Interventional Cardiology, 2010, 2, 841-850. | 0.0 | 0 |
| 186 | Procedure-Related Myonecrosis after Bare and Drug-Eluting Stent Implantation. Asian Cardiovascular and Thoracic Annals, 2010, 18, 272-278. | 0.2 | 0 |
| 187 | Angiographic no-reflow and six-month mortality in elderly (≥ 75 years old) Asian patients undergoing primary percutaneous coronary intervention: A single center experience from 1998 to 2007. Acute Cardiac Care, 2010, 12, 63-69. | 0.2 | O |
| 188 | Clinical characteristics and prognostic importance of mild-to-moderate noninfarct-related coronary artery disease in patients with first ST-elevation myocardial infarction. Coronary Artery Disease, 2011, 22, 55-58. | 0.3 | 0 |
| 189 | Obstructive sleep apnea, coronary artery disease and continuous positive airway pressure therapy. Interventional Cardiology, 2012, 4, 595-606. | 0.0 | 0 |
| 190 | Paradoxical effects of adiponectin level on plaque vulnerability and clinical outcomes after coronary revascularization. International Journal of Cardiology, 2013, 168, 4796-4798. | 0.8 | 0 |
| 191 | Authors' Reply. Clinical Cardiology, 2014, 37, 651-651. | 0.7 | 0 |
| 192 | Left main percutaneous coronary intervention improves left ventricular systolic function assessed by tissue Doppler echocardiography. International Journal of Cardiology, 2015, 187, 4-6. | 0.8 | 0 |
| 193 | Reply to "How delineate OSA and CPAP link in postoperative atrial fibrillation conundrum?â€. Journal of Critical Care, 2016, 31, 277. | 1.0 | 0 |
| 194 | Reply by authors: sleep apnea awareness among Latin-Americans. Sleep Medicine, 2017, 38, 155-156. | 0.8 | 0 |
| 195 | Clinical Outcomes One Year and Beyond After Combination Sirolimus-Eluting Endothelial Progenitor Cell Capture Stenting During Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. Cardiovascular Revascularization Medicine, 2019, 20, 739-743. | 0.3 | 0 |
| 196 | Long-Term Clinical Outcomes of Biodegradable-Polymer Drug-Eluting Stents Versus Second-Generation Durable-Polymer Drug-Eluting Stents for ST-Segment Elevation Myocardial Infarction. Cardiovascular Revascularization Medicine, 2022, 35, 98-103. | 0.3 | 0 |
| 197 | Pulmonary embolism as a cause of unexplained sinus tachycardia after right ventricular myocardial infarction. Singapore Medical Journal, 2013, 54, e199-e200. | 0.3 | 0 |