

Chi-Hang Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1809870/chi-hang-lee-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

3,712
citations

32
h-index

56
g-index

199
ext. papers

4,355
ext. citations

3.6
avg, IF

4.78
L-index

#	Paper	IF	Citations
189	Sudden deterioration of CPAP adherence after myocardial infarction in a Chinese patient: potential effect of ACEI-induced airway hyperresponsiveness.. <i>Journal of Clinical Sleep Medicine</i> , 2022 ,	3.1	1
188	Comparison of the Efficacy and Safety of Non-vitamin K Antagonist Oral Anticoagulants with Warfarin in Atrial Fibrillation Patients with a History of Bleeding: A Systematic Review and Meta-Analysis.. <i>American Journal of Cardiovascular Drugs</i> , 2022 , 1	4	0
187	Prognostic Outcomes in Acute Myocardial Infarction Patients Without Standard Modifiable Risk Factors: A Multiethnic Study of 8,680 Asian Patients.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 8691684	5.4	1
186	SGLT inhibitors on weight and body mass: A meta-analysis of 116 randomized-controlled trials.. <i>Obesity</i> , 2022 , 30, 117-128	8	1
185	Effect of sodium-glucose cotransporter-2 (SGLT2) inhibitors on serum urate levels in patients with and without diabetes: a systematic review and meta-regression of 43 randomized controlled trials.. <i>Therapeutic Advances in Chronic Disease</i> , 2022 , 13, 20406223221083509	4.9	0
184	Prevalence, types and treatment of bradycardia in obstructive sleep apnea - A systematic review and meta-analysis.. <i>Sleep Medicine</i> , 2021 , 89, 104-113	4.6	
183	Effects of Sodium-Glucose Cotransporter 2 on Amputation Events: A Systematic Review and Meta-Analysis of Randomized-Controlled Trials.. <i>Pharmacology</i> , 2021 , 1-8	2.3	2
182	An Asian Perspective on Gender Differences in In-Hospital and Long-Term Outcome of Cardiac Mortality and Ischemic Stroke after Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 31, 106215	2.8	2
181	Obstructive sleep apnea therapy for cardiovascular risk reduction-Time for a rethink?. <i>Clinical Cardiology</i> , 2021 , 44, 1729	3.3	4
180	Comparing Sacubitril/Valsartan Against Sodium-Glucose Cotransporter 2 Inhibitors in Heart Failure: A Systematic Review and Network Meta-analysis. <i>Clinical Drug Investigation</i> , 2021 , 42, 1	3.2	0
179	Characteristics and outcomes of patients with coronary artery ectasia presenting with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Cardiovascular Revascularization Medicine</i> , 2021 ,	1.6	1
178	Prognostic Implications of Bicuspid and Tricuspid Aortic Valve Phenotype on Progression of Moderate Aortic Stenosis and Ascending Aorta Dilatation. <i>American Journal of Cardiology</i> , 2021 , 161, 76-83	3	1
177	Post-ST-Segment Elevation Myocardial Infarction Follow-Up Care During the COVID-19 Pandemic and the Possible Benefit of Telemedicine: An Observational Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 755822	5.4	2
176	Obstructive sleep apnea during acute coronary syndrome is related to myocardial necrosis and wall stress. <i>Sleep Medicine</i> , 2021 , 79, 79-82	4.6	2
175	Effects of Sodium/Glucose Cotransporter 2 (SGLT2) Inhibitors on Cardiovascular and Metabolic Outcomes in Patients Without Diabetes Mellitus: A Systematic Review and Meta-Analysis of Randomized-Controlled Trials. <i>Journal of the American Heart Association</i> , 2021 , 10, e019463	6	16
174	Long-term clinical outcomes of biodegradable polymer drug eluting stents versus second-generation durable polymer drug eluting stents for ST-segment elevation myocardial infarction. <i>Cardiovascular Revascularization Medicine</i> , 2021 , 35, 98-98	1.6	
173	Comparing the clinical outcomes across different sodium/glucose cotransporter 2 (SGLT2) inhibitors in heart failure patients: a systematic review and network meta-analysis of randomized controlled trials. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1453-1464	2.8	3

172	Outcomes of a multi-ethnic Asian population on combined treatment with clopidogrel and omeprazole in 12,440 patients. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 52, 925-933	5.1	0
171	Effects of Colchicine on Cardiovascular Outcomes in Patients with Coronary Artery Disease: A Systematic Review and One-Stage and Two-Stage Meta-Analysis of Randomized-Controlled Trials. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2021 , 28, 343-354	2.9	2
170	Reply to letter to the editor obstructive sleep apnea and cardiac biomarkers in patients with acute coronary syndrome. <i>Sleep Medicine</i> , 2021 , 81, 245	4.6	
169	Obstructive sleep apnea and atrial fibrillation: we need to go step by step. <i>Journal of Clinical Sleep Medicine</i> , 2021 , 17, 869-870	3.1	1
168	The Emerging Role of Drug-Induced Sleep Endoscopy in the Management of Obstructive Sleep Apnea. <i>Clinical and Experimental Otorhinolaryngology</i> , 2021 , 14, 149-158	3.4	0
167	Sleep apnea and recurrent heart failure hospitalizations after coronary artery bypass grafting. <i>Journal of Clinical Sleep Medicine</i> , 2021 , 17, 2399-2407	3.1	0
166	Remote Postdischarge Treatment of Patients With Acute Myocardial Infarction by Allied Health Care Practitioners vs Standard Care: The IMMACULATE Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 830-835	16.2	3
165	The remodelling index risk stratifies patients with hypertensive left ventricular hypertrophy. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 670-679	4.1	3
164	Obstructive sleep apnea during rapid eye movement sleep in patients after percutaneous coronary intervention: a multicenter study. <i>Sleep and Breathing</i> , 2021 , 25, 125-133	3.1	
163	Impact of the COVID-19 Pandemic on Door-to-Balloon Time for Primary Percutaneous Coronary Intervention - Results From the Singapore Western STEMI Network. <i>Circulation Journal</i> , 2021 , 85, 139-149	2.9	22
162	One-year outcomes of patients with ST-segment elevation myocardial infarction during the COVID-19 pandemic. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 1	5.1	3
161	Obstructive sleep apnea, sleep duration and chronic kidney disease in patients with coronary artery disease. <i>Sleep Medicine</i> , 2021 , 84, 268-274	4.6	0
160	The Global Effect of the COVID-19 Pandemic on STEMI Care: A Systematic Review and Meta-analysis. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 1450-1459	3.8	14
159	Comparison of Outcomes of Asymptomatic Moderate Aortic Stenosis With Preserved Left Ventricular Ejection Fraction in Patients 80 Years Versus 70-79 Years Versus . <i>American Journal of Cardiology</i> , 2021 , 157, 93-100	3	3
158	Sleep apnea and diabetes mellitus are independently associated with cardiovascular events and hospitalization for heart failure after coronary artery bypass grafting. <i>Scientific Reports</i> , 2020 , 10, 21664	4.9	1
157	Sleep apnoea and cardiovascular outcomes after coronary artery bypass grafting. <i>Heart</i> , 2020 , 106, 1495-1502	5	5
156	Comparison of Clinical and Echocardiographic Features of Asymptomatic Patients With Stenotic Bicuspid Versus Tricuspid Aortic Valves. <i>American Journal of Cardiology</i> , 2020 , 128, 210-215	3	3
155	Diabetes mellitus is associated with high sleep-time systolic blood pressure and non-dipping pattern. <i>Postgraduate Medicine</i> , 2020 , 132, 346-351	3.7	0

154	Patients with acute and chronic coronary syndromes have elevated long-term thrombin generation. <i>Journal of Thrombosis and Thrombolysis</i> , 2020 , 50, 421-429	5.1	0
153	Treating Very Long Coronary Artery Lesions in the Contemporary Drug-Eluting-Stent Era: Single Long 48 mm Stent Versus Two Overlapping Stents Showed Comparable Clinical Outcomes. <i>Cardiovascular Revascularization Medicine</i> , 2020 , 21, 1115-1118	1.6	1
152	Prioritizing Candidates of Post-Myocardial Infarction Heart Failure Using Plasma Proteomics and Single-Cell Transcriptomics. <i>Circulation</i> , 2020 , 142, 1408-1421	16.7	13
151	Beta-blockers and renin-angiotensin system inhibitors in acute myocardial infarction managed with in-hospital coronary revascularization. <i>Scientific Reports</i> , 2020 , 10, 15184	4.9	3
150	Screening and treatment of obstructive sleep apnea in acute coronary syndrome. A randomized clinical trial. <i>International Journal of Cardiology</i> , 2020 , 299, 20-25	3.2	3
149	Prevalence, Characteristics, and Association of Obstructive Sleep Apnea with Blood Pressure Control in Patients with Resistant Hypertension. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 1414-1421	4.7	9
148	Clinical Outcomes One Year and Beyond After Combination Sirolimus-Eluting Endothelial Progenitor Cell Capture Stenting During Primary Percutaneous Coronary Intervention in ST-Segment Elevation Myocardial Infarction. <i>Cardiovascular Revascularization Medicine</i> , 2019 , 20, 739-743	1.6	
147	Sex Differences in 1-Year Rehospitalization for Heart Failure and Myocardial Infarction After Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2019 , 123, 1935-1940	3	1
146	Sleep Apnea and Heart. <i>Sleep Medicine Research</i> , 2019 , 10, 67-74	0.8	5
145	Platelet inhibition to target reperfusion injury trial: Rationale and study design. <i>Clinical Cardiology</i> , 2019 , 42, 5-12	3.3	10
144	Prognostic Implications of Dual Platelet Reactivity Testing in Acute Coronary Syndrome. <i>Thrombosis and Haemostasis</i> , 2018 , 118, 415-426	7	2
143	Incidence and predictors of target lesion failure in a multiethnic Asian population receiving the SYNERGY coronary stent: A prospective all-comers registry. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 1097-1103	2.7	10
142	Sleep study-guided multidisciplinary therapy (SGMT) for patients with acute coronary syndrome: Trial rationale and design. <i>Clinical Cardiology</i> , 2018 , 41, 721-728	3.3	2
141	Cardiac Troponin Values in Patients With Acute Coronary Syndrome and Sleep Apnea: A Pilot Study. <i>Chest</i> , 2018 , 153, 329-338	5.3	23
140	The effect of a self-help psychoeducation programme for people with coronary heart disease: A randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2018 , 74, 2416-2426	3.1	3
139	Watch-PAT versus level III device in diagnosing sleep disordered breathing in first myocardial infarction. <i>Clinical Respiratory Journal</i> , 2018 , 12, 2332-2339	1.7	1
138	Obstructive Sleep Apnea and Diabetes Independently Add to Cardiovascular Risk After Coronary Revascularization. <i>Diabetes Care</i> , 2018 , 41, e12-e14	14.6	21
137	Sleep Apnea Evolution and Left Ventricular Recovery After Percutaneous Coronary Intervention for Myocardial Infarction. <i>Journal of Clinical Sleep Medicine</i> , 2018 , 14, 1773-1781	3.1	9

136	Treatment of obstructive sleep apnoea as primary or secondary prevention of cardiovascular disease: where do we stand now?. <i>Current Opinion in Pulmonary Medicine</i> , 2018 , 24, 537-542	3	6
135	Screening for Obstructive Sleep Apnea in the Assessment of Coronary Risk. <i>American Journal of Cardiology</i> , 2017 , 119, 996-1002	3	11
134	Validation of NoSAS score for screening of sleep-disordered breathing in a multiethnic Asian population. <i>Sleep and Breathing</i> , 2017 , 21, 1033-1038	3.1	28
133	Awareness and knowledge of obstructive sleep apnea among the general population. <i>Sleep Medicine</i> , 2017 , 36, 10-17	4.6	35
132	Effects of Ethnicity on the Prevalence of Obstructive Sleep Apnoea in Patients with Acute Coronary Syndrome: A Pooled Analysis of the ISAACC Trial and Sleep and Stent Study. <i>Heart Lung and Circulation</i> , 2017 , 26, 486-494	1.8	10
131	Using the Berlin Questionnaire to Predict Obstructive Sleep Apnea in the General Population. <i>Journal of Clinical Sleep Medicine</i> , 2017 , 13, 427-432	3.1	43
130	Assessment of left atrial appendage function by transthoracic pulsed Doppler echocardiography: Comparing against transesophageal interrogation and predicting echocardiographic risk factors for stroke. <i>Echocardiography</i> , 2017 , 34, 1478-1485	1.5	5
129	Novel Index of Maladaptive Myocardial Remodeling in Hypertension. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10,	3.9	20
128	Reply by authors: sleep apnea awareness among Latin-Americans. <i>Sleep Medicine</i> , 2017 , 38, 155-156	4.6	
127	Obstructive sleep apnea is associated with visit-to-visit variability in low-density lipoprotein-cholesterol in patients with coronary artery disease. <i>Sleep and Breathing</i> , 2017 , 21, 271-278	3.1	6
126	Prevalence of sleep-disordered breathing in a multiethnic Asian population in Singapore: A community-based study. <i>Respirology</i> , 2016 , 21, 943-50	3.6	42
125	Optimal Body Mass Index Cut-offs for Identification of Patients with Coronary Artery Disease at High Risk of Obstructive Sleep Apnoea. <i>Heart Lung and Circulation</i> , 2016 , 25, 847-54	1.8	4
124	Reply to "How delineate OSA and CPAP link in postoperative atrial fibrillation conundrum?". <i>Journal of Critical Care</i> , 2016 , 31, 277	4	
123	Sleep-disordered Breathing in Cardiac Rehabilitation: Prevalence, Predictors, and Influence on the Six-Minute Walk Test. <i>Heart Lung and Circulation</i> , 2016 , 25, 584-91	1.8	4
122	Screening questionnaires for sleep-disordered breathing and six-minute walk test in patients attending cardiac rehabilitation. <i>International Journal of Cardiology</i> , 2016 , 207, 20-2	3.2	0
121	Visit-to-visit variability in LDL- and HDL-cholesterol is associated with adverse events after ST-segment elevation myocardial infarction: A 5-year follow-up study. <i>Atherosclerosis</i> , 2016 , 244, 86-92	3.1	41
120	Sleep apnoea is a risk factor for acute kidney injury after coronary artery bypass grafting. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 49, 1188-94	3	11
119	Obstructive sleep apnea affects the clinical outcomes of patients undergoing percutaneous coronary intervention. <i>Patient Preference and Adherence</i> , 2016 , 10, 871-8	2.4	11

118	Independent predictors of physical health in community-dwelling patients with coronary heart disease in Singapore. <i>Health and Quality of Life Outcomes</i> , 2016 , 14, 113	3	8
117	Predicting obstructive sleep apnea using the STOP-Bang questionnaire in the general population. <i>Sleep Medicine</i> , 2016 , 27-28, 66-71	4.6	36
116	ABSORB bioresorbable vascular scaffold vs. everolimus-eluting metallic stent in ST-segment elevation myocardial infarction (BVS EXAMINATION study): 2-Year results from a propensity score matched comparison. <i>International Journal of Cardiology</i> , 2016 , 214, 483-4	3.2	17
115	Obstructive Sleep Apnea and Cardiovascular Events After Percutaneous Coronary Intervention. <i>Circulation</i> , 2016 , 133, 2008-17	16.7	115
114	Adaptive servoventilation for central sleep apnoea in heart failure: a broken dream. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 846-847	35.1	1
113	Sleep apnoea and unscheduled re-admission in patients undergoing coronary artery bypass surgery. <i>Atherosclerosis</i> , 2015 , 242, 128-34	3.1	10
112	Cardiac Rehabilitation After Percutaneous Coronary Intervention in a Multiethnic Asian Country: Enrollment and Barriers. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 1733-8	2.8	9
111	Left main percutaneous coronary intervention improves left ventricular systolic function assessed by tissue Doppler echocardiography. <i>International Journal of Cardiology</i> , 2015 , 187, 4-6	3.2	
110	Relationship between severity of obstructive sleep apnea and adverse cardiac outcomes in non-diabetic patients presenting with myocardial infarction. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 2527-33	3.5	
109	Sleep apnea is associated with new-onset atrial fibrillation after coronary artery bypass grafting. <i>Journal of Critical Care</i> , 2015 , 30, 1418.e1-5	4	21
108	Ethnicity Modifies Associations between Cardiovascular Risk Factors and Disease Severity in Parallel Dutch and Singapore Coronary Cohorts. <i>PLoS ONE</i> , 2015 , 10, e0132278	3.7	22
107	Absorb bioresorbable vascular scaffold versus everolimus-eluting metallic stent in ST-segment elevation myocardial infarction: 1-year results of a propensity score matching comparison: the BVS-EXAMINATION Study (bioresorbable vascular scaffold-a clinical evaluation of everolimus eluting metallic stent in the treatment of patients with ST-segment elevation myocardial infarction). <i>International Journal of Cardiology</i> , 2015 , 187, 4-6	5	117
106	Usefulness of combined intravascular ultrasound parameters to predict functional significance of coronary artery stenosis and determinants of mismatch. <i>EuroIntervention</i> , 2015 , 11, 163-70	3.1	17
105	High-grade culprit lesions are a common cause of ST-segment elevation myocardial infarction. <i>Singapore Medical Journal</i> , 2015 , 56, 334-8	1.9	
104	Safety of combination therapy with milrinone and esmolol for heart protection during percutaneous coronary intervention in acute myocardial infarction. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 527-30	2.8	4
103	Impact of obstructive sleep apnea on cardiovascular outcomes in patients treated with percutaneous coronary intervention: rationale and design of the sleep and stent study. <i>Clinical Cardiology</i> , 2014 , 37, 261-9	3.3	14
102	Optimal intravascular ultrasound criteria for defining the functional significance of intermediate coronary stenosis: an international multicenter study. <i>Cardiology</i> , 2014 , 127, 256-62	1.6	22
101	OSA and coronary plaque characteristics. <i>Chest</i> , 2014 , 145, 322-330	5.3	46

100	AuthorsPreply. <i>Clinical Cardiology</i> , 2014 , 37, 651	3.3	
99	Determination of the severity of underlying lesions in acute myocardial infarction on the basis of collateral vessel development. <i>Coronary Artery Disease</i> , 2014 , 25, 493-7	1.4	4
98	Prognostic implication of obstructive sleep apnea diagnosed by post-discharge sleep study in patients presenting with acute coronary syndrome. <i>Sleep Medicine</i> , 2014 , 15, 631-6	4.6	34
97	Effects of gender on the prevalence of obstructive sleep apnea in patients with coronary artery disease. <i>Journal of Clinical Sleep Medicine</i> , 2014 , 10, 1279-84	3.1	5
96	Paradoxical effects of adiponectin level on plaque vulnerability and clinical outcomes after coronary revascularization. <i>International Journal of Cardiology</i> , 2013 , 168, 4796-8	3.2	
95	Relationship between CHA(65)DS(2) score and obstructive sleep apnea (CHA(65)DS(2) and OSA). <i>International Journal of Cardiology</i> , 2013 , 168, 5037-9	3.2	1
94	Immigrant status and disparities in health care delivery in patients with myocardial infarction. <i>International Journal of Cardiology</i> , 2013 , 166, 696-701	3.2	4
93	Initial experience in the clinical use of everolimus-eluting bioresorbable vascular scaffold (BVS) in a single institution. <i>International Journal of Cardiology</i> , 2013 , 168, 1536-7	3.2	7
92	Screening of hospitalized patients at high risk of obstructive sleep apnea in general cardiology service. <i>International Journal of Cardiology</i> , 2013 , 164, 368-70	3.2	5
91	Myocardial infarction in singapore: ethnic variation in evidence-based therapy and its association with socioeconomic status, social network size and perceived stress level. <i>Heart Lung and Circulation</i> , 2013 , 22, 1011-7	1.8	3
90	The influence of timing of polysomnography on diagnosis of obstructive sleep apnea in patients presenting with acute myocardial infarction and stable coronary artery disease. <i>Sleep Medicine</i> , 2013 , 14, 985-90	4.6	7
89	Practice patterns, feasibility and efficacy of percutaneous coronary interventions (PCI) using small French size vascular access. <i>International Journal of Cardiology</i> , 2013 , 168, 4287-8	3.2	2
88	A single-center experience of transitioning from a routine transfemoral to a transradial intervention approach in ST-elevation myocardial infarction: Impact on door-to-balloon time and clinical outcomes. <i>Journal of Cardiology</i> , 2013 , 62, 12-7	3	6
87	Culprit versus non-culprit lesion related adverse cardiac events in patients with obstructive sleep apnoea. <i>Heart Asia</i> , 2013 , 5, 162-7	1.9	
86	Relationship between apnoea-hypopnoea index and angiographic?coronary disease phenotypes in patients presenting with acute?myocardial infarction. <i>Acute Cardiac Care</i> , 2013 , 15, 26-33		5
85	Everolimus-eluting bioresorbable vascular scaffold (BVS) implantation in patients with ST-segment elevation myocardial infarction (STEMI). <i>EuroIntervention</i> , 2013 , 9, 501-4	3.1	46
84	Excessive daytime sleepiness is associated with longer culprit lesion and adverse outcomes in patients with coronary artery disease. <i>Journal of Clinical Sleep Medicine</i> , 2013 , 9, 1267-72	3.1	17
83	Pulmonary embolism as a cause of unexplained sinus tachycardia after right ventricular myocardial infarction. <i>Singapore Medical Journal</i> , 2013 , 54, e199-200	1.9	

82	Endothelial progenitor cell capture stent: safety and effectiveness. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 493-500	1.8	31
81	Correlation between high density lipoprotein-cholesterol and remodeling index in patients with coronary artery disease: IDEAS (IVUS diagnostic evaluation of atherosclerosis in Singapore)-HDL study. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 33-41	2.5	17
80	Obstructive sleep apnea, coronary artery disease and continuous positive airway pressure therapy. <i>Interventional Cardiology</i> , 2012 , 4, 595-606	3	
79	Angiographic and platelet reactivity outcomes with prasugrel 60mg pretreatment and clopidogrel 600mg pretreatment in primary percutaneous coronary intervention. <i>Journal of Thrombosis and Thrombolysis</i> , 2012 , 34, 499-505	5.1	7
78	Adiponectin profile in Asian patients undergoing coronary revascularization and its association with plaque vulnerability: IDEAS-ADIPO study. <i>Obesity</i> , 2012 , 20, 2451-7	8	2
77	CYP2C19 and PON1 polymorphisms regulating clopidogrel bioactivation in Chinese, Malay and Indian subjects. <i>Pharmacogenomics</i> , 2012 , 13, 533-42	2.6	26
76	Intravascular ultrasound guided percutaneous coronary intervention: a practical approach. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 86-94	1.8	5
75	The long-term predictive value of the neutrophil-to-lymphocyte ratio in Type 2 diabetic patients presenting with acute myocardial infarction. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012 , 105, 1075-82	2.7	38
74	Severe obstructive sleep apnea and outcomes following myocardial infarction. <i>Journal of Clinical Sleep Medicine</i> , 2011 , 7, 616-21	3.1	76
73	Clinical characteristics and prognostic importance of mild-to-moderate noninfarct-related coronary artery disease in patients with first ST-elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2011 , 22, 55-8	1.4	
72	Prevalence and predictors of premature discontinuation of dual antiplatelet therapy after drug-eluting stent implantation: importance of social factors in Asian patients. <i>Internal Medicine Journal</i> , 2011 , 41, 623-9	1.6	9
71	Utilisation of emergency medical service among Singapore patients presenting with ST-segment elevation myocardial infarction: prevalence and impact on ischaemic time. <i>Internal Medicine Journal</i> , 2011 , 41, 809-14	1.6	3
70	Effectiveness and safety of the genous endothelial progenitor cell-capture stent in acute ST-elevation myocardial infarction. <i>American Journal of Cardiology</i> , 2011 , 108, 202-5	3	19
69	Two-year clinical registry follow-up of endothelial progenitor cell capture stent versus sirolimus-eluting bioabsorbable polymer-coated stent versus bare metal stents in patients undergoing primary percutaneous coronary intervention for ST elevation myocardial infarction. <i>Journal of Interventional Cardiology</i> , 2010 , 23, 181-6	1.8	23
68	The relative impact of obstructive sleep apnea and hypertension on the structural and functional changes of the thoracic aorta. <i>Sleep</i> , 2010 , 33, 1173-6	1.1	21
67	Procedure-related myonecrosis after bare and drug-eluting stent implantation. <i>Asian Cardiovascular and Thoracic Annals</i> , 2010 , 18, 272-8	0.6	
66	Clinical predictors of stent thrombosis in the "real world" drug-eluting stent era. <i>International Journal of Cardiology</i> , 2010 , 145, 422-5	3.2	10
65	Comparison between fixed-dose, intracoronary bolus-only versus standard weight-adjusted dose, intravenous bolus and infusion administration of abciximab in patients undergoing primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2010 , 145, 355-357	3.2	3

64	Angiographic no-reflow and six-month mortality in elderly (>= 75 years old) Asian patients undergoing primary percutaneous coronary intervention: A single center experience from 1998 to 2007. <i>Acute Cardiac Care</i> , 2010 , 12, 63-9		
63	Microvascular obstruction after percutaneous coronary intervention. <i>Catheterization and Cardiovascular Interventions</i> , 2010 , 75, 369-77	2.7	10
62	Noncardiac surgery following percutaneous coronary intervention. <i>Interventional Cardiology</i> , 2010 , 2, 841-850	3	
61	New set of intravascular ultrasound-derived anatomic criteria for defining functionally significant stenoses in small coronary arteries (results from Intravascular Ultrasound Diagnostic Evaluation of Atherosclerosis in Singapore [IDEAS] study). <i>American Journal of Cardiology</i> , 2010 , 105, 1378-84	3	58
60	Endothelial progenitor cell capture stent implantation in patients with ST-segment elevation acute myocardial infarction: one year follow-up. <i>EuroIntervention</i> , 2010 , 5, 698-702	3.1	33
59	Obstructive sleep apnea in patients admitted for acute myocardial infarction. Prevalence, predictors, and effect on microvascular perfusion. <i>Chest</i> , 2009 , 135, 1488-1495	5.3	114
58	Relation between door-to-balloon time and microvascular perfusion as evaluated by myocardial blush grade, corrected TIMI frame count, and ST-segment resolution in treatment of acute myocardial infarction. <i>Journal of Interventional Cardiology</i> , 2009 , 22, 437-43	1.8	8
57	A novel drug-eluting stent using bioabsorbable polymer technology: two-year follow-up of the CURAMI registry. <i>International Journal of Cardiology</i> , 2009 , 131, 272-4	3.2	8
56	Progressive coronary artery aneurysm presenting as acute myocardial infarction. <i>International Journal of Cardiology</i> , 2009 , 132, 280-2	3.2	1
55	Diverse clinical spectrum of stress-induced cardiomyopathy. <i>International Journal of Cardiology</i> , 2009 , 133, 272-5	3.2	33
54	Fulminant dengue myocarditis masquerading as acute myocardial infarction. <i>International Journal of Cardiology</i> , 2009 , 136, e69-71	3.2	36
53	Factors That May Influence Apnea-Hypopnea Index in Patients With Acute Myocardial Infarction: Response. <i>Chest</i> , 2009 , 136, 1445	5.3	
52	Type A aortic dissection: a hidden and lethal cause for failed thrombolytic treatment in acute myocardial infarction. <i>BMJ Case Reports</i> , 2009 , 2009, bcr2006100156	0.9	2
51	CA 19-9 and right heart failure secondary to chronic pulmonary embolism. <i>International Journal of Cardiology</i> , 2008 , 125, e10-1	3.2	
50	Long-term follow-up after percutaneous coronary intervention in patients with systemic lupus erythematosus. <i>International Journal of Cardiology</i> , 2008 , 126, 430-2	3.2	4
49	Impact of different Asian ethnic groups on correlation between heparin dose, activated clotting time and complications in percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2008 , 130, 500-2	3.2	6
48	Use of endothelial progenitor cell capture stent (Genous Bio-Engineered R Stent) during primary percutaneous coronary intervention in acute myocardial infarction: intermediate- to long-term clinical follow-up. <i>American Heart Journal</i> , 2008 , 155, 128-32	4.9	109
47	Complete fracture of an Ikari guiding catheter in the axillary artery during transradial coronary intervention. <i>International Journal of Angiology</i> , 2008 , 17, 40-2	1.1	4

46	Clinical experience of StarClose vascular closure device in patients with first and recurrent femoral punctures. <i>Journal of Interventional Cardiology</i> , 2008 , 21, 67-73	1.8	15
45	Shortening of median door-to-balloon time in primary percutaneous coronary intervention in Singapore by simple and inexpensive operational measures: clinical practice improvement program. <i>Journal of Interventional Cardiology</i> , 2008 , 21, 414-23	1.8	17
44	An intravascular ultrasound study of Cypher, Taxus, and endeavor stents on relation between neointimal proliferation and residual plaque burden. <i>Journal of Interventional Cardiology</i> , 2008 , 21, 519-27 ⁸	1.8	2
43	Long-term safety and efficacy are observed after implantation of Zotarolimus-Eluting stent in real-world clinical practice. <i>EuroIntervention</i> , 2008 , 4, 338-44	3.1	2
42	Lethal presentations of coronary artery spasm after an event-free period of six years following initial diagnosis. <i>Journal of Invasive Cardiology</i> , 2008 , 20, E30-2	0.7	4
41	Vitamin E TPGS-emulsified poly(lactic-co-glycolic acid) nanoparticles for cardiovascular restenosis treatment. <i>Nanomedicine</i> , 2007 , 2, 333-44	5.6	45
40	Pretreatment with intracoronary adenosine reduces the incidence of myonecrosis after non-urgent percutaneous coronary intervention: a prospective randomized study. <i>European Heart Journal</i> , 2007 , 28, 19-25	9.5	43
39	Type A aortic dissection: a hidden and lethal cause for failed thrombolytic treatment in acute myocardial infarction. <i>Heart</i> , 2007 , 93, 825	5.1	9
38	Incidence, predictors, and outcomes of device failure of X-size thrombectomy: real-world experience of 200 cases in 5 years. <i>American Heart Journal</i> , 2007 , 153, 14.e13-9	4.9	7
37	CYPHER versus TAXUS stent for bifurcation lesions beyond 30 days-long-term follow-up results. <i>International Journal of Cardiology</i> , 2007 , 117, 422-4	3.2	2
36	Dilemma of drug-eluting stent implantation in a patient with systemic lupus erythematosus. <i>International Journal of Cardiology</i> , 2007 , 114, e107-8	3.2	3
35	Acute occlusion of the left anterior descending artery following intravascular ultrasound examination of left main coronary artery. <i>International Journal of Cardiology</i> , 2007 , 120, 407-9	3.2	2
34	Sirolimus-eluting, bioabsorbable polymer-coated constant stent (Cura) in acute ST-elevation myocardial infarction: a clinical and angiographic study (CURAMI Registry). <i>Journal of Invasive Cardiology</i> , 2007 , 19, 182-5	0.7	17
33	Update on drug-eluting stents for prevention of restenosis. <i>Asian Cardiovascular and Thoracic Annals</i> , 2006 , 14, 75-82	0.6	4
32	Inverse relation between diastolic blood pressure and long-term outcomes in patients undergoing pharmacoinvasive therapy for myocardial infarction: the J-shaped relation in the contemporary era of revascularisation. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 806-11	1.9	2
31	Fluvastatin: efficacy and safety in reducing cardiac events. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 1883-95	4	2
30	Clinical features and outcomes of primary percutaneous coronary intervention for subacute stent thrombosis--a case series. <i>International Journal of Cardiology</i> , 2005 , 98, 171-2	3.2	2
29	In-hospital versus out-of-hospital cardiac arrest complicating myocardial infarction: survival after percutaneous coronary revascularization. <i>International Journal of Cardiology</i> , 2005 , 98, 359-60	3.2	3

28	Does X-sizer thrombectomy abrogate the inferior outcomes in patients with impaired TIMI flow before mechanical reperfusion for acute myocardial infarction?. <i>International Journal of Cardiology</i> , 2005 , 103, 212-3	3.2	
27	Instant dissolution of intracoronary thrombus by abciximab. <i>International Journal of Cardiology</i> , 2005 , 104, 102-3	3.2	8
26	Pseudo-no-reflow phenomenon in ostial saphenous vein graft intervention using FilterWire EX protection. <i>International Journal of Cardiology</i> , 2005 , 104, 233-4	3.2	3
25	Impact of reversibility of no reflow phenomenon on 30-day mortality following percutaneous revascularization for acute myocardial infarction-insights from a 1,328 patient registry. <i>Journal of Interventional Cardiology</i> , 2005 , 18, 261-6	1.8	31
24	Intravascular ultrasound evaluation after sirolimus eluting stent implantation for de novo and in-stent restenosis lesions. <i>European Heart Journal</i> , 2004 , 25, 32-8	9.5	32
23	Treatment of very small vessels with 2.25-mm diameter sirolimus-eluting stents (from the RESEARCH registry). <i>American Journal of Cardiology</i> , 2004 , 93, 633-6	3	41
22	Very long sirolimus-eluting stent implantation for de novo coronary lesions. <i>American Journal of Cardiology</i> , 2004 , 93, 826-9	3	79
21	Incidence of thrombotic stent occlusion during the first three months after sirolimus-eluting stent implantation in 500 consecutive patients. <i>American Journal of Cardiology</i> , 2004 , 93, 1271-5	3	41
20	Restenosis rates following bifurcation stenting with sirolimus-eluting stents for de novo narrowings. <i>American Journal of Cardiology</i> , 2004 , 94, 115-8	3	108
19	Direct stenting compared to conventional stenting in Diabetic Patients Undergoing Elective Angioplasty for Coronary Artery Disease (DECIDE): a multicenter, open label, randomized, controlled efficacy study. <i>American Heart Journal</i> , 2004 , 148, 1007-11	4.9	5
18	Local drug delivery using coated stents: new developments and future perspectives. <i>Current Pharmaceutical Design</i> , 2004 , 10, 357-67	3.3	32
17	Acetylcysteine for prevention of acute deterioration of renal function following elective coronary angiography and intervention: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 553-8	27.4	300
16	Long-term follow-up of incomplete stent apposition in patients who received sirolimus-eluting stent for de novo coronary lesions: an intravascular ultrasound analysis. <i>Circulation</i> , 2003 , 108, 2747-50	16.7	134
15	Usefulness of percutaneous left ventricular assistance to support high-risk percutaneous coronary interventions. <i>American Journal of Cardiology</i> , 2003 , 91, 479-81	3	29
14	Evaluation of coronary remodeling after sirolimus-eluting stent implantation by serial three-dimensional intravascular ultrasound. <i>American Journal of Cardiology</i> , 2003 , 91, 1046-50	3	28
13	Effectiveness of sirolimus-eluting stent implantation for recurrent in-stent restenosis after brachytherapy. <i>American Journal of Cardiology</i> , 2003 , 92, 200-3	3	45
12	Effectiveness of sirolimus-eluting stent for treatment of left main coronary artery disease. <i>American Journal of Cardiology</i> , 2003 , 92, 327-9	3	53
11	Impact of different anatomical patterns of left main coronary stenting on long-term survival. <i>American Journal of Cardiology</i> , 2003 , 92, 718-20	3	14

10	Catheter-based intramyocardial injection of autologous skeletal myoblasts as a primary treatment of ischemic heart failure: clinical experience with six-month follow-up. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 2063-9	15.1	454
9	Early outcome after sirolimus-eluting stent implantation in patients with acute coronary syndromes: insights from the Rapamycin-Eluting Stent Evaluated At Rotterdam Cardiology Hospital (RESEARCH) registry. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 2093-9	15.1	130
8	Sirolimus-eluting stent implantation in ST-elevation acute myocardial infarction: a clinical and angiographic study. <i>Circulation</i> , 2003 , 108, 1927-9	16.7	97
7	Vascular growth factors for coronary angiogenesis. <i>Journal of Interventional Cardiology</i> , 2002 , 15, 511-8	1.8	13
6	Transcatheter closure of atrial septal defect using Amplatzer septal occluder in Chinese adults. <i>Catheterization and Cardiovascular Interventions</i> , 2001 , 53, 373-7	2.7	13
5	Ethanol septal ablation for hypertrophic obstructive cardiomyopathy in a very old patient. <i>Age and Ageing</i> , 2001 , 30, 351-3	3	0
4	Transcatheter closure of the patent ductus arteriosus using an Amplatzer duct occluder in adults. <i>International Heart Journal</i> , 2001 , 42, 533-7		10
3	Satisfaction and acceptance after transradial coronary intervention in elderly. <i>International Journal of Angiology</i> , 2000 , 9, 147-150	1.1	11
2	Experience with Four French Catheters for Outpatient Coronary Angiography. <i>International Journal of Angiology</i> , 2000 , 9, 122-124	1.1	6
1	Obstructive Sleep Apnea and Arrhythmias in the Elderly. <i>Current Sleep Medicine Reports</i> , 1	1.2	1