

Massimo Biondi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1810019/massimo-biondi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

4,943
citations

32
h-index

63
g-index

223
ext. papers

5,637
ext. citations

4.4
avg, IF

5.24
L-index

#	Paper	IF	Citations
183	Increased depressive ratings in patients with hepatitis C receiving interferon-alpha-based immunotherapy are related to interferon-alpha-induced changes in the serotonergic system. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 86-90	1.7	317
182	Psychological stress and neuroendocrine function in humans: the last two decades of research. <i>Psychotherapy and Psychosomatics</i> , 1999 , 68, 114-50	9.4	272
181	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014 , 13, 275-87	14.4	258
180	Depression induced by treatment with interferon-alpha in patients affected by hepatitis C virus. <i>Journal of Affective Disorders</i> , 2002 , 72, 237-41	6.6	208
179	Immunotherapy with interferon-alpha in patients affected by chronic hepatitis C induces an intercorrelated stimulation of the cytokine network and an increase in depressive and anxiety symptoms. <i>Psychiatry Research</i> , 2001 , 105, 45-55	9.9	185
178	Increased 24-hour urinary cortisol excretion in patients with post-traumatic stress disorder and patients with major depression, but not in patients with fibromyalgia. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 98, 328-35	6.5	178
177	Psychological stress, neuroimmunomodulation, and susceptibility to infectious diseases in animals and man: a review. <i>Psychotherapy and Psychosomatics</i> , 1997 , 66, 3-26	9.4	164
176	Psychiatric disorders in adult-onset focal dystonia: a case-control study. <i>Movement Disorders</i> , 2010 , 25, 459-65	7	117
175	Depression in cancer patients: a critical review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 2	3.2	92
174	Stress, social support, emotional regulation, and exacerbation of diffuse plaque psoriasis. <i>Psychosomatics</i> , 2005 , 46, 556-64	2.6	90
173	Treatment with interferon-alpha (IFN alpha) of hepatitis C patients induces lower serum dipeptidyl peptidase IV activity, which is related to IFN alpha-induced depressive and anxiety symptoms and immune activation. <i>Molecular Psychiatry</i> , 2001 , 6, 475-80	15.1	85
172	Psychosomatic factors in first-onset alopecia areata. <i>Psychosomatics</i> , 2003 , 44, 374-81	2.6	82
171	Stressful life events, social support, attachment security and alexithymia in vitiligo. A case-control study. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 150-8	9.4	81
170	Prolactin and thyroid hormone levels are associated with suicide attempts in psychiatric patients. <i>Psychiatry Research</i> , 2012 , 200, 389-94	9.9	79
169	Substance abuse and suicide risk among adolescents. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 469	5.1	76
168	Psychopathological dimensions of depression: a factor study of the 17-item Hamilton depression rating scale in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2002 , 68, 41-7	6.6	76
167	Cognitive Behavioral Therapy in Movement Disorders: A Review. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 107-115	2.2	73

166	Memantine augmentation for refractory obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 1173-5	5.5	70
165	Clinical and biological aspects of bereavement and loss-induced depression: a reappraisal. <i>Psychotherapy and Psychosomatics</i> , 1996 , 65, 229-45	9.4	69
164	Dimensional psychopathology of depression: detection of an 'activation' dimension in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2005 , 84, 133-9	6.6	65
163	Relevance of anger and irritability in outpatients with major depressive disorder. <i>Psychopathology</i> , 2004 , 37, 155-60	3.4	61
162	Heterogeneity and symptom structure of schizophrenia. <i>Psychiatry Research</i> , 2012 , 198, 386-94	9.9	54
161	Paroxetine in a case of psychogenic pruritus and neurotic excoriations. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 165-6	9.4	49
160	Immune markers in fibromyalgia: comparison with major depressed patients and normal volunteers. <i>Journal of Affective Disorders</i> , 1998 , 48, 75-82	6.6	46
159	Evidence of reporting biases in voxel-based morphometry (VBM) studies of psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2014 , 35, 3052-65	5.9	44
158	Only limited support for a role of psychosomatic factors in psoriasis. Results from a case-control study. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 189-96	4.1	43
157	Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. <i>Depression and Anxiety</i> , 2006 , 23, 441-8	8.4	42
156	Assessment of subjective stress in the municipal police force of the city of Rome. <i>Stress and Health</i> , 2002 , 18, 127-132	3.7	42
155	Smoking behaviour and mental health disorders--mutual influences and implications for therapy. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 4790-811	4.6	39
154	Symptom structure of acute mania: a factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. <i>Journal of Affective Disorders</i> , 2008 , 108, 183-9	6.6	37
153	Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. <i>Psychiatry Research</i> , 2017 , 256, 359-364	9.9	34
152	Prefronto-cerebellar transcranial direct current stimulation improves sleep quality in euthymic bipolar patients: a brief report. <i>Behavioural Neurology</i> , 2014 , 2014, 876521	3	33
151	Combined pharmacological and short-term psychodynamic psychotherapy for probable medication overuse headache: a pilot study. <i>Cephalalgia</i> , 2009 , 29, 293-9	6.1	30
150	Add-on mirtazapine enhances effects on cognition in schizophrenic patients under stabilized treatment with clozapine. <i>Experimental and Clinical Psychopharmacology</i> , 2007 , 15, 563-8	3.2	30
149	The role of cerebellum in unipolar and bipolar depression: a review of the main neurobiological findings. <i>Rivista Di Psichiatria</i> , 2014 , 49, 124-31	3.1	30

148	P300 component in euthymic patients with bipolar disorder type I, bipolar disorder type II and healthy controls: a preliminary event-related potential study. <i>NeuroReport</i> , 2015 , 26, 206-10	1.7	29
147	Clinical course of psychiatric disorders in patients with cervical dystonia. <i>Psychiatry Research</i> , 2015 , 229, 583-5	9.9	29
146	Magnetic resonance spectroscopy in the evaluation of treatment efficacy in unipolar major depressive disorder: a review of the literature. <i>Functional Neurology</i> , 2012 , 27, 13-22	2.2	29
145	Negative functional brain networks. <i>Brain Imaging and Behavior</i> , 2018 , 12, 467-476	4.1	28
144	Tinnitus: clinical experience of the psychosomatic connection. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 267-75	3.1	28
143	Lower serum activity of prolyl endopeptidase in fibromyalgia is related to severity of depressive symptoms and pressure hyperalgesia. <i>Psychological Medicine</i> , 1998 , 28, 957-65	6.9	28
142	The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 285-294	5.1	27
141	ECT, rTMS, and deepTMS in pharmacoresistant drug-free patients with unipolar depression: a comparative review. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 55-64	3.1	27
140	Temporomandibular joint pain-dysfunction syndrome and bruxism: etiopathogenesis and treatment from a psychosomatic integrative viewpoint. <i>Psychotherapy and Psychosomatics</i> , 1993 , 59, 84-98	9.4	27
139	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021 , 78, 550-559	14.5	27
138	Association between Clinician's Subjective Experience during Patient Evaluation and Psychiatric Diagnosis. <i>Psychopathology</i> , 2016 , 49, 83-94	3.4	27
137	Childhood neglect in eating disorders: A systematic review and meta-analysis. <i>Journal of Trauma and Dissociation</i> , 2017 , 18, 100-115	2.8	26
136	Prefronto-cerebellar transcranial direct current stimulation improves visuospatial memory, executive functions, and neurological soft signs in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2265-70	3.1	26
135	22q11 deletion syndrome: a review of the neuropsychiatric features and their neurobiological basis. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1873-84	3.1	26
134	Aminergic tone correlates of migraine and tension-type headache: a study using the tridimensional personality questionnaire. <i>Headache</i> , 2001 , 41, 63-71	4.2	26
133	Mental capacity in patients involuntarily or voluntarily receiving psychiatric treatment for an acute mental disorder. <i>Journal of Forensic Sciences</i> , 2014 , 59, 1002-7	1.8	25
132	Psychiatric disorders in patients with essential tremor. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 971-3	3.6	25
131	Personality and psychopathology in patients with temporomandibular joint pain-dysfunction syndrome. A controlled investigation. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 322-8	9.4	25

130	Assessing clinician's subjective experience during interaction with patients. <i>Psychopathology</i> , 2014 , 47, 111-8	3.4	24
129	Acute psychiatric treatment and the use of physical restraint in first-generation immigrants in Italy: a prospective concurrent study. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 613-8	8.5	24
128	The relationship between executive functions and capacity to consent to treatment in acute psychiatric hospitalization. <i>Journal of Empirical Research on Human Research Ethics</i> , 2012 , 7, 63-70	1.6	24
127	Attachment security and immunity in healthy women. <i>Psychosomatic Medicine</i> , 2007 , 69, 40-6	3.7	24
126	ACTH, beta-endorphin and met-enkephalin: peripheral modifications during the stress of human labor. <i>Psychoneuroendocrinology</i> , 1985 , 10, 289-301	5	24
125	Complete Sequence of the 22q11.2 Allele in 1,053 Subjects with 22q11.2 Deletion Syndrome Reveals Modifiers of Conotruncal Heart Defects. <i>American Journal of Human Genetics</i> , 2020 , 106, 26-40	11	24
124	What every psychiatrist should know about PANDAS: a review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008 , 4, 13	3.2	23
123	Human psychoneuroimmunology today. <i>Journal of Clinical Laboratory Analysis</i> , 1990 , 4, 22-38	3	23
122	Development and validation of the Italian version of the 15-item dispositional resilience scale. <i>Rivista Di Psichiatria</i> , 2012 , 47, 231-7	3.1	23
121	Impaired conflict resolution and vigilance in euthymic bipolar disorder. <i>Psychiatry Research</i> , 2015 , 229, 490-6	9.9	21
120	Unexpected association between joint hypermobility syndrome/Ehlers-Danlos syndrome hypermobility type and obsessive-compulsive personality disorder. <i>Rheumatology International</i> , 2014 , 34, 631-6	3.6	21
119	Increased probability of remaining in remission from panic disorder with agoraphobia after drug treatment in patients who received concurrent cognitive-behavioural therapy: a follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 34-42	9.4	21
118	Development of obsessive-compulsive symptoms during clozapine treatment in schizophrenia and its positive response to clomipramine. <i>Psychotherapy and Psychosomatics</i> , 1999 , 68, 111-2	9.4	21
117	Psychopathological features of irritable bowel syndrome patients with and without functional dyspepsia: a cross sectional study. <i>BMC Gastroenterology</i> , 2011 , 11, 94	3	20
116	Factors affecting interindividual differences in clozapine response: a review and case report. <i>Human Psychopharmacology</i> , 2011 , 26, 177-87	2.3	20
115	Nicotine augmentation for refractory obsessive-compulsive disorder. A case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 157-9	5.5	20
114	Treatment with β blockers and incidence of post-traumatic stress disorder after cardiac surgery: a prospective observational study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 265-9	2.1	19
113	Prefronto-cerebellar tDCS enhances neurocognition in euthymic bipolar patients. Findings from a placebo-controlled neuropsychological and psychophysiological investigation. <i>Journal of Affective Disorders</i> , 2017 , 209, 262-269	6.6	18

112	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e030259	3	18
111	Personality, endocrine and immune changes after eight months in healthy individuals under normal daily stress. <i>Psychotherapy and Psychosomatics</i> , 1994 , 62, 176-84	9.4	18
110	Psychopathological dimensions and the clinician's subjective experience. <i>Psychiatry Research</i> , 2017 , 258, 407-414	9.9	17
109	Medial frontal gyrus alterations in schizophrenia: relationship with duration of illness and executive dysfunction. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 103-10	2.9	17
108	Aripiprazole augmentation in patients with resistant obsessive compulsive disorder: a pilot study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 107-11	3.2	17
107	Psychosis prediction in secondary mental health services. A broad, comprehensive approach to the "at risk mental state" syndrome. <i>European Psychiatry</i> , 2017 , 40, 96-104	6	16
106	Magnetic Resonance Imaging Studies of Postpartum Depression: An Overview. <i>Behavioural Neurology</i> , 2015 , 2015, 913843	3	16
105	Predictors of inpatient psychiatric admission in patients presenting to the emergency department: the role of dimensional assessment. <i>General Hospital Psychiatry</i> , 2015 , 37, 587-94	5.6	16
104	Quetiapine for tamoxifen-induced insomnia in women with breast cancer. <i>Psychosomatics</i> , 2009 , 50, 159-66	6	16
103	Higher levels of anger and aggressiveness in major depressive disorder than in anxiety and somatoform disorders. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 442-3	4.6	16
102	Attachment style and immunity: a 1-year longitudinal study. <i>Biological Psychology</i> , 2013 , 92, 353-8	3.2	15
101	Prefrontocerebellar transcranial direct current stimulation increases amplitude and decreases latency of P3b component in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2913-7	3.1	15
100	Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 3	3.2	15
99	Attribution of improvement to medication and increased risk of relapse of panic disorder with agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 110-1; author reply 111	9.4	15
98	A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. <i>Journal of Affective Disorders</i> , 2016 , 198, 96-101	6.6	15
97	Pain-processing abnormalities in bipolar I disorder, bipolar II disorder, and schizophrenia: A novel trait marker for psychosis proneness and functional outcome?. <i>Bipolar Disorders</i> , 2016 , 18, 591-601	3.8	14
96	Group psychoeducation normalizes cortisol awakening response in stabilized bipolar patients under pharmacological maintenance treatment. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 264-6	9.4	14
95	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012 , 34, 534-40	5.6	13

94	Factor structure of the Brief Psychiatric Rating Scale in unipolar depression. <i>Journal of Affective Disorders</i> , 2010 , 124, 329-34	6.6	13
93	Differences in depressive thoughts between major depressive disorder, IFN-alpha-induced depression, and depressive disorders among cancer patients. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 153-6	4.1	13
92	Beyond the brain-mind dichotomy and toward a common organizing principle of pharmacological and psychological treatments. <i>Psychotherapy and Psychosomatics</i> , 1995 , 64, 1-8	9.4	13
91	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 403-414	9.4	13
90	Delusional Themes Across Affective and Non-Affective Psychoses. <i>Frontiers in Psychiatry</i> , 2018 , 9, 132	5	12
89	A cosmeceutical formulation based on boswellic acids for the treatment of erythematous eczema and psoriasis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2014 , 7, 321-7	2.9	12
88	Psychopathological features of obsessive-compulsive disorder in an Italian family with Gilles de la Tourette syndrome not linked to the SLITRK1 gene. <i>Psychiatry Research</i> , 2008 , 161, 109-11	9.9	12
87	Assessment of subjective stress in video display terminal workers. <i>Industrial Health</i> , 2006 , 44, 291-5	2.5	12
86	Acute psychiatric presentation of steroid-responsive encephalopathy: the under recognized side of autoimmune thyroiditis. <i>Rivista Di Psichiatria</i> , 2013 , 48, 169-73	3.1	12
85	Frailty Index as a clinical measure of biological age in psychiatry. <i>Journal of Affective Disorders</i> , 2020 , 268, 183-187	6.6	11
84	The Association of Anger with Symptom Subtypes in Severe Obsessive-Compulsive Disorder Outpatients. <i>Psychopathology</i> , 2016 , 49, 40-6	3.4	11
83	Tension-type headache: psychosomatic clinical assessment and treatment. <i>Psychotherapy and Psychosomatics</i> , 1994 , 61, 41-64	9.4	11
82	Psychoeducational intervention focused on healthy living improves psychopathological severity and lifestyle quality in psychiatric patients: preliminary findings from a controlled study. <i>Journal of Mental Health</i> , 2017 , 26, 271-275	2.7	10
81	Hormonal background of physiological aggressiveness in psychologically healthy women. <i>International Journal of Psychophysiology</i> , 2010 , 75, 291-4	2.9	10
80	Increased maintenance of obsessive-compulsive disorder remission after integrated serotonergic treatment and cognitive psychotherapy compared with medication alone. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 123-8	9.4	10
79	Perinatal Depression and Patterns of Attachment: A Critical Risk Factor?. <i>Depression Research and Treatment</i> , 2015 , 2015, 105012	3.8	9
78	The relationship between alexithymia and circulating cytokine levels in subjects undergoing upper endoscopy. <i>NeuroImmunoModulation</i> , 2011 , 18, 37-44	2.5	9
77	Amantadine augmentation for refractory obsessive-compulsive disorder: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 85-6	1.7	9

76	Assessment of subjective stress in the municipal police force at the start and at the end of the shift. <i>Stress and Health</i> , 2006 , 22, 239-247	3.7	9
75	Disability and borderline personality symptoms. <i>Psychosomatics</i> , 2003 , 44, 442	2.6	9
74	A second trial of clozapine in a case of granulocytopenia. <i>Human Psychopharmacology</i> , 2000 , 15, 275-279	2.3	9
73	Prediction of functional outcome in young patients with a recent-onset psychiatric disorder: Beyond the traditional diagnostic classification system. <i>Schizophrenia Research</i> , 2017 , 185, 114-121	3.6	8
72	Schizotypy and personality profiles of Cluster A in a group of schizophrenic patients and their siblings. <i>BMC Psychiatry</i> , 2013 , 13, 245	4.2	8
71	Bipolar Spectrum Disorders in Patients With Cerebellar Lesions: A Comparison With Parkinson's Disease. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 725-9	1.8	8
70	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020 , 63, e98	6	8
69	Dimensional psychopharmacology in somatising patients. <i>Advances in Psychosomatic Medicine</i> , 2015 , 34, 24-35		7
68	Exploring and assessing demoralization in patients with non-psychotic affective disorders. <i>Journal of Affective Disorders</i> , 2020 , 274, 568-575	6.6	7
67	Persistence of subsyndromal residual symptoms after remission of major depression in patients without cardiovascular disease may condition maintenance of elevated platelet factor 4 and Fibrinogen plasma levels. <i>Journal of Affective Disorders</i> , 2013 , 150, 664-7	6.6	7
66	Capgras-like syndrome in a patient with an acute urinary tract infection. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 139-42	3.1	7
65	Frontal hemisphere lateralization and depressive personality traits. <i>Perceptual and Motor Skills</i> , 1993 , 77, 1035-42	2.2	7
64	Free will, neuroscience, and choice: towards a decisional capacity model for insanity defense evaluations. <i>Rivista Di Psichiatria</i> , 2017 , 52, 9-15	3.1	7
63	Core Depressive Symptoms In Depressed Cancer Outpatients. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 178-81	3.2	7
62	Mental uneasiness, perceived stress and help-seeking in a non-resident university student sample (in Italian). <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 154-160		6
61	Can loss and grief activate latent neoplasia? A clinical case of possible interaction between genetic risk and stress in breast cancer. <i>Psychotherapy and Psychosomatics</i> , 1996 , 65, 102-5	9.4	6
60	CBT Group Intervention for Depression, Anxiety, and Motor Symptoms in Parkinson's Disease: Preliminary Findings. <i>International Journal of Cognitive Therapy</i> , 2015 , 8, 11-20	1.4	5
59	Myoclonic epilepsy, parkinsonism, schizophrenia and left-handedness as common neuropsychiatric features in 22q11.2 deletion syndrome. <i>Journal of Medical Genetics</i> , 2020 , 57, 151-159	5.8	5

58	Adherence to Mediterranean diet moderates the association between multimorbidity and depressive symptoms in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 88, 104022	4	5
57	Psychopathological Dimensions and the Clinician's Subjective Experience 2018 , 267-286		5
56	Development and preliminary validation of the PC-SAD5, a screener-derived short depression severity measure. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 165-71	4.6	5
55	Symptomatic subsyndromal depression in hospitalized hypertensive patients. <i>Journal of Affective Disorders</i> , 2011 , 135, 168-76	6.6	5
54	Bradykinesia in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2010 , 25, 378-81	6	5
53	The relationship between Vitamin D and depressive disorders. <i>Rivista Di Psichiatria</i> , 2019 , 54, 229-234	3.1	5
52	CoViD-19 and stress in the pandemic: "sanity is not statistical". <i>Rivista Di Psichiatria</i> , 2020 , 55, 1e-6e	3.1	5
51	Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016 , 246, 415-420	9.9	5
50	Measuring depression with questions about well-being: a study on psychiatric outpatients. <i>Rivista Di Psichiatria</i> , 2012 , 47, 304-8	3.1	5
49	From neurological soft signs to functional outcome in young individuals in treatment with secondary services for non-psychotic disorders: a path analysis. <i>Psychological Medicine</i> , 2017 , 47, 1192-1203	6.9	4
48	Development and validation of a Stress-related Vulnerability Scale. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 178-182		4
47	Notes on Little Egret breeding biology and on mercury content in egg shells and feathers. <i>Rendiconti Lincei</i> , 2009 , 20, 219-224	1.7	4
46	The central role of psychopathology and its association with disease severity in inflammatory bowel disease and irritable bowel syndrome. <i>Rivista Di Psichiatria</i> , 2019 , 54, 75-83	3.1	4
45	Anti-purkinje cell and natural autoantibodies in a group of psychiatric patients. Evidences for a correlation with the psychopathological status. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012 , 8, 81-90	3.2	4
44	Attachment in Patients with Bipolar and Unipolar Depression: A Comparison with Clinical and Non-clinical Controls. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019 , 15, 143-152	3.2	4
43	Exploring how the psychiatrist experiences the patient during the diagnostic evaluation: the Assessment of Clinician's Subjective Experience (ACSE). <i>Phenomenology and the Cognitive Sciences</i> , 1	1.5	4
42	The Admission Experience Survey Italian Version (I-AES): A factor analytic study on a sample of 156 acute psychiatric in-patients. <i>International Journal of Law and Psychiatry</i> , 2019 , 62, 111-116	2.6	3
41	Fatigue Experiences Among OCD Outpatients. <i>Psychiatric Quarterly</i> , 2015 , 86, 615-24	4.1	3

40	Abnormal prolactin elevation in a schizophrenic patient in treatment with quetiapine and mirtazapine. The role of opioid system. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 677-9	1.7	3
39	Social cognition deficit and genetic vulnerability to schizophrenia in 22q11 deletion syndrome. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2020 , 56, 107-113	1.6	3
38	Cognitive remediation for the treatment of neuropsychological disturbances in subjects with euthymic bipolar disorder: findings from a controlled study. <i>Journal of Affective Disorders</i> , 2020 , 273, 576-585	6.6	3
37	Investigating gaze processing in euthymic bipolar disorder: Impaired ability to infer mental state and intention, but preservation of social attentional orienting. <i>Quarterly Journal of Experimental Psychology</i> , 2018 , 71, 2041-2051	1.8	3
36	Mirtazapine for hyperhidrosis. <i>Psychosomatics</i> , 2003 , 44, 442-3	2.6	2
35	Improvement of pathologic gambling symptoms after administration of sertraline: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 350-1	1.7	2
34	Chiusura OPG. Benissimo, ma gli psicopatici non possono stare nelle nuove REMS.. <i>Psicoterapia E Scienze Umane</i> , 2016 , 136-140	0	2
33	Relational variables in short-term psychodynamic psychotherapy: an effectiveness study. <i>Research in Psychotherapy: Psychopathology, Process and Outcome</i> , 2018 , 21, 327	0.9	2
32	Links between immunity and conditions leading to psychotherapy. <i>Rivista Di Psichiatria</i> , 2009 , 44, 149-633.1		2
31	A preliminary study on hot and cool executive functions in bipolar disorder and on their association with emotion regulation strategies. <i>Rivista Di Psichiatria</i> , 2018 , 53, 331-335	3.1	2
30	Clozapine-related extrapyramidal side effects: a case report. <i>Rivista Di Psichiatria</i> , 2017 , 52, 172-173	3.1	2
29	Dimensional psychopathology of schizophrenia: SVARAD dimensional profiles in an acute inpatient sample. <i>Rivista Di Psichiatria</i> , 2018 , 53, 40-48	3.1	2
28	Is amisulpride safe when prescribed to breast and prostate cancer patients?. <i>Medical Hypotheses</i> , 2013 , 81, 1146-50	3.8	1
27	Patients' expectations for antidepressant treatment outcome. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 390-1	9.4	1
26	Life stress events and State-Trait Anxiety in psychiatric and psychosomatic patients. <i>Issues in Mental Health Nursing</i> , 1985 , 7, 367-95	1.5	1
25	Relationship between the core features of Tellenbach's Typus Melancholicus and unipolar depressive disorders: a cross-sectional study. <i>Rivista Di Psichiatria</i> , 2020 , 55, 191-194	3.1	1
24	Impulsivity, Aggression, and Suicide Risk in Patients with Schizophrenia. <i>Psychiatric Annals</i> , 2013 , 43, 458-462	0.5	1
23	Psychopathological Dimensions in Emergency Psychiatry: Determinants of Admission, Compulsory Treatment, and Therapeutic Intervention 2018 , 159-174		1

22	Efficacy of nicotine administration on obsessions and compulsions in OCD: a systematic review. <i>Annals of General Psychiatry</i> , 2020 , 19, 57	3.4	1
21	Clinician's Subjective Experience in the Cross-Cultural Psychiatric Encounter. <i>Psychopathology</i> , 2020 , 53, 282-290	3.4	1
20	The Clinician's Subjective Experience during the Interaction with Adolescent Psychiatric Patients: Validity and Reliability of the Assessment of Clinician's Subjective Experience. <i>Psychopathology</i> , 2021 , 54, 119-126	3.4	1
19	Involuntary psychiatric hospitalization among migrants in Italy: A matched sample study. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211001903	8.5	1
18	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9	3.8	1
17	Stress, Personality, Immunity, and Cancer: A Challenge for Psychosomatic Medicine 1985 , 271-298		1
16	Complications in major depressive disorder therapy: a review of magnetic resonance spectroscopy studies. <i>Functional Neurology</i> , 2008 , 23, 129-32	2.2	1
15	ACTH 1-17 and short-term memory, anxiety, heart rate, blood pressure. <i>Research in Clinic and Laboratory</i> , 1984 , 14, 221-9		1
14	The role of stress and psychiatric comorbidities as targets of non-pharmacological therapeutic approaches for migraine. <i>Rivista Di Psichiatria</i> , 2020 , 55, 262-268	3.1	1
13	Evaluation of the capacity to consent to treatment among patients with bipolar disorder: Comparison between the acute psychopathological episode and the stable mood phase. <i>Journal of Affective Disorders Reports</i> , 2020 , 2, 100037	1.4	0
12	Perceived Stress and Life Events in Patients Affected by Schizophrenia and Schizoaffective and Bipolar Disorder: Is There a Role for Self-Reported Basic Symptoms?. <i>Psychopathology</i> , 2021 , 54, 136-143 ³⁻⁴		0
11	The SVARAD Scale for Rapid Dimensional Assessment: Development and Applications in Research 2018 , 1-28		
10	Dimensional Assessment with SVARAD in Clinical Practice 2018 , 29-81		
9	The Role of Integrated Interventions in Psychosomatic Diseases. <i>Integrating Psychiatry and Primary Care</i> , 2019 , 263-277	0.3	
8	Psychic euosmia among obsessive-compulsive personality disorder patients: A case control study. <i>World Journal of Psychiatry</i> , 2021 , 11, 50-57	3	
7	Origin and Development of the Assessment of Clinician's Subjective Experience (ACSE) 2022 , 95-114		
6	Evidence Supporting a Role for the Intersubjective Dimension in the Clinical Encounter: Empirical Findings from ACSE Research 2022 , 115-134		
5	Relationship Between Gender and Clinician's Subjective Experience during the Interaction with Psychiatric Patients.. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021 , 17, 190-197	3.2	

- 4 Cerebral perfusional effects of 1-year rivastigmine treatment in Alzheimer disease: a case report. *Rivista Di Psichiatria*, **2015**, 50, 188-91 3.1
- 3 [Disturbo dissociativo d'identità, auto-ipnosi e sintomi simil-psicotici: da un caso clinico a un problema di diagnosi differenziale]. *Rivista Di Psichiatria*, **2017**, 52, 208-211 3.1
- 2 Preliminary findings on the association between attachment patterns and levels of growth hormone in a sample of children with non-organic failure to thrive. *Rivista Di Psichiatria*, **2018**, 53, 49-52 3.1
- 1 Gender modulation of psychopathological dimensions associated to suicidality.. *Rivista Di Psichiatria*, **2022**, 57, 23-32 3.1