

Massimo Biondi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1810019/massimo-biondi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

183
papers

4,943
citations

32
h-index

63
g-index

223
ext. papers

5,637
ext. citations

4.4
avg, IF

5.24
L-index

#	Paper	IF	Citations
183	Origin and Development of the Assessment of Clinician's Subjective Experience (ACSE) 2022 , 95-114		
182	Evidence Supporting a Role for the Intersubjective Dimension in the Clinical Encounter: Empirical Findings from ACSE Research 2022 , 115-134		
181	Gender modulation of psychopathological dimensions associated to suicidality.. <i>Rivista Di Psichiatria</i> , 2022 , 57, 23-32	3.1	
180	The Clinician's Subjective Experience during the Interaction with Adolescent Psychiatric Patients: Validity and Reliability of the Assessment of Clinician's Subjective Experience. <i>Psychopathology</i> , 2021 , 54, 119-126	3.4	1
179	Involuntary psychiatric hospitalization among migrants in Italy: A matched sample study. <i>International Journal of Social Psychiatry</i> , 2021 , 207640211001903	8.5	1
178	Perceived Stress and Life Events in Patients Affected by Schizophrenia and Schizoaffective and Bipolar Disorder: Is There a Role for Self-Reported Basic Symptoms?. <i>Psychopathology</i> , 2021 , 54, 136-143 ^{3,4}		0
177	Factors Associated With Real-Life Functioning in Persons With Schizophrenia in a 4-Year Follow-up Study of the Italian Network for Research on Psychoses. <i>JAMA Psychiatry</i> , 2021 , 78, 550-559	14.5	27
176	Genome-wide association study detected novel susceptibility genes for social cognition impairment in people with schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-9	3.8	1
175	Effectiveness of Self-Help Plus in Preventing Mental Disorders in Refugees and Asylum Seekers in Western Europe: A Multinational Randomized Controlled Trial. <i>Psychotherapy and Psychosomatics</i> , 2021 , 90, 403-414	9.4	13
174	Psychic euosmia among obsessive-compulsive personality disorder patients: A case control study. <i>World Journal of Psychiatry</i> , 2021 , 11, 50-57	3	
173	Relationship Between Gender and Clinician's Subjective Experience during the Interaction with Psychiatric Patients.. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2021 , 17, 190-197	3.2	
172	Evaluation of the capacity to consent to treatment among patients with bipolar disorder: Comparison between the acute psychopathological episode and the stable mood phase. <i>Journal of Affective Disorders Reports</i> , 2020 , 2, 100037	1.4	0
171	Exploring and assessing demoralization in patients with non-psychotic affective disorders. <i>Journal of Affective Disorders</i> , 2020 , 274, 568-575	6.6	7
170	Myoclonic epilepsy, parkinsonism, schizophrenia and left-handedness as common neuropsychiatric features in 22q11.2 deletion syndrome. <i>Journal of Medical Genetics</i> , 2020 , 57, 151-159	5.8	5
169	Frailty Index as a clinical measure of biological age in psychiatry. <i>Journal of Affective Disorders</i> , 2020 , 268, 183-187	6.6	11
168	Adherence to Mediterranean diet moderates the association between multimorbidity and depressive symptoms in older adults. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 88, 104022	4	5
167	CoViD-19 and stress in the pandemic: "sanity is not statistical". <i>Rivista Di Psichiatria</i> , 2020 , 55, 1e-6e	3.1	5

166	Relationship between the core features of Tellenbach's Typus Melancholicus and unipolar depressive disorders: a cross-sectional study. <i>Rivista Di Psichiatria</i> , 2020 , 55, 191-194	3.1	1
165	Social cognition deficit and genetic vulnerability to schizophrenia in 22q11 deletion syndrome. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2020 , 56, 107-113	1.6	3
164	Cognitive remediation for the treatment of neuropsychological disturbances in subjects with euthymic bipolar disorder: findings from a controlled study. <i>Journal of Affective Disorders</i> , 2020 , 273, 576-585	6.6	3
163	Complete Sequence of the 22q11.2 Allele in 1,053 Subjects with 22q11.2 Deletion Syndrome Reveals Modifiers of Conotruncal Heart Defects. <i>American Journal of Human Genetics</i> , 2020 , 106, 26-40	11	24
162	Efficacy of nicotine administration on obsessions and compulsions in OCD: a systematic review. <i>Annals of General Psychiatry</i> , 2020 , 19, 57	3.4	1
161	The influence of autistic symptoms on social and non-social cognition and on real-life functioning in people with schizophrenia: Evidence from the Italian Network for Research on Psychoses multicenter study. <i>European Psychiatry</i> , 2020 , 63, e98	6	8
160	Clinician's Subjective Experience in the Cross-Cultural Psychiatric Encounter. <i>Psychopathology</i> , 2020 , 53, 282-290	3.4	1
159	The role of stress and psychiatric comorbidities as targets of non-pharmacological therapeutic approaches for migraine. <i>Rivista Di Psichiatria</i> , 2020 , 55, 262-268	3.1	1
158	The Admission Experience Survey Italian Version (I-AES): A factor analytic study on a sample of 156 acute psychiatric in-patients. <i>International Journal of Law and Psychiatry</i> , 2019 , 62, 111-116	2.6	3
157	Effectiveness and cost-effectiveness of Self-Help Plus (SH+) for preventing mental disorders in refugees and asylum seekers in Europe and Turkey: study protocols for two randomised controlled trials. <i>BMJ Open</i> , 2019 , 9, e030259	3	18
156	The central role of psychopathology and its association with disease severity in inflammatory bowel disease and irritable bowel syndrome. <i>Rivista Di Psichiatria</i> , 2019 , 54, 75-83	3.1	4
155	The relationship between Vitamin D and depressive disorders. <i>Rivista Di Psichiatria</i> , 2019 , 54, 229-234	3.1	5
154	Attachment in Patients with Bipolar and Unipolar Depression: A Comparison with Clinical and Non-clinical Controls. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2019 , 15, 143-152	3.2	4
153	The Role of Integrated Interventions in Psychosomatic Diseases. <i>Integrating Psychiatry and Primary Care</i> , 2019 , 263-277	0.3	
152	Negative functional brain networks. <i>Brain Imaging and Behavior</i> , 2018 , 12, 467-476	4.1	28
151	Delusional Themes Across Affective and Non-Affective Psychoses. <i>Frontiers in Psychiatry</i> , 2018 , 9, 132	5	12
150	Psychopathological Dimensions and the Clinician's Subjective Experience 2018 , 267-286		5
149	The SVARAD Scale for Rapid Dimensional Assessment: Development and Applications in Research 2018 , 1-28		

148 Dimensional Assessment with SVARAD in Clinical Practice **2018**, 29-81

147 Psychopathological Dimensions in Emergency Psychiatry: Determinants of Admission, Compulsory Treatment, and Therapeutic Intervention **2018**, 159-174 1

146 Relational variables in short-term psychodynamic psychotherapy: an effectiveness study. *Research in Psychotherapy: Psychopathology, Process and Outcome*, **2018**, 21, 327 0.9 2

145 Investigating gaze processing in euthymic bipolar disorder: Impaired ability to infer mental state and intention, but preservation of social attentional orienting. *Quarterly Journal of Experimental Psychology*, **2018**, 71, 2041-2051 1.8 3

144 A preliminary study on hot and cool executive functions in bipolar disorder and on their association with emotion regulation strategies. *Rivista Di Psichiatria*, **2018**, 53, 331-335 3.1 2

143 Dimensional psychopathology of schizophrenia: SVARAD dimensional profiles in an acute inpatient sample. *Rivista Di Psichiatria*, **2018**, 53, 40-48 3.1 2

142 Preliminary findings on the association between attachment patterns and levels of growth hormone in a sample of children with non-organic failure to thrive. *Rivista Di Psichiatria*, **2018**, 53, 49-52 3.1

141 Childhood neglect in eating disorders: A systematic review and meta-analysis. *Journal of Trauma and Dissociation*, **2017**, 18, 100-115 2.8 26

140 Prediction of functional outcome in young patients with a recent-onset psychiatric disorder: Beyond the traditional diagnostic classification system. *Schizophrenia Research*, **2017**, 185, 114-121 3.6 8

139 From neurological soft signs to functional outcome in young individuals in treatment with secondary services for non-psychotic disorders: a path analysis. *Psychological Medicine*, **2017**, 47, 1192-1203 6.9 4

138 Psychoeducational intervention focused on healthy living improves psychopathological severity and lifestyle quality in psychiatric patients: preliminary findings from a controlled study. *Journal of Mental Health*, **2017**, 26, 271-275 2.7 10

137 Prefronto-cerebellar tDCS enhances neurocognition in euthymic bipolar patients. Findings from a placebo-controlled neuropsychological and psychophysiological investigation. *Journal of Affective Disorders*, **2017**, 209, 262-269 6.6 18

136 Psychosis prediction in secondary mental health services. A broad, comprehensive approach to the "at risk mental state" syndrome. *European Psychiatry*, **2017**, 40, 96-104 6 16

135 Psychopathological dimensions and the clinician's subjective experience. *Psychiatry Research*, **2017**, 258, 407-414 9.9 17

134 Personal resources and depression in schizophrenia: The role of self-esteem, resilience and internalized stigma. *Psychiatry Research*, **2017**, 256, 359-364 9.9 34

133 The relationships of personal resources with symptom severity and psychosocial functioning in persons with schizophrenia: results from the Italian Network for Research on Psychoses study. *European Archives of Psychiatry and Clinical Neuroscience*, **2017**, 267, 285-294 5.1 27

132 Free will, neuroscience, and choice: towards a decisional capacity model for insanity defense evaluations. *Rivista Di Psichiatria*, **2017**, 52, 9-15 3.1 7

131 Clozapine-related extrapyramidal side effects: a case report. *Rivista Di Psichiatria*, **2017**, 52, 172-173 3.1 2

130	[Disturbo dissociativo d'identità]auto-ipnosi e sintomi simil-psicotici: da un caso clinico a un problema di diagnosi differenziale]. <i>Rivista Di Psichiatria</i> , 2017 , 52, 208-211	3.1	
129	Pain-processing abnormalities in bipolar I disorder, bipolar II disorder, and schizophrenia: A novel trait marker for psychosis proneness and functional outcome?. <i>Bipolar Disorders</i> , 2016 , 18, 591-601	3.8	14
128	The Association of Anger with Symptom Subtypes in Severe Obsessive-Compulsive Disorder Outpatients. <i>Psychopathology</i> , 2016 , 49, 40-6	3.4	11
127	Chiusura OPG. Benissimo, ma gli psicopatici non possono stare nelle nuove REMS.. <i>Psicoterapia E Scienze Umane</i> , 2016 , 136-140	0	2
126	A randomised controlled trial of the effectiveness of a program for early detection and treatment of depression in primary care. <i>Journal of Affective Disorders</i> , 2016 , 198, 96-101	6.6	15
125	Association between Clinician's Subjective Experience during Patient Evaluation and Psychiatric Diagnosis. <i>Psychopathology</i> , 2016 , 49, 83-94	3.4	27
124	Theory of Mind as a mediator variable between neurocognition and functioning in young individuals in treatment with secondary services for non-psychotic disorders. <i>Psychiatry Research</i> , 2016 , 246, 415-420	9.9	5
123	Dimensional psychopharmacology in somatising patients. <i>Advances in Psychosomatic Medicine</i> , 2015 , 34, 24-35		7
122	Fatigue Experiences Among OCD Outpatients. <i>Psychiatric Quarterly</i> , 2015 , 86, 615-24	4.1	3
121	CBT Group Intervention for Depression, Anxiety, and Motor Symptoms in Parkinson's Disease: Preliminary Findings. <i>International Journal of Cognitive Therapy</i> , 2015 , 8, 11-20	1.4	5
120	P300 component in euthymic patients with bipolar disorder type I, bipolar disorder type II and healthy controls: a preliminary event-related potential study. <i>NeuroReport</i> , 2015 , 26, 206-10	1.7	29
119	Clinical course of psychiatric disorders in patients with cervical dystonia. <i>Psychiatry Research</i> , 2015 , 229, 583-5	9.9	29
118	Bipolar Spectrum Disorders in Patients With Cerebellar Lesions: A Comparison With Parkinson's Disease. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 725-9	1.8	8
117	Cognitive Behavioral Therapy in Movement Disorders: A Review. <i>Movement Disorders Clinical Practice</i> , 2015 , 2, 107-115	2.2	73
116	Prefrontocerebellar transcranial direct current stimulation increases amplitude and decreases latency of P3b component in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2913-7	3.1	15
115	Prefronto-cerebellar transcranial direct current stimulation improves visuospatial memory, executive functions, and neurological soft signs in patients with euthymic bipolar disorder. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 2265-70	3.1	26
114	Perinatal Depression and Patterns of Attachment: A Critical Risk Factor?. <i>Depression Research and Treatment</i> , 2015 , 2015, 105012	3.8	9
113	Magnetic Resonance Imaging Studies of Postpartum Depression: An Overview. <i>Behavioural Neurology</i> , 2015 , 2015, 913843	3	16

112	Predictors of inpatient psychiatric admission in patients presenting to the emergency department: the role of dimensional assessment. <i>General Hospital Psychiatry</i> , 2015 , 37, 587-94	5.6	16
111	Impaired conflict resolution and vigilance in euthymic bipolar disorder. <i>Psychiatry Research</i> , 2015 , 229, 490-6	9.9	21
110	Medial frontal gyrus alterations in schizophrenia: relationship with duration of illness and executive dysfunction. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 231, 103-10	2.9	17
109	Cerebral perfusional effects of 1-year rivastigmine treatment in Alzheimer disease: a case report. <i>Rivista Di Psichiatria</i> , 2015 , 50, 188-91	3.1	
108	The influence of illness-related variables, personal resources and context-related factors on real-life functioning of people with schizophrenia. <i>World Psychiatry</i> , 2014 , 13, 275-87	14.4	258
107	A cosmeceutical formulation based on boswellic acids for the treatment of erythematous eczema and psoriasis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2014 , 7, 321-7	2.9	12
106	Tinnitus: clinical experience of the psychosomatic connection. <i>Neuropsychiatric Disease and Treatment</i> , 2014 , 10, 267-75	3.1	28
105	Assessing clinician's subjective experience during interaction with patients. <i>Psychopathology</i> , 2014 , 47, 111-8	3.4	24
104	Prefronto-cerebellar transcranial direct current stimulation improves sleep quality in euthymic bipolar patients: a brief report. <i>Behavioural Neurology</i> , 2014 , 2014, 876521	3	33
103	Evidence of reporting biases in voxel-based morphometry (VBM) studies of psychiatric and neurological disorders. <i>Human Brain Mapping</i> , 2014 , 35, 3052-65	5.9	44
102	Mental capacity in patients involuntarily or voluntarily receiving psychiatric treatment for an acute mental disorder. <i>Journal of Forensic Sciences</i> , 2014 , 59, 1002-7	1.8	25
101	Unexpected association between joint hypermobility syndrome/Ehlers-Danlos syndrome hypermobility type and obsessive-compulsive personality disorder. <i>Rheumatology International</i> , 2014 , 34, 631-6	3.6	21
100	The role of cerebellum in unipolar and bipolar depression: a review of the main neurobiological findings. <i>Rivista Di Psichiatria</i> , 2014 , 49, 124-31	3.1	30
99	Schizotypy and personality profiles of Cluster A in a group of schizophrenic patients and their siblings. <i>BMC Psychiatry</i> , 2013 , 13, 245	4.2	8
98	Is amisulpride safe when prescribed to breast and prostate cancer patients?. <i>Medical Hypotheses</i> , 2013 , 81, 1146-50	3.8	1
97	Attachment style and immunity: a 1-year longitudinal study. <i>Biological Psychology</i> , 2013 , 92, 353-8	3.2	15
96	Persistence of subsyndromal residual symptoms after remission of major depression in patients without cardiovascular disease may condition maintenance of elevated platelet factor 4 and E thromboglobulin plasma levels. <i>Journal of Affective Disorders</i> , 2013 , 150, 664-7	6.6	7
95	Acute psychiatric treatment and the use of physical restraint in first-generation immigrants in Italy: a prospective concurrent study. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 613-8	8.5	24

94	Group psychoeducation normalizes cortisol awakening response in stabilized bipolar patients under pharmacological maintenance treatment. <i>Psychotherapy and Psychosomatics</i> , 2013 , 82, 264-6	9.4	14
93	Capgras-like syndrome in a patient with an acute urinary tract infection. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 139-42	3.1	7
92	22q11 deletion syndrome: a review of the neuropsychiatric features and their neurobiological basis. <i>Neuropsychiatric Disease and Treatment</i> , 2013 , 9, 1873-84	3.1	26
91	Smoking behaviour and mental health disorders--mutual influences and implications for therapy. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 4790-811	4.6	39
90	Impulsivity, Aggression, and Suicide Risk in Patients with Schizophrenia. <i>Psychiatric Annals</i> , 2013 , 43, 458-462	0.5	1
89	Acute psychiatric presentation of steroid-responsive encephalopathy: the under recognized side of autoimmune thyroiditis. <i>Rivista Di Psichiatria</i> , 2013 , 48, 169-73	3.1	12
88	Treatment with Eb blockers and incidence of post-traumatic stress disorder after cardiac surgery: a prospective observational study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2012 , 26, 265-9	2.1	19
87	Substance abuse and suicide risk among adolescents. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 469	5.1	76
86	Heterogeneity and symptom structure of schizophrenia. <i>Psychiatry Research</i> , 2012 , 198, 386-94	9.9	54
85	Prolactin and thyroid hormone levels are associated with suicide attempts in psychiatric patients. <i>Psychiatry Research</i> , 2012 , 200, 389-94	9.9	79
84	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012 , 34, 534-40	5.6	13
83	Psychiatric disorders in patients with essential tremor. <i>Parkinsonism and Related Disorders</i> , 2012 , 18, 971-3	3.6	25
82	ECT, rTMS, and deepTMS in pharmacoresistant drug-free patients with unipolar depression: a comparative review. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 55-64	3.1	27
81	Development and preliminary validation of the PC-SAD5, a screener-derived short depression severity measure. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012 , 26, 165-71	4.6	5
80	The relationship between executive functions and capacity to consent to treatment in acute psychiatric hospitalization. <i>Journal of Empirical Research on Human Research Ethics</i> , 2012 , 7, 63-70	1.6	24
79	Development and validation of the Italian version of the 15-item dispositional resilience scale. <i>Rivista Di Psichiatria</i> , 2012 , 47, 231-7	3.1	23
78	Magnetic resonance spectroscopy in the evaluation of treatment efficacy in unipolar major depressive disorder: a review of the literature. <i>Functional Neurology</i> , 2012 , 27, 13-22	2.2	29
77	Anti-purkinje cell and natural autoantibodies in a group of psychiatric patients. Evidences for a correlation with the psychopathological status. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2012 , 8, 81-90	3.2	4

76	Measuring depression with questions about well-being: a study on psychiatric outpatients. <i>Rivista Di Psichiatria</i> , 2012 , 47, 304-8	3.1	5
75	Symptomatic subsyndromal depression in hospitalized hypertensive patients. <i>Journal of Affective Disorders</i> , 2011 , 135, 168-76	6.6	5
74	Psychopathological features of irritable bowel syndrome patients with and without functional dyspepsia: a cross sectional study. <i>BMC Gastroenterology</i> , 2011 , 11, 94	3	20
73	Factors affecting interindividual differences in clozapine response: a review and case report. <i>Human Psychopharmacology</i> , 2011 , 26, 177-87	2.3	20
72	The relationship between alexithymia and circulating cytokine levels in subjects undergoing upper endoscopy. <i>NeuroImmunoModulation</i> , 2011 , 18, 37-44	2.5	9
71	Aripiprazole augmentation in patients with resistant obsessive compulsive disorder: a pilot study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 107-11	3.2	17
70	Core Depressive Symptoms In Depressed Cancer OutpatientsB. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2011 , 7, 178-81	3.2	7
69	Development and validation of a Stress-related Vulnerability Scale. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 178-182		4
68	Hormonal background of physiological aggressiveness in psychologically healthy women. <i>International Journal of Psychophysiology</i> , 2010 , 75, 291-4	2.9	10
67	Bradykinesia in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2010 , 25, 378-81	6	5
66	Amantadine augmentation for refractory obsessive-compulsive disorder: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 85-6	1.7	9
65	Factor structure of the Brief Psychiatric Rating Scale in unipolar depression. <i>Journal of Affective Disorders</i> , 2010 , 124, 329-34	6.6	13
64	Psychiatric disorders in adult-onset focal dystonia: a case-control study. <i>Movement Disorders</i> , 2010 , 25, 459-65	7	117
63	Patients' expectations for antidepressant treatment outcome. <i>Psychotherapy and Psychosomatics</i> , 2009 , 78, 390-1	9.4	1
62	Mental uneasiness, perceived stress and help-seeking in a non-resident university student sample (in Italian). <i>Epidemiologia E Psichiatria Sociale</i> , 2009 , 18, 154-160		6
61	Notes on Little Egret breeding biology and on mercury content in egg shells and feathers. <i>Rendiconti Lincei</i> , 2009 , 20, 219-224	1.7	4
60	Combined pharmacological and short-term psychodynamic psychotherapy for probable medication overuse headache: a pilot study. <i>Cephalalgia</i> , 2009 , 29, 293-9	6.1	30
59	Quetiapine for tamoxifen-induced insomnia in women with breast cancer. <i>Psychosomatics</i> , 2009 , 50, 159-64		16

58	Links between immunity and conditions leading to psychotherapy. <i>Rivista Di Psichiatria</i> , 2009 , 44, 149-633.1		2
57	Symptom structure of acute mania: a factor study of the 24-item Brief Psychiatric Rating Scale in a national sample of patients hospitalized for a manic episode. <i>Journal of Affective Disorders</i> , 2008 , 108, 183-9	6.6	37
56	Differences in depressive thoughts between major depressive disorder, IFN-alpha-induced depression, and depressive disorders among cancer patients. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 153-6	4.1	13
55	Psychopathological features of obsessive-compulsive disorder in an Italian family with Gilles de la Tourette syndrome not linked to the SLITRK1 gene. <i>Psychiatry Research</i> , 2008 , 161, 109-11	9.9	12
54	What every psychiatrist should know about PANDAS: a review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2008 , 4, 13	3.2	23
53	Complications in major depressive disorder therapy: a review of magnetic resonance spectroscopy studies. <i>Functional Neurology</i> , 2008 , 23, 129-32	2.2	1
52	Combining an SSRI with an anticonvulsant in depressed patients with dysphoric mood: an open study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 3	3.2	15
51	Depression in cancer patients: a critical review. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 2	3.2	92
50	Add-on mirtazapine enhances effects on cognition in schizophrenic patients under stabilized treatment with clozapine. <i>Experimental and Clinical Psychopharmacology</i> , 2007 , 15, 563-8	3.2	30
49	Attachment security and immunity in healthy women. <i>Psychosomatic Medicine</i> , 2007 , 69, 40-6	3.7	24
48	Detection and treatment of depressive and anxiety disorders among cancer patients: feasibility and preliminary findings from a liaison service in an oncology division. <i>Depression and Anxiety</i> , 2006 , 23, 441-8	8.4	42
47	Memantine augmentation for refractory obsessive-compulsive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006 , 30, 1173-5	5.5	70
46	Assessment of subjective stress in video display terminal workers. <i>Industrial Health</i> , 2006 , 44, 291-5	2.5	12
45	Assessment of subjective stress in the municipal police force at the start and at the end of the shift. <i>Stress and Health</i> , 2006 , 22, 239-247	3.7	9
44	Increased maintenance of obsessive-compulsive disorder remission after integrated serotonergic treatment and cognitive psychotherapy compared with medication alone. <i>Psychotherapy and Psychosomatics</i> , 2005 , 74, 123-8	9.4	10
43	Stress, social support, emotional regulation, and exacerbation of diffuse plaque psoriasis. <i>Psychosomatics</i> , 2005 , 46, 556-64	2.6	90
42	Nicotine augmentation for refractory obsessive-compulsive disorder. A case report. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005 , 29, 157-9	5.5	20
41	Dimensional psychopathology of depression: detection of an 'activation' dimension in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2005 , 84, 133-9	6.6	65

40	Relevance of anger and irritability in outpatients with major depressive disorder. <i>Psychopathology</i> , 2004 , 37, 155-60	3.4	61
39	Improvement of pathologic gambling symptoms after administration of sertraline: a case report. <i>Journal of Clinical Psychopharmacology</i> , 2004 , 24, 350-1	1.7	2
38	Higher levels of anger and aggressiveness in major depressive disorder than in anxiety and somatoform disorders. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 442-3	4.6	16
37	Increased probability of remaining in remission from panic disorder with agoraphobia after drug treatment in patients who received concurrent cognitive-behavioural therapy: a follow-up study. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 34-42	9.4	21
36	Abnormal prolactin elevation in a schizophrenic patient in treatment with quetiapine and mirtazapine. The role of opioid system. <i>Journal of Clinical Psychopharmacology</i> , 2003 , 23, 677-9	1.7	3
35	Attribution of improvement to medication and increased risk of relapse of panic disorder with agoraphobia. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 110-1; author reply 111	9.4	15
34	Disability and borderline personality symptoms. <i>Psychosomatics</i> , 2003 , 44, 442	2.6	9
33	Mirtazapine for hyperhidrosis. <i>Psychosomatics</i> , 2003 , 44, 442-3	2.6	2
32	Only limited support for a role of psychosomatic factors in psoriasis. Results from a case-control study. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 189-96	4.1	43
31	Psychosomatic factors in first-onset alopecia areata. <i>Psychosomatics</i> , 2003 , 44, 374-81	2.6	82
30	Stressful life events, social support, attachment security and alexithymia in vitiligo. A case-control study. <i>Psychotherapy and Psychosomatics</i> , 2003 , 72, 150-8	9.4	81
29	Psychopathological dimensions of depression: a factor study of the 17-item Hamilton depression rating scale in unipolar depressed outpatients. <i>Journal of Affective Disorders</i> , 2002 , 68, 41-7	6.6	76
28	Depression induced by treatment with interferon-alpha in patients affected by hepatitis C virus. <i>Journal of Affective Disorders</i> , 2002 , 72, 237-41	6.6	208
27	Assessment of subjective stress in the municipal police force of the city of Rome. <i>Stress and Health</i> , 2002 , 18, 127-132	3.7	42
26	Increased depressive ratings in patients with hepatitis C receiving interferon-alpha-based immunotherapy are related to interferon-alpha-induced changes in the serotonergic system. <i>Journal of Clinical Psychopharmacology</i> , 2002 , 22, 86-90	1.7	317
25	Aminergic tone correlates of migraine and tension-type headache: a study using the tridimensional personality questionnaire. <i>Headache</i> , 2001 , 41, 63-71	4.2	26
24	Treatment with interferon-alpha (IFN alpha) of hepatitis C patients induces lower serum dipeptidyl peptidase IV activity, which is related to IFN alpha-induced depressive and anxiety symptoms and immune activation. <i>Molecular Psychiatry</i> , 2001 , 6, 475-80	15.1	85
23	Immunotherapy with interferon-alpha in patients affected by chronic hepatitis C induces an intercorrelated stimulation of the cytokine network and an increase in depressive and anxiety symptoms. <i>Psychiatry Research</i> , 2001 , 105, 45-55	9.9	185

22	A second trial of clozapine in a case of granulocytopenia. <i>Human Psychopharmacology</i> , 2000 , 15, 275-279.	2.3	9
21	Personality and psychopathology in patients with temporomandibular joint pain-dysfunction syndrome. A controlled investigation. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 322-8	9.4	25
20	Paroxetine in a case of psychogenic pruritus and neurotic excoriations. <i>Psychotherapy and Psychosomatics</i> , 2000 , 69, 165-6	9.4	49
19	Psychological stress and neuroendocrine function in humans: the last two decades of research. <i>Psychotherapy and Psychosomatics</i> , 1999 , 68, 114-50	9.4	272
18	Development of obsessive-compulsive symptoms during clozapine treatment in schizophrenia and its positive response to clomipramine. <i>Psychotherapy and Psychosomatics</i> , 1999 , 68, 111-2	9.4	21
17	Immune markers in fibromyalgia: comparison with major depressed patients and normal volunteers. <i>Journal of Affective Disorders</i> , 1998 , 48, 75-82	6.6	46
16	Increased 24-hour urinary cortisol excretion in patients with post-traumatic stress disorder and patients with major depression, but not in patients with fibromyalgia. <i>Acta Psychiatrica Scandinavica</i> , 1998 , 98, 328-35	6.5	178
15	Lower serum activity of prolyl endopeptidase in fibromyalgia is related to severity of depressive symptoms and pressure hyperalgesia. <i>Psychological Medicine</i> , 1998 , 28, 957-65	6.9	28
14	Psychological stress, neuroimmunomodulation, and susceptibility to infectious diseases in animals and man: a review. <i>Psychotherapy and Psychosomatics</i> , 1997 , 66, 3-26	9.4	164
13	Can loss and grief activate latent neoplasia? A clinical case of possible interaction between genetic risk and stress in breast cancer. <i>Psychotherapy and Psychosomatics</i> , 1996 , 65, 102-5	9.4	6
12	Clinical and biological aspects of bereavement and loss-induced depression: a reappraisal. <i>Psychotherapy and Psychosomatics</i> , 1996 , 65, 229-45	9.4	69
11	Beyond the brain-mind dichotomy and toward a common organizing principle of pharmacological and psychological treatments. <i>Psychotherapy and Psychosomatics</i> , 1995 , 64, 1-8	9.4	13
10	Tension-type headache: psychosomatic clinical assessment and treatment. <i>Psychotherapy and Psychosomatics</i> , 1994 , 61, 41-64	9.4	11
9	Personality, endocrine and immune changes after eight months in healthy individuals under normal daily stress. <i>Psychotherapy and Psychosomatics</i> , 1994 , 62, 176-84	9.4	18
8	Frontal hemisphere lateralization and depressive personality traits. <i>Perceptual and Motor Skills</i> , 1993 , 77, 1035-42	2.2	7
7	Temporomandibular joint pain-dysfunction syndrome and bruxism: etiopathogenesis and treatment from a psychosomatic integrative viewpoint. <i>Psychotherapy and Psychosomatics</i> , 1993 , 59, 84-98	9.4	27
6	Human psychoneuroimmunology today. <i>Journal of Clinical Laboratory Analysis</i> , 1990 , 4, 22-38	3	23
5	Life stress events and State-Trait Anxiety in psychiatric and psychosomatic patients. <i>Issues in Mental Health Nursing</i> , 1985 , 7, 367-95	1.5	1

4	ACTH, beta-endorphin and met-enkephalin: peripheral modifications during the stress of human labor. <i>Psychoneuroendocrinology</i> , 1985 , 10, 289-301	5	24
3	Stress, Personality, Immunity, and Cancer: A Challenge for Psychosomatic Medicine 1985 , 271-298		1
2	ACTH 1-17 and short-term memory, anxiety, heart rate, blood pressure. <i>Research in Clinic and Laboratory</i> , 1984 , 14, 221-9		1
1	Exploring how the psychiatrist experiences the patient during the diagnostic evaluation: the Assessment of Clinician's Subjective Experience (ACSE). <i>Phenomenology and the Cognitive Sciences</i> , 1	1.5	4