

Giuseppe Deganutti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1811320/publications.pdf>

Version: 2024-02-01

35
papers

1,121
citations

471061

17
h-index

433756

31
g-index

46
all docs

46
docs citations

46
times ranked

1218
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Dynamics of GLP-1R peptide agonist engagement are correlated with kinetics of G protein activation. <i>Nature Communications</i> , 2022, 13, 92. | 5.8 | 30 |
| 2 | Structural and functional diversity among agonist-bound states of the GLP-1 receptor. <i>Nature Chemical Biology</i> , 2022, 18, 256-263. | 3.9 | 24 |
| 3 | Molecular dynamics studies reveal structural and functional features of the SARS-CoV-2 spike protein. <i>BioEssays</i> , 2022, 44, . | 1.2 | 9 |
| 4 | Selective activation of $G_{i/o}$ by an adenosine A1 receptor agonist elicits analgesia without cardiorespiratory depression. <i>Nature Communications</i> , 2022, 13, . | 5.8 | 23 |
| 5 | Peptidomimetic-based approach toward inhibitors of microbial trimethylamine lyases. <i>Chemical Biology and Drug Design</i> , 2021, 97, 231-236. | 1.5 | 5 |
| 6 | Supervised molecular dynamics for exploring the druggability of the SARS-CoV-2 spike protein. <i>Journal of Computer-Aided Molecular Design</i> , 2021, 35, 195-207. | 1.3 | 41 |
| 7 | Deciphering the Agonist Binding Mechanism to the Adenosine A1 Receptor. <i>ACS Pharmacology and Translational Science</i> , 2021, 4, 314-326. | 2.5 | 9 |
| 8 | Multisite Model of Allostereism for the Adenosine A1 Receptor. <i>Journal of Chemical Information and Modeling</i> , 2021, 61, 2001-2015. | 2.5 | 8 |
| 9 | Exploring Ligand Binding to Calcitonin Gene-Related Peptide Receptors. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 720561. | 1.6 | 5 |
| 10 | Partial agonism improves the anti-hyperglycaemic efficacy of an oxyntomodulin-derived GLP-1R/GCGR co-agonist. <i>Molecular Metabolism</i> , 2021, 51, 101242. | 3.0 | 7 |
| 11 | Insights into agonist-elicited activation of the human glucose-dependent insulinotropic polypeptide receptor. <i>Biochemical Pharmacology</i> , 2021, 192, 114715. | 2.0 | 5 |
| 12 | Activation of the GLP-1 receptor by a non-peptidic agonist. <i>Nature</i> , 2020, 577, 432-436. | 13.7 | 119 |
| 13 | A2A and A2B adenosine receptors: The extracellular loop 2 determines high (A2A) or low affinity (A2B) for adenosine. <i>Biochemical Pharmacology</i> , 2020, 172, 113718. | 2.0 | 24 |
| 14 | Addressing free fatty acid receptor 1 (FFAR1) activation using supervised molecular dynamics. <i>Journal of Computer-Aided Molecular Design</i> , 2020, 34, 1181-1193. | 1.3 | 8 |
| 15 | Structure and dynamics of the active Gs-coupled human secretin receptor. <i>Nature Communications</i> , 2020, 11, 4137. | 5.8 | 46 |
| 16 | New Insights into Key Determinants for Adenosine 1 Receptor Antagonists Selectivity Using Supervised Molecular Dynamics Simulations. <i>Biomolecules</i> , 2020, 10, 732. | 1.8 | 5 |
| 17 | Structure and Dynamics of Adrenomedullin Receptors AM ₁ and AM ₂ Reveal Key Mechanisms in the Control of Receptor Phenotype by Receptor Activity-Modifying Proteins. <i>ACS Pharmacology and Translational Science</i> , 2020, 3, 263-284. | 2.5 | 71 |
| 18 | A Supervised Molecular Dynamics Approach to Unbiased Ligand-Protein Unbinding. <i>Journal of Chemical Information and Modeling</i> , 2020, 60, 1804-1817. | 2.5 | 28 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Revisiting the Allosteric Regulation of Sodium Cation on the Binding of Adenosine at the Human A2A Adenosine Receptor: Insights from Supervised Molecular Dynamics (SuMD) Simulations. <i>Molecules</i> , 2019, 24, 2752. | 1.7 | 14 |
| 20 | Peeking at G-protein-coupled receptors through the molecular dynamics keyhole. <i>Future Medicinal Chemistry</i> , 2019, 11, 599-615. | 1.1 | 11 |
| 21 | Deconvoluting the Molecular Control of Binding and Signaling at the Amylin 3 Receptor: RAMP3 Alters Signal Propagation through Extracellular Loops of the Calcitonin Receptor. <i>ACS Pharmacology and Translational Science</i> , 2019, 2, 183-197. | 2.5 | 8 |
| 22 | Extracellular loops 2 and 3 of the calcitonin receptor selectively modify agonist binding and efficacy. <i>Biochemical Pharmacology</i> , 2018, 150, 214-244. | 2.0 | 24 |
| 23 | AquaMMapS: An Alternative Tool to Monitor the Role of Water Molecules During Protein-Ligand Association. <i>ChemMedChem</i> , 2018, 13, 522-531. | 1.6 | 29 |
| 24 | Could the presence of sodium ion influence the accuracy and precision of the ligand-posing in the human A2A adenosine receptor orthosteric binding site using a molecular docking approach? Insights from Dockbench. <i>Journal of Computer-Aided Molecular Design</i> , 2018, 32, 1337-1346. | 1.3 | 9 |
| 25 | Cryo-EM structure of the active, Gs-protein complexed, human CGRP receptor. <i>Nature</i> , 2018, 561, 492-497. | 13.7 | 210 |
| 26 | Could Adenosine Recognize its Receptors with a Stoichiometry Other than 1:1?. <i>Molecular Informatics</i> , 2018, 37, e1800009. | 1.4 | 7 |
| 27 | Molecular Signature for Receptor Engagement in the Metabolic Peptide Hormone Amylin. <i>ACS Pharmacology and Translational Science</i> , 2018, 1, 32-49. | 2.5 | 48 |
| 28 | Comparison of the Human A _{2A} Adenosine Receptor Recognition by Adenosine and Inosine: New Insight from Supervised Molecular Dynamics Simulations. <i>ChemMedChem</i> , 2017, 12, 1319-1326. | 1.6 | 26 |
| 29 | Estimation of kinetic and thermodynamic ligand-binding parameters using computational strategies. <i>Future Medicinal Chemistry</i> , 2017, 9, 507-523. | 1.1 | 30 |
| 30 | Impact of protein-ligand solvation and desolvation on transition state thermodynamic properties of adenosine A2A ligand binding kinetics. <i>In Silico Pharmacology</i> , 2017, 5, 16. | 1.8 | 20 |
| 31 | Supporting the Identification of Novel Fragment-Based Positive Allosteric Modulators Using a Supervised Molecular Dynamics Approach: A Retrospective Analysis Considering the Human A2A Adenosine Receptor as a Key Example. <i>Molecules</i> , 2017, 22, 818. | 1.7 | 19 |
| 32 | New Trends in Inspecting GPCR-Ligand Recognition Process: the Contribution of the Molecular Modeling Section (MMS) at the University of Padova. <i>Molecular Informatics</i> , 2016, 35, 440-448. | 1.4 | 3 |
| 33 | Deciphering the Complexity of Ligand-Protein Recognition Pathways Using Supervised Molecular Dynamics (SuMD) Simulations. <i>Journal of Chemical Information and Modeling</i> , 2016, 56, 687-705. | 2.5 | 88 |
| 34 | Understanding allosteric interactions in G protein-coupled receptors using Supervised Molecular Dynamics: A prototype study analysing the human A3 adenosine receptor positive allosteric modulator LUF6000. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 4065-4071. | 1.4 | 53 |
| 35 | Exploring the recognition pathway at the human A _{2A} adenosine receptor of the endogenous agonist adenosine using supervised molecular dynamics simulations. <i>MedChemComm</i> , 2015, 6, 1081-1085. | 3.5 | 36 |