Zhonglei Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1811597/publications.pdf

Version: 2024-02-01

| 191 | 2,156 | 27 | 39 |
|----------|----------------|--------------|----------------|
| papers | citations | h-index | g-index |
| 192 | 192 | 192 | 964 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Polymeric insulation for high-voltage dc extruded cables: challenges and development directions. IEEE Electrical Insulation Magazine, 2018, 34, 30-43. | 0.8 | 91 |
| 2 | Space charge behaviors of PP/POE/ZnO nanocomposites for HVDC cables. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 3165-3174. | 2.9 | 80 |
| 3 | Promising functional graded materials for compact gaseous insulated switchgears/pipelines. High Voltage, 2020, 5, 231-240. | 4.7 | 79 |
| 4 | Trap Modulated Charge Carrier Transport in Polyethylene/Graphene Nanocomposites. Scientific Reports, 2017, 7, 4015. | 3.3 | 77 |
| 5 | Nonlinear conductivity and interface charge behaviors between LDPE and EPDM/SiC composite for HVDC cable accessory. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 1566-1573. | 2.9 | 74 |
| 6 | Electrical tree degradation in highâ€voltage cable insulation: progress and challenges. High Voltage, 2020, 5, 353-364. | 4.7 | 74 |
| 7 | Effects of ambient temperature on surface charge and flashover of heat-shrinkable polymer under polarity reversal voltage. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 1190-1197. | 2.9 | 72 |
| 8 | Trap Distribution and Dielectric Breakdown of Isotactic Polypropylene/Propylene Based Elastomer With Improved Flexibility for DC Cable Insulation. IEEE Access, 2018, 6, 58645-58661. | 4.2 | 57 |
| 9 | Suppressing interface charge between LDPE and EPDM for HVDC cable accessory insulation. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 1331-1339. | 2.9 | 51 |
| 10 | Carrier mobility and trap distribution dependent flashover characteristics of epoxy resin. IET Generation, Transmission and Distribution, 2018, 12, 466-471. | 2.5 | 51 |
| 11 | Effect of voltage stabilizers on the space charge behavior of XLPE for HVDC cable application. IEEE Transactions on Dielectrics and Electrical Insulation, 2019, 26, 34-42. | 2.9 | 45 |
| 12 | Effects of nonâ€linear conductivity on charge trapping and deâ€trapping behaviours in epoxy/SiC composites under DC stress. IET Science, Measurement and Technology, 2018, 12, 83-89. | 1.6 | 41 |
| 13 | Effects of mechanical stretching on space charge behaviors of PP/POE blend for HVDC cables. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 1438-1445. | 2.9 | 39 |
| 14 | Understanding Trap Effects on Electrical Treeing Phenomena in EPDM/POSS Composites. Scientific Reports, 2018, 8, 8481. | 3.3 | 39 |
| 15 | Mechanism of deep trap sites in epoxy/graphene nanocomposite using quantum chemical calculation. IEEE Transactions on Dielectrics and Electrical Insulation, $2019, 26, 1577-1580$. | 2.9 | 39 |
| 16 | Mechanical stress distribution and risk assessment of 110ÂkV GIS insulator considering Al ₂ O ₃ settlement. High Voltage, 2019, 4, 65-71. | 4.7 | 39 |
| 17 | Space charge accumulation in double-layer dielectric systems—measurement methods and quantum chemical calculations. IEEE Electrical Insulation Magazine, 2019, 35, 36-46. | 0.8 | 37 |
| 18 | Effects of AC and pulse voltage combination on surface charge accumulation and decay of epoxy resin. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 2368-2376. | 2.9 | 36 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 19 | Temperature-dependent DC conductivity and space charge distribution of XLPE/GO nanocomposites for HVDC cable insulation. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 418-426. | 2.9 | 36 |
| 20 | Improved ampacity of buried HVDC cable with high thermal conductivity LDPE/BN insulation. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 2667-2676. | 2.9 | 34 |
| 21 | Effects of mechanical stress on treeing growth characteristics in HTV silicone rubber. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 1547-1556. | 2.9 | 33 |
| 22 | Effects of high temperature and high electric field on the space charge behavior in epoxy resin for power modules. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 882-890. | 2.9 | 33 |
| 23 | Surface Layer Fluorination-Modulated Space Charge Behaviors in HVDC Cable Accessory. Polymers, 2018, 10, 500. | 4.5 | 32 |
| 24 | Dielectric relaxation and trap-modulated DC breakdown of polypropylene blend insulation. Polymer, 2019, 185, 121935. | 3.8 | 32 |
| 25 | Effects of ZnO magnetron sputtering on surface charge and flashover voltage of oilâ€impregnated paper. High Voltage, 2019, 4, 308-315. | 4.7 | 32 |
| 26 | Effects of nano-SiO2 particles on surface tracking characteristics of silicone rubber composites. Applied Physics Letters, 2014, 105, 102905. | 3.3 | 30 |
| 27 | Surface charge coupling behavior of fluorinated polyimide film under DC and pulse voltage. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 567-573. | 2.9 | 27 |
| 28 | Effect of graphene oxide particles on space charge accumulation in LDPE/GO nanocomposites. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 1479-1486. | 2.9 | 26 |
| 29 | Multistep and Multiscale Electron Trapping for High-Efficiency Modulation of Electrical Degradation in Polymer Dielectrics. Journal of Physical Chemistry C, 2019, 123, 7045-7053. | 3.1 | 26 |
| 30 | Trap distribution of electron beam irradiated epoxy resin under repetitive pulse voltage. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 3869-3877. | 2.9 | 24 |
| 31 | Effects of direct fluorination on space charge accumulation in HTV silicone rubber. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 2353-2360. | 2.9 | 22 |
| 32 | Surface charge and flashover voltage of EVA/CB nanocomposite under mechanical stresses. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 3734-3741. | 2.9 | 21 |
| 33 | Temperature-dependent surface charge behavior of polypropylene film under DC and pulse voltages. IEEE Transactions on Dielectrics and Electrical Insulation, 2017, 24, 774-783. | 2.9 | 21 |
| 34 | Dynamic behavior of surface charge on gamma-ray irradiated polybutylene naphthalate. Polymer Degradation and Stability, 2009, 94, 139-143. | 5.8 | 20 |
| 35 | Numerical simulation on the surface charge accumulation process of epoxy insulator under needleâ€plane corona discharge in air. IET Science, Measurement and Technology, 2018, 12, 9-16. | 1.6 | 20 |
| 36 | Electrical and mechanical ageing behaviors of used heat-shrinkable insulation tubes. IEEE Transactions on Dielectrics and Electrical Insulation, 2014, 21, 1875-1881. | 2.9 | 19 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | Electrical Tree Initiation and Growth in Silicone Rubber under Combined DC-Pulse Voltage. Energies, 2018, 11, 764. | 3.1 | 19 |
| 38 | Improved Breakdown Strength of Polypropylene Film by Polycyclic Compounds Addition for Power Capacitors. Materials, 2021, 14, 1185. | 2.9 | 19 |
| 39 | The calculation of circulating current for the single-core cables in Smart Grid. , 2012, , . | | 18 |
| 40 | Temperature dependent surface charge and discharge behavior of epoxy/AIN nanocomposites. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 1300-1307. | 2.9 | 18 |
| 41 | Improved DC Conductivity and Space Charge Characteristics of XLPE for HVDC Cable Application: Effect of Voltage Stabilizers. IEEE Access, 2019, 7, 66576-66583. | 4.2 | 18 |
| 42 | Nanoscale-trap-modulated electrical degradation in polymer dielectric composites using antioxidants as voltage stabilizers. Composites Part B: Engineering, 2019, 178, 107434. | 12.0 | 17 |
| 43 | Surface FGM Insulator Based on BaTiO ₃ Magnetron Sputtering for Electric Field Grading of AC Gas Insulated Power Apparatus. IEEE Access, 2019, 7, 62681-62688. | 4.2 | 17 |
| 44 | Inhibition Effect of Graphene on Space Charge Injection and Accumulation in Low-Density Polyethylene. Nanomaterials, 2018, 8, 956. | 4.1 | 16 |
| 45 | Surface Charge Transport Characteristics of ZnO/Silicone Rubber Composites Under Impulse Superimposed on DC Voltage. IEEE Access, 2019, 7, 3008-3017. | 4.2 | 16 |
| 46 | Molecular Structure Modulated Trap Distribution and Carrier Migration in Fluorinated Epoxy Resin. Molecules, 2020, 25, 3071. | 3.8 | 15 |
| 47 | An investigation on discharge fault in buffer layer of 220ÂkV XLPE AC cable. IET Science, Measurement and Technology, 2021, 15, 508-516. | 1.6 | 15 |
| 48 | Improved space charge transport model in biâ€layer dielectrics—considering carrier dynamic equilibrium. High Voltage, 2020, 5, 176-183. | 4.7 | 15 |
| 49 | Improved carrier mobility dependent surface charge am flashover voltage of polypropylene film under DC and pulse voltages. IEEE Transactions on Dielectrics and Electrical Insulation, 2018, 25, 1014-1021. | 2.9 | 14 |
| 50 | Investigation of charge transport and breakdown properties in XLPE/GO nanocomposites part 1: The role of functionalized GO quantum wells. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 1204-1212. | 2.9 | 14 |
| 51 | Discharge Breakdown Characteristics With Fluorinated Polyimide Films in High-Temperature Superconducting Cable Insulation. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-5. | 1.7 | 13 |
| 52 | Investigation of electrification and breakdown strength about transformer oil/pressboard. IET Electric Power Applications, 2017, 11, 386-392. | 1.8 | 13 |
| 53 | Electric Field Regulation of Insulator Interface by FGM With Conductivity for Superconducting-GIL. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.7 | 13 |
| 54 | Effect of gamma-ray irradiation on surface charge behavior of polybutylene naphthalate. Journal of Electrostatics, 2009, 67, 22-26. | 1.9 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Trap Distribution and Flashover Characteristics of Carbon-Black-Filled EPDM in Low Temperature. IEEE Transactions on Applied Superconductivity, 2016, 26, 1-5. | 1.7 | 12 |
| 56 | Temperature-Dependent Surface Charge and Flashover Behaviors of Oil-Paper Insulation Under Impulse With Superimposed DC Voltage. IEEE Access, 2018, 6, 63087-63093. | 4.2 | 12 |
| 57 | Deep trap sites suppressing space charge injection in polycyclic aromatic compounds doped XLPE composite. IET Nanodielectrics, 2020, 3, 10-13. | 4.1 | 12 |
| 58 | Improved Electric Field Distribution Within Bushing Insulation by EP/GO Nanocomposites With Reduced Temperature Coefficient of Conductivity. IEEE Access, 2020, 8, 176864-176872. | 4.2 | 12 |
| 59 | Crystallization Morphology-Dependent Breakdown Strength of Polypropylene Films for Converter Valve Capacitor. IEEE Transactions on Dielectrics and Electrical Insulation, 2021, 28, 964-971. | 2.9 | 12 |
| 60 | Molecule diffusion behaviours of waterproof sealants into silicone rubber insulation for submarine cable joint based on molecular dynamics simulations. High Voltage, 2021, 6, 230-241. | 4.7 | 12 |
| 61 | Tracking and erosion resistance of silicone rubber/BN nanocomposites under DC voltage. , 2013, , . | | 11 |
| 62 | Evaluation of highâ€voltage AC cable grounding systems based on the realâ€time monitoring and theoretical calculation of grounding currents. High Voltage, 2018, 3, 38-43. | 4.7 | 11 |
| 63 | Electronic and optical properties of C-doped BN nanotubes by adsorption of typical decomposition products of C3F7CN gas. Applied Surface Science, 2019, 491, 698-706. | 6.1 | 11 |
| 64 | Investigation of charge transport and breakdown properties in XLPE/GO nanocomposites part 2: Effect of polarity reversal. IEEE Transactions on Dielectrics and Electrical Insulation, 2020, 27, 1213-1221. | 2.9 | 11 |
| 65 | Coupling Effect of Molecular Chain Displacement and Carrier Trap Characteristics on DC Breakdown of HDPE/LDPE Blend Insulation. Polymers, 2020, 12, 589. | 4.5 | 11 |
| 66 | Interface charge behaviors between LDPE and EPDM filled with carbon black nanoparticles. IEEE Transactions on Dielectrics and Electrical Insulation, 2016, 23, 3696-3703. | 2.9 | 10 |
| 67 | Effects of multiple parameters on static electrification and breakdown strength of transformer oil. IET Science, Measurement and Technology, 2016, 10, 597-601. | 1.6 | 9 |
| 68 | Temperatureâ€dependent surface charge and discharge behaviour of converter transformer oil–paper insulation under DC voltage. IET Science, Measurement and Technology, 2019, 13, 29-34. | 1.6 | 9 |
| 69 | Inhibition Effect of Graphene Nanoplatelets on Electrical Degradation in Silicone Rubber. Polymers, 2019, 11, 968. | 4.5 | 9 |
| 70 | Improving the Electric Field Distribution in Stress Cone of HTS DC Cable Terminals by Nonlinear Conductive Epoxy/ZnO Composites. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.7 | 9 |
| 71 | Effect of Crystalline Morphology on Electrical Tree Growth Characteristics of High-Density and Low-Density Polyethylene Blend Insulation. IEEE Access, 2020, 8, 114413-114421. | 4.2 | 9 |
| 72 | Electrical Treeing Characteristics in Epoxy under Electro-magnetic Coupled Field. Journal of Physics: Conference Series, 2020, 1559, 012089. | 0.4 | 8 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Effects of Magnetic Field on Partial Discharge in Epoxy Resin for Superconducting Coil Insulation. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-3. | 1.7 | 7 |
| 74 | Electrical Field Distribution in $\hat{A}\pm600$ kV Converter Transformer Bushing Core with the Application of Epoxy Resin with Nonlinear Conductivity. , 2018, , . | | 6 |
| 75 | Numerical Investigation on Collision of Pollution Particles on Outdoor Insulators. IEEE Access, 2019, 7, 56974-56985. | 4.2 | 6 |
| 76 | Effect of Polycyclic Compounds Fillers on Electrical Treeing Characteristics in XLPE with DC-Impulse Voltage. Energies, 2019, 12, 2767. | 3.1 | 6 |
| 77 | Effect of micro-H2O and micro-O2 on the decomposition characteristics of insulating medium C3F7CN gas using molecular dynamics and transition state method. Journal of Molecular Modeling, 2020, 26, 252. | 1.8 | 6 |
| 78 | Effects of Pre-Crosslinking on Space Charge and Breakdown Characteristics of XLPE Cable Insulation. Energies, 2022, 15, 2360. | 3.1 | 6 |
| 79 | Non-Linear Conductivity Epoxy/SiC Composites for Emerging Power Module Packaging: Fabrication, Characterization and Application. Materials, 2020, 13, 3278. | 2.9 | 5 |
| 80 | Study on Improving Interface Performance of HVDC Composite Insulators by Plasma Etching. Coatings, 2020, 10, 1036. | 2.6 | 5 |
| 81 | Polycyclic Compounds Affecting Electrical Tree Growth in Polypropylene Under Ambient Temperature. IEEE Access, 2020, 8, 8886-8898. | 4.2 | 5 |
| 82 | Effect of polarityâ€reversal voltage on charge accumulation and carrier mobility in silicone rubber/silicon carbide composites. IET Science, Measurement and Technology, 2021, 15, 184-192. | 1.6 | 5 |
| 83 | Learning from Students: Online Contrastive Distillation Network for General Continual Learning. , 2022, , . | | 5 |
| 84 | Effects of low temperature on treeing phenomena of silicone rubber. , 2013, , . | | 4 |
| 85 | Electrical Tree Characteristics in Polypropylene Under Impulse Superimposed DC Voltage in LN ₂ . IEEE Transactions on Applied Superconductivity, 2019, 29, 1-3. | 1.7 | 4 |
| 86 | Effects of Antioxidant Additives on Electrical Tree Characteristics in EPDM Under Liquid Nitrogen. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-5. | 1.7 | 4 |
| 87 | Effects of High Magnetic Field on Partial Discharge and Flashover Behavior of Epoxy Resin. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4. | 1.7 | 4 |
| 88 | Effects of Temperature Gradient on Electrical Tree Initiation and Breakdown Phenomenon in XLPE Under Harmonic Superimposed DC Voltage. IEEE Access, 2021, 9, 7586-7596. | 4.2 | 4 |
| 89 | Reduction of vibration noise for amorphous metal alloy core distribution transformer. Transactions of Tianjin University, 2015, 21, 289-298. | 6.4 | 3 |
| 90 | Electrical Tree in Epoxy Resin under Combined DC-harmonic Voltage. , 2018, , . | | 3 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Simulation of Interface Charge Behaviors in HVDC Cable Accessory Based on Bipolar Carrier Transportation Model., 2018,,. | | 3 |
| 92 | Effect of Fullerene Nanoparticle on Tuning Trap Level Distribution of Fullerene/Polyethylene Nanocomposites. , $2019, \ldots$ | | 3 |
| 93 | Trap Level Characteristics and DC Breakdown Performance of Isotactic/Syndiotactic/Atactic Polypropylene Blend Insulation. IEEE Access, 2020, 8, 220840-220847. | 4.2 | 3 |
| 94 | Effect of sPP Content on Electrical Tree Growth Characteristics in PP-Blended Cable Insulation. Materials, 2020, 13, 5360. | 2.9 | 3 |
| 95 | Non-Intrusive Measurement of Transient Electric Field Distribution Under AC and Impulse Voltages. IEEE Sensors Journal, 2020, 20, 10898-10902. | 4.7 | 3 |
| 96 | Electric-Field- and Temperature-Dependent Nonlinear Conductivity of SiC/Epoxy Resin Composites at Cryogenic Temperature. IEEE Transactions on Applied Superconductivity, 2020, 30, 1-6. | 1.7 | 3 |
| 97 | Effect of Electrical Aging On PPLP Insulation Characteristics in LN ₂ . IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4. | 1.7 | 3 |
| 98 | Chaos existence in surface discharge of tracking test. Transactions of Tianjin University, 2009, 15, 168-172. | 6.4 | 2 |
| 99 | Surface charge accumulate and decay of direct-fluorinated RTV silicone rubber. , 2013, , . | | 2 |
| 100 | Effects of low temperature on dielectric properties of ethylene-propylene-diene terpolymer filled with carbon black nanoparticles. , 2015 , , . | | 2 |
| 101 | Effects of high temperature and pulse voltage on treeing process in silicone rubber. , 2016, , . | | 2 |
| 102 | Effect of direct fluorination on partial discharge characteristics of polyimide film used as magnet wire insulation of generator. IET Generation, Transmission and Distribution, 2016, 10, 2251-2258. | 2.5 | 2 |
| 103 | Interface charge distribution between LDPE and carbon black filled EPDM. , 2016, , . | | 2 |
| 104 | Effects of nonlinear conductivity on interface charge in HVDC cable accessories. , 2017, , . | | 2 |
| 105 | Surface Charge and Flashover Voltage of Fluorinated Polypropylene Film under DC and Pulse Voltages. , 2018, , . | | 2 |
| 106 | Surface Charge and Flashover Voltage of Fluorinated Polypropylene Film under DC and Pulse Voltages. , $2018, , .$ | | 2 |
| 107 | Simulation of Interface Charge Behaviors in HVDC Cable Accessory Based on Bipolar Carrier Transportation Model. , 2018, , . | | 2 |
| 108 | Surface discharge behaviors of Polypropylene/AlN nanocomposites in cryogenic environment., 2018,,. | | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 109 | Application of E-Field Adaptive Insulator for DC GHe-Insulated Pipeline. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-3. | 1.7 | 2 |
| 110 | Electric Field Optimization of $1\mathrm{MV}$ DC-GIL Spacer With Surface Conductivity Gradient for ITER NBI. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4. | 1.7 | 2 |
| 111 | Effect of Crystalline Morphology on DC-Prestressed Breakdown Characteristics of PP-based Cable Insulation. , 2021, , . | | 2 |
| 112 | Mechanical Stress Distribution and Reliability Analysis of GIL Tri-post Insulator., 2021,,. | | 2 |
| 113 | Dynamic Interface Charge Behaviors in HVDC Cable Terminal Considering Carrier Dynamic Equilibrium. IEEJ Transactions on Fundamentals and Materials, 2021, 141, 567-573. | 0.2 | 2 |
| 114 | Contact Resistance and Temperature Distribution of Insulation Piercing Connector with Various Operation Conditions. , 2020, , . | | 2 |
| 115 | Effects of Magnetic Field on Surface Flashover of Polyimide Film for Superconducting Magnet Insulation. , 2020, , . | | 2 |
| 116 | Dielectric and Electrical Insulation Properties of PTFE/PP for HTS Power Apparatus Application. , 2020, | | 2 |
| 117 | Effects of Magnetic Field on Surface Flashover Behavior of Epoxy Resin for High-Field Magnets. , 2020, | | 2 |
| 118 | DC Breakdown Modulated by Molecular Chains Movements and Trap Characteristics of HDPE/LDPE Blend Insulation., 2020,,. | | 2 |
| 119 | Temperature dependence of surface breakdown on printed circuit board. , 0, , . | | 1 |
| 120 | Surface charge measurement of gamma-rays irradiated polymer insulating materials., 2007,,. | | 1 |
| 121 | Effect of suspending bubbles on tracking failure of oil-impregnated pressboard., 2013,,. | | 1 |
| 122 | Effect of external magnetic fields on the breakdown and partial discharge characteristics of vegetable oil. , 2015 , , . | | 1 |
| 123 | Effects of magnetic field on treeing process in silicone rubber considering pulse voltage. , 2016, , . | | 1 |
| 124 | Effects of high thermal conductivity on power cable ampacity with LDPE/BN composites., 2017,,. | | 1 |
| 125 | Trap dependent interface charge behaviors of fluorinated HVDC cable accessories. , 2017, , . | | 1 |
| 126 | Coupling Effects of Ambient Temperature and Filler Contents on Surface Charge and Discharge Behavior of Epoxy/AlN Nanocomposites. , 2018, , . | | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Suppressing Space Charge in LDPE/GO Nanocomposites for HVDC Cable Application. , 2018, , . | | 1 |
| 128 | Electrical tree in HTV silicone rubber under mechanical stress. , 2018, , . | | 1 |
| 129 | Surface Functional Graded Material Considered for DC Gas-Insulated Pipeline., 2019,,. | | 1 |
| 130 | Surface Discharge Property of Polypropylene/BN Nanocomposite for HTS Apparatus Application. IEEE Transactions on Applied Superconductivity, 2019, 29, 1-4. | 1.7 | 1 |
| 131 | The Improvement of Flashover Characteristics with Field Grading CCTO Coating for GIL Spacer. , 2021, , . | | 1 |
| 132 | Improved Dielectric Properties of Polypropylene Films Based on Aromatic Compounds., 2021,,. | | 1 |
| 133 | Effect of Harmonic Voltage On Partial Discharge Properties of LN ₂ /PPLP Insulation for HTS DC Cable. IEEE Transactions on Applied Superconductivity, 2021, 31, 1-4. | 1.7 | 1 |
| 134 | Acoustic Characteristic of Surface Discharge for Hydrophobicity Evaluation of HVDC Silicone Rubber Insulator. IEEJ Transactions on Fundamentals and Materials, 2013, 133, 121-122. | 0.2 | 1 |
| 135 | Effects of Atmospheric Pressure on Insulation Breakdown of Gamma-ray Irradiated Polyphenylene Oxide. IEEJ Transactions on Fundamentals and Materials, 2004, 124, 271-276. | 0.2 | 1 |
| 136 | Conduction and Charge Transport Characteristics of Silicone Rubber Composites with Nonlinear Conductivity., 2021,, 215-242. | | 1 |
| 137 | Dielectric Properties of Epoxy-based Nanocomposite Filled with Fullerene C60. , 2020, , . | | 1 |
| 138 | Effect of sPP Content on Electrical Tree Growth Characteristics in iPP/sPP Blend Cable Insulation. , 2020, , . | | 1 |
| 139 | Bilayer PI/BaTiO3-P(VDF-TrFE-CFE) composites with high discharge energy density. , 2020, , . | | 1 |
| 140 | Electrical Tree Characteristics of Isotactic/Syndiotactic Polypropylene Blend Insulation under Repetitive Impulse Voltage., 2020,,. | | 1 |
| 141 | Design and Optimization of 1000 kV DC GIL Post Spacer with Surface Conductivity Gradient for ITER Neutral Beam Injector., 2020,,. | | 1 |
| 142 | Effects of Mechanical Stress on Cohesive Energy and Energy Level Distribution of Bisphenol-A Epoxy Resin., 2021,,. | | 1 |
| 143 | Surface Charge Accumulation on PTFE under Magnetic Field., 2007,,. | | 0 |
| 144 | Chaos analysis of discharge current based on tracking test of phenolic resin. Transactions of Tianjin University, 2009, 15, 1-6. | 6.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 145 | A study of mechanical and electrical properties of aged, heat-shrinkable tubes. , 2013, , . | | O |
| 146 | Surface charge decay of direct-fluorinated RTV silicone rubber/SiO <inf>2</inf> nanocomposites. , 2014, , . | | 0 |
| 147 | Effect of magnetic field on tree characteristics in silicone rubber. , 2015, , . | | 0 |
| 148 | Interface charge accumulation and decay of multi-layer oil-paper insulation under DC and polarity reversal voltages. , 2016 , , . | | 0 |
| 149 | Space charge accumulation characteristics in ethylene-vinyl acetate copolymer filled with ZnO nanoparticles. , $2016, , .$ | | 0 |
| 150 | Surface charge dynamic characteristics of EVA/CB nanocomposite under mechanical stretching. , 2017, , . | | 0 |
| 151 | Study of electrification and breakdown about transformer oil/pressboard., 2017,,. | | 0 |
| 152 | Effect of Field-dependent Conductivity on Surface Charge Decay in ZnO/Silicone Rubber Composites. , 2018, , . | | 0 |
| 153 | Breakdown Characteristics of Direct-fluorinated Polyimide Film in LN2 under Combined DC-Pulse Voltage. , 2018, , . | | 0 |
| 154 | Improving Electric Field Distribution in HTS DC Cable Terminals by Nonlinear Conductive Epoxy/ZnO Composites. , $2018, \ldots$ | | 0 |
| 155 | Effects of ZnO Contents on Trap Distribution of Epoxy Composites at Cryogenic Temperature. , 2018, , . | | 0 |
| 156 | Mechanical Stretching Dependence of Electrical Treeing Phenomenon in EPDM., 2018,,. | | 0 |
| 157 | Coupling Effects of Ambient Temperature and Filler Contents on Surface Charge and Discharge Behavior of Epoxy/AlN Nanocomposites. , 2018, , . | | 0 |
| 158 | Mechanical Stretching Dependence of Electrical Treeing Phenomenon in EPDM., 2018,,. | | 0 |
| 159 | Effects of Temperature Variation on Dielectric Properties of EPDM/SiC Composites for HTS Power Leading Insulation., 2018,,. | | 0 |
| 160 | Influence of Antioxidants on Electrical Tree Properties in EPDM under Liquid Nitrogen., 2018,,. | | 0 |
| 161 | Flashover Voltage of Epoxy/Al <inf>2</inf> O <inf>3</inf> /ZnO Composites in Liquid Nitrogen. , 2018, , . | | 0 |
| 162 | Suppressing Space Charge in LDPE/GO Nanocomposites for HVDC Cable Application. , $2018, \ldots$ | | 0 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 163 | Temperature Dependent Carrier Mobility of Epoxy/BN/Graphene Composites for HTS Cable Joint. , 2018, , . | | 0 |
| 164 | Partial Discharge Behaviors of Low Dielectric Loss PTFE/PP Composite Insulation in LN <inf>2</inf> . , 2018, , . | | 0 |
| 165 | Simulation on surface charge accumulation process of epoxy insulator in air. , 2018, , . | | 0 |
| 166 | Conductivity and Surface Charge Properties of HTV SiR/SiC Composites under Impulse Superimposed on DC Voltage at Different Temperatures. , 2019, , . | | 0 |
| 167 | Effect of \$eta\$-Spherulite on Electrical Tree Characteristics of Isotactic Polypropylene Insulation., 2021,,. | | 0 |
| 168 | Surface Charge Accumulation on a Real Size Epoxy Spacer in Various Gas Atmospheres under DC Voltage. , 2021, , . | | 0 |
| 169 | Effects of Fullerene C60 on the Dielectric Strength of Epoxy Resin at Elevated Temperature. , 2021, , . | | 0 |
| 170 | Electrical Tree Characteristics in Graphene/SiR Nanocomposites under Temperature Gradient., 2021,,. | | 0 |
| 171 | Effects of Al ₂ O ₃ Particles on Surface Charge of Epoxy Nanocomposites. IEEJ Transactions on Fundamentals and Materials, 2013, 133, 224-230. | 0.2 | 0 |
| 172 | Effect of sPP Content on Dielectric Relaxation and Trap Level Characteristics of PP blend insulation. , 2020, , . | | 0 |
| 173 | Trap Distribution and Space Charge Behavior of PP/ULDPE/ Radical Scavenger Composites for HVDC Cable Insulation. , 2020, , . | | 0 |
| 174 | Characterization of Electrical Treeing in XLPE versus Temperature Gradients. , 2020, , . | | 0 |
| 175 | Interfacial E-field Regulating Insulator for DC Gas-solid Insulating System., 2020,,. | | 0 |
| 176 | Electric Field Distribution of \hat{A}_\pm 800kV Valve Side Bushing Capacitor Core Influenced by Temperature Gradient. , 2020, , . | | 0 |
| 177 | Electric Ageing and Breakdown Phenomenon in Polypropylene Under Complex DC Operating Condition. , 2021, , 173-214. | | 0 |
| 178 | The Insulating Properties of Polypropylene Blends Modified by ULDPE and Graphene for HVDC Cables., 2021,, 97-126. | | 0 |
| 179 | Partial Discharge Characteristics in Liquid Nitrogen /Polypropylene-Laminated-Paper Insulation System under an DC Superimposed AC Voltage for HTS Cable. , 2020, , . | | 0 |
| 180 | Research Progress of Quantum Chemical Calculation for Mechanisms in Charge Transportation and Insulation Failure. , 2020, , . | | 0 |

| # | Article | IF | CITATIONS |
|-----|---|----|-----------|
| 181 | Diffusion Behavior of Waterproof Glue into Silicone Rubber Insulation of Submarine Cable Joints Based on Molecular Dynamics Simulation. , 2020, , . | | O |
| 182 | Research on Defect Detection of Insulation Piercing Connector (IPC) Based on UHF Partial Discharge. , 2020, , . | | 0 |
| 183 | Improved Temperature Dependence of Electrical Properties of XLPE/GO Nanocomposites for HVDC Cable Insulation., 2020,,. | | O |
| 184 | Flashover Improvement and Field Control of Insulator with Surface Ïf-FGM for DC GIL., 2020,,. | | 0 |
| 185 | Space Charge Properties of SiC/SiR Composites with Nonlinear Conductivity at Different Temperatures. , 2020, , . | | O |
| 186 | Improved Electric Field Distribution of the Valve Side Bushing Impregnated with Epoxy/GO Nanocomposite. , 2020, , . | | 0 |
| 187 | Simulation Research on Ultrasound Detection of Insulation Defects in SCFCL Power Leading. , 2020, , . | | O |
| 188 | Effect of DC Superimposed AC Voltage on Partial Discharge Characteristics of LN2/PPLP Insulation System. , 2020, , . | | 0 |
| 189 | Electric Field Distribution within 220 kV Outdoor Cable Terminals Considering the Solidification of Silicone Oil under Cold Conditions., 2021,,. | | O |
| 190 | Simulation of Dynamic Interface Charge Behaviors in HVDC Cable Terminal., 2021,,. | | 0 |
| 191 | Effect of Field-dependent Conductivity on Surface Charge Decay in ZnO/Silicone Rubber Composites. , 2018, , . | | O |