Brigitta Stockinger

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1811815/brigitta-stockinger-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53	10,990	31	55
papers	citations	h-index	g-index
55	12,830 ext. citations	16.3	6.3
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
53	PairGP: Gaussian process modeling of longitudinal data from paired multi-condition studies <i>Computers in Biology and Medicine</i> , 2022 , 143, 105268	7	
52	Cell-intrinsic Aryl Hydrocarbon Receptor signalling is required for the resolution of injury-induced colonic stem cells <i>Nature Communications</i> , 2022 , 13, 1827	17.4	1
51	Regulation of intestinal immunity and tissue repair by enteric glia. <i>Nature</i> , 2021 , 599, 125-130	50.4	14
50	AHR in the intestinal microenvironment: safeguarding barrier function. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 , 18, 559-570	24.2	21
49	Lumpers and splitters: Birth of Th17 cells. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	2
48	CYP1A1 Enzymatic Activity Influences Skin Inflammation Via Regulation of the AHR Pathway. Journal of Investigative Dermatology, 2021 , 141, 1553-1563.e3	4.3	12
47	T cell subsets and environmental factors in Citrobacter rodentium infection. <i>Current Opinion in Microbiology</i> , 2021 , 63, 92-97	7.9	
46	Preexisting and de novo humoral immunity to SARS-CoV-2 in humans. <i>Science</i> , 2020 , 370, 1339-1343	33.3	441
45	Neuronal programming by microbiota regulates intestinal physiology. <i>Nature</i> , 2020 , 578, 284-289	50.4	100
44	The Intestine Harbors Functionally Distinct Homeostatic Tissue-Resident and Inflammatory Th17 Cells. <i>Immunity</i> , 2019 , 51, 77-89.e6	32.3	123
43	Meningeal I cell-derived IL-17 controls synaptic plasticity and short-term memory. <i>Science Immunology</i> , 2019 , 4,	28	83
42	Aryl Hydrocarbon Receptor Contributes to the Transcriptional Program of IL-10-Producing Regulatory B Cells. <i>Cell Reports</i> , 2019 , 29, 1878-1892.e7	10.6	60
41	Cytochrome P4501-inhibiting chemicals amplify aryl hydrocarbon receptor activation and IL-22 production in T helper 17 cells. <i>Biochemical Pharmacology</i> , 2018 , 151, 47-58	6	25
40	The Environmental Sensor AHR Protects from Inflammatory Damage by Maintaining Intestinal Stem Cell Homeostasis and Barrier Integrity. <i>Immunity</i> , 2018 , 49, 353-362.e5	32.3	137
39	Feedback control of AHR signalling regulates intestinal immunity. <i>Nature</i> , 2017 , 542, 242-245	50.4	239
38	Aryl hydrocarbon receptor is required for optimal B-cell proliferation. <i>EMBO Journal</i> , 2017 , 36, 116-128	13	53
37	The dichotomous nature of T helper 17 cells. <i>Nature Reviews Immunology</i> , 2017 , 17, 535-544	36.5	210

(2011-2017)

36	IL-23 drives differentiation of peripheral 1 7 T cells from adult bone marrow-derived precursors. <i>EMBO Reports</i> , 2017 , 18, 1957-1967	6.5	41
35	Activation of the Aryl Hydrocarbon Receptor Interferes with Early Embryonic Development. <i>Stem Cell Reports</i> , 2017 , 9, 1377-1386	8	23
34	The aryl hydrocarbon receptor controls cyclin O to promote epithelial multiciliogenesis. <i>Nature Communications</i> , 2016 , 7, 12652	17.4	16
33	Plasticity of Th17 Cells in Autoimmune Kidney Diseases. <i>Journal of Immunology</i> , 2016 , 197, 449-57	5.3	22
32	Comparative analysis of human and mouse transcriptomes of Th17 cell priming. <i>Oncotarget</i> , 2016 , 7, 13416-28	3.3	28
31	Th17 cells transdifferentiate into regulatory T cells during resolution of inflammation. <i>Nature</i> , 2015 , 523, 221-5	50.4	505
30	Tc17 cells are a proinflammatory, plastic lineage of pathogenic CD8+ T cells that induce GVHD without antileukemic effects. <i>Blood</i> , 2015 , 126, 1609-20	2.2	78
29	Analyzing Th17 cell differentiation dynamics using a novel integrative modeling framework for time-course RNA sequencing data. <i>BMC Systems Biology</i> , 2015 , 9, 81	3.5	8
28	The aryl hydrocarbon receptor: multitasking in the immune system. <i>Annual Review of Immunology</i> , 2014 , 32, 403-32	34.7	509
27	IL-22 fate reporter reveals origin and control of IL-22 production in homeostasis and infection. <i>Journal of Immunology</i> , 2014 , 193, 4602-13	5.3	80
26	Regulation of experimental autoimmune encephalomyelitis by TPL-2 kinase. <i>Journal of Immunology</i> , 2014 , 192, 3518-3529	5.3	29
25	Activation of the aryl hydrocarbon receptor dampens the severity of inflammatory skin conditions. <i>Immunity</i> , 2014 , 40, 989-1001	32.3	203
24	Plasticity of Th17 Cells and Conversion to Th1 Cells during Acute GvHD. <i>Blood</i> , 2014 , 124, 3821-3821	2.2	
23	Open questions: a few that need answers in immunology. <i>BMC Biology</i> , 2013 , 11, 115	7.3	1
22	Plasticity of Th17 cells in Peyer's patches is responsible for the induction of T cell-dependent IgA responses. <i>Nature Immunology</i> , 2013 , 14, 372-9	19.1	350
21	Differential influences of the aryl hydrocarbon receptor on Th17 mediated responses in vitro and in vivo. <i>PLoS ONE</i> , 2013 , 8, e79819	3.7	86
20	External influences on the immune system via activation of the aryl hydrocarbon receptor. <i>Seminars in Immunology</i> , 2011 , 23, 99-105	10.7	137
19	Fate mapping of IL-17-producing T cells in inflammatory responses. <i>Nature Immunology</i> , 2011 , 12, 255-6	53 19.1	831

18	Effector T cell plasticity: flexibility in the face of changing circumstances. <i>Nature Immunology</i> , 2010 , 11, 674-80	19.1	354
17	Natural agonists for aryl hydrocarbon receptor in culture medium are essential for optimal differentiation of Th17 T cells. <i>Journal of Experimental Medicine</i> , 2009 , 206, 43-9	16.6	401
16	Modulation of Th17 development and function by activation of the aryl hydrocarbon receptorthe role of endogenous ligands. <i>European Journal of Immunology</i> , 2009 , 39, 652-4	6.1	41
15	Beyond toxicity: aryl hydrocarbon receptor-mediated functions in the immune system. <i>Journal of Biology</i> , 2009 , 8, 61		20
14	Interleukin-17-producing gammadelta T cells selectively expand in response to pathogen products and environmental signals. <i>Immunity</i> , 2009 , 31, 321-30	32.3	654
13	The aryl hydrocarbon receptor links TH17-cell-mediated autoimmunity to environmental toxins. <i>Nature</i> , 2008 , 453, 106-9	50.4	1247
12	Differentiation and function of Th17 T cells. Current Opinion in Immunology, 2007, 19, 281-6	7.8	565
11	TGFbeta in the context of an inflammatory cytokine milieu supports de novo differentiation of IL-17-producing T cells. <i>Immunity</i> , 2006 , 24, 179-89	32.3	2921
10	Homeostasis and T cell regulation. <i>Current Opinion in Immunology</i> , 2004 , 16, 775-9	7.8	68
9	CD4 T-cell memory. <i>Seminars in Immunology</i> , 2004 , 16, 295-303	10.7	32
8	Low CD4+ T cell responses to the C-terminal region of the malaria merozoite surface protein-1 may be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81	6.1	36
7	be attributed to processing within distinct MHC class II pathways. European Journal of Immunology,	6.1	36
	be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81 Lineage fate alteration of thymocytes developing in an MHC environment containing MHC/peptide	6.1	
7	be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81 Lineage fate alteration of thymocytes developing in an MHC environment containing MHC/peptide ligands with antagonist properties. <i>European Journal of Immunology</i> , 2001 , 31, 3595-601 Excessive degradation of intracellular protein in macrophages prevents presentation in the context	6.1	3
7	be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81 Lineage fate alteration of thymocytes developing in an MHC environment containing MHC/peptide ligands with antagonist properties. <i>European Journal of Immunology</i> , 2001 , 31, 3595-601 Excessive degradation of intracellular protein in macrophages prevents presentation in the context of major histocompatibility complex class II molecules. <i>European Journal of Immunology</i> , 1997 , 27, 1506-Antigen-specific T cell receptor antagonism by antigen-presenting cells treated with the hemolysin of Listeria monocytogenes: a novel type of immune escape. <i>European Journal of Immunology</i> , 1997 ,	6.1 -F4 ^I	3
7 6 5	be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81 Lineage fate alteration of thymocytes developing in an MHC environment containing MHC/peptide ligands with antagonist properties. <i>European Journal of Immunology</i> , 2001 , 31, 3595-601 Excessive degradation of intracellular protein in macrophages prevents presentation in the context of major histocompatibility complex class II molecules. <i>European Journal of Immunology</i> , 1997 , 27, 1506-Antigen-specific T cell receptor antagonism by antigen-presenting cells treated with the hemolysin of Listeria monocytogenes: a novel type of immune escape. <i>European Journal of Immunology</i> , 1997 , 27, 1696-703 A conditionally immortalized dendritic cell line which differentiates in contact with T cells or T	6.1 -64 ¹ 6.1	3 102 14
7 6 5 4	be attributed to processing within distinct MHC class II pathways. <i>European Journal of Immunology</i> , 2001 , 31, 72-81 Lineage fate alteration of thymocytes developing in an MHC environment containing MHC/peptide ligands with antagonist properties. <i>European Journal of Immunology</i> , 2001 , 31, 3595-601 Excessive degradation of intracellular protein in macrophages prevents presentation in the context of major histocompatibility complex class II molecules. <i>European Journal of Immunology</i> , 1997 , 27, 1506-Antigen-specific T cell receptor antagonism by antigen-presenting cells treated with the hemolysin of Listeria monocytogenes: a novel type of immune escape. <i>European Journal of Immunology</i> , 1997 , 27, 1696-703 A conditionally immortalized dendritic cell line which differentiates in contact with T cells or T cell-derived cytokines. <i>European Journal of Immunology</i> , 1996 , 26, 2565-72 Presentation of a circulating self protein (C5) to MHC class II restricted T cells. <i>International Reviews</i>	6.1 -64 ¹ 6.1	3 102 14 23