

Salvatore A De Cosmo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1814987/publications.pdf>

Version: 2024-02-01

159
papers

4,776
citations

101384

36
h-index

118652

62
g-index

163
all docs

163
docs citations

163
times ranked

6620
citing authors

#	ARTICLE	IF	CITATIONS
1	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet</i> , The, 2019, 393, 1937-1947.	6.3	408
2	Podocyte Number in Normotensive Type 1 Diabetic Patients With Albuminuria. <i>Diabetes</i> , 2002, 51, 3083-3089.	0.3	278
3	Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. <i>Lancet Diabetes and Endocrinology</i> , the, 2017, 5, 887-897.	5.5	231
4	Serum Uric Acid and Risk of CKD in Type 2 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 1921-1929.	2.2	136
5	Heritability of Serum Resistin and Its Genetic Correlation with Insulin Resistance-Related Features in Nondiabetic Caucasians. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 2792-2795.	1.8	125
6	A Functional Variant of the Adipocyte Glycerol Channel Aquaporin 7 Gene Is Associated With Obesity and Related Metabolic Abnormalities. <i>Diabetes</i> , 2007, 56, 1468-1474.	0.3	108
7	Gastrointestinal Motor Dysfunction, Symptoms, and Neuropathy in Noninsulin-Dependent (Type 2) Diabetes Mellitus. <i>Journal of Clinical Gastroenterology</i> , 1999, 29, 171-177.	1.1	106
8	The Functional Q84R Polymorphism of Mammalian Tribbles Homolog TRB3 Is Associated With Insulin Resistance and Related Cardiovascular Risk in Caucasians From Italy. <i>Diabetes</i> , 2005, 54, 2807-2811.	0.3	100
9	Increased Urinary Albumin Excretion, Insulin Resistance, and Related Cardiovascular Risk Factors in Patients With Type 2 Diabetes: Evidence of a sex-specific association. <i>Diabetes Care</i> , 2005, 28, 910-915.	4.3	97
10	Angiotensin-converting enzyme inhibitors, angiotensin receptor blockers and combined therapy in patients with micro- and macroalbuminuria and other cardiovascular risk factors: a systematic review of randomized controlled trials. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2827-2847.	0.4	94
11	Plasma Triglycerides and HDL-C Levels Predict the Development of Diabetic Kidney Disease in Subjects With Type 2 Diabetes: The AMD Annals Initiative. <i>Diabetes Care</i> , 2016, 39, 2278-2287.	4.3	93
12	Urine Proteome Analysis May Allow Noninvasive Differential Diagnosis of Diabetic Nephropathy. <i>Diabetes Care</i> , 2010, 33, 2409-2415.	4.3	83
13	Sexual Dysfunction in Women with ESRD Requiring Hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 974-981.	2.2	82
14	GLP-1 Receptor Agonists and Kidney Protection. <i>Medicina (Lithuania)</i> , 2019, 55, 233.	0.8	75
15	Alcoholic cardiomyopathy: What is known and what is not known. <i>European Journal of Internal Medicine</i> , 2017, 43, 1-5.	1.0	74
16	Screening for silent myocardial ischaemia in type 2 diabetic patients with additional atherogenic risk factors: applicability and accuracy of the exercise stress test. <i>European Journal of Endocrinology</i> , 2002, 147, 649-654.	1.9	73
17	Role of hepatic autoregulation in defense against hypoglycemia in humans.. <i>Journal of Clinical Investigation</i> , 1985, 75, 1623-1631.	3.9	72
18	Serum Resistin, Cardiovascular Disease and All-Cause Mortality in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e64729.	1.1	71

#	ARTICLE	IF	CITATIONS
19	Variability in HbA1c, blood pressure, lipid parameters and serum uric acid, and risk of development of chronic kidney disease in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1570-1578.	2.2	70
20	High prevalence of risk factors for cardiovascular disease in parents of IDDM patients with albuminuria. <i>Diabetologia</i> , 1997, 40, 1191-1196.	2.9	69
21	The Burden of NAFLD and Its Characteristics in a Nationwide Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-9.	1.0	68
22	High GADA titer increases the risk of insulin requirement in LADA patients: a 7-year follow-up (NIRAD). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 137</i>	1.9	63
23	Mechanisms of glucagon secretion during insulin-induced hypoglycemia in man. Role of the beta cell and arterial hyperinsulinemia.. <i>Journal of Clinical Investigation</i> , 1984, 73, 917-922.	3.9	62
24	Non-alcoholic fatty liver disease: the role of nuclear receptors and circadian rhythmicity. <i>Liver International</i> , 2014, 34, 1133-1152.	1.9	56
25	Kidney dysfunction and related cardiovascular risk factors among patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 657-662.	0.4	49
26	The Biological Clock: A Pivotal Hub in Non-alcoholic Fatty Liver Disease Pathogenesis. <i>Frontiers in Physiology</i> , 2018, 9, 193.	1.3	49
27	Predictors of chronic kidney disease in type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e4007.	0.4	48
28	Development and Validation of a Predicting Model of All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2013, 36, 2830-2835.	4.3	47
29	Glucose targets for preventing diabetic kidney disease and its progression. <i>The Cochrane Library</i> , 2017, 2017, CD010137.	1.5	47
30	Diabetic kidney disease in the elderly: prevalence and clinical correlates. <i>BMC Geriatrics</i> , 2018, 18, 38.	1.1	47
31	Prevalence and correlates of erectile dysfunction in men on chronic haemodialysis: a multinational cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2479-2488.	0.4	44
32	Cigarette Smoking Is Associated With Low Glomerular Filtration Rate in Male Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 2467-2470.	4.3	42
33	Insulin Resistance and the Cluster of Abnormalities Related to the Metabolic Syndrome Are Associated With Reduced Glomerular Filtration Rate in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2006, 29, 432-434.	4.3	39
34	Identifying patients with type 2 diabetes at high risk of microalbuminuria: results of the DEMAND (Developing Education on Microalbuminuria for Awareness of renal and cardiovascular risk in) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 137</i>	0.4	39
35	Achievement of therapeutic targets in patients with diabetes and chronic kidney disease: insights from the Associazione Medici Diabetologi Annals initiative. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1526-1533.	0.4	39
36	A PC-1 amino acid variant (K121Q) is associated with faster progression of renal disease in patients with type 1 diabetes and albuminuria. <i>Diabetes</i> , 2000, 49, 521-524.	0.3	37

#	ARTICLE	IF	CITATIONS
37	The ENPP1 Q121 Variant Predicts Major Cardiovascular Events in High-Risk Individuals. <i>Diabetes</i> , 2011, 60, 1000-1007.	0.3	37
38	Factors Associated with Beta-Cell Dysfunction in Type 2 Diabetes: The BETADECLINE Study. <i>PLoS ONE</i> , 2014, 9, e109702.	1.1	37
39	Atherogenic dyslipidemia and diabetic nephropathy. <i>Journal of Nephrology</i> , 2020, 33, 1001-1008.	0.9	36
40	ENPP1 gene, insulin resistance and related clinical outcomes. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007, 10, 403-409.	1.3	34
41	Blood pressure reduction and RAAS inhibition in diabetic kidney disease: therapeutic potentials and limitations. <i>Journal of Nephrology</i> , 2020, 33, 949-963.	0.9	31
42	The Long-Term Impact of Renin-Angiotensin System (RAS) Inhibition on Cardiorenal Outcomes (LIRICO): A Randomized, Controlled Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2890-2899.	3.0	30
43	Natural history and risk factors for diabetic kidney disease in patients with T2D: lessons from the AMD-annals. <i>Journal of Nephrology</i> , 2019, 32, 517-525.	0.9	30
44	Impact of the PPAR- γ 2 Pro12Ala Polymorphism and ACE Inhibitor Therapy on New-Onset Microalbuminuria in Type 2 Diabetes: Evidence From BENEDICT. <i>Diabetes</i> , 2009, 58, 2920-2929.	0.3	29
45	Serum Resistin and Kidney Function: A Family-Based Study in Non-Diabetic, Untreated Individuals. <i>PLoS ONE</i> , 2012, 7, e38414.	1.1	29
46	The adrenergic contribution to glucose counterregulation in type I diabetes mellitus. Dependency on A-cell function and mediation through beta 2-adrenergic receptors. <i>Diabetes</i> , 1983, 32, 887-893.	0.3	29
47	PPAR- γ P12A polymorphism and albuminuria in patients with type 2 diabetes: a meta-analysis of case-control studies. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 4011-4016.	0.4	28
48	Blood pressure status and the incidence of diabetic kidney disease in patients with hypertension and type 2 diabetes. <i>Journal of Hypertension</i> , 2016, 34, 2090-2098.	0.3	28
49	Overall Quality of Care Predicts the Variability of Key Risk Factors for Complications in Type 2 Diabetes: An Observational, Longitudinal Retrospective Study. <i>Diabetes Care</i> , 2019, 42, 514-519.	4.3	28
50	Obesity and changes in urine albumin/creatinine ratio in patients with type 2 diabetes: The DEMAND Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 110-116.	1.1	27
51	Epidemiology of diabetic kidney disease in adult patients with type 1 diabetes in Italy: The AMD-Annals initiative. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2873.	1.7	26
52	Klotho at the Edge of Alzheimer's Disease and Senile Depression. <i>Molecular Neurobiology</i> , 2019, 56, 1908-1920.	1.9	26
53	Metabolic syndrome, serum uric acid and renal risk in patients with T2D. <i>PLoS ONE</i> , 2017, 12, e0176058.	1.1	25
54	Morphofunctional and signaling molecules overlap of the pineal gland and thymus: role and significance in aging. <i>Oncotarget</i> , 2016, 7, 11972-11983.	0.8	25

#	ARTICLE	IF	CITATIONS
55	Interaction of DIO2 T92A and PPAR β P12A Polymorphisms in the Modulation of Metabolic Syndrome**. Obesity, 2007, 15, 2889-2895.	1.5	24
56	Distribution of cardiovascular disease and retinopathy in patients with type 2 diabetes according to different classification systems for chronic kidney disease: a cross-sectional analysis of the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. Cardiovascular Diabetology, 2014, 13, 59.	2.7	24
57	Genetic Variant at the <i>GLUL</i> Locus Predicts All-Cause Mortality in Patients With Type 2 Diabetes. Diabetes, 2015, 64, 2658-2663.	0.3	24
58	Sepsis in Internal Medicine wards: current knowledge, uncertainties and new approaches for management optimization. Annals of Medicine, 2017, 49, 582-592.	1.5	24
59	Predictors of chronic kidney disease in type 1 diabetes: a longitudinal study from the AMD Annals initiative. Scientific Reports, 2017, 7, 3313.	1.6	23
60	Long-term blood pressure variability and development of chronic kidney disease in type 2 diabetes. Journal of Hypertension, 2019, 37, 805-813.	0.3	23
61	Role of relationship between HbA1c, fibrinogen and HDL-cholesterol on cardiovascular disease in patients with type 2 diabetes mellitus. Atherosclerosis, 2013, 228, 247-248.	0.4	22
62	On the non-linear association between serum uric acid levels and all-cause mortality rate in patients with type 2 diabetes mellitus. Atherosclerosis, 2017, 260, 20-26.	0.4	22
63	Occurrence over time and regression of nonalcoholic fatty liver disease in type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2017, 33, e2878.	1.7	22
64	Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes. Journal of Diabetes and Its Complications, 2017, 31, 419-426.	1.2	22
65	Resistant Hypertension, Time-Updated Blood Pressure Values and Renal Outcome in Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2017, 6, .	1.6	21
66	Trend over time in hepatic fibrosis score in a cohort of type 2 diabetes patients. Diabetes Research and Clinical Practice, 2018, 135, 65-72.	1.1	21
67	A Polymorphism at the <i>IL6ST</i> (<i>gp130</i>) Locus Is Associated With Traits of the Metabolic Syndrome. Obesity, 2008, 16, 205-210.	1.5	19
68	An association study between epicardial fat thickness and cognitive impairment in the elderly. American Journal of Physiology - Heart and Circulatory Physiology, 2014, 307, H1269-H1276.	1.5	19
69	Apparent Treatment Resistant Hypertension, Blood Pressure Control and the Progression of Chronic Kidney Disease in Patients with Type 2 Diabetes. Kidney and Blood Pressure Research, 2018, 43, 422-438.	0.9	19
70	Baclofen for the Treatment of Alcohol Use Disorder in Patients With Liver Cirrhosis: 10 Years After the First Evidence. Frontiers in Psychiatry, 2018, 9, 474.	1.3	19
71	Continuous Subcutaneous Insulin Infusion in Italy: Third National Survey. Diabetes Technology and Therapeutics, 2015, 17, 96-104.	2.4	18
72	PC-1 Amino Acid Variant Q121 Is Associated With a Lower Glomerular Filtration Rate in Type 2 Diabetic Patients With Abnormal Albumin Excretion Rates. Diabetes Care, 2003, 26, 2898-2902.	4.3	17

#	ARTICLE	IF	CITATIONS
73	Clinical Approach to Diabetic Cardiomyopathy: A Review of Human Studies. <i>Current Medicinal Chemistry</i> , 2018, 25, 1510-1524.	1.2	17
74	Remdesivir significantly reduces SARS-CoV-2 viral load on nasopharyngeal swabs in hospitalized patients with COVID-19: A retrospective case-control study. <i>Journal of Medical Virology</i> , 2022, 94, 2284-2289.	2.5	17
75	The role of PC-1 and ACE genes in diabetic nephropathy in type 1 diabetic patients: evidence for a polygenic control of kidney disease progression. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1402-1407.	0.4	16
76	The allelic variant of LAR gene promoter -127bp T>A is associated with reduced risk of obesity and other features related to insulin resistance. <i>Journal of Molecular Medicine</i> , 2004, 82, 459-466.	1.7	16
77	Association of the Q121 Variant of ENPP1 Gene With Decreased Kidney Function Among Patients With Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2009, 53, 273-280.	2.1	16
78	The paradoxical association of adiponectin with mortality rate in patients with type 2 diabetes: evidence of synergism with kidney function. <i>Atherosclerosis</i> , 2016, 245, 222-227.	0.4	16
79	Video-assisted thoracic surgery ultrasound (VATS-US) in the evaluation of subpleural disease: preliminary report of a systematic study. <i>Journal of Ultrasound</i> , 2020, 23, 105-112.	0.7	16
80	Glutamine to Arginine Substitution at Amino Acid 84 of Mammalian Tribbles Homolog TRIB3 and CKD in Whites With Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2007, 50, 688-689.	2.1	15
81	Serum Adiponectin and Glomerular Filtration Rate in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0140631.	1.1	15
82	Normoalbuminuric kidney impairment in patients with T1DM: insights from annals initiative. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 60.	1.2	15
83	Serum Resistin and Glomerular Filtration Rate in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0119529.	1.1	15
84	Relationship between ADIPOQ gene, circulating high molecular weight adiponectin and albuminuria in individuals with normal kidney function: evidence from a family-based study. <i>Diabetologia</i> , 2011, 54, 812-818.	2.9	14
85	<i>IRS1</i> G972R Missense Polymorphism Is Associated With Failure to Oral Antidiabetes Drugs in White Patients With Type 2 Diabetes From Italy. <i>Diabetes</i> , 2014, 63, 3135-3140.	0.3	14
86	Identification and Clinical Characterization of Adult Patients with Multigenerational Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0135855.	1.1	14
87	Retinoid X Receptors Intersect the Molecular Clockwork in the Regulation of Liver Metabolism. <i>Frontiers in Endocrinology</i> , 2017, 8, 24.	1.5	14
88	Estimation of Mortality Risk in Type 2 Diabetic Patients (ENFORCE): An Inexpensive and Parsimonious Prediction Model. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4900-4908.	1.8	14
89	The Synergic Association of hs-CRP and Serum Amyloid P Component in Predicting All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 1025-1032.	4.3	14
90	The Decorin Gene 179 Allelic Variant Is Associated with a Slower Progression of Renal Disease in Patients with Type 1 Diabetes. <i>Nephron</i> , 2002, 92, 72-76.	0.9	13

#	ARTICLE	IF	CITATIONS
91	Role of PC-1 and ACE genes on insulin resistance and cardiac mass in never-treated hypertensive patients. Suggestive evidence for a digenic additive modulation. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 181-187.	1.1	13
92	Five-Year Predictors of Insulin Initiation in People with Type 2 Diabetes under Real-Life Conditions. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-10.	1.0	13
93	Low eGFR Is a Strong Predictor of Worse Outcome in Hospitalized COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 5224.	1.0	13
94	Metabolic Syndrome Is not a Risk Factor for Kidney Dysfunction in Obese Non-diabetic Subjects. <i>Obesity</i> , 2008, 16, 899-901.	1.5	12
95	Incidence and correlated factors of beta cell failure in a 4-year follow-up of patients with type 2 diabetes: a longitudinal analysis of the BETADECLINE study. <i>Acta Diabetologica</i> , 2016, 53, 761-767.	1.2	12
96	Renal Functional Response to Protein Loading in Type 1 (Insulin-Dependent) Diabetic Patients on Normal or High Salt Intake. <i>Nephron</i> , 1997, 76, 411-417.	0.6	11
97	Normoalbuminuric renal impairment and all-cause mortality in type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2014, 51, 687-689.	1.2	11
98	Digital ulcers in scleroderma patients: A retrospective observational study. <i>International Journal of Immunopathology and Pharmacology</i> , 2016, 29, 180-187.	1.0	11
99	Serum resistin is causally related to mortality risk in patients with type 2 diabetes: preliminary evidences from genetic data. <i>Scientific Reports</i> , 2017, 7, 61.	1.6	11
100	Long-term blood pressure variability, incidence of hypertension and changes in renal function in type 2 diabetes. <i>Journal of Hypertension</i> , 2020, 38, 2279-2286.	0.3	11
101	Circulating Metabolites Associate With and Improve the Prediction of All-Cause Mortality in Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 1363-1370.	0.3	11
102	Role of obesity on all-cause mortality in whites with type 2 diabetes from Italy. <i>Acta Diabetologica</i> , 2013, 50, 971-976.	1.2	10
103	The rs12917707 polymorphism at the UMOD locus and glomerular filtration rate in individuals with type 2 diabetes: evidence of heterogeneity across two different European populations. <i>Nephrology Dialysis Transplantation</i> , 2016, 32, gfw262.	0.4	10
104	Changes in albuminuria and renal outcome in patients with type 2 diabetes and hypertension. <i>Journal of Hypertension</i> , 2018, 36, 1719-1728.	0.3	10
105	Beta cell stress in a 4-year follow-up of patients with type 2 diabetes: A longitudinal analysis of the <i>BetaDecline</i> Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3016.	1.7	10
106	Cardio-ankle vascular index is associated with diabetic retinopathy in younger than 70 years patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2019, 155, 107793.	1.1	10
107	Scintigraphic oesophageal clearance in diabetics. <i>Nuclear Medicine Communications</i> , 1988, 9, 955-964.	0.5	8
108	Clock gene expression in human and mouse hepatic models shows similar periodicity but different dynamics of variation. <i>Chronobiology International</i> , 2016, 33, 181-190.	0.9	8

#	ARTICLE	IF	CITATIONS
109	Does high-dose benzodiazepine abuse really produce liver toxicity? Results from a series of 201 benzodiazepine monoabusers. <i>Expert Opinion on Drug Safety</i> , 2018, 17, 451-456.	1.0	8
110	Joint effect of insulin signaling genes on all-cause mortality. <i>Atherosclerosis</i> , 2014, 237, 639-644.	0.4	7
111	Algorithms for personalized therapy of type 2 diabetes: results of a web-based international survey. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000109.	1.2	7
112	Zolpidem high-dose abuse: what about the liver? Results from a series of 107 patients. <i>Expert Opinion on Drug Safety</i> , 2019, 18, 753-758.	1.0	7
113	Antihyperglycemic treatment in patients with type 2 diabetes in Italy: the impact of age and kidney function. <i>Oncotarget</i> , 2017, 8, 62039-62048.	0.8	7
114	The use of procalcitonin for the management of sepsis in Internal Medicine wards: current evidence. <i>Panminerva Medica</i> , 2020, 62, 54-62.	0.2	7
115	A multistep approach for the stratification of the risk of severe hypoglycemia in patients with type 2 diabetes. <i>Minerva Endocrinology</i> , 2018, 43, 501-510.	0.6	7
116	Delta-Procalcitonin and Vitamin D Can Predict Mortality of Internal Medicine Patients with Microbiological Identified Sepsis. <i>Medicina (Lithuania)</i> , 2021, 57, 331.	0.8	6
117	The 9p21 coronary artery disease locus and kidney dysfunction in patients with Type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4411-4413.	0.4	5
118	The "Sapienza University Mortality and Morbidity Event Rate (SUMMER) study in diabetes" Study protocol. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 103-108.	1.1	5
119	Variability in genes regulating vitamin D metabolism is associated with vitamin D levels in type 2 diabetes. <i>Oncotarget</i> , 2018, 9, 34911-34918.	0.8	5
120	Antihypertensive Treatment in Diabetic Kidney Disease: The Need for a Patient-Centered Approach. <i>Medicina (Lithuania)</i> , 2019, 55, 382.	0.8	5
121	Impact of CVOTs in primary and secondary prevention of kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107907.	1.1	5
122	Takotsubo Syndrome and Inflammatory Bowel Diseases: Does a Link Exist?. <i>Digestive Diseases</i> , 2020, 38, 204-210.	0.8	5
123	Prescription of Sulphonylureas among Patients with Type 2 Diabetes Mellitus in Italy: Results from the Retrospective, Observational Multicentre Cross-Sectional SUSCIPE (Sulphonyl_UreaS_Correct_Internal_Prescription_Evaluation) Study. <i>Diabetes Therapy</i> , 2020, 11, 2105-2119.	1.2	5
124	A Serum Resistin and Multicytokine Inflammatory Pathway Is Linked With and Helps Predict All-cause Death in Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e4350-e4359.	1.8	5
125	Early Renal Abnormalities as an Indicator of Cardiovascular Risk in Type 2 Diabetes. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014, 21, 257-260.	1.0	4
126	Predictors of mortality of bloodstream infections among internal medicine patients: Mind the complexity of the septic population!. <i>European Journal of Internal Medicine</i> , 2019, 68, e22-e23.	1.0	4

#	ARTICLE	IF	CITATIONS
127	Pneumothorax and Air Bronchogram in Transthoracic Ultrasound: Basic Considerations. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 1500.	0.7	4
128	Transthoracic ultrasound shear wave elastography for the study of subpleural lung lesions. <i>Ultrasonography</i> , 2022, 41, 93-105.	1.0	4
129	CHA2DS2â€VASc and R2CHA2DS2â€VASc scores predict mortality in high cardiovascular risk population. <i>European Journal of Clinical Investigation</i> , 2022, 52, .	1.7	4
130	Metabolic syndrome and albuminuria show an additive effect in modulating glomerular filtration rate in patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2009, 3, 139-142.	1.8	3
131	Increased cardiovascular risk among type 2 diabetic patients with high-normal albuminuria and no evidence of kidney impairment. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, e5-e6.	1.1	3
132	Target Values of Cardiovascular Risk Factors Are Not Associated with All-Cause Mortality in Patients with Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0124536.	1.1	3
133	Kidney disease measures are associated with the burden of coronary atherosclerosis, independently of diabetes. <i>Acta Diabetologica</i> , 2017, 54, 1065-1068.	1.2	3
134	Analysis of MTNR1B gene polymorphisms in relationship with IRS2 gene variants, epicardial fat thickness, glucose homeostasis and cognitive performance in the elderly. <i>Chronobiology International</i> , 2017, 34, 1083-1093.	0.9	3
135	Transthoracic ultrasound in children. <i>Journal of Ultrasound</i> , 2018, 21, 355-356.	0.7	3
136	Management of celiac disease in daily clinical practice: do not forget depression!. <i>European Journal of Internal Medicine</i> , 2019, 62, e17.	1.0	3
137	Electrocardiographic alterations and raised procalcitonin levels during anaphylactic shock. <i>BMJ Case Reports</i> , 2020, 13, e233521.	0.2	3
138	Commentary: Ultrasound-Guided Biopsy of Pleural-Based Pulmonary Lesions by Injection of Contrast-Enhancing Drugs. <i>Frontiers in Pharmacology</i> , 2020, 11, 365.	1.6	3
139	Lack of evidence for the 1484insG variant at the 3'-UTR of the protein tyrosine phosphatase 1B (PTP1B) gene as a genetic determinant of diabetic nephropathy development in type 1 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 2419-2420.	0.4	2
140	The IRS1 G972R polymorphism and glomerular filtration rate in patients with type 2 diabetes of European ancestry. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 3031-3034.	0.4	2
141	Urinary albumin excretion correlates with carotid intima-media thickness in offspring of patients with type 2 diabetes and albuminuria. <i>Acta Diabetologica</i> , 2016, 53, 1045-1048.	1.2	2
142	Chronic diarrhea in a patient with severe vitamin B12 deficiency: a rare clinical manifestation. <i>Scandinavian Journal of Gastroenterology</i> , 2016, 51, 763-764.	0.6	2
143	Association of kidney disease measures with risk of renal function worsening in patients with type 1 diabetes. <i>BMC Nephrology</i> , 2018, 19, 347.	0.8	2
144	Lung Ultrasonography in Pediatric Cardiac Surgery: A Complementary Diagnostic Tool. <i>Annals of Thoracic Surgery</i> , 2020, 109, 1946.	0.7	2

#	ARTICLE	IF	CITATIONS
145	Comment on Matricardi PM et al.. Pediatric Allergy and Immunology, 2020, 31, 997-997.	1.1	2
146	Low eGFR and albuminuria independently predict all-cause mortality in high-risk subjects undergoing coronary arteriography. Internal and Emergency Medicine, 2022, 17, 695-701.	1.0	2
147	Low GFR amplifies the association between coronary three-vessel disease and all-cause mortality. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 402-409.	1.1	2
148	Akt2 Gene common allelic variants in insulin resistance and the metabolic syndrome. Nutrition, Metabolism and Cardiovascular Diseases, 2008, 18, 263-270.	1.1	1
149	A rare cause of shortness of breath: relaxatio diaphragmatica. Internal and Emergency Medicine, 2015, 10, 1031-1032.	1.0	1
150	Chronic inflammation in offspring of patients with type 2 diabetes and albuminuria. Acta Diabetologica, 2016, 53, 125-126.	1.2	1
151	Lung ultrasonography in pulmonary tuberculosis: Integrating chest radiology?. European Journal of Internal Medicine, 2019, 69, e17-e18.	1.0	1
152	The role of medical history in the diagnostic process of unexplainable weight loss. BMJ Case Reports, 2019, 12, e231182.	0.2	1
153	Ocular involvement in Behçet's disease: relevance of new diagnostic tools. Rheumatology Advances in Practice, 2020, 4, rkaa038.	0.3	1
154	Metabolink: m-Health Solution Enabling Patient-Centered Care and Empowerment for Well-Being and Active Ageing. Biosystems and Biorobotics, 2015, , 357-365.	0.2	1
155	The PPAR γ 2 P12A polymorphism is not associated with all-cause mortality in patients with type 2 diabetes mellitus. Endocrine, 2016, 54, 38-46.	1.1	0
156	â€˜Bonyâ€™ heart. BMJ Case Reports, 2019, 12, e231793.	0.2	0
157	All-cause mortality prediction models in type 2 diabetes: applicability in the early stage of disease. Acta Diabetologica, 2021, 58, 1425-1428.	1.2	0
158	Transthoracic Ultrasound-Guided Fine Needle Aspiration Biopsy in the Differential Diagnosis of Granulomatosis With Polyangiitis. Journal of Clinical Rheumatology, 2020, 26, e140-e141.	0.5	0
159	Albuminuria in parents with type 2 diabetes is associated with age-related increase in low-density lipoprotein cholesterol and increased albuminuria in non-diabetic offspring. Nephrology Dialysis Transplantation, 2021, 36, 378-379.	0.4	0