

Salvatore A De Cosmo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1814987/salvatore-a-de-cosmo-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157
papers

3,479
citations

32
h-index

52
g-index

163
ext. papers

4,184
ext. citations

5.1
avg, IF

4.75
L-index

#	Paper	IF	Citations
157	Podocyte number in normotensive type 1 diabetic patients with albuminuria. <i>Diabetes</i> , 2002 , 51, 3083-9	0.9	247
156	Atrasentan and renal events in patients with type 2 diabetes and chronic kidney disease (SONAR): a double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2019 , 393, 1937-1947	40	209
155	Effects on the incidence of cardiovascular events of the addition of pioglitazone versus sulfonylureas in patients with type 2 diabetes inadequately controlled with metformin (TOSCA.IT): a randomised, multicentre trial. <i>Lancet Diabetes and Endocrinology, the</i> , 2017 , 5, 887-897	18.1	154
154	Serum Uric Acid and Risk of CKD in Type 2 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1921-9	6.9	110
153	Heritability of serum resistin and its genetic correlation with insulin resistance-related features in nondiabetic Caucasians. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 2792-5	5.6	108
152	A functional variant of the adipocyte glycerol channel aquaporin 7 gene is associated with obesity and related metabolic abnormalities. <i>Diabetes</i> , 2007 , 56, 1468-74	0.9	95
151	The functional Q84R polymorphism of mammalian Tribbles homolog TRB3 is associated with insulin resistance and related cardiovascular risk in Caucasians from Italy. <i>Diabetes</i> , 2005 , 54, 2807-11	0.9	89
150	Gastrointestinal motor dysfunction, symptoms, and neuropathy in noninsulin-dependent (type 2) diabetes mellitus. <i>Journal of Clinical Gastroenterology</i> , 1999 , 29, 171-7	3	89
149	Increased urinary albumin excretion, insulin resistance, and related cardiovascular risk factors in patients with type 2 diabetes: evidence of a sex-specific association. <i>Diabetes Care</i> , 2005 , 28, 910-5	14.6	79
148	Angiotensin-converting enzyme inhibitors, angiotensin receptor blockers and combined therapy in patients with micro- and macroalbuminuria and other cardiovascular risk factors: a systematic review of randomized controlled trials. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 2827-47	4.3	72
147	Urine proteome analysis may allow noninvasive differential diagnosis of diabetic nephropathy. <i>Diabetes Care</i> , 2010 , 33, 2409-15	14.6	70
146	Serum resistin, cardiovascular disease and all-cause mortality in patients with type 2 diabetes. <i>PLoS ONE</i> , 2014 , 8, e64729	3.7	63
145	Sexual dysfunction in women with ESRD requiring hemodialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012 , 7, 974-81	6.9	62
144	Role of hepatic autoregulation in defense against hypoglycemia in humans. <i>Journal of Clinical Investigation</i> , 1985 , 75, 1623-31	15.9	60
143	High prevalence of risk factors for cardiovascular disease in parents of IDDM patients with albuminuria. <i>Diabetologia</i> , 1997 , 40, 1191-6	10.3	59
142	Screening for silent myocardial ischaemia in type 2 diabetic patients with additional atherogenic risk factors: applicability and accuracy of the exercise stress test. <i>European Journal of Endocrinology</i> , 2002 , 147, 649-54	6.5	57
141	Plasma Triglycerides and HDL-C Levels Predict the Development of Diabetic Kidney Disease in Subjects With Type 2 Diabetes: The AMD Annals Initiative. <i>Diabetes Care</i> , 2016 , 39, 2278-2287	14.6	53

140	Non-alcoholic fatty liver disease: the role of nuclear receptors and circadian rhythmicity. <i>Liver International</i> , 2014 , 34, 1133-52	7.9	47
139	Alcoholic cardiomyopathy: What is known and what is not known. <i>European Journal of Internal Medicine</i> , 2017 , 43, 1-5	3.9	46
138	Variability in HbA1c, blood pressure, lipid parameters and serum uric acid, and risk of development of chronic kidney disease in type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1570-1578	6.7	45
137	High GADA titer increases the risk of insulin requirement in LADA patients: a 7-year follow-up (NIRAD study 7). <i>European Journal of Endocrinology</i> , 2014 , 171, 697-704	6.5	45
136	Mechanisms of glucagon secretion during insulin-induced hypoglycemia in man. Role of the beta cell and arterial hyperinsulinemia. <i>Journal of Clinical Investigation</i> , 1984 , 73, 917-22	15.9	42
135	The Burden of NAFLD and Its Characteristics in a Nationwide Population with Type 2 Diabetes. <i>Journal of Diabetes Research</i> , 2016 , 2016, 2931985	3.9	42
134	Development and validation of a predicting model of all-cause mortality in patients with type 2 diabetes. <i>Diabetes Care</i> , 2013 , 36, 2830-5	14.6	40
133	Kidney dysfunction and related cardiovascular risk factors among patients with type 2 diabetes. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 657-62	4.3	38
132	GLP-1 Receptor Agonists and Kidney Protection. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	37
131	The Biological Clock: A Pivotal Hub in Non-alcoholic Fatty Liver Disease Pathogenesis. <i>Frontiers in Physiology</i> , 2018 , 9, 193	4.6	37
130	Cigarette smoking is associated with low glomerular filtration rate in male patients with type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 2467-70	14.6	37
129	Insulin resistance and the cluster of abnormalities related to the metabolic syndrome are associated with reduced glomerular filtration rate in patients with type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 432-4	14.6	36
128	Prevalence and correlates of erectile dysfunction in men on chronic haemodialysis: a multinational cross-sectional study. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2479-88	4.3	35
127	The ENPP1 Q121 variant predicts major cardiovascular events in high-risk individuals: evidence for interaction with obesity in diabetic patients. <i>Diabetes</i> , 2011 , 60, 1000-7	0.9	33
126	A PC-1 amino acid variant (K121Q) is associated with faster progression of renal disease in patients with type 1 diabetes and albuminuria. <i>Diabetes</i> , 2000 , 49, 521-4	0.9	32
125	Factors associated with beta-cell dysfunction in type 2 diabetes: the BETADECLINE study. <i>PLoS ONE</i> , 2014 , 9, e109702	3.7	32
124	Achievement of therapeutic targets in patients with diabetes and chronic kidney disease: insights from the Associazione Medici Diabetologi Annals initiative. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30, 1526-33	4.3	31
123	Identifying patients with type 2 diabetes at high risk of microalbuminuria: results of the DEMAND (Developing Education on Microalbuminuria for Awareness of reNal and cardiovascular risk in Diabetes) Study. <i>Nephrology Dialysis Transplantation</i> , 2008 , 23, 1278-84	4.3	31

122	ENPP1 gene, insulin resistance and related clinical outcomes. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2007 , 10, 403-9	3.8	29
121	Glucose targets for preventing diabetic kidney disease and its progression. <i>The Cochrane Library</i> , 2017 , 6, CD010137	5.2	28
120	Predictors of chronic kidney disease in type 2 diabetes: A longitudinal study from the AMD Annals initiative. <i>Medicine (United States)</i> , 2016 , 95, e4007	1.8	28
119	The adrenergic contribution to glucose counterregulation in type I diabetes mellitus. Dependency on A-cell function and mediation through beta 2-adrenergic receptors. <i>Diabetes</i> , 1983 , 32, 887-893	0.9	28
118	Impact of the PPAR-gamma2 Pro12Ala polymorphism and ACE inhibitor therapy on new-onset microalbuminuria in type 2 diabetes: evidence from BENEDICT. <i>Diabetes</i> , 2009 , 58, 2920-9	0.9	25
117	Blood pressure status and the incidence of diabetic kidney disease in patients with hypertension and type 2 diabetes. <i>Journal of Hypertension</i> , 2016 , 34, 2090-8	1.9	24
116	Serum resistin and kidney function: a family-based study in non-diabetic, untreated individuals. <i>PLoS ONE</i> , 2012 , 7, e38414	3.7	23
115	PPAR γ P12A polymorphism and albuminuria in patients with type 2 diabetes: a meta-analysis of case-control studies. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 4011-6	4.3	23
114	Association of kidney disease measures with risk of renal function worsening in patients with hypertension and type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 419-426	3.2	22
113	Distribution of cardiovascular disease and retinopathy in patients with type 2 diabetes according to different classification systems for chronic kidney disease: a cross-sectional analysis of the renal insufficiency and cardiovascular events (RIACE) Italian multicenter study. <i>Cardiovascular Diabetology</i> , 2014 , 13, 59	8.7	22
112	Obesity and changes in urine albumin/creatinine ratio in patients with type 2 diabetes: the DEMAND study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010 , 20, 110-6	4.5	22
111	Diabetic kidney disease in the elderly: prevalence and clinical correlates. <i>BMC Geriatrics</i> , 2018 , 18, 38	4.1	21
110	Interaction of DIO2 T92A and PPARgamma2 P12A polymorphisms in the modulation of metabolic syndrome. <i>Obesity</i> , 2007 , 15, 2889-95	8	21
109	Resistant Hypertension, Time-Updated Blood Pressure Values and Renal Outcome in Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	20
108	Genetic Variant at the GLUL Locus Predicts All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 2658-63	0.9	18
107	Metabolic syndrome, serum uric acid and renal risk in patients with T2D. <i>PLoS ONE</i> , 2017 , 12, e0176058	3.7	18
106	Morphofunctional and signaling molecules overlap of the pineal gland and thymus: role and significance in aging. <i>Oncotarget</i> , 2016 , 7, 11972-83	3.3	18
105	Natural history and risk factors for diabetic kidney disease in patients with T2D: lessons from the AMD-annals. <i>Journal of Nephrology</i> , 2019 , 32, 517-525	4.8	18

104	The Long-Term Impact of Renin-Angiotensin System (RAS) Inhibition on Cardiorenal Outcomes (LIRICO): A Randomized, Controlled Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 2890-2899	12.7	18
103	Role of relationship between HbA1c, fibrinogen and HDL-cholesterol on cardiovascular disease in patients with type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2013 , 228, 247-8	3.1	16
102	Predictors of chronic kidney disease in type 1 diabetes: a longitudinal study from the AMD Annals initiative. <i>Scientific Reports</i> , 2017 , 7, 3313	4.9	16
101	Continuous subcutaneous insulin infusion in Italy: third national survey. <i>Diabetes Technology and Therapeutics</i> , 2015 , 17, 96-104	8.1	16
100	Association of the Q121 variant of ENPP1 gene with decreased kidney function among patients with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , 2009 , 53, 273-80	7.4	16
99	Sepsis in Internal Medicine wards: current knowledge, uncertainties and new approaches for management optimization. <i>Annals of Medicine</i> , 2017 , 49, 582-592	1.5	15
98	On the non-linear association between serum uric acid levels and all-cause mortality rate in patients with type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2017 , 260, 20-26	3.1	15
97	Occurrence over time and regression of nonalcoholic fatty liver disease in type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2878	7.5	15
96	The paradoxical association of adiponectin with mortality rate in patients with type 2 diabetes: evidence of synergism with kidney function. <i>Atherosclerosis</i> , 2016 , 245, 222-7	3.1	14
95	Serum Adiponectin and Glomerular Filtration Rate in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015 , 10, e0140631	3.7	14
94	IRS1 G972R missense polymorphism is associated with failure to oral antidiabetes drugs in white patients with type 2 diabetes from Italy. <i>Diabetes</i> , 2014 , 63, 3135-40	0.9	14
93	A polymorphism at the IL6ST (gp130) locus is associated with traits of the metabolic syndrome. <i>Obesity</i> , 2008 , 16, 205-10	8	14
92	Glutamine to arginine substitution at amino acid 84 of mammalian tribbles homolog TRIB3 and CKD in whites with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 688-9	7.4	14
91	Baclofen for the Treatment of Alcohol Use Disorder in Patients With Liver Cirrhosis: 10 Years After the First Evidence. <i>Frontiers in Psychiatry</i> , 2018 , 9, 474	5	14
90	Epidemiology of diabetic kidney disease in adult patients with type 1 diabetes in Italy: The AMD-Annals initiative. <i>Diabetes/Metabolism Research and Reviews</i> , 2017 , 33, e2873	7.5	13
89	Overall Quality of Care Predicts the Variability of Key Risk Factors for Complications in Type 2 Diabetes: An Observational, Longitudinal Retrospective Study. <i>Diabetes Care</i> , 2019 , 42, 514-519	14.6	13
88	Apparent Treatment Resistant Hypertension, Blood Pressure Control and the Progression of Chronic Kidney Disease in Patients with Type 2 Diabetes. <i>Kidney and Blood Pressure Research</i> , 2018 , 43, 422-438	3.1	13
87	An association study between epicardial fat thickness and cognitive impairment in the elderly. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 307, H1269-76	5.2	13

86	Relationship between ADIPOQ gene, circulating high molecular weight adiponectin and albuminuria in individuals with normal kidney function: evidence from a family-based study. <i>Diabetologia</i> , 2011 , 54, 812-8	10.3	13
85	The allelic variant of LAR gene promoter -127 bp T-->A is associated with reduced risk of obesity and other features related to insulin resistance. <i>Journal of Molecular Medicine</i> , 2004 , 82, 459-66	5.5	13
84	The role of PC-1 and ACE genes in diabetic nephropathy in type 1 diabetic patients: evidence for a polygenic control of kidney disease progression. <i>Nephrology Dialysis Transplantation</i> , 2002 , 17, 1402-7	4.3	13
83	Long-term blood pressure variability and development of chronic kidney disease in type 2 diabetes. <i>Journal of Hypertension</i> , 2019 , 37, 805-813	1.9	13
82	Role of PC-1 and ACE genes on insulin resistance and cardiac mass in never-treated hypertensive patients. Suggestive evidence for a digenic additive modulation. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 181-7	4.5	12
81	PC-1 amino acid variant Q121 is associated with a lower glomerular filtration rate in type 2 diabetic patients with abnormal albumin excretion rates. <i>Diabetes Care</i> , 2003 , 26, 2898-902	14.6	12
80	Blood pressure reduction and RAAS inhibition in diabetic kidney disease: therapeutic potentials and limitations. <i>Journal of Nephrology</i> , 2020 , 33, 949-963	4.8	12
79	Video-assisted thoracic surgery ultrasound (VATS-US) in the evaluation of subpleural disease: preliminary report of a systematic study. <i>Journal of Ultrasound</i> , 2020 , 23, 105-112	3.4	12
78	Trend over time in hepatic fibrosis score in a cohort of type 2 diabetes patients. <i>Diabetes Research and Clinical Practice</i> , 2018 , 135, 65-72	7.4	12
77	Klotho at the Edge of Alzheimer β Disease and Senile Depression. <i>Molecular Neurobiology</i> , 2019 , 56, 1908-1920	11	11
76	Identification and Clinical Characterization of Adult Patients with Multigenerational Diabetes Mellitus. <i>PLoS ONE</i> , 2015 , 10, e0135855	3.7	11
75	Clinical Approach to Diabetic Cardiomyopathy: A Review of Human Studies. <i>Current Medicinal Chemistry</i> , 2018 , 25, 1510-1524	4.3	11
74	Serum resistin is causally related to mortality risk in patients with type 2 diabetes: preliminary evidences from genetic data. <i>Scientific Reports</i> , 2017 , 7, 61	4.9	10
73	Atherogenic dyslipidemia and diabetic nephropathy. <i>Journal of Nephrology</i> , 2020 , 33, 1001-1008	4.8	10
72	Normoalbuminuric kidney impairment in patients with T1DM: insights from annals initiative. <i>Diabetology and Metabolic Syndrome</i> , 2018 , 10, 60	5.6	10
71	Estimation of Mortality Risk in Type 2 Diabetic Patients (ENFORCE): An Inexpensive and Parsimonious Prediction Model. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 4900-4908	5.6	10
70	Normoalbuminuric renal impairment and all-cause mortality in type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2014 , 51, 687-9	3.9	10
69	Metabolic syndrome is not a risk factor for kidney dysfunction in obese non-diabetic subjects. <i>Obesity</i> , 2008 , 16, 899-901	8	10

68	The Decorin gene 179 allelic variant is associated with a slower progression of renal disease in patients with type 1 diabetes. <i>Nephron</i> , 2002 , 92, 72-6	3.3	10
67	Serum resistin and glomerular filtration rate in patients with type 2 diabetes. <i>PLoS ONE</i> , 2015 , 10, e0119529	3.7	10
66	Incidence and correlated factors of beta cell failure in a 4-year follow-up of patients with type 2 diabetes: a longitudinal analysis of the BETADECLINE study. <i>Acta Diabetologica</i> , 2016 , 53, 761-7	3.9	10
65	Changes in albuminuria and renal outcome in patients with type 2 diabetes and hypertension: a real-life observational study. <i>Journal of Hypertension</i> , 2018 , 36, 1719-1728	1.9	9
64	Role of obesity on all-cause mortality in whites with type 2 diabetes from Italy. <i>Acta Diabetologica</i> , 2013 , 50, 971-6	3.9	9
63	Retinoid X Receptors Intersect the Molecular Clockwork in the Regulation of Liver Metabolism. <i>Frontiers in Endocrinology</i> , 2017 , 8, 24	5.7	9
62	Beta cell stress in a 4-year follow-up of patients with type 2 diabetes: A longitudinal analysis of the BetaDecline Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e3016	7.5	8
61	Digital ulcers in scleroderma patients: A retrospective observational study. <i>International Journal of Immunopathology and Pharmacology</i> , 2016 , 29, 180-7	3	8
60	Renal functional response to protein loading in type 1 (insulin-dependent) diabetic patients on normal or high salt intake. <i>Nephron</i> , 1997 , 76, 411-7		8
59	Scintigraphic oesophageal clearance in diabetics: clinical usefulness. <i>Nuclear Medicine Communications</i> , 1988 , 9, 955-64	1.6	8
58	The Synergic Association of hs-CRP and Serum Amyloid P Component in Predicting All-Cause Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 1025-1032	14.6	7
57	The rs12917707 polymorphism at the UMOD locus and glomerular filtration rate in individuals with type 2 diabetes: evidence of heterogeneity across two different European populations. <i>Nephrology Dialysis Transplantation</i> , 2017 , 32, 1718-1722	4.3	7
56	Joint effect of insulin signaling genes on all-cause mortality. <i>Atherosclerosis</i> , 2014 , 237, 639-44	3.1	7
55	Antihyperglycemic treatment in patients with type 2 diabetes in Italy: the impact of age and kidney function. <i>Oncotarget</i> , 2017 , 8, 62039-62048	3.3	7
54	Five-Year Predictors of Insulin Initiation in People with Type 2 Diabetes under Real-Life Conditions. <i>Journal of Diabetes Research</i> , 2018 , 2018, 7153087	3.9	7
53	Zolpidem high-dose abuse: what about the liver? Results from a series of 107 patients. <i>Expert Opinion on Drug Safety</i> , 2019 , 18, 753-758	4.1	6
52	Clock gene expression in human and mouse hepatic models shows similar periodicity but different dynamics of variation. <i>Chronobiology International</i> , 2016 , 33, 181-90	3.6	6
51	Does high-dose benzodiazepine abuse really produce liver toxicity? Results from a series of 201 benzodiazepine monoabusers. <i>Expert Opinion on Drug Safety</i> , 2018 , 17, 451-456	4.1	5

50	Cardio-ankle vascular index is associated with diabetic retinopathy in younger than 70 years patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2019 , 155, 107793	7.4	5
49	The 9p21 coronary artery disease locus and kidney dysfunction in patients with Type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 4411-3	4.3	5
48	Pneumothorax and Air Bronchogram in Transthoracic Ultrasound: Basic Considerations. <i>Ultrasound in Medicine and Biology</i> , 2019 , 45, 1500	3.5	4
47	Algorithms for personalized therapy of type 2 diabetes: results of a web-based international survey. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000109	4.5	4
46	Early renal abnormalities as an indicator of cardiovascular risk in type 2 diabetes. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2014 , 21, 257-60	2.9	4
45	Low eGFR Is a Strong Predictor of Worse Outcome in Hospitalized COVID-19 Patients. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	4
44	A multistep approach for the stratification of the risk of severe hypoglycemia in patients with type 2 diabetes. <i>Minerva Endocrinology</i> , 2018 , 43, 501-510	2.5	4
43	Prescription of Sulphonylureas among Patients with Type 2 Diabetes Mellitus in Italy: Results from the Retrospective, Observational Multicentre Cross-Sectional SUSCIPE (Sulphonyl_UreaS_Correct_Internal_Prescription_Evaluation) Study. <i>Diabetes Therapy</i> , 2020 , 11, 2105-2119	3.6	4
42	Variability in genes regulating vitamin D metabolism is associated with vitamin D levels in type 2 diabetes. <i>Oncotarget</i> , 2018 , 9, 34911-34918	3.3	4
41	The "Sapienza University Mortality and Morbidity Event Rate (SUMMER) study in diabetes": Study protocol. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 103-8	4.5	3
40	Predictors of mortality of bloodstream infections among internal medicine patients: Mind the complexity of the septic population!. <i>European Journal of Internal Medicine</i> , 2019 , 68, e22-e23	3.9	3
39	Analysis of MTNR1B gene polymorphisms in relationship with IRS2 gene variants, epicardial fat thickness, glucose homeostasis and cognitive performance in the elderly. <i>Chronobiology International</i> , 2017 , 34, 1083-1093	3.6	3
38	Target values of cardiovascular risk factors are not associated with all-cause mortality in patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , 2015 , 10, e0124536	3.7	3
37	Metabolic syndrome and albuminuria show an additive effect in modulating glomerular filtration rate in patients with Type 2 Diabetes Mellitus. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2009 , 3, 139-142	8.9	3
36	The use of procalcitonin for the management of sepsis in Internal Medicine wards: current evidence. <i>Panminerva Medica</i> , 2020 , 62, 54-62	2	3
35	Transthoracic ultrasound in children. <i>Journal of Ultrasound</i> , 2018 , 21, 355-356	3.4	3
34	Comment on Matricardi PM et al. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 997	4.2	2
33	Electrocardiographic alterations and raised procalcitonin levels during anaphylactic shock. <i>BMJ Case Reports</i> , 2020 , 13,	0.9	2

32	Commentary: Ultrasound-Guided Biopsy of Pleural-Based Pulmonary Lesions by Injection of Contrast-Enhancing Drugs. <i>Frontiers in Pharmacology</i> , 2020 , 11, 365	5.6	2
31	Urinary albumin excretion correlates with carotid intima-media thickness in offspring of patients with type 2 diabetes and albuminuria. <i>Acta Diabetologica</i> , 2016 , 53, 1045-1048	3.9	2
30	Chronic diarrhea in a patient with severe vitamin B12 deficiency: a rare clinical manifestation. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 763-4	2.4	2
29	Antihypertensive Treatment in Diabetic Kidney Disease: The Need for a Patient-Centered Approach. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	2
28	Kidney disease measures are associated with the burden of coronary atherosclerosis, independently of diabetes. <i>Acta Diabetologica</i> , 2017 , 54, 1065-1068	3.9	2
27	The IRS1 G972R polymorphism and glomerular filtration rate in patients with type 2 diabetes of European ancestry. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28, 3031-4	4.3	2
26	Increased cardiovascular risk among type 2 diabetic patients with high-normal albuminuria and no evidence of kidney impairment. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, e5-6	4.5	2
25	Remdesivir significantly reduces SARS-CoV-2 viral load on nasopharyngeal swabs in hospitalized patients with COVID-19: a retrospective case-control study.. <i>Journal of Medical Virology</i> , 2022 ,	19.7	2
24	Long-term blood pressure variability, incidence of hypertension and changes in renal function in type 2 diabetes. <i>Journal of Hypertension</i> , 2020 , 38, 2279-2286	1.9	2
23	Delta-Procalcitonin and Vitamin D Can Predict Mortality of Internal Medicine Patients with Microbiological Identified Sepsis. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	2
22	Management of celiac disease in daily clinical practice: do not forget depression!. <i>European Journal of Internal Medicine</i> , 2019 , 62, e17	3.9	2
21	Association of kidney disease measures with risk of renal function worsening in patients with type 1 diabetes. <i>BMC Nephrology</i> , 2018 , 19, 347	2.7	2
20	Circulating Metabolites Associate with and Improve the Prediction of All-Cause Mortality in Type 2 Diabetes.. <i>Diabetes</i> , 2022 ,	0.9	2
19	Chronic inflammation in offspring of patients with type 2 diabetes and albuminuria. <i>Acta Diabetologica</i> , 2016 , 53, 125-6	3.9	1
18	The role of medical history in the diagnostic process of unexplainable weight loss. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	1
17	Impact of CVOTs in primary and secondary prevention of kidney disease. <i>Diabetes Research and Clinical Practice</i> , 2019 , 157, 107907	7.4	1
16	A rare cause of shortness of breath: relaxatio diaphragmatica. <i>Internal and Emergency Medicine</i> , 2015 , 10, 1031-2	3.7	1
15	Akt2 Gene common allelic variants in insulin resistance and the metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 263-70	4.5	1

14	Lung Ultrasonography in Pediatric Cardiac Surgery: A Complementary Diagnostic Tool. <i>Annals of Thoracic Surgery</i> , 2020 , 109, 1946	2.7	1
13	Transthoracic ultrasound shear wave elastography for the study of subpleural lung lesions. <i>Ultrasonography</i> , 2021 ,	4.3	1
12	A Serum Resistin and Multicytokine Inflammatory Pathway Is Linked With and Helps Predict All-cause Death in Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e4350-e4359	5.6	1
11	Takotsubo Syndrome and Inflammatory Bowel Diseases: Does a Link Exist?. <i>Digestive Diseases</i> , 2020 , 38, 204-210	3.2	1
10	Lung ultrasonography in pulmonary tuberculosis: Integrating chest radiology?. <i>European Journal of Internal Medicine</i> , 2019 , 69, e17-e18	3.9	0
9	Lack of evidence for the 1484insG variant at the 3PUTR of the protein tyrosine phosphatase 1B (PTP1B) gene as a genetic determinant of diabetic nephropathy development in type 1 diabetic patients. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 2419-20	4.3	0
8	Low eGFR and albuminuria independently predict all-cause mortality in high-risk subjects undergoing coronary arteriography. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	0
7	Metabolink: m-Health Solution Enabling Patient-Centered Care and Empowerment for Well-Being and Active Ageing. <i>Biosystems and Biorobotics</i> , 2015 , 357-365	0.2	0
6	Albuminuria in parents with type 2 diabetes is associated with age-related increase in low-density lipoprotein cholesterol and increased albuminuria in non-diabetic offspring. <i>Nephrology Dialysis Transplantation</i> , 2021 , 36, 378-379	4.3	
5	Transthoracic Ultrasound-Guided Fine Needle Aspiration Biopsy in the Differential Diagnosis of Granulomatosis With Polyangiitis. <i>Journal of Clinical Rheumatology</i> , 2020 , 26, e140-e141	1.1	
4	Ocular involvement in Behçet's disease: relevance of new diagnostic tools. <i>Rheumatology Advances in Practice</i> , 2020 , 4, rkaa038	1.1	
3	All-cause mortality prediction models in type 2 diabetes: applicability in the early stage of disease. <i>Acta Diabetologica</i> , 2021 , 58, 1425-1428	3.9	
2	The PPAR α P12A polymorphism is not associated with all-cause mortality in patients with type 2 diabetes mellitus. <i>Endocrine</i> , 2016 , 54, 38-46	4	
1	BonyHeart. <i>BMJ Case Reports</i> , 2019 , 12,	0.9	