Xiaoyan Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1815794/publications.pdf Version: 2024-02-01



Χιλογλη Γιμ

#	Article	IF	CITATIONS
1	A pH-targeted and NIR-responsive NaCl-nanocarrier for photothermal therapy and ion-interference therapy. Nanomedicine: Nanotechnology, Biology, and Medicine, 2022, 39, 102460.	3.3	8
2	Sequential detection of H2S and HOBr with a novel lysosome-targetable fluorescent probe and its application in biological imaging. Journal of Hazardous Materials, 2022, 422, 126898.	12.4	14
3	A novel fluorescent probe with large Stokes shift for accurate detection of HOCl in mitochondria and its imaging application. Analytica Chimica Acta, 2022, 1191, 339287.	5.4	20
4	One-pot synthesis of a peroxidase-like nanozyme and its application in visual assay for tyrosinase activity. Talanta, 2022, 239, 123088.	5.5	12
5	N-quaternization of heterocyclic compound extended the emission to NIR with large Stokes shift and its application in constructing fluorescent probe. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2022, 267, 120566.	3.9	4
6	A water-soluble near-infrared fluorescent probe for monitoring change of hydrogen sulfide during cell damage and repair process. Analytica Chimica Acta, 2022, 1195, 339457.	5.4	12
7	A novel H2O2 activated NIR fluorescent probe for accurately visualizing H2S fluctuation during oxidative stress. Analytica Chimica Acta, 2022, 1202, 339670.	5.4	13
8	A dual-response fluorescent probe for detection and bioimaging of hydrazine and cyanide with different fluorescence signals. Talanta, 2021, 221, 121606.	5.5	54
9	A dual enzyme-containing microreactor for consecutive digestion based on hydrophilic ZIF-90 with size-selective sheltering. Colloids and Surfaces B: Biointerfaces, 2021, 197, 111422.	5.0	17
10	A feasible self-assembled near-infrared fluorescence sensor for acid phosphatase detection and cell imaging. Analyst, The, 2021, 146, 5558-5566.	3.5	2
11	A dual-signal fluorescent probe for detection of acid phosphatase. Analytical and Bioanalytical Chemistry, 2021, 413, 3925-3932.	3.7	9
12	A fluorescent probe for bioimaging of Hexosaminidases activity and exploration of drug-induced kidney injury in living cell. Talanta, 2021, 228, 122189.	5.5	6
13	A fluorescent and colorimetric dual-channel sensor based on acid phosphatase–triggered blocking of internal filtration effect. Mikrochimica Acta, 2021, 188, 282.	5.0	8
14	One-step self-assembly of magnetic supramolecular metal-organic coordination functionalized MoS2 complex as nanoenzyme-reactor. Colloids and Surfaces B: Biointerfaces, 2021, 205, 111879.	5.0	2
15	Ratiometric fluorescent detection and imaging of microRNA in living cells with manganese dioxide nanosheet-active DNAzyme. Talanta, 2021, 233, 122518.	5.5	9
16	A NIR Turn-on Fluorescent Sensor For Detection of Chloride Ions inÂvitro and inÂvivo. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 228, 117729.	3.9	7
17	A merocyanine-based dual-mode optical probe for detection of hydrazine and its bioimaging application inÂvitro and vivo. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2020, 226, 117625.	3.9	21
18	Fabrication of a water-soluble near-infrared fluorescent probe for selective detection and imaging of dipeptidyl peptidase IV in biological systems. Journal of Materials Chemistry B, 2020, 8, 767-775.	5.8	16

Xiaoyan Liu

#	Article	IF	CITATIONS
19	Solvent-Free Synthetic Fe3O4@ZIF-8 Coated Lipase as a Magnetic-Responsive Pickering Emulsifier for Interfacial Biocatalysis. Catalysis Letters, 2020, 150, 3608-3616.	2.6	16
20	Magnetic organic porous polymer as a solid-phase extraction adsorbent for enrichment and quantitation of gastric cancer biomarkers (P-cresol and 4-hydroxybenzoic acid) in urine samples by UPLC. Mikrochimica Acta, 2020, 187, 388.	5.0	4
21	Gelatin nanoparticles transport DNA probes for detection and imaging of telomerase and microRNA in living cells. Talanta, 2020, 218, 121100.	5.5	6
22	Molecularly imprinted gelatin nanoparticles for DNA delivery and in-situ fluorescence imaging of telomerase activity. Mikrochimica Acta, 2019, 186, 610.	5.0	8
23	Fe3O4@MoS2@PEI-facilitated enzyme tethering for efficient removal of persistent organic pollutants in water. Chemical Engineering Journal, 2019, 375, 121947.	12.7	57
24	Detection of DNA 3'-phosphatase activity based on exonuclease III-assisted cascade recycling amplification reaction. Talanta, 2019, 204, 499-506.	5.5	17
25	Organized cryogel composites with 3D hierarchical porosity as an extraction adsorbent for nucleosides. Journal of Separation Science, 2019, 42, 2140-2147.	2.5	6
26	Facile Fabrication of a Novel and Reusable 3D Laccase Reactor for Efficient Removal of Pollutants from Wastewater. Catalysis Letters, 2019, 149, 2706-2717.	2.6	7
27	A non-peptide NIR fluorescent probe for detection of chymotrypsin and its imaging application. Journal of Materials Chemistry B, 2019, 7, 2974-2980.	5.8	20
28	3D cryogel composites as adsorbent for isolation of protein and small molecules. Talanta, 2019, 191, 229-234.	5.5	19
29	Lysosome-targeted two-photon fluorescent probe for detection of hypobromous acid in vitro and in vivo. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2019, 212, 48-54.	3.9	22
30	Development of a nitrogen-rich hyperbranched polymer as adsorbent for enrichment and determination of auxins in plants. Analytical and Bioanalytical Chemistry, 2019, 411, 1409-1419.	3.7	5
31	Sensitive naked eye detection and quantification assay for nitrite by a fluorescence probe in various water resources. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 200, 275-280.	3.9	28
32	A boronate-decorated porous carbon material derived from a zinc-based metal–organic framework for enrichment of <i>cis</i> -diol-containing nucleosides. New Journal of Chemistry, 2018, 42, 2288-2294.	2.8	21
33	Facile synthesis of copper(II)-decorated functional mesoporous material for specific adsorption of histidine-rich proteins. Talanta, 2018, 176, 308-317.	5.5	30
34	Selective, fast and semi-automatic enrichment of nucleosides by using a phenylboronic acid modified hybrid material composed of graphene oxide and melamine sponge. Mikrochimica Acta, 2018, 185, 348.	5.0	9
35	Isolation of transferrin by imprinted nanoparticles with magnetic deep eutectic solvents as monomer. Analytical and Bioanalytical Chemistry, 2018, 410, 6237-6245.	3.7	33
36	A new three-dimensional zinc-based metal-organic framework as a fluorescent sensor for detection of cadmium ion and nitrobenzene. Journal of Colloid and Interface Science, 2018, 513, 418-426.	9.4	77

Xiaoyan Liu

#	Article	IF	CITATIONS
37	Synthesis and application of ratio fluorescence probe for chloride. Analytical and Bioanalytical Chemistry, 2018, 410, 6507-6516.	3.7	11
38	Fluorescent probes for chloride ions in biological samples. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018, 205, 428-434.	3.9	7
39	Preparation of polysulfone materials on nickel foam for solid-phase microextraction of floxacin in water and biological samples. Analytical and Bioanalytical Chemistry, 2017, 409, 3127-3133.	3.7	11
40	A filter paper coated with phenylboronic acid-modified mesoporous silica for enrichment of intracellular nucleosides prior to their quantitation by HPLC. Mikrochimica Acta, 2017, 184, 4007-4013.	5.0	9
41	Surfactant assisted enrichment of nucleosides by using a sorbent consisting of magnetic polysulfone capsules and mesoporous silica nanoparticles modified with phenylboronic acid. Mikrochimica Acta, 2017, 184, 271-278.	5.0	18
42	Fabrication of diverse pH-sensitive functional mesoporous silica for selective removal or depletion of highly abundant proteins from biological samples. Talanta, 2017, 162, 380-389.	5.5	7
43	A new fluorescence turn-on probe for biothiols based on photoinduced electron transfer and its application in living cells. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 166, 31-37.	3.9	13
44	A near-infrared fluorescent probe based on chloroacetate modified naphthofluorescein for selectively detecting cysteine/homocysteine and its application in living cells. Photochemical and Photobiological Sciences, 2016, 15, 1393-1399.	2.9	11
45	Naphthalimide derived fluorescent probes with turn-on response for Au3+ and the application for biological visualization. Biosensors and Bioelectronics, 2016, 83, 334-338.	10.1	27
46	Highly selective capture of nucleosides with boronic acid functionalized polymer brushes prepared by atom transfer radical polymerization. Journal of Separation Science, 2016, 39, 1347-1356.	2.5	17
47	Colorimetric and fluorometric monitoring of the helix composition of collagen-like peptides at the nM level. Chemical Communications, 2016, 52, 3107-3110.	4.1	15
48	Binary boronic acid-functionalized attapulgite with high adsorption capacity for selective capture of nucleosides at acidic pH values. Mikrochimica Acta, 2016, 183, 1779-1786.	5.0	25
49	Fabrication of highly hydrophobic organic–inorganic hybrid magnetic polysulfone microcapsules: A lab-scale feasibility study for removal of oil and organic dyes from environmental aqueous samples. Journal of Hazardous Materials, 2016, 309, 65-76.	12.4	43
50	A phosphinate-based near-infrared fluorescence probe for imaging the superoxide radical anion in vitro and in vivo. Chemical Communications, 2016, 52, 2679-2682.	4.1	100
51	A Nearâ€Infrared Fluorescence Probe for Thiols Based on Analyteâ€Specific Cleavage of Carbamate and Its Application in Bioimaging. European Journal of Organic Chemistry, 2015, 2015, 1711-1718.	2.4	27
52	Synthesis of boronic-acid-functionalized magnetic attapulgite for selective enrichment of nucleosides. Analytical and Bioanalytical Chemistry, 2015, 407, 3525-3529.	3.7	38
53	Atom transfer radical polymerization of diverse functional SBA-15 for selective separation of proteins. Microporous and Mesoporous Materials, 2014, 200, 165-173.	4.4	14
54	Preparation, chromatographic evaluation and comparison of cystine- and cysteine-bonded stationary phases. Analytical Methods, 2014, 6, 2205-2214.	2.7	7

XIAOYAN LIU

#	Article	IF	CITATIONS
55	Hepatotoxicity induced by ZnO quantum dots in mice. RSC Advances, 2014, 4, 5642.	3.6	18
56	A new strategy to prepare glutathione responsive silica nanoparticles. RSC Advances, 2013, 3, 17700.	3.6	19
57	Development of hyperbranched polymers with non-covalent interactions for extraction and determination of aflatoxins in cereal samples. Analytica Chimica Acta, 2013, 797, 40-49.	5.4	28
58	Bifunctionalized SBA-15 as a novel micropipette tip sorbent for selective removal and enrichment of biomolecules. Analyst, The, 2011, 136, 4710.	3.5	4
59	Evaluation of a magnetic polysulfone microcapsule containing organic modified montmorillonite as a novel solid-phase extraction sorbent with chlorophenols as model compounds. Talanta, 2011, 85, 2451-2457.	5.5	49
60	Preparation and Evaluation of Poly-l-Lysine Stationary Phase for Hydrophilic Interaction/Reversed-Phase Mixed-Mode Chromatography. Chromatographia, 2011, 74, 523-530.	1.3	41
61	Oxidized Multiwalled Carbon Nanotubes as an SPME Fiber Coating for Rapid LC–UV Analysis of Benzimidazole Fungicides in Water. Chromatographia, 2009, 70, 753-759.	1.3	31
62	A Chemometric Strategy for Optimization of Solid-Phase Microextraction: Determination of Bisphenol A and 4-Nonylphenol with HPLC. Journal of Chromatographic Science, 2008, 46, 596-600.	1.4	11
63	Elimination of matrix effects in the determination of bisphenol A in milk by solid-phase microextraction–high-performance liquid chromatography. Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment, 2008, 25, 772-778.	2.3	34
64	Oxidized multiwalled carbon nanotubes as a novel solid-phase microextraction fiber for determination of phenols in aqueous samples. Journal of Chromatography A, 2007, 1165, 10-17.	3.7	215