

# Lidia Segura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1815950/publications.pdf>

Version: 2024-02-01

31  
papers

1,067  
citations

471061

17  
h-index

433756

31  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1349  
citing authors

#	ARTICLE	IF	CITATIONS
1	Mental ill-health during COVID-19 confinement. BMC Psychiatry, 2021, 21, 194.	1.1	21
2	A randomized controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website (EFAR Spain). Internet Interventions, 2021, 26, 100446.	1.4	4
3	Digital brief interventions for risky drinkers are not the panacea: A pilot study exploring barriers for its implementation according to professionals' perceptions. Health Informatics Journal, 2020, 26, 925-933.	1.1	1
4	Patterns of alcohol use among men receiving treatment for heroin and/or cocaine use in England, Brazil and Spain. A cross-country analysis. Drugs: Education, Prevention and Policy, 2020, 27, 297-305.	0.8	1
5	Factors affecting engagement of primary health care professionals and their patients in facilitated access to online alcohol screening and brief intervention. International Journal of Medical Informatics, 2019, 127, 95-101.	1.6	1
6	Effectiveness of a Specialized Brief Intervention for At-Risk Drinkers in an Emergency Department: Short-Term Results of a Randomized Controlled Trial. Academic Emergency Medicine, 2018, 25, 517-525.	0.8	22
7	Alcohol, tobacco and health care costs: a population-wide cohort study (n = 606 947 patients) of current drinkers based on medical and administrative health records from Catalonia. European Journal of Public Health, 2018, 28, 674-680.	0.1	10
8	Risky Alcohol Use: The Impact on Health Service Use. European Addiction Research, 2018, 24, 234-244.	1.3	18
9	Optimizing the delivery of interventions for harmful alcohol use in primary healthcare. Current Opinion in Psychiatry, 2018, 31, 324-332.	3.1	8
10	Delivery of Brief Interventions for Heavy Drinking in Primary Care: Outcomes of the ODHIN 5-Country Cluster Randomized Trial. Annals of Family Medicine, 2017, 15, 335-340.	0.9	31
11	Impact of practice, provider and patient characteristics on delivering screening and brief advice for heavy drinking in primary healthcare: Secondary analyses of data from the ODHIN five-country cluster randomized factorial trial. European Journal of General Practice, 2017, 23, 241-245.	0.9	8
12	Attitudes and Learning through Practice Are Key to Delivering Brief Interventions for Heavy Drinking in Primary Health Care: Analyses from the ODHIN Five Country Cluster Randomized Factorial Trial. International Journal of Environmental Research and Public Health, 2017, 14, 121.	1.2	25
13	Improving the delivery of brief interventions for heavy drinking in primary health care: outcome results of the Optimizing Delivery of Health Care Intervention (ODHIN) five-country cluster randomized factorial trial. Addiction, 2016, 111, 1935-1945.	1.7	73
14	Implementing referral to an electronic alcohol brief advice website in primary healthcare: results from the ODHIN implementation trial. BMJ Open, 2016, 6, e010271.	0.8	14
15	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. Implementation Science, 2015, 11, 96.	2.5	8
16	Factors associated with physical or sexual intimate partner violence perpetration by men attending substance misuse treatment in Catalunya: A mixed methods study. Criminal Behaviour and Mental Health, 2015, 25, 239-257.	0.4	26
17	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. Alcohol and Alcoholism, 2015, 50, 430-437.	0.9	32
18	Managing Alcohol Problems in General Practice in Europe: Results from the European ODHIN Survey of General Practitioners. Alcohol and Alcoholism, 2014, 49, 531-539.	0.9	61

#	ARTICLE	IF	CITATIONS
19	Brief Interventions Implementation on Alcohol from the European Health Systems Perspective. <i>Frontiers in Psychiatry</i> , 2014, 5, 161.	1.3	28
20	A randomised controlled non-inferiority trial of primary care-based facilitated access to an alcohol reduction website (EFAR Spain): the study protocol. <i>BMJ Open</i> , 2014, 4, e007130.	0.8	21
21	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. <i>Implementation Science</i> , 2013, 8, 11.	2.5	44
22	Alcohol and older people. The European project VINTAGE: Good Health into Older Age. Design, methods and major results. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2012, 48, 221-231.	0.2	13
23	Good practices for the prevention of alcohol harmful use amongst the elderly in Europe, the VINTAGE project. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2012, 48, 248-255.	0.2	5
24	Do infrastructures impact on alcohol policy making?. <i>Addiction</i> , 2011, 106, 47-54.	1.7	5
25	The research translation problem: Alcohol screening and brief intervention in primary care "Real world evidence supports theory. <i>Drugs: Education, Prevention and Policy</i> , 2010, 17, 732-748.	0.8	24
26	A Double-Blind, Placebo-Controlled Study of Olanzapine in the Treatment of Alcohol-Dependence Disorder. <i>Alcoholism: Clinical and Experimental Research</i> , 2004, 28, 736-745.	1.4	54
27	AUDIT-3 AND AUDIT-4: EFFECTIVENESS OF TWO SHORT FORMS OF THE ALCOHOL USE DISORDERS IDENTIFICATION TEST. <i>Alcohol and Alcoholism</i> , 2002, 37, 591-596.	0.9	258
28	A Double-Blind, Placebo-Controlled Study of Naltrexone in the Treatment of Alcohol-Dependence Disorder: Results from a Multicenter Clinical Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2002, 26, 1381-1387.	1.4	100
29	The apomorphine test: a biological marker for heroin dependence disorder?. <i>Addiction Biology</i> , 2002, 7, 421-426.	1.4	5
30	A Double-Blind, Placebo-Controlled Study of Naltrexone in the Treatment of Alcohol-Dependence Disorder: Results from a Multicenter Clinical Trial. , 2002, 26, 1381.		2
31	Striatal Dopaminergic D <sub>2</sub> Receptor Density Measured by [ <sup>123</sup> I]Iodobenzamide SPECT in the Prediction of Treatment Outcome of Alcohol-Dependent Patients. <i>American Journal of Psychiatry</i> , 2000, 157, 127-129.	4.0	94