

# John T Mcdevitt

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1815994/john-t-mcdevitt-publications-by-citations.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161  
papers

5,706  
citations

39  
h-index

72  
g-index

173  
ext. papers

6,135  
ext. citations

7.1  
avg, IF

5.03  
L-index

#	Paper	IF	Citations
161	Aptamer-based sensor arrays for the detection and quantitation of proteins. <i>Analytical Chemistry</i> , <b>2004</b> , 76, 4066-75	7.8	274
160	Current developments in salivary diagnostics. <i>Biomarkers in Medicine</i> , <b>2010</b> , 4, 171-89	2.3	242
159	Differential receptors create patterns diagnostic for ATP and GTP. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 1114-5	16.4	207
158	Nano-bio-chips for high performance multiplexed protein detection: determinations of cancer biomarkers in serum and saliva using quantum dot bioconjugate labels. <i>Biosensors and Bioelectronics</i> , <b>2009</b> , 24, 3622-9	11.8	206
157	Solution-Based Analysis of Multiple Analytes by a Sensor Array: Toward the Development of an Electronic Tongue <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 6429-6430	16.4	187
156	Application of microchip assay system for the measurement of C-reactive protein in human saliva. <i>Lab on A Chip</i> , <b>2005</b> , 5, 261-9	7.2	186
155	Development of multianalyte sensor arrays composed of chemically derivatized polymeric microspheres localized in micromachined cavities. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 2559-70	16.4	171
154	Self-Assembly of Conjugated Polymers at the Air/Water Interface. Structure and Properties of Langmuir and Langmuir-Blodgett Films of Amphiphilic Regioregular Polythiophenes. <i>Journal of the American Chemical Society</i> , <b>2000</b> , 122, 5788-5800	16.4	166
153	Boronic acid based peptidic receptors for pattern-based saccharide sensing in neutral aqueous media, an application in real-life samples. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 13575-83	16.4	157
152	A microchip CD4 counting method for HIV monitoring in resource-poor settings. <i>PLoS Medicine</i> , <b>2005</b> , 2, e182	11.6	153
151	A microchip-based multianalyte assay system for the assessment of cardiac risk. <i>Analytical Chemistry</i> , <b>2002</b> , 74, 3030-6	7.8	144
150	Use of saliva-based nano-biochip tests for acute myocardial infarction at the point of care: a feasibility study. <i>Clinical Chemistry</i> , <b>2009</b> , 55, 1530-8	5.5	141
149	DNA hybridization and discrimination of single-nucleotide mismatches using chip-based microbead arrays. <i>Analytical Chemistry</i> , <b>2003</b> , 75, 4732-9	7.8	136
148	Synthetic, electrochemical, optical, and conductivity studies of coordination polymers of iron, ruthenium, and osmium octaethylporphyrin. <i>Journal of the American Chemical Society</i> , <b>1987</b> , 109, 4606-4614	16.4	126
147	Differential receptors create patterns that distinguish various proteins. <i>Angewandte Chemie - International Edition</i> , <b>2005</b> , 44, 6375-8	16.4	122
146	A multicomponent sensing ensemble in solution: differentiation between structurally similar analytes. <i>Angewandte Chemie - International Edition</i> , <b>2003</b> , 42, 2070-2	16.4	110
145	Lab-on-a-chip methods for point-of-care measurements of salivary biomarkers of periodontitis. <i>Annals of the New York Academy of Sciences</i> , <b>2007</b> , 1098, 411-28	6.5	101

144	Intra- versus intergranular low-field magnetoresistance of Sr <sub>2</sub> FeMoO <sub>6</sub> thin films. <i>Applied Physics Letters</i> , <b>1999</b> , 75, 2812-2814	3.4	97
143	Nano-bio-chip sensor platform for examination of oral exfoliative cytology. <i>Cancer Prevention Research</i> , <b>2010</b> , 3, 518-28	3.2	81
142	Cell-based sensor for analysis of EGFR biomarker expression in oral cancer. <i>Lab on A Chip</i> , <b>2007</b> , 7, 995-1003	3.0	79
141	Conductive polymers derived from iron, ruthenium, and osmium metalloporphyrins: The shish-kebab approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1986</b> , 83, 4581-5	11.5	70
140	Citrate and calcium determination in flavored vodkas using artificial neural networks. <i>Tetrahedron</i> , <b>2003</b> , 59, 10089-10092	2.4	69
139	A microbead array chemical sensor using capillary-based sample introduction: toward the development of an "electronic tongue". <i>Biosensors and Bioelectronics</i> , <b>2005</b> , 21, 303-12	11.8	65
138	Polythiophene Nanowires. <i>Advanced Materials</i> , <b>1999</b> , 11, 1218-1221	24	65
137	Translational and clinical applications of salivary diagnostics. <i>Advances in Dental Research</i> , <b>2011</b> , 23, 375-80	8.0	63
136	A differential array of metalated synthetic receptors for the analysis of tripeptide mixtures. <i>Journal of the American Chemical Society</i> , <b>2005</b> , 127, 17405-11	16.4	59
135	Membrane-based on-line optical analysis system for rapid detection of bacteria and spores. <i>Biosensors and Bioelectronics</i> , <b>2005</b> , 20, 2079-88	11.8	59
134	Integration of semiconductor quantum dots into nano-bio-chip systems for enumeration of CD4+ T cell counts at the point-of-need. <i>Lab on A Chip</i> , <b>2008</b> , 8, 2079-90	7.2	58
133	Effect of tolerance factor and local distortion on magnetic properties of the perovskite manganites. <i>Applied Physics Letters</i> , <b>1999</b> , 75, 1146-1148	3.4	56
132	Programmable nano-bio-chip sensors: analytical meets clinical. <i>Analytical Chemistry</i> , <b>2010</b> , 82, 1571-9	7.8	55
131	Interobserver agreement in dysplasia grading: toward an enhanced gold standard for clinical pathology trials. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2015</b> , 120, 474-82.e2	2	54
130	A Continuous-Flow Polymerase Chain Reaction Microchip With Regional Velocity Control. <i>Journal of Microelectromechanical Systems</i> , <b>2006</b> , 15, 223-236	2.5	54
129	Location of biomarkers and reagents within agarose beads of a programmable bio-nano-chip. <i>Small</i> , <b>2011</b> , 7, 613-24	11	53
128	Clinical decision support tool and rapid point-of-care platform for determining disease severity in patients with COVID-19. <i>Lab on A Chip</i> , <b>2020</b> , 20, 2075-2085	7.2	52
127	Grain-boundary room-temperature low-field magnetoresistance in Sr <sub>2</sub> FeMoO <sub>6</sub> films. <i>Journal of Applied Physics</i> , <b>2000</b> , 87, 6761-6763	2.5	47

126	A multiplexable, microfluidic platform for the rapid quantitation of a biomarker panel for early ovarian cancer detection at the point-of-care. <i>Cancer Prevention Research</i> , <b>2015</b> , 8, 37-48	3.2	44
125	Perspective on diagnostics for global health. <i>IEEE Pulse</i> , <b>2011</b> , 2, 40-50	0.7	43
124	Utility of salivary biomarkers for demonstrating acute myocardial infarction. <i>Journal of Dental Research</i> , <b>2014</b> , 93, 72S-79S	8.1	40
123	Programmable nano-bio-chips: multifunctional clinical tools for use at the point-of-care. <i>Nanomedicine</i> , <b>2010</b> , 5, 143-55	5.6	36
122	Characterization of multicomponent monosaccharide solutions using an enzyme-based sensor array. <i>Analytical Biochemistry</i> , <b>2001</b> , 293, 178-84	3.1	36
121	Programmable Bio-nanochip Platform: A Point-of-Care Biosensor System with the Capacity To Learn. <i>Accounts of Chemical Research</i> , <b>2016</b> , 49, 1359-68	24.3	35
120	Point-of-Care Technologies for Precision Cardiovascular Care and Clinical Research: National Heart, Lung, and Blood Institute Working Group. <i>JACC Basic To Translational Science</i> , <b>2016</b> , 1, 73-86	8.7	34
119	Programmable bio-nanochip technology for the diagnosis of cardiovascular disease at the point-of-care. <i>Methodist DeBakey Cardiovascular Journal</i> , <b>2012</b> , 8, 6-12	2.1	33
118	Programmable bio-nano-chip systems for serum CA125 quantification: toward ovarian cancer diagnostics at the point-of-care. <i>Cancer Prevention Research</i> , <b>2012</b> , 5, 706-16	3.2	31
117	Multishell microspheres with integrated chromatographic and detection layers for use in array sensors. <i>Journal of the American Chemical Society</i> , <b>2003</b> , 125, 2870-1	16.4	31
116	Surveying the Surface Coordination Chemistry of a Superconductor: Spontaneous Adsorption of Monolayer Films of Redox-Active "Ligands" on YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> . <i>Journal of the American Chemical Society</i> , <b>1995</b> , 117, 6374-6375	16.4	31
115	Corrosion reactions of yttrium barium copper oxide (YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> ) and thallium barium calcium copper oxide (Tl <sub>2</sub> Ba <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10+x</sub> ) superconductor phases in aqueous environments. <i>Chemistry of Materials</i> , <b>1992</b> , 4, 953-959	9.6	31
114	Reversible modulation of T <sub>c</sub> in conductive polymer/high temperature superconductor assemblies. <i>Journal of the American Chemical Society</i> , <b>1993</b> , 115, 1196-1198	16.4	30
113	Fluid electrolyte solutions for electrochemistry at near liquid nitrogen temperatures. <i>Journal of the American Chemical Society</i> , <b>1989</b> , 111, 4528-4529	16.4	30
112	Disposable polydimethylsiloxane/silicon hybrid chips for protein detection. <i>Biosensors and Bioelectronics</i> , <b>2005</b> , 21, 574-80	11.8	29
111	Differential Receptors Create Patterns That Distinguish Various Proteins. <i>Angewandte Chemie</i> , <b>2005</b> , 117, 6533-6536	3.6	29
110	Environmental reactivity characteristics of copper-oxide superconductors. <i>Applied Physics Letters</i> , <b>1993</b> , 63, 548-550	3.4	29
109	Chain contribution to the Seebeck coefficient in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> . <i>Physical Review B</i> , <b>1995</b> , 51, 3250-3253		28

108	Oral fluids that detect cardiovascular disease biomarkers. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2012</b> , 114, 207-14	2	27
107	Porous bead-based diagnostic platforms: bridging the gaps in healthcare. <i>Sensors</i> , <b>2012</b> , 12, 15467-99	3.8	27
106	Toward the development of a lab-on-a-chip dual-function leukocyte and C-reactive protein analysis method for the assessment of inflammation and cardiac risk. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 2391-5	5.5	27
105	Improved corrosion resistance of cation substituted YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> □ <i>Applied Physics Letters</i> , <b>1995</b> , 66, 2900-2902	3.4	27
104	Programmable bio-nano-chip system: a flexible point-of-care platform for bioscience and clinical measurements. <i>Lab on A Chip</i> , <b>2015</b> , 15, 4020-31	7.2	26
103	Salivary and serum adiponectin and C-reactive protein levels in acute myocardial infarction related to body mass index and oral health. <i>Journal of Periodontal Research</i> , <b>2017</b> , 52, 419-427	4.3	26
102	Electrochemistry at YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> superconductor electrodes at temperatures above T <sub>c</sub> . <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , <b>1988</b> , 243, 465-474		26
101	'Cytology-on-a-chip' based sensors for monitoring of potentially malignant oral lesions. <i>Oral Oncology</i> , <b>2016</b> , 60, 103-11	4.4	25
100	Polypyrrole Growth on YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> -Modified with a Self-Assembled Monolayer of N-(3-Aminopropyl)pyrrole:□Hardwiring the Electroactive Hot Spots□ on a Superconductor Electrode. <i>Journal of the American Chemical Society</i> , <b>1996</b> , 118, 11295-11296	16.4	24
99	Electrochemistry of high-temperature superconductors. Challenges and opportunities. <i>Analytical Chemistry</i> , <b>1993</b> , 65, 535A-545A	7.8	24
98	Response of the double-layer capacitance of a high-temperature superconductor/fluid electrolyte interface to the onset of superconductivity. <i>Journal of the American Chemical Society</i> , <b>1992</b> , 114, 6771-6775	16.4	24
97	Application of programmable bio-nano-chip system for the quantitative detection of drugs of abuse in oral fluids. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 153, 306-13	4.9	23
96	Immobilization of a hexaphyrin(1.0.1.0.0.0) derivative onto a tentagel-amino resin and its use in uranyl cation detection. <i>Dalton Transactions</i> , <b>2008</b> , 1538-40	4.3	23
95	Relative corrosion reactivity and surface microstructure of yttrium barium copper oxide (YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> ) samples with different oxygen contents. <i>Chemistry of Materials</i> , <b>1993</b> , 5, 361-365	9.6	23
94	Liquid Phase Electrochemistry at Ultralow Temperatures. <i>Journal of the Electrochemical Society</i> , <b>1991</b> , 138, 2308-2315	3.9	23
93	Cardiac ScoreCard: A Diagnostic Multivariate Index Assay System for Predicting a Spectrum of Cardiovascular Disease. <i>Expert Systems With Applications</i> , <b>2016</b> , 54, 136-147	7.8	22
92	Development of a reliable materials base for superconducting electronics. <i>Journal of Materials Research</i> , <b>1997</b> , 12, 2958-2975	2.5	21
91	Environmental degradation properties of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> □ and Y <sub>0.6</sub> Ca <sub>0.4</sub> Ba <sub>1.6</sub> La <sub>0.4</sub> Cu <sub>3</sub> O <sub>7</sub> □ thin film structures. <i>Physica C: Superconductivity and Its Applications</i> , <b>1997</b> , 273, 223-232	1.3	20

90	A Multicomponent Sensing Ensemble in Solution: Differentiation between Structurally Similar Analytes. <i>Angewandte Chemie</i> , <b>2003</b> , 115, 2116-2118	3.6	20
89	Surface Coordination Chemistry of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> . <i>Langmuir</i> , <b>1998</b> , 14, 6505-6511	4	20
88	Optical and conductive properties of pyrazine-bridged iron, ruthenium and osmium octaethylporphyrin coordination polymers. <i>Synthetic Metals</i> , <b>1986</b> , 15, 129-140	3.6	20
87	Reaction of the oxygen-deficient YBa <sub>2</sub> Cu <sub>3</sub> O <sub>6</sub> phase with water. <i>Solid State Communications</i> , <b>1993</b> , 86, 11-14	1.6	19
86	Hot embossed polyethylene through-hole chips for bead-based microfluidic devices. <i>Biosensors and Bioelectronics</i> , <b>2013</b> , 42, 653-60	11.8	18
85	Chemically Tailored, Corrosion Resistant, High-Tc Phases. <i>Journal of the American Chemical Society</i> , <b>1994</b> , 116, 9389-9390	16.4	18
84	Managing COVID-19 With a Clinical Decision Support Tool in a Community Health Network: Algorithm Development and Validation. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e22033	7.6	18
83	Contact resistance measurements recorded at conductive polymer/high-temperature superconductor interfaces. <i>The Journal of Physical Chemistry</i> , <b>1993</b> , 97, 7796-7799		17
82	Modeling analyte transport and capture in porous bead sensors. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 2569-75	7.8	16
81	Infrared and Computational Studies of Spontaneously Adsorbed Amine Reagents on YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> : Structural Characterization of Monolayers atop Anisotropic Superconductor Surfaces. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 2733-2745	16.4	16
80	Electrochemically assessed corrosion reactivity of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> electrodes. <i>Journal of Electroanalytical Chemistry and Interfacial Electrochemistry</i> , <b>1990</b> , 295, 373-384		16
79	A disposable bio-nano-chip using agarose beads for high performance immunoassays. <i>Biosensors and Bioelectronics</i> , <b>2011</b> , 28, 251-6	11.8	15
78	The discriminatory power of differential receptor arrays is improved by prescreening-a demonstration in the analysis of tachykinins and similar peptides. <i>Angewandte Chemie - International Edition</i> , <b>2007</b> , 46, 8212-5	16.4	15
77	Do Alkanethiols Adsorb onto the Surfaces of TlBaCaCuO-Based High-Temperature Superconductors? The Critical Role of H <sub>2</sub> O Content on the Adsorption Process. <i>Langmuir</i> , <b>1996</b> , 12, 2622-2624	4.1	15
76	Molecular Level Control over the Surface and Interfacial Properties of High-Tc Superconductors. <i>Chemistry of Materials</i> , <b>1996</b> , 8, 811-813	9.6	15
75	Point-of-care oral cytology tool for the screening and assessment of potentially malignant oral lesions. <i>Cancer Cytopathology</i> , <b>2020</b> , 128, 207-220	3.9	14
74	Preparation and Characterization of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> /Polypyrrole Bilayer Structures. <i>Journal of the American Chemical Society</i> , <b>1994</b> , 116, 9979-9986	16.4	14
73	Optical devices based on dye-coated superconductor junctions: an example of a composite molecule-superconductor device. <i>Journal of the American Chemical Society</i> , <b>1992</b> , 114, 2737-2738	16.4	14

72	Evidence for high stability against water corrosion of NdBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> relative to YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> and EuBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> <i>Applied Physics Letters</i> , <b>2004</b> , 84, 1144-1146	3.4	13
71	Salivary biomarkers associated with myocardial necrosis: results from an alcohol septal ablation model. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , <b>2012</b> , 114, 616-23	2	12
70	Surface Cleaning and Adsorbate Layer Formation: Dual Role of Alkylamines in the Formation of Self-Assembled Monolayers on Cuprate Superconductors. <i>Journal of the American Chemical Society</i> , <b>1999</b> , 121, 7447-7448	16.4	12
69	A microchip-based assay for interleukin-6. <i>Methods in Molecular Biology</i> , <b>2007</b> , 385, 131-44	1.4	11
68	Effects of sample delivery on analyte capture in porous bead sensors. <i>Lab on A Chip</i> , <b>2012</b> , 12, 5249-56	7.2	10
67	Development of a cytology-based multivariate analytical risk index for oral cancer. <i>Oral Oncology</i> , <b>2019</b> , 92, 6-11	4.4	9
66	Environmental reactivity characteristics of K <sub>3</sub> C <sub>60</sub> and YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> high-temperature superconductor thin films. <i>Solid State Communications</i> , <b>1993</b> , 88, 431-434	1.6	9
65	X-Ray absorption spectroscopic studies of ruthenium $\beta$ ctaethylporphyrin dimers. <i>Journal of the Chemical Society Chemical Communications</i> , <b>1989</b> , 1360-1362		9
64	Clinical Decision Support Tool and Rapid Point-of-Care Platform for Determining Disease Severity in Patients with COVID-19 <b>2020</b> ,		9
63	Programmable bio-nanochip-based cytologic testing of oral potentially malignant disorders in Fanconi anemia. <i>Oral Diseases</i> , <b>2015</b> , 21, 593-601	3.5	8
62	Reversible modulation of superconductivity in YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-<math>\delta</math></sub> /polypyrrole sandwich structures <b>1994</b> , 2158, 238		8
61	Challenges and opportunities for translating medical microdevices: insights from the programmable bio-nano-chip. <i>Bioanalysis</i> , <b>2016</b> , 8, 905-19	2.1	7
60	Improved N-layer materials for high-T <sub>c</sub> superconductor/normal-metal/superconductor junctions and superconducting quantum interference device sensors. <i>Applied Physics Letters</i> , <b>1998</b> , 72, 848-850	3.4	7
59	Organic conductor/high-T <sub>c</sub> superconductor bilayer structures <b>1996</b> ,		7
58	Photoelectrochemical solar cells. <i>Journal of Chemical Education</i> , <b>1984</b> , 61, 217	2.4	7
57	A new bio-nanochip sensor aids oral cancer detection. <i>SPIE Newsroom</i> , <b>2011</b> ,		7
56	Sensors that Learn: The Evolution from Taste Fingerprints to Patterns of Early Disease Detection. <i>Micromachines</i> , <b>2019</b> , 10,	3.3	6
55	Risk Stratification of Oral Potentially Malignant Disorders in Fanconi Anemia Patients Using Autofluorescence Imaging and Cytology-On-A Chip Assay. <i>Translational Oncology</i> , <b>2018</b> , 11, 477-486	4.9	6



54	Use of a Self-Assembled Monolayer for the Preparation of Crystalline Organic Superconductor/High-Tc Superconductor Structures. <i>Chemistry of Materials</i> , <b>1996</b> , 8, 2693-2696	9.6	6
53	Electrochemical Response of YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7-x</sub> as a Function of Oxygen Content. <i>Journal of the Electrochemical Society</i> , <b>1992</b> , 139, 2340-2346	3.9	6
52	Epoxy-Encapsulated Ceramic Superconductor Microelectrodes. <i>Journal of the Electrochemical Society</i> , <b>1989</b> , 136, 3696-3701	3.9	6
51	Electronic absorptions in the high Tc superconductor YBa <sub>2</sub> Cu <sub>3</sub> O <sub>x</sub> . <i>Journal of the American Chemical Society</i> , <b>1988</b> , 110, 1301-1302	16.4	6
50	Self-assembled monolayer cleaning methods: Towards fabrication of clean high-temperature superconductor nanostructures. <i>Applied Physics Letters</i> , <b>2005</b> , 86, 154104	3.4	5
49	Physical and chemical properties of (Y <sub>1-x</sub> Cax)(Ba <sub>2-x</sub> Lax)Cu <sub>3</sub> O <sub>7-δ</sub> . <i>Journal of Superconductivity and Novel Magnetism</i> , <b>1995</b> , 8, 651-652		5
48	Antenna-coupled high-Tc bolometers for visible and near-infrared detection using organic dyes as light-harvesting layers. <i>Applied Physics Letters</i> , <b>1996</b> , 69, 688-690	3.4	5
47	Thermal diffusivity measurements of sub-micron organic dye thin films using a high temperature superconductor bolometer. <i>Applied Physics Letters</i> , <b>1998</b> , 73, 3387-3389	3.4	4
46	Possible induction of superconductivity in conductive polymer structures. <i>Synthetic Metals</i> , <b>1995</b> , 71, 1539-1542	3.6	4
45	Preparation, Characterization and Room Temperature Electrochemical Response of Bi <sub>2</sub> Sr <sub>2</sub> CaCu <sub>2</sub> O <sub>8</sub> Superconductor Microband Electrodes. <i>Journal of the Electrochemical Society</i> , <b>1991</b> , 138, 1346-1350	3.9	4
44	Microchip-based enumeration of human white blood cells. <i>Methods in Molecular Biology</i> , <b>2007</b> , 385, 53-64.	4.4	4
43	Predictive Modeling of Morbidity and Mortality in Patients Hospitalized With COVID-19 and its Clinical Implications: Algorithm Development and Interpretation. <i>Journal of Medical Internet Research</i> , <b>2021</b> , 23, e29514	7.6	4
42	Enhancement of performance in porous bead-based microchip sensors: Effects of chip geometry on bio-agent capture. <i>RSC Advances</i> , <b>2015</b> , 5, 48194-48206	3.7	3
41	Conductive polymer/high-Tc superconductor bilayer structures. <i>Synthetic Metals</i> , <b>1997</b> , 85, 1319-1322	3.6	3
40	Electrochemical and optical devices based on molecule/high-Tc superconductor structures. <i>Electrochimica Acta</i> , <b>1995</b> , 40, 1319-1329	6.7	3
39	Electron-Transfer Studies at YBa <sub>2</sub> Cu <sub>3</sub> O <sub>7</sub> , Bi <sub>2</sub> Sr <sub>2.2</sub> Ca <sub>0.8</sub> Cu <sub>2</sub> O <sub>8</sub> , and Tl <sub>2</sub> Ba <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>10</sub> . <i>ACS Symposium Series</i> , <b>1988</b> , 207-222	0.4	3
38	Next Generation Programmable Bio-Nano-Chip System for On-Site Detection in Oral Fluids. <i>Journal of Drug Abuse</i> , <b>2015</b> , 1, 1-6		3
37	Programmable bio-nano-chip system: a flexible diagnostic platform that learns. <i>Journal of Biosensors &amp; Bioelectronics</i> , <b>2015</b> , 6,		2



36	Enhanced Wavelength Selectivity in Molecular Dye Modified High-Tc Superconducting Detectors Using Mirror-Layer Structures. <i>Chemistry of Materials</i> , <b>1997</b> , 9, 1377-1384	9.6	2
35	Mimicking the Mammalian Sense of Taste Through Single-Component and Multicomponent Analyte Sensors. <i>ACS Symposium Series</i> , <b>2002</b> , 276-288	0.4	2
34	Conductive Polymer/Superconductor Thin Film Assemblies. <i>Molecular Crystals and Liquid Crystals</i> , <b>1994</b> , 256, 571-576		2
33	Relative Reactivity Trends OP High Temperature Superconductor Phases. <i>Materials Research Society Symposia Proceedings</i> , <b>1992</b> , 275, 711		2
32	Electrochemical investigations of various high-temperature superconductor phases. <i>Chemistry of Materials</i> , <b>1992</b> , 4, 1176-1181	9.6	2
31	A Search for New Classes of Conducting Polymers using 4d and 5d Metal Porphyrin Complexes <b>1990</b> , 359-366		2
30	Innovative Programmable Bio-Nano-Chip Digitizes Biology Using Sensors That Learn Bridging Biomarker Discovery and Clinical Implementation. <i>Frontiers in Public Health</i> , <b>2017</b> , 5, 110	6	1
29	Programmable bio-nano-chip system for saliva diagnostics <b>2014</b> ,		1
28	Molecular engineering of organic conductor / high-Tc superconductor assemblies. <i>Synthetic Metals</i> , <b>1997</b> , 84, 407-408	3.6	1
27	Disposable Polydimethylsiloxane/Silicon Hybrid Chips for Protein Detection <b>2004</b> , 331		1
26	Solution-based analysis of multiple analytes by a sensor array: toward the development of an electronic tongue <b>1998</b> , 3539, 17		1
25	Stability measurement of double-side-surface-coated Bi-2212 tape conductors in water environment. <i>Superconductor Science and Technology</i> , <b>1999</b> , 12, 601-605	3.1	1
24	Lithographically patterned superconductor bolometer detectors for visible and near-infrared radiation incorporating wavelength-selective light-absorbing elements <b>1999</b> , 3790, 160		1
23	A Four Color Optical Sensor: Wavelength-Selective Dye/Superconductor Assemblies. <i>ACS Symposium Series</i> , <b>1999</b> , 278-291	0.4	1
22	Improved J/sub c/ of bilayer YBa/sub 2/Cu/sub 3/O/sub 7-/spl delta// thin film structures. <i>IEEE Transactions on Applied Superconductivity</i> , <b>1999</b> , 9, 2002-2005	1.8	1
21	Morphological Studies of Conductive Polymers Deposited onto High-Tc Superconductors. <i>ACS Symposium Series</i> , <b>1995</b> , 308-316	0.4	1
20	Fabrication of Organic Dye-Coated High-TC Superconductor Optical Devices: Interface Chemistry and Properties. <i>Materials Research Society Symposia Proceedings</i> , <b>1993</b> , 328, 751		1
19	Conductive Polymer Switch for Controlling Superconductivity. <i>Materials Research Society Symposia Proceedings</i> , <b>1993</b> , 328, 757		1

18	Molecule/High-Tc Superconductor Structures as Optical Sensors. <i>Molecular Crystals and Liquid Crystals</i> , <b>1994</b> , 256, 577-582		1
17	XAS studies of ruthenium octaethylporphyrin dimers. <i>Physica B: Condensed Matter</i> , <b>1989</b> , 158, 217-218	2.8	1
16	Predictive modeling of morbidity and mortality in COVID-19 hospitalized patients and its clinical implications <b>2021</b> ,		1
15	Structural Characteristics of Self-Assembled Monolayers on a High-Tc Superconductor Probed by Reflection-Absorption Infrared Spectroscopy. <i>ACS Symposium Series</i> , <b>1999</b> , 168-179	0.4	0
14	Nanodevices: Location of Biomarkers and Reagents within Agarose Beads of a Programmable Nano-bio-chip (Small 5/2011). <i>Small</i> , <b>2011</b> , 7, 612-612		11
13	Application of superconducting technologies as chemical/biological agent electronic eyes <b>1997</b> , 2933, 48		
12	Color selective optical sensors based on dye/superconductor assemblies. <i>IEEE Transactions on Applied Superconductivity</i> , <b>1997</b> , 7, 3255-3258		1.8
11	Direct imaging by atomic force microscopy of surface-localized self-assembled monolayers on a cuprate superconductor and surface X-ray scattering analysis of analogous monolayers on the surface of water. <i>Thin Solid Films</i> , <b>2007</b> , 515, 8424-8429		2.2
10	Molybdenum Dioxide and Vanadium-Doped Molybdenum Dioxide Microcrystals in a Polymer Container.. <i>Materials Research Society Symposia Proceedings</i> , <b>2004</b> , 847, 245		
9	Two-Dimensional Crystalline Lattice Templating: A New Method for the Preparation of Polymer-Covered Metal and Alloyed Metal Nanorods by a Redox Process.. <i>Materials Research Society Symposia Proceedings</i> , <b>2004</b> , 847, 239		
8	Preparation of polymer-covered metal nanorods and metal microcrystals by intrinsic two-dimensional crystalline lattice templating. <i>Journal of Materials Research</i> , <b>2005</b> , 20, 3034-3046		2.5
7	Self Assembled Monolayer Methods in the Fabrication of High-Tc Superconductor SNS Junction Nano-Devices. <i>Materials Research Society Symposia Proceedings</i> , <b>2005</b> , 872, 1		
6	In Vitro Taste Sensors: Technology and Applications. <i>ACS Symposium Series</i> , <b>2002</b> , 262-275		0.4
5	MacSpartan Plus Wavefunction, Inc., 18401 Von Karman, Suite 370, Irvine, CA 92612. Phone: (714) 995-2120. E-mail: [email protected], <a href="http://www.wavefun.com">http://www.wavefun.com</a> . Pricing: academic \$449, government \$749, commercial \$999. <i>Journal of the American Chemical Society</i> , <b>1998</b> , 120, 847-847		16.4
4	Conductive Polymer / High-Tc Superconductor Assemblies. <i>Materials Research Society Symposia Proceedings</i> , <b>1993</b> , 304, 55		
3	Conductive Polymer / Superconductor Sandwich Structures. <i>Materials Research Society Symposia Proceedings</i> , <b>1993</b> , 318, 671		
2	Development of a Micromachined Fluidic Structure for a Biological and Chemical Sensor Array <b>2001</b> , 177-178		
1	Crystal Engineering for High-Tc Devices <b>1998</b> , 289-292		

