

Lijun Bai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1816286/publications.pdf>

Version: 2024-02-01

83
papers

2,257
citations

236833

25
h-index

254106

43
g-index

86
all docs

86
docs citations

86
times ranked

2264
citing authors

#	ARTICLE	IF	CITATIONS
1	Reorganized Hubs of Brain Functional Networks after Acute Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2023, 40, 63-73.	1.7	3
2	Single Mild Traumatic Brain Injury Deteriorates Progressive Interhemispheric Functional and Structural Connectivity. <i>Journal of Neurotrauma</i> , 2021, 38, 464-473.	1.7	26
3	Serum Neuron-Specific Enolase Levels Associated with Connectivity Alterations in Anterior Default Mode Network after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 1495-1505.	1.7	13
4	Cerebral Hemodynamic Correlates of Transcutaneous Auricular Vagal Nerve Stimulation in Consciousness Restoration: An Open-Label Pilot Study. <i>Frontiers in Neurology</i> , 2021, 12, 684791.	1.1	15
5	Accelerated Brain Aging in Mild Traumatic Brain Injury: Longitudinal Pattern Recognition with White Matter Integrity. <i>Journal of Neurotrauma</i> , 2021, 38, 2549-2559.	1.7	13
6	Decoupling of Structural and Functional Connectivity in Hubs and Cognitive Impairment After Mild Traumatic Brain Injury. <i>Brain Connectivity</i> , 2021, 11, 745-758.	0.8	18
7	A Longitudinal Study of White Matter Functional Network in Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2021, 38, 2686-2697.	1.7	14
8	Frontal White Matter Hyperintensities Effect on Default Mode Network Connectivity in Acute Mild Traumatic Brain Injury. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 793491.	1.7	3
9	The effect of white matter signal abnormalities on default mode network connectivity in mild cognitive impairment. <i>Human Brain Mapping</i> , 2020, 41, 1237-1248.	1.9	20
10	Strategic white matter injury associated with long-term information processing speed deficits in mild traumatic brain injury. <i>Human Brain Mapping</i> , 2020, 41, 4431-4441.	1.9	29
11	Mild traumatic brain injury is associated with effect of inflammation on structural changes of default mode network in those developing chronic pain. <i>Journal of Headache and Pain</i> , 2020, 21, 135.	2.5	13
12	Acupuncture Modulates Disrupted Whole-Brain Network after Ischemic Stroke: Evidence Based on Graph Theory Analysis. <i>Neural Plasticity</i> , 2020, 2020, 1-10.	1.0	21
13	Corpus callosum integrity loss predicts cognitive impairment in Leukoaraiosis. <i>Annals of Clinical and Translational Neurology</i> , 2020, 7, 2409-2420.	1.7	11
14	Acupuncture Enhances Communication between Cortices with Damaged White Matters in Poststroke Motor Impairment. <i>Evidence-based Complementary and Alternative Medicine</i> , 2019, 2019, 1-11.	0.5	10
15	Elevated Serum Levels of Inflammation-Related Cytokines in Mild Traumatic Brain Injury Are Associated With Cognitive Performance. <i>Frontiers in Neurology</i> , 2019, 10, 1120.	1.1	49
16	Severe asymptomatic carotid stenosis is associated with robust reductions in homotopic functional connectivity. <i>NeuroImage: Clinical</i> , 2019, 24, 102101.	1.4	14
17	Disruption of periaqueductal grey-default mode network functional connectivity predicts persistent post-traumatic headache in mild traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2019, 90, 326-332.	0.9	38
18	Sex differences in cerebral perfusion changes after mild traumatic brain injury: Longitudinal investigation and correlation with outcome. <i>Brain Research</i> , 2019, 1708, 93-99.	1.1	14

#	ARTICLE	IF	CITATIONS
19	Editorial: Balancing Act: Structural-Functional Circuit Disruptions and Compensations in Developing and Aging Brain Disorders. <i>Frontiers in Neural Circuits</i> , 2019, 13, 83.	1.4	0
20	Temporospatial Encoding of Acupuncture Effects in the Brain. , 2018, , 31-60.		1
21	Sex Differences in Abnormal Intrinsic Functional Connectivity After Acute Mild Traumatic Brain Injury. <i>Frontiers in Neural Circuits</i> , 2018, 12, 107.	1.4	7
22	Preliminary Evidence of Sex Differences in Cortical Thickness Following Acute Mild Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018, 9, 878.	1.1	11
23	The role of insula-cerebellum connection underlying aversive regulation with acupuncture. <i>Molecular Pain</i> , 2018, 14, 174480691878345.	1.0	13
24	Longitudinal Changes of Caudate-Based Resting State Functional Connectivity in Mild Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018, 9, 467.	1.1	13
25	Findings of Acupuncture Mechanisms Using EEG and MEG. , 2018, , 91-124.		2
26	Interaction of acupuncture treatment and manipulation laterality modulated by the default mode network. <i>Molecular Pain</i> , 2017, 13, 174480691668368.	1.0	11
27	Deteriorating neural connectivity of the hippocampal episodic memory network in mTBI patients: A cohort study. , 2017, , .		0
28	Imaging Neural Plasticity following Brain Injury. <i>Neural Plasticity</i> , 2017, 2017, 1-2.	1.0	0
29	Amplitude of Low-Frequency Fluctuations in Multiple-Frequency Bands in Acute Mild Traumatic Brain Injury. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 27.	1.0	28
30	Changes of Brain Glucose Metabolism in the Pretreatment Patients with Non-Small Cell Lung Cancer: A Retrospective PET/CT Study. <i>PLoS ONE</i> , 2016, 11, e0161325.	1.1	11
31	Frequency-Dependent Changes of Local Resting Oscillations in Sleep-Deprived Brain. <i>PLoS ONE</i> , 2015, 10, e0120323.	1.1	71
32	Exploring the Patterns of Acupuncture on Mild Cognitive Impairment Patients Using Regional Homogeneity. <i>PLoS ONE</i> , 2014, 9, e99335.	1.1	36
33	Imaging Neurodegenerative Diseases: Mechanisms and Interventions. <i>BioMed Research International</i> , 2014, 2014, 1-2.	0.9	2
34	Neurobiological Mechanisms of Acupuncture 2014. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-2.	0.5	2
35	Acupuncture Modulates the Functional Connectivity of the Default Mode Network in Stroke Patients. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-7.	0.5	24
36	Acupuncture Induces Time-Dependent Remodelling Brain Network on the Stable Somatosensory First-Ever Stroke Patients: Combining Diffusion Tensor and Functional MR Imaging. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-7.	0.5	13

#	ARTICLE	IF	CITATIONS
37	Loss of Microstructural Integrity in the Limbic-Subcortical Networks for Acute Symptomatic Traumatic Brain Injury. <i>BioMed Research International</i> , 2014, 2014, 1-7.	0.9	15
38	Acupuncture Enhances Effective Connectivity between Cerebellum and Primary Sensorimotor Cortex in Patients with Stable Recovery Stroke. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	0.5	23
39	Differential Activation Patterns of fMRI in Sleep-Deprived Brain: Restoring Effects of Acupuncture. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-7.	0.5	28
40	Side of Limb-Onset Predicts Laterality of Gray Matter Loss in Amyotrophic Lateral Sclerosis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	18
41	Depressive Symptoms in Multiple Sclerosis from an In Vivo Study with TBSS. <i>BioMed Research International</i> , 2014, 2014, 1-8.	0.9	25
42	Characterizing Acupuncture De Qi in Mild Cognitive Impairment: Relations with Small-World Efficiency of Functional Brain Networks. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-8.	0.5	27
43	Multivariate Granger Causality Analysis of Acupuncture Effects in Mild Cognitive Impairment Patients: An fMRI Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-12.	0.5	15
44	Acupuncture De Qi in Stable Somatosensory Stroke Patients: Relations with Effective Brain Network for Motor Recovery. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-9.	0.5	12
45	Neurobiological Foundations of Acupuncture: The Relevance and Future Prospect Based on Neuroimaging Evidence. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-9.	0.5	25
46	Neurobiological Mechanisms of Acupuncture. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-2.	0.5	1
47	Hypothalamus-Related Resting Brain Network Underlying Short-Term Acupuncture Treatment in Primary Hypertension. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013, 2013, 1-9.	0.5	21
48	Altered Hub Configurations within Default Mode Network following Acupuncture at ST36: A Multimodal Investigation Combining fMRI and MEG. <i>PLoS ONE</i> , 2013, 8, e64509.	1.1	24
49	Manipulation of and Sustained Effects on the Human Brain Induced by Different Modalities of Acupuncture: An fMRI Study. <i>PLoS ONE</i> , 2013, 8, e66815.	1.1	46
50	A Longitudinal Study of Hand Motor Recovery after Sub-Acute Stroke: A Study Combined fMRI with Diffusion Tensor Imaging. <i>PLoS ONE</i> , 2013, 8, e64154.	1.1	29
51	An fMRI study of neural pathways following acupuncture in mild cognitive impairment patients. <i>Proceedings of SPIE</i> , 2012, , .	0.8	0
52	Dysfunctional whole brain networks in mild cognitive impairment patients: an fMRI study. <i>Proceedings of SPIE</i> , 2012, , .	0.8	2
53	Differential spectral power alteration following acupuncture at different designated places revealed by magnetoencephalography. , 2012, , .		0
54	Tractography of white matter based on diffusion tensor imaging in ischaemic stroke involving the corticospinal tract: a preliminary study. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
55	Exploring the effective connectivity of resting state networks in Mild Cognitive Impairment: An fMRI study combining ICA and multivariate Granger causality analysis. , 2012, 2012, 5454-7.		13
56	Morphometry Based on Effective and Accurate Correspondences of Localized Patterns (MEACOLP). PLoS ONE, 2012, 7, e35745.	1.1	3
57	Acupuncture Induces Divergent Alterations of Functional Connectivity within Conventional Frequency Bands: Evidence from MEG Recordings. PLoS ONE, 2012, 7, e49250.	1.1	10
58	Modulatory effects of acupuncture on resting-state networks: A functional MRI study combining independent component analysis and multivariate granger causality analysis. Journal of Magnetic Resonance Imaging, 2012, 35, 572-581.	1.9	39
59	Investigation of the effective connectivity of resting state networks in Alzheimer's disease: a functional MRI study combining independent components analysis and multivariate Granger causality analysis. NMR in Biomedicine, 2012, 25, 1311-1320.	1.6	56
60	FMRI connectivity analysis of acupuncture effects on the whole brain network in mild cognitive impairment patients. Magnetic Resonance Imaging, 2012, 30, 672-682.	1.0	96
61	Altered topological patterns of brain networks in mild cognitive impairment and Alzheimer's disease: A resting-state fMRI study. Psychiatry Research - Neuroimaging, 2012, 202, 118-125.	0.9	130
62	Neural specificity of acupuncture stimulation from support vector machine classification analysis. Magnetic Resonance Imaging, 2011, 29, 943-950.	1.0	17
63	Investigation of the large-scale functional brain networks modulated by acupuncture. Magnetic Resonance Imaging, 2011, 29, 958-965.	1.0	49
64	The Temporal-Spatial Encoding of Acupuncture Effects in the Brain. Molecular Pain, 2011, 7, 1744-8069-7-19.	1.0	33
65	Investigation of acupoint specificity by multivariate granger causality analysis from functional MRI data. Journal of Magnetic Resonance Imaging, 2011, 34, 31-42.	1.9	17
66	Differential neural responses to acupuncture revealed by MEG using wavelet-based time-frequency analysis: A pilot study. , 2011, 2011, 7099-102.		7
67	Differential spatial activity patterns of acupuncture by a machine learning based analysis. Proceedings of SPIE, 2011, , .	0.8	0
68	Investigation of acupoint specificity by whole brain functional connectivity analysis from fMRI data. , 2011, 2011, 2784-7.		11
69	Exploring the evolution of post-acupuncture resting-state networks combining ICA and multivariate Granger causality. , 2011, 2011, 2813-6.		2
70	Neural specificity of acupuncture stimulation at pericardium 6: Evidence from an FMRI study. Journal of Magnetic Resonance Imaging, 2010, 31, 71-77.	1.9	74
71	Exploring vision-related acupuncture point specificity with multivoxel pattern analysis. Magnetic Resonance Imaging, 2010, 28, 380-387.	1.0	40
72	Investigation of acupoint specificity by functional connectivity analysis based on graph theory. Neuroscience Letters, 2010, 482, 95-100.	1.0	43

#	ARTICLE	IF	CITATIONS
73	Acupuncture Modulates Temporal Neural Responses in Wide Brain Networks: Evidence from fMRI Study. <i>Molecular Pain</i> , 2010, 6, 1744-8069-6-73.	1.0	102
74	Spatiotemporal Modulation of Central Neural Pathway Underlying Acupuncture Action: A Systematic Review. <i>Current Medical Imaging</i> , 2009, 5, 167-173.	0.4	16
75	Detection of dynamic brain networks modulated by acupuncture using a graph theory model. <i>Progress in Natural Science: Materials International</i> , 2009, 19, 827-835.	1.8	34
76	Acupuncture modulates spontaneous activities in the anticorrelated resting brain networks. <i>Brain Research</i> , 2009, 1279, 37-49.	1.1	104
77	Time-variant characteristics of acupuncture effects in fMRI studies. <i>Human Brain Mapping</i> , 2009, 30, 3445-3460.	1.9	99
78	Combining spatial and temporal information to explore functional guide action of acupuncture using fMRI. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 41-46.	1.9	48
79	Comparison of visual cortical activations induced by electro-acupuncture at vision and nonvision-related acupoints. <i>Neuroscience Letters</i> , 2009, 458, 6-10.	1.0	31
80	Dysfunctional connectivity patterns in chronic heroin users: An fMRI study. <i>Neuroscience Letters</i> , 2009, 460, 72-77.	1.0	174
81	fMRI Connectivity Analysis of Acupuncture Effects on an Amygdala-Associated Brain Network. <i>Molecular Pain</i> , 2008, 4, 1744-8069-4-55.	1.0	122
82	An information-based clustering approach for fMRI activation detection. , 2008, , .		0
83	Exploratory Analysis of Functional Connectivity Network in Acupuncture Study by a Graph Theory Mode. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007, 2023-6.	0.5	5