

Joanna MÄkol

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1816746/publications.pdf>

Version: 2024-02-01

66

papers

727

citations

687363

13

h-index

677142

22

g-index

66

all docs

66

docs citations

66

times ranked

325

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | An Annotated Checklist of Terrestrial Parasitengona (Actinotrichida: Prostigmata) of the World, Excluding Trombiculidae and Walchiidae. <i>Annales Zoologici</i> , 2012, 62, 359-562. | 0.8 | 123 |
| 2 | Corrections and Additions to the Checklist of Terrestrial Parasitengona (Actinotrichida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (P) | 0.8 | 54 |
| 3 | Acari: Terrestrial Parasitengona inhabiting transient biotopes. , 2006, , 158-240. | | 46 |
| 4 | A synopsis of host-parasite associations between Trombidioidea (Trombidiformes: Prostigmata,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 | 0.5 | 29 |
| 5 | A Redescription of <i>Balaustium murorum</i> (Hermann, 1804) (Acari: Prostigmata: Erythraeidae) with Notes on Related Taxa. <i>Annales Zoologici</i> , 2010, 60, 439-454. | 0.8 | 22 |
| 6 | Correlation of heteromorphic life instars in terrestrial Parasitengona mites and its impact on taxonomy â€“ the case of <i>Leptus molochinus</i> </i> (C. L. Koch, 1837) and <i>Leptus ignotus</i> </i> (Oudemans,) Tj ETQq0 0 0 rgBT /Overlock | | |
| 7 | Host-parasite association in trombiculid mites (Actinotrichida: Trombiculidae) of temperate zone - the case of <i>Hirsutiella zachvatkini</i> (Schluger, 1948); are we dealing with prolonged contact with the host?. <i>Parasites and Vectors</i> , 2016, 9, 61. | 2.5 | 20 |
| 8 | Host-Parasite Associations between Bats (Mammalia: Chiroptera) and Chiggers (Trombidiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.8 | 20 |
| 9 | A new species of <i>Balaustium</i> von Heyden, 1826 (Acari: Actinotrichida, Erythraeidae) from Spain. <i>Zootaxa</i> , 2012, 3178, 1. | 0.5 | 17 |
| 10 | Host-associated differences in morphometric traits of parasitic larvae <i>Hirsutiella zachvatkini</i> (Actinotrichida: Trombiculidae). <i>Experimental and Applied Acarology</i> , 2015, 67, 123-133. | 1.6 | 17 |
| 11 | A mite of the family Tanaupodidae (Arachnida, Acari, Parasitengona) from the Lower Cretaceous of France. <i>Geodiversitas</i> , 2009, 31, 41-47. | 0.8 | 15 |
| 12 | Pseudoscorpions (Chelonethi: Neobisiidae) parasitized by mites (Acari: Trombidiidae, Erythraeidae). <i>Journal of Arachnology</i> , 2011, 39, 345-348. | 0.5 | 15 |
| 13 | Harvestmen (Opiliones) as hosts of Parasitengona (Acari: Actinotrichida, Prostigmata) larvae. <i>Journal of Arachnology</i> , 2011, 39, 349-351. | 0.5 | 14 |
| 14 | Towards resolving the double classification in <i>Erythraeus</i> (Actinotrichida: Erythraeidae): matching larvae with adults using 28S sequence data and experimental rearing. <i>Organisms Diversity and Evolution</i> , 2016, 16, 761-790. | 1.6 | 14 |
| 15 | <i>Caecothrombium deharvengi</i> sp. nov. (Acari: Actinotrichida: Eutrombidiidae) from Vietnam, with a proposal of <i>Caecothrombiinae</i> subfam. nov.. <i>Zoologischer Anzeiger</i> , 2005, 243, 227-237. | 0.9 | 13 |
| 16 | New records of spiders (Araneae) as hosts of terrestrial Parasitengona mites (Acari: Actinotrichida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.5 | 13 |
| 17 | A fossil Paratrombiinae mite (Actinotrichida: Trombidioidea) from the Rovno amber, Ukraine. <i>Zootaxa</i> , 2014, 3847, 583-9. | 0.5 | 13 |
| 18 | How many mite species dwell in subterranean habitats? A survey of Acari in Belgium. <i>Zoologischer Anzeiger</i> , 2013, 252, 307-318. | 0.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Smaridid Mites in Baltic and Bitterfeld Amber, with Notes on the Fossil Record of Terrestrial Parasitengona (Trombidiformes: Prostigmata). <i>Annales Zoologici</i> , 2015, 65, 641-659. | 0.8 | 11 |
| 20 | Chigger mites (Actinotrichida: Parasitengona, Trombiculidae) of Poland. An updated distribution and hosts. <i>Annals of Parasitology</i> , 2014, 60, 103-17. | 0.1 | 11 |
| 21 | Hostâ€“parasite interactions within terrestrial Parasitengona (Acari, Trombidiformes, Prostigmata). <i>International Journal of Acarology</i> , 2012, 38, 18-22. | 0.7 | 10 |
| 22 | A Review of Host-Parasite Associations between Terrestrial Parasitengona (Actinotrichida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622 Td 0.8 | | |
| 23 | A Re-Description of <i>Balaustium leanderi</i> Comb. Nov. (Actinotrichida, Erythraeidae) with First Report on Characteristics of All Active Instars and Taxonomic Notes on the Genus. <i>Florida Entomologist</i> , 2014, 97, 937-951. | 0.5 | 10 |
| 24 | Abalakeus Southcott, 1994 is a junior synonym of âœplume-footedâ•EatonianaÂCambridge, 1898 (Trombidiformes, Erythraeidae)â€“evidence from experimental rearing. <i>Zootaxa</i> , 2015, 3918, 92-112. | 0.5 | 10 |
| 25 | Blankaartia acuscutellaris (Walch, 1922) (Actinotrichida: Trombiculidae) collected from the great snipe Gallinago media (Latham, 1787) (Charadriiformes: Scolopacidae) in Poland â€“ new host and country record for chigger mite genus and species. <i>Acarologia</i> , 2017, 57, 555-562. | 0.6 | 10 |
| 26 | Notes on the genus Dolichothrombium (Acari: Prostigmata: Trombidiidae) with description of a new species. <i>Zootaxa</i> , 2011, 2971, 1. | 0.5 | 9 |
| 27 | Evidence for co-invasion events: different chigger species (Actinotrichida, Trombidioidea:) Tj ETQq1 1 0.784314 rgBT _{1.6} /Overlock 10 Tf 50 | | |
| 28 | New genus and species of microtrombidiid mite (Actinotrichida: Trombidioidea, Microtrombidiidae) parasitizing spiders (Araneae: Araneidae) in Costa Rica. <i>Acarologia</i> , 2017, 57, 517-527. | 0.6 | 9 |
| 29 | Parasitism, seasonality, and diversity of trombiculid mites (Trombidiformes: Parasitengona,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 1-20. | 1.6 | 9 |
| 30 | A Redescription of <i>Allothrombium meridionale</i> Berlese, 1910 (Acari: Trombidiformes: Trombidioidea) with Notes on Biology and Developmental Malformations. <i>Annales Zoologici</i> , 2009, 59, 397-413. | 0.8 | 8 |
| 31 | A New Data on Biology and Taxonomy of <i>Neotrombicula inopinata</i> (Oudemans, 1909) and <i>Leptotrombidium russicum</i> (Oudemans, 1902) (Acari: Actinotrichida: Trombiculidae). <i>Annales Zoologici</i> , 2010, 60, 419-427. | 0.8 | 8 |
| 32 | Description of Active Post-Larval Forms of <i>Neotrombicula vulgaris</i> (Schluger, 1955) (Prostigmata:) Tj ETQq0 0 0 rgBT _{0.8} /Overlock 10 Tf 50 2 | | |
| 33 | Description of the larva of <i>Curteria Southcott</i> , 1961 (Acari, Parasitengona, Erythraeidae) with notes on biology and life cycle. <i>Biologia</i> (Poland), 2007, 62, 573-580. | 1.5 | 6 |
| 34 | Species Diversity of Parasitengona Terrestria (Acari: Actinotrichida: Prostigmata) in a Habitat Influenced by Anthropopressure. <i>Annales Zoologici</i> , 2008, 58, 303-309. | 0.8 | 6 |
| 35 | A redescription of <i>Neothrombium neglectum</i> (Bruyant,) with revision of <i>Neothrombium</i> (Acari: Neothrombiidae) and notes on the biology of species. <i>International Journal of Acarology</i> , 2009, 35, 275-301. | 0.7 | 6 |
| 36 | A new species of <i>Valgothrombium</i> Willmann, 1940, with additional taxonomic data for <i>Valgothrombiinae</i> genera known as larvae (Acari: Prostigmata: Microtrombidiidae). <i>Zootaxa</i> , 2010, 2647, 16. | 0.5 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | <i>Leptus phalangi</i> (De Geer, 1778) (Acari: Actinotrichida: Prostigmata) â€“ Redescription, Ecology and Taxonomic Notes on Its Relatives. <i>Annales Zoologici</i> , 2011, 61, 535-546. | 0.8 | 6 |
| 38 | Planthopper (Hemiptera: Flatidae) Parasitized by Larval Erythraeid Mite (Trombidiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (2014, 14, 194. | 1.5 | 6 |
| 39 | Inter- and intraspecific variability of morphological and molecular characters in <i>Allothrombium</i> species, with special reference to <i>Allothrombium fuliginosum</i> . <i>Experimental and Applied Acarology</i> , 2019, 78, 485-504. | 1.6 | 6 |
| 40 | Redescription of <i>Leptus kattikus</i> Haitlinger, 2009 (Actinotrichida, Parasitengona, Erythraeidae) and molecular identification of its host from DNA barcoding. <i>Zootaxa</i> , 2012, 3569, 67. | 0.5 | 5 |
| 41 | The First Fossil Calyptostoma Cambridge, 1875 (Actinotrichida: Prostigmata: Calyptostomatidae) from Baltic Amber. <i>Annales Zoologici</i> , 2016, 66, 337-344. | 0.8 | 5 |
| 42 | The first description of a microtrombidiid mite (Actinotrichida: Prostigmata, Microtrombidiidae) from Baltic amber, with notes on related extant genera and species. <i>Palaontologische Zeitschrift</i> , 2016, 90, 493-501. | 1.6 | 5 |
| 43 | <p class="Body">Erythraeid larvae parasitizing dragonflies in Zambiaâ€“description of <i>Leptus</i> (<i>Leptus</i>) chingombensis sp. nov. with data on biology and ecology of host-parasite interactions. <i>Systematic and Applied Acarology</i> , 2019, 24, 790. | 0.5 | 5 |
| 44 | Parasitengona terrestria (Acari, Actinedida) Roztocza. <i>Fragmenta Faunistica</i> , 1994, 37, 121-140. | 0.0 | 5 |
| 45 | Redescription of <i>Erythraeus tonsus</i> (L. Koch, 1879) (Acari: Trombidiformes: Erythraeoidea) with record on an unusual case of polymely in adult Erythraeidae collected in Alaska (USA). <i>International Journal of Acarology</i> , 2010, 36, 221-232. | 0.7 | 4 |
| 46 | <p>The genus Emitrombidium Lombardini, 1949 (Actinotrichida:) Tj ETQq0 0 0 rgBT /Overlock | 0.5 | 4 |
| 47 | Insight into fossil fauna of terrestrial Parasitengona mites (Trombidiformes: Prostigmata) â€“ The first representatives of Erythraeina Welbourn, 1991 and Trombidiina Welbourn, 1991 in Burmese amber. <i>Cretaceous Research</i> , 2018, 89, 60-74. | 1.4 | 4 |
| 48 | Know your campus: salient research potential of prostigmatic soil mite fauna (Acariformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td | 0.6 | 4 |
| 49 | Checklist of terrestrial Parasitengona mites in Fennoscandia with new species- and distribution records (Acariformes: Prostigmata). <i>Biodiversity Data Journal</i> , 2019, 7, e36094. | 0.8 | 4 |
| 50 | First Description of the Larva of <i>Trischidothrombium</i> Feider, 1952 (Acari: Actinotrichida:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (M | 0.8 | 3 |
| 51 | Morphology and Life Cycle of <i>Abrolophus norvegicus</i> (Thor, 1900) with Notes on <i>Abrolophus</i> spp. (Actinotrichida: Prostigmata: Erythraeidae). <i>Annales Zoologici</i> , 2012, 62, 69-97. | 0.8 | 3 |
| 52 | Fine structure of the urnulae of <i>Balaustium</i> mites (Actinotrichida: Erythraeidae) representing peculiar defense organs. <i>Arthropod Structure and Development</i> , 2013, 42, 483-494. | 1.4 | 3 |
| 53 | Parasitism of <i>Trombidium brevimanum</i> larvae on agrobiont linyphiid spiders from Germany. <i>Experimental and Applied Acarology</i> , 2015, 66, 575-587. | 1.6 | 3 |
| 54 | Terrestrial Parasitengona mites (Trombidiformes) of Denmark â€“ new data on parasite-host associations and new country records. <i>Acarologia</i> , 2022, 62, 508-520. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | A Redescription of <i>Echinothrombium spinosum</i> (Canestrini, 1885) (Acari: Actinotrichida: Prostigmata) Tj ETQq1 1 0.784314 rgBT /Overlock 0.8 | | |
| 56 | Myrmecophilous Parasitengona (Acari: Prostigmata) – Accident or Adaptation?. <i>Annales Zoologici</i> , 2010, 60, 429-437. | 0.8 | 2 |
| 57 | Morphological and molecular characteristics of <i>Milandanielia intermedia</i> (Feider, 1950) (Trombidiformes: Microtrombidiidae) with data on its biology and ecology. <i>Zootaxa</i> , 2015, 4007, 29-46. | 0.5 | 2 |
| 58 | Next ones to fill the gap – first tanaupodids (Trombidiformes: Prostigmata, Tanaupodidae) from Baltic amber with notes on extant genera and species. <i>Systematic and Applied Acarology</i> , 2018, 23, 2129. | 0.5 | 2 |
| 59 | Active postlarval forms of plume-footed <i>Eatoniana</i> (Trombidiformes: Parasitengona, Erythraeidae) in the Eocene Baltic amber. <i>Zootaxa</i> , 2019, 4647, 44-53. | 0.5 | 2 |
| 60 | Stylostome formation by parasitic larvae of <i>Allothrombium fuliginosum</i> (Trombidiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 Td (Acarology, 2020, 82, 359-378. | 1.6 | 2 |
| 61 | <p class="Body">A contribution to the knowledge of the enigmatic Tanaupodidae (Actinotrichida: Trombidiformes, Parasitengona)â€”description of a new species of Lassenia and a new host record</p>. <i>Systematic and Applied Acarology</i> , 2021, 26, 801-808. | 0.5 | 2 |
| 62 | A giant mite in Cretaceous Burmese amber. <i>Fossil Record</i> , 2018, 21, 285-290. | 1.4 | 2 |
| 63 | <i>Tyrophagus putrescentiae</i> (Sarcoptiformes: Acaridae) in the in vitro cultures of slime molds (Mycetozoa): accident, contamination, or interaction?. <i>Experimental and Applied Acarology</i> , 2021, 84, 445-458. | 1.6 | 1 |
| 64 | Taxonomic Notes on <i>Willmannella</i> Feider, 1952 (Acari: Actinotrichida: Microtrombidiidae) with Redescription of Adult W. Racovitzai (Feider, 1949) from Hungary. <i>Annales Zoologici</i> , 2010, 60, 589-598. | 0.8 | 0 |
| 65 | Different breeding conditions affect the morphological variability in larvae of <i>Platytrombidium fasciatum</i> (Trombidiformes: Microtrombidiidae). <i>Systematic and Applied Acarology</i> , 0, , . | 0.5 | 0 |
| 66 | An insight into the tribe Hexathrombiini (Actinotrichida: Trombidioidea, Microtrombidiidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td | 0 | |