

Xiao-xing Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1816863/xiao-xing-li-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

3,973

citations

33

h-index

62

g-index

105

ext. papers

4,779

ext. citations

9.8

avg, IF

4.9

L-index

#	Paper	IF	Citations
68	Mechanistic insight of SARS-CoV-2 infection using human hepatobiliary organoids.. <i>Gut</i> , 2022 ,	19.2	0
67	CircRNA_2646 functions as a ceRNA to promote progression of esophageal squamous cell carcinoma via inhibiting miR-124/PLP2 signaling pathway. <i>Cell Death Discovery</i> , 2021 , 7, 99	6.9	1
66	gutMEGA: a database of the human gut MEtaGenome Atlas. <i>Briefings in Bioinformatics</i> , 2021 , 22,	13.4	9
65	The Influence of Immune Heterogeneity on the Effectiveness of Immune Checkpoint Inhibitors in Multifocal Hepatocellular Carcinomas. <i>Clinical Cancer Research</i> , 2020 , 26, 4947-4957	12.9	11
64	FGF14 Functions as a Tumor Suppressor through Inhibiting PI3K/AKT/mTOR Pathway in Colorectal Cancer. <i>Journal of Cancer</i> , 2020 , 11, 819-825	4.5	8
63	Identification of immunological subtypes of hepatocellular carcinoma with expression profiling of immune-modulating genes. <i>Aging</i> , 2020 , 12, 12187-12205	5.6	8
62	Deep learning based prediction of reversible HAT/HDAC-specific lysine acetylation. <i>Briefings in Bioinformatics</i> , 2020 , 21, 1798-1805	13.4	15
61	Microbiota-mediated phytate metabolism activates HDAC3 to contribute intestinal homeostasis. <i>Signal Transduction and Targeted Therapy</i> , 2020 , 5, 211	21	0
60	Promoter Hypermethylation of CHODL Contributes to Carcinogenesis and Indicates Poor Survival in Patients with Early-stage Colorectal Cancer. <i>Journal of Cancer</i> , 2020 , 11, 2874-2886	4.5	2
59	Androgen Receptor Promotes Gastric Carcinogenesis via Upregulating Cell Cycle-Related Kinase Expression. <i>Journal of Cancer</i> , 2019 , 10, 4178-4188	4.5	3
58	Serine and one-carbon metabolism, a bridge that links mTOR signaling and DNA methylation in cancer. <i>Pharmacological Research</i> , 2019 , 149, 104352	10.2	17
57	PIWI-interacting RNA-36712 restrains breast cancer progression and chemoresistance by interaction with SEPW1 pseudogene SEPW1P RNA. <i>Molecular Cancer</i> , 2019 , 18, 9	42.1	80
56	qPhos: a database of protein phosphorylation dynamics in humans. <i>Nucleic Acids Research</i> , 2019 , 47, D451-D458	14.4	4
55	HOXA9 inhibits HIF-1 β -mediated glycolysis through interacting with CRIP2 to repress cutaneous squamous cell carcinoma development. <i>Nature Communications</i> , 2018 , 9, 1480	17.4	63
54	Beyond regulation of pol III: Role of MAF1 in growth, metabolism, aging and cancer. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2018 , 1861, 338-343	6	17
53	SOD1 Phosphorylation by mTORC1 Couples Nutrient Sensing and Redox Regulation. <i>Molecular Cell</i> , 2018 , 70, 502-515.e8	17.6	63
52	Loss of expression and prognosis value of alpha-internexin in gastroenteropancreatic neuroendocrine neoplasm. <i>BMC Cancer</i> , 2018 , 18, 691	4.8	8

51	MT1G is Silenced by DNA Methylation and Contributes to the Pathogenesis of Hepatocellular Carcinoma. <i>Journal of Cancer</i> , 2018 , 9, 2807-2816	4.5	11
50	Circ5379-6, a circular form of tumor suppressor , participates in the inhibition of hepatocellular carcinoma tumorigenesis and metastasis. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 3493-3503	3	5
49	Significance and mechanism of androgen receptor overexpression and androgen receptor/mechanistic target of rapamycin cross-talk in hepatocellular carcinoma. <i>Hepatology</i> , 2018 , 67, 2271-2286	11.2	46
48	PIWI-interacting RNA-54265 is oncogenic and a potential therapeutic target in colorectal adenocarcinoma. <i>Theranostics</i> , 2018 , 8, 5213-5230	12.1	74
47	Sorafenib and Carfilzomib Synergistically Inhibit the Proliferation, Survival, and Metastasis of Hepatocellular Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2018 , 17, 2610-2621	6.1	10
46	Solute carrier family 12 member 5 promotes tumor invasion/metastasis of bladder urothelial carcinoma by enhancing NF- κ B/MMP-7 signaling pathway. <i>Cell Death and Disease</i> , 2017 , 8, e2691	9.8	14
45	p53R2 overexpression in cervical cancer promotes AKT signaling and EMT, and is correlated with tumor progression, metastasis and poor prognosis. <i>Cell Cycle</i> , 2017 , 16, 1673-1682	4.7	13
44	Phosphorylation by mTORC1 stabilizes Skp2 and regulates its oncogenic function in gastric cancer. <i>Molecular Cancer</i> , 2017 , 16, 83	42.1	14
43	Overexpression of Rab1B and MMP9 predicts poor survival and good response to chemotherapy in patients with colorectal cancer. <i>Aging</i> , 2017 , 9, 914-931	5.6	27
42	Expanding roles of superoxide dismutases in cell regulation and cancer. <i>Drug Discovery Today</i> , 2016 , 21, 143-149	8.8	128
41	Ras association domain family member 10 suppresses gastric cancer growth by cooperating with GSTP1 to regulate JNK/c-Jun/AP-1 pathway. <i>Oncogene</i> , 2016 , 35, 2453-64	9.2	22
40	Disruption of NCOA2 by recurrent fusion with LACTB2 in colorectal cancer. <i>Oncogene</i> , 2016 , 35, 187-95	9.2	16
39	MDGA2 is a novel tumour suppressor cooperating with DMAP1 in gastric cancer and is associated with disease outcome. <i>Gut</i> , 2016 , 65, 1619-31	19.2	43
38	Increased expression of Solute carrier family 12 member 5 via gene amplification contributes to tumour progression and metastasis and associates with poor survival in colorectal cancer. <i>Gut</i> , 2016 , 65, 635-46	19.2	30
37	Carbonic anhydrase IV inhibits colon cancer development by inhibiting the Wnt signalling pathway through targeting the WTAP-WT1-TBL1 axis. <i>Gut</i> , 2016 , 65, 1482-93	19.2	87
36	Ras-association domain family 10 acts as a novel tumor suppressor through modulating MMP2 in hepatocarcinoma. <i>Oncogenesis</i> , 2016 , 5, e237	6.6	17
35	CXC chemokine receptor 3 promotes steatohepatitis in mice through mediating inflammatory cytokines, macrophages and autophagy. <i>Journal of Hepatology</i> , 2016 , 64, 160-70	13.4	89
34	Reduced SOD2 expression is associated with mortality of hepatocellular carcinoma patients in a mutant p53-dependent manner. <i>Aging</i> , 2016 , 8, 1184-200	5.6	25

33	MAF1 suppresses AKT-mTOR signaling and liver cancer through activation of PTEN transcription. <i>Hepatology</i> , 2016 , 63, 1928-42	11.2	48
32	Oncogenic mutations and dysregulated pathways in obesity-associated hepatocellular carcinoma. <i>Oncogene</i> , 2016 , 35, 6271-6280	9.2	20
31	Rab1 in cell signaling, cancer and other diseases. <i>Oncogene</i> , 2016 , 35, 5699-5704	9.2	50
30	Carbonic Anhydrase IV Inhibits Colon Cancer Development by Inhibiting WNT Signaling Pathway Through Targeting WTAP-WT1-TBL1 Axis. <i>Clinical Gastroenterology and Hepatology</i> , 2015 , 13, e78-e79	6.9	2
29	DACT2 is a functional tumor suppressor through inhibiting Wnt/ β -catenin pathway and associated with poor survival in colon cancer. <i>Oncogene</i> , 2015 , 34, 2575-85	9.2	39
28	Multiple region whole-exome sequencing reveals dramatically evolving intratumor genomic heterogeneity in esophageal squamous cell carcinoma. <i>Oncogenesis</i> , 2015 , 4, e175	6.6	41
27	miR-1228 promotes the proliferation and metastasis of hepatoma cells through a p53 forward feedback loop. <i>British Journal of Cancer</i> , 2015 , 112, 365-74	8.7	33
26	miR-34a-5p suppresses colorectal cancer metastasis and predicts recurrence in patients with stage II/III colorectal cancer. <i>Oncogene</i> , 2015 , 34, 4142-52	9.2	120
25	Novel recurrently mutated genes and a prognostic mutation signature in colorectal cancer. <i>Gut</i> , 2015 , 64, 636-45	19.2	122
24	Aberrant amino acid signaling promotes growth and metastasis of hepatocellular carcinomas through Rab1A-dependent activation of mTORC1 by Rab1A. <i>Oncotarget</i> , 2015 , 6, 20813-28	3.3	48
23	Odd-skipped related 1 is a novel tumour suppressor gene and a potential prognostic biomarker in gastric cancer. <i>Journal of Pathology</i> , 2014 , 234, 302-15	9.4	21
22	B cell CLL/lymphoma 6 member B inhibits hepatocellular carcinoma metastases in vitro and in mice. <i>Cancer Letters</i> , 2014 , 355, 192-200	9.9	15
21	Integrative identification of Epstein-Barr virus-associated mutations and epigenetic alterations in gastric cancer. <i>Gastroenterology</i> , 2014 , 147, 1350-62.e4	13.3	75
20	Discovery of biclonal origin and a novel oncogene SLC12A5 in colon cancer by single-cell sequencing. <i>Cell Research</i> , 2014 , 24, 701-12	24.7	99
19	Peroxisome proliferator activated receptor alpha inhibits hepatocarcinogenesis through mediating NF- κ B signaling pathway. <i>Oncotarget</i> , 2014 , 5, 8330-40	3.3	50
18	CITED2 is a novel direct effector of peroxisome proliferator-activated receptor α in suppressing hepatocellular carcinoma cell growth. <i>Cancer</i> , 2013 , 119, 1217-26	6.4	25
17	A novel miR-193a-5p-YY1-APC regulatory axis in human endometrioid endometrial adenocarcinoma. <i>Oncogene</i> , 2013 , 32, 3432-42	9.2	61
16	ADAMTS9 is a functional tumor suppressor through inhibiting AKT/mTOR pathway and associated with poor survival in gastric cancer. <i>Oncogene</i> , 2013 , 32, 3319-28	9.2	81

15	microRNA-7 is a novel inhibitor of YY1 contributing to colorectal tumorigenesis. <i>Oncogene</i> , 2013 , 32, 5078-88	9.2	166
14	Epigenetic-mediated tumor suppressor genes as diagnostic or prognostic biomarkers in gastric cancer. <i>Expert Review of Molecular Diagnostics</i> , 2013 , 13, 445-55	3.8	35
13	Zinc-finger protein 545 is a novel tumour suppressor that acts by inhibiting ribosomal RNA transcription in gastric cancer. <i>Gut</i> , 2013 , 62, 833-41	19.2	45
12	Zinc finger E-box binding factor 1 plays a central role in regulating Epstein-Barr virus (EBV) latent-lytic switch and acts as a therapeutic target in EBV-associated gastric cancer. <i>Cancer</i> , 2012 , 118, 924-36	6.4	26
11	Epigenetic inactivation of paired box gene 5, a novel tumor suppressor gene, through direct upregulation of p53 is associated with prognosis in gastric cancer patients. <i>Oncogene</i> , 2012 , 31, 3419-30 ^{9.2}	9.2	55
10	Dapper homolog 1 is a novel tumor suppressor in gastric cancer through inhibiting the nuclear factor- κ B signaling pathway. <i>Molecular Medicine</i> , 2012 , 18, 1402-11	6.2	25
9	A long noncoding RNA regulates photoperiod-sensitive male sterility, an essential component of hybrid rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2654-9	11.5	412
8	Epigenetic inactivation of BCL6B, a novel functional tumour suppressor for gastric cancer, is associated with poor survival. <i>Gut</i> , 2012 , 61, 977-85	19.2	67
7	Establishment of an orthotopic transplantation tumor model of hepatocellular carcinoma in mice. <i>World Journal of Gastroenterology</i> , 2012 , 18, 7087-92	5.6	20
6	Paired Box Gene 5 is a Novel Tumor Suppressor Involved in the Pathogenesis of Hepatocellular Carcinoma Through Interaction With p53 Signaling Pathway. <i>Gastroenterology</i> , 2011 , 140, S-145	13.3	2
5	Paired box gene 5 is a novel tumor suppressor in hepatocellular carcinoma through interaction with p53 signaling pathway. <i>Hepatology</i> , 2011 , 53, 843-53	11.2	59
4	Epigenetic inactivation of T-box transcription factor 5, a novel tumor suppressor gene, is associated with colon cancer. <i>Oncogene</i> , 2010 , 29, 6464-74	9.2	69
3	Bacterial microbiota profiling in gastritis without Helicobacter pylori infection or non-steroidal anti-inflammatory drug use. <i>PLoS ONE</i> , 2009 , 4, e7985	3.7	155
2	The rice tapetum degeneration retardation gene is required for tapetum degradation and anther development. <i>Plant Cell</i> , 2006 , 18, 2999-3014	11.6	485
1	Genome-wide analysis of basic/helix-loop-helix transcription factor family in rice and Arabidopsis. <i>Plant Physiology</i> , 2006 , 141, 1167-84	6.6	396