

Nicholas Clement

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1817013/publications.pdf>

Version: 2024-02-01

171
papers

5,306
citations

87888

38
h-index

106344

65
g-index

175
all docs

175
docs citations

175
times ranked

4435
citing authors

#	ARTICLE	IF	CITATIONS
1	The minimal clinically important difference in the Oxford knee score and Short Form 12 score after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1933-1939.	4.2	329
2	Patient expectations of arthroplasty of the hip and knee. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 974-981.	3.4	303
3	Predicting the cost-effectiveness of total hip and knee replacement. <i>Bone and Joint Journal</i> , 2013, 95-B, 115-121.	4.4	269
4	The epidemiology of open fractures in adults. A 15-year review. <i>Injury</i> , 2012, 43, 891-897.	1.7	226
5	The epidemiology of fractures of the proximal ulna. <i>Injury</i> , 2012, 43, 343-346.	1.7	160
6	What is the Minimum Clinically Important Difference for the WOMAC Index After TKA?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2005-2014.	1.5	158
7	The Epidemiology of Radial Head and Neck Fractures. <i>Journal of Hand Surgery</i> , 2012, 37, 112-119.	1.6	138
8	The outcome of primary total hip and knee arthroplasty in patients aged 80 years or more. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1265-1270.	3.4	119
9	The radiographic union scale in tibial (RUST) fractures. <i>Bone and Joint Research</i> , 2016, 5, 116-121.	3.6	117
10	IMPACT-Scot report on COVID-19 and hip fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1219-1228.	4.4	116
11	The changing epidemiology of fall-related fractures in adults. <i>Injury</i> , 2017, 48, 819-824.	1.7	93
12	Does diabetes affect outcome after arthroscopic repair of the rotator cuff?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1112-1117.	3.4	90
13	The outcome of proximal humeral fractures in the elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 970-977.	4.4	80
14	Socioeconomic status affects the early outcome of total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 464-469.	3.4	79
15	Fractures in older adults. A view of the future?. <i>Injury</i> , 2018, 49, 2161-2166.	1.7	78
16	Socioeconomic status affects the Oxford knee score and Short-Form 12 score following total knee replacement. <i>Bone and Joint Journal</i> , 2013, 95-B, 52-58.	4.4	73
17	Undisplaced intracapsular hip fractures in the elderly: predicting fixation failure and mortality. A prospective study of 162 patients. <i>Journal of Orthopaedic Science</i> , 2013, 18, 578-585.	1.1	69
18	IMPACT-Restart: the influence of COVID-19 on postoperative mortality and risk factors associated with SARS-CoV-2 infection after orthopaedic and trauma surgery. <i>Bone and Joint Journal</i> , 2020, 102-B, 1774-1781.	4.4	68

#	ARTICLE	IF	CITATIONS
19	Three groups of dissatisfied patients exist after total knee arthroplasty: early, persistent, and late. <i>Bone and Joint Journal</i> , 2018, 100-B, 161-169.	4.4	66
20	Patient satisfaction after total knee arthroplasty is affected by their general physical well-being. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2638-2646.	4.2	64
21	Primary total knee replacement in patients with mental disability improves their mental health and knee function. <i>Bone and Joint Journal</i> , 2013, 95-B, 360-366.	4.4	61
22	Total knee replacement in patients with concomitant back pain results in a worse functional outcome and a lower rate of satisfaction. <i>Bone and Joint Journal</i> , 2013, 95-B, 1632-1639.	4.4	59
23	Robotic arm-assisted versus manual total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1009-1020.	4.4	57
24	Predicting patient satisfaction using the Oxford knee score: where do we draw the line?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 689-694.	2.4	56
25	The spectrum of fractures in the elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 366-372.	4.4	54
26	Polytrauma in the elderly: predictors of the cause and time of death. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 26.	2.6	52
27	Total hip arthroplasty: to cement or not to cement the acetabular socket? A critical review of the literature. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 411-427.	2.4	52
28	Total hip replacement: increasing femoral offset improves functional outcome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1317-1323.	2.4	52
29	Elderly pelvic fractures: the incidence is increasing and patient demographics can be used to predict the outcome. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 1431-1437.	1.4	48
30	Older age and female gender are independent predictors of early conversion to total knee arthroplasty after high tibial osteotomy. <i>Knee</i> , 2019, 26, 207-212.	1.6	46
31	Survival and functional outcome of high tibial osteotomy for medial knee osteoarthritis: a 10-year cohort study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1381-1389.	1.4	44
32	The outcome of fractures in very elderly patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 806-810.	3.4	43
33	Lower limb joint replacement in rheumatoid arthritis. <i>Journal of Orthopaedic Surgery and Research</i> , 2012, 7, 27.	2.3	43
34	The rate and predictors of patient satisfaction after total knee arthroplasty are influenced by the focus of the question. <i>Bone and Joint Journal</i> , 2018, 100-B, 740-748.	4.4	42
35	Meaningful changes in the Short Form 12 physical and mental summary scores after total knee arthroplasty. <i>Knee</i> , 2019, 26, 861-868.	1.6	42
36	Association Between Femoral Component Sagittal Positioning and Anterior Knee Pain in Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1575-1585.	3.0	42

#	ARTICLE	IF	CITATIONS
37	Smoking status and the Disabilities of the Arm Shoulder and Hand score are early predictors of symptomatic nonunion of displaced midshaft fractures of the clavicle. Bone and Joint Journal, 2016, 98-B, 125-130.	4.4	41
38	The Influence of Shortening on Clinical Outcome in Healed Displaced Midshaft Clavicular Fractures After Nonoperative Treatment. Journal of Bone and Joint Surgery - Series A, 2017, 99, 1166-1172.	3.0	41
39	Socioeconomic deprivation predicts outcome following radial head and neck fractures. Injury, 2012, 43, 1102-1106.	1.7	39
40	Multiple fractures in the elderly. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 231-236.	3.4	38
41	Open fractures in the elderly. The importance of skin ageing. Injury, 2015, 46, 189-194.	1.7	38
42	The Net Promoter Scores with Friends and Family Test after four hand surgery procedures. Journal of Hand Surgery: European Volume, 2019, 44, 290-295.	1.0	38
43	The prevalence, mortality, and associated risk factors for developing COVID-19 in hip fracture patients: a systematic review and meta-analysis. Bone and Joint Research, 2020, 9, 873-883.	3.6	37
44	Robotic arm-assisted versus manual total hip arthroplasty. Bone and Joint Research, 2021, 10, 22-30.	3.6	37
45	Predictors of mortality after total knee replacement. Journal of Bone and Joint Surgery: British Volume, 2012, 94-B, 200-204.	3.4	36
46	Forearm Deformity in Patients with Hereditary Multiple Exostoses. Journal of Bone and Joint Surgery - Series A, 2013, 95, 1586-1592.	3.0	36
47	Post-operative Oxford knee score can be used to indicate whether patient expectations have been achieved after primary total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1578-1590.	4.2	34
48	The outcome of tibial diaphyseal fractures in the elderly. Bone and Joint Journal, 2013, 95-B, 1255-1262.	4.4	33
49	Interpretation of the QuickDASH score after open carpal tunnel decompression: threshold values associated with patient satisfaction. Journal of Hand Surgery: European Volume, 2016, 41, 624-631.	1.0	33
50	Short-Term Outcome After Arthroscopic Bursectomy Debridement of Rotator Cuff Calcific Tendonopathy With and Without Subacromial Decompression: A Prospective Randomized Controlled Trial. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 1680-1687.	2.7	30
51	Diabetes does not influence the early outcome of total knee replacement: A prospective study assessing the Oxford knee score, short form 12, and patient satisfaction. Knee, 2013, 20, 437-441.	1.6	29
52	Open ankle fractures: who gets them and why?. Archives of Orthopaedic and Trauma Surgery, 2015, 135, 297-303.	2.4	29
53	Posterior condylar offset is an independent predictor of functional outcome after revision total knee arthroplasty. Bone and Joint Research, 2017, 6, 172-178.	3.6	29
54	Robotic-assisted unicompartmental knee arthroplasty has a greater early functional outcome when compared to manual total knee arthroplasty for isolated medial compartment arthritis. Bone and Joint Research, 2020, 9, 15-22.	3.6	29

#	ARTICLE	IF	CITATIONS
55	Hereditary multiple exostoses: anatomical distribution and burden of exostoses is dependent upon genotype and gender. <i>Scottish Medical Journal</i> , 2014, 59, 35-44.	1.3	28
56	Can deformity of the knee and longitudinal growth of the leg be predicted in patients with hereditary multiple exostoses? A cross-sectional study. <i>Knee</i> , 2014, 21, 299-303.	1.6	28
57	Social deprivation as a risk factor for fractures in childhood. <i>Bone and Joint Journal</i> , 2015, 97-B, 240-245.	4.4	28
58	Increased symptoms of stiffness 1 year after total knee arthroplasty are associated with a worse functional outcome and lower rate of patient satisfaction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1196-1203.	4.2	28
59	The metal-backed glenoid component in rheumatoid disease: Eight- to fourteen-year follow-up. <i>Journal of Shoulder and Elbow Surgery</i> , 2010, 19, 749-756.	2.6	27
60	IMPACT-Scot 2 report on COVID-19 in hip fracture patients. <i>Bone and Joint Journal</i> , 2021, 103-B, 888-897.	4.4	27
61	Shoulder exostoses in hereditary multiple exostoses: probability of surgery and malignant change. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 290-294.	2.6	26
62	Retention of forearm plates. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 134-137.	3.4	26
63	Distal Radial Fractures in the Superelderly: Does Malunion Affect Functional Outcome?. <i>ISRN Orthopedics</i> , 2014, 2014, 1-7.	0.8	26
64	Essex-Lopresti lesion associated with an impacted radial neck fracture: interest of ulnar shortening in the secondary management of sequelae. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, e19-e24.	2.6	25
65	Vancouver B periprosthetic fractures involving the Exeter cemented stem. <i>Bone and Joint Journal</i> , 2021, 103-B, 309-320.	4.4	25
66	Total Femoral Replacement for Salvage of Periprosthetic Fractures. <i>Orthopedics</i> , 2014, 37, e789-95.	1.1	24
67	Displaced Midshaft Clavicle Fracture Union Can Be Accurately Predicted with a Delayed Assessment at 6 Weeks Following Injury. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 557-566.	3.0	24
68	An uncemented metal-backed glenoid component in total shoulder arthroplasty for osteoarthritis: factors affecting survival and outcome. <i>Journal of Orthopaedic Science</i> , 2013, 18, 22-28.	1.1	21
69	The Edinburgh visual gait score – The minimal clinically important difference. <i>Gait and Posture</i> , 2017, 53, 25-28.	1.4	21
70	Medium-Term Results of Oxford Phase-3 Medial Unicompartmental Knee Arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2012, 20, 157-161.	1.0	20
71	Carpal tunnel decompression in the super-elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 1234-1238.	4.4	19
72	Hip arthroscopy for femoroacetabular impingement: a health economic analysis. <i>HIP International</i> , 2014, 24, 457-464.	1.7	18

#	ARTICLE	IF	CITATIONS
73	Patient age of less than 55 years is not an independent predictor of functional improvement or satisfaction after total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 1755-1763.	2.4	18
74	Overweight and Obese Patients Require Total Hip and Total Knee Arthroplasty at a Younger Age. Journal of Orthopaedic Research, 2020, 38, 348-355.	2.3	18
75	The rate of COVID-19 and associated mortality after elective hip and knee arthroplasty prior to cessation of elective services in UK. Bone and Joint Journal, 2021, 103-B, 681-688.	4.4	18
76	High Survivorship of Cemented Sockets with Roof Graft for Severe Acetabular Dysplasia. Clinical Orthopaedics and Related Research, 2012, 470, 3032-3040.	1.5	17
77	Lengthening the moment arm of the patella confers enhanced extensor mechanism power following total knee arthroplasty. Journal of Orthopaedic Research, 2013, 31, 1201-1207.	2.3	17
78	A patient's perception of their hospital stay influences the functional outcome and satisfaction of total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2017, 137, 693-700.	2.4	17
79	The preoperative Oxford Knee Score is an independent predictor of achieving a postoperative ceiling score after total knee arthroplasty. Bone and Joint Journal, 2020, 102-B, 1519-1526.	4.4	17
80	Changes in Expectation Fulfillment Following Total Knee Arthroplasty: A 10-Year Follow-Up Study. Journal of Arthroplasty, 2020, 35, 1826-1832.	3.1	17
81	Decompression for recurrent carpal tunnel syndrome provides significant functional improvement and patient satisfaction. Journal of Hand Surgery: European Volume, 2020, 45, 250-254.	1.0	16
82	Application of the Radiographic Union Scale for Tibial fractures (RUST): Assessment of healing rate and time of tibial fractures managed with intramedullary nailing. Orthopaedics and Traumatology: Surgery and Research, 2020, 106, 89-93.	2.0	16
83	Factors associated with humeral shaft nonunion. Journal of Shoulder and Elbow Surgery, 2021, 30, 2283-2295.	2.6	16
84	Social deprivation influences the epidemiology and outcome of proximal humeral fractures in adults for a defined urban population of Scotland. European Journal of Orthopaedic Surgery and Traumatology, 2014, 24, 1039-1046.	1.4	15
85	Fractures of the proximal- and middle-thirds of the humeral shaft should be considered as fragility fractures. Bone and Joint Journal, 2020, 102-B, 1475-1483.	4.4	15
86	Do modern total knee replacements offer better value for money? A health economic analysis. International Orthopaedics, 2013, 37, 2147-2152.	1.9	14
87	Asynchronous Bilateral Total Knee Arthroplasty: Predictors of the Functional Outcome and Patient Satisfaction for the Second Knee Replacement. Journal of Arthroplasty, 2019, 34, 2950-2956.	3.1	14
88	Invasive group B streptococcal disease in an orthopaedic unit. Journal of Hospital Infection, 2010, 76, 231-233.	2.9	13
89	Mega prosthetic distal femoral arthroplasty for non-tumour indications: Does the indication affect the functional outcome and survivorship?. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1330-1336.	4.2	13
90	Range of movement correlates with the Oxford knee score after total knee replacement: A prediction model and validation. Knee, 2016, 23, 511-516.	1.6	13

#	ARTICLE	IF	CITATIONS
91	An Overview and Predictors of Achieving the Postoperative Ceiling Effect of the WOMAC Score Following Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 273-280.	3.1	13
92	One-year Oxford knee scores should be used in preference to 6-month scores when assessing the outcome of total knee arthroplasty. <i>Knee Surgery and Related Research</i> , 2020, 32, 43.	4.2	13
93	IMPACT-Global Hip Fracture Audit: Nosocomial infection, risk prediction and prognostication, minimum reporting standards and global collaborative audit. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2022, 20, e429-e446.	1.8	13
94	An alternative technique of restricted kinematic alignment of the femur and gap balanced alignment of the tibia using computer aided navigation. <i>Bone and Joint Research</i> , 2020, 9, 282-284.	3.6	12
95	Meaningful values in the Short Form Health Survey-36 after total knee arthroplasty – an alternative to the EuroQol five-dimension index as a measure for health-related quality of life. <i>Bone and Joint Research</i> , 2022, 11, 477-483.	3.6	12
96	Determining the Incidence of Adult Fractures: How Accurate Are Emergency Department Data?. <i>Epidemiology Research International</i> , 2012, 2012, 1-7.	0.2	11
97	Recall of preoperative Oxford Hip and Knee Scores one year after arthroplasty is an alternative and reliable technique when used for a cohort of patients. <i>Bone and Joint Research</i> , 2018, 7, 351-356.	3.6	11
98	Validation of a prediction model that allows direct comparison of the Oxford Knee Score and American Knee Society clinical rating system. <i>Bone and Joint Journal</i> , 2015, 97-B, 503-509.	4.4	10
99	Columbus Â® computer navigated total knee arthroplasty: Gap balancing versus measured resection. <i>Knee</i> , 2017, 24, 1442-1447.	1.6	10
100	Carpal tunnel decompression in patients with normal nerve conduction studies. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 260-264.	1.0	10
101	A systematic review of imageless hand-held robotic-assisted knee arthroplasty: learning curve, accuracy, functional outcome and survivorship. <i>EFORT Open Reviews</i> , 2020, 5, 319-326.	4.1	10
102	Self-Perceived Hand Normality Before and After Surgical Treatment of Dupuytren Contracture. <i>Journal of Hand Surgery</i> , 2021, 46, 403-408.	1.6	10
103	Functional outcomes of trigger finger release in non-diabetic and diabetic patients. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 1078-1082.	1.0	10
104	Does socioeconomic status influence the epidemiology and outcome of distal radial fractures in adults?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2017, 27, 1075-1082.	1.4	9
105	High mortality in younger patients with major osteoporotic fractures. <i>Osteoporosis International</i> , 2017, 28, 1047-1052.	3.1	9
106	There is no clinically important difference in the Oxford knee scores between one and two years after total knee arthroplasty: The one-year score could be used as the benchmark timepoint to assess outcome. <i>Knee</i> , 2020, 27, 1212-1218.	1.6	9
107	Contralateral knee pain reduces the rate of patient satisfaction but does not clinically impair the change in WOMAC score after total knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 125-131.	4.4	9
108	The rate and associated risk factors for acute carpal tunnel syndrome complicating a fracture of the distal radius. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 981-987.	1.4	9

#	ARTICLE	IF	CITATIONS
109	Radiographic severity, extent and pattern of cartilage loss are not associated with patient reported outcomes before or after total knee arthroplasty in end-stage knee osteoarthritis. <i>Knee</i> , 2021, 31, 54-63.	1.6	9
110	Salter-Harris II injury of the proximal tibial epiphysis with both vascular compromise and compartment syndrome: a case report. <i>Journal of Orthopaedic Surgery and Research</i> , 2009, 4, 23.	2.3	8
111	Articular surface mounted navigated total knee arthroplasty improves the reliability of component alignment. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1471-1477.	4.2	8
112	Early functional outcomes after condylar-stabilizing (deep-dish) versus standard bearing surface for cruciate-retaining total knee arthroplasty. <i>Knee Surgery and Related Research</i> , 2019, 31, 3.	4.2	8
113	Cemented Exeter total hip arthroplasty with a 32 mm head on highly crosslinked polyethylene. <i>Bone and Joint Research</i> , 2019, 8, 275-287.	3.6	8
114	Survival and functional outcome of revision total knee arthroplasty with a total stabilizer knee system: minimum 5 years of follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1511-1517.	1.4	8
115	The survivorship of the link endo-rotational hinge total knee arthroplasty: 5-year follow-up of 100 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 107-112.	2.4	8
116	Risk factors associated with delayed and aseptic nonunion following tibial diaphyseal fractures managed with intramedullary nailing. <i>Bone & Joint Open</i> , 2021, 2, 227-235.	2.6	8
117	Open Reduction and Internal Fixation for Humeral Shaft Nonunion: Bone Grafting Is Not Routinely Required and Avoids Donor Site Morbidity. <i>Journal of Orthopaedic Trauma</i> , 2021, 35, 414-423.	1.4	8
118	The rate of patient deferral and barriers to going forward with elective orthopaedic surgery during the COVID-19 pandemic. <i>Bone & Joint Open</i> , 2020, 1, 663-668.	2.6	8
119	Higher rate of complications with uncemented compared to cemented total hip arthroplasty for displaced intracapsular hip fractures: A randomised controlled trial of 50 patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 587-594.	1.4	7
120	Patellar cartilage loss does not affect early outcomes of total knee arthroplasty performed without patella resurfacing. <i>Knee</i> , 2021, 28, 194-201.	1.6	7
121	The epidemiology of Achilles tendon re-rupture and associated risk factors: male gender, younger age and traditional immobilising rehabilitation are risk factors. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2457-2469.	4.2	7
122	Factors Associated with Patient-Reported Outcomes Following a Humeral Shaft Fracture: Nonunion Results in a Poorer Outcome Despite Union after Surgical Fixation. <i>Journal of Orthopaedic Trauma</i> , 2022, 36, e227-e235.	1.4	7
123	Meta-audit: a novel approach to healthcare improvement through the integration of clinical audit and health data science techniques. <i>Bone and Joint</i> 360, 2021, 10, 3-5.	0.0	7
124	The IMPACT of COVID-19 on trauma & orthopaedic surgery provides lessons for future communicable disease outbreaks. <i>Bone and Joint Research</i> , 2022, 11, 342-345.	3.6	7
125	Minimum reporting criteria for robotic assisted total knee arthroplasty studies. <i>Bone and Joint Research</i> , 2020, 9, 279-281.	3.6	6
126	Sex does not clinically influence the functional outcome of total knee arthroplasty but females have a lower rate of satisfaction with pain relief. <i>Knee Surgery and Related Research</i> , 2020, 32, 32.	4.2	6

#	ARTICLE	IF	CITATIONS
127	The ability to kneel before and after total knee arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1514-1525.	4.4	6
128	Prioritization versus rationing of healthcare – elective surgery is not optional surgery. <i>Bone and Joint Research</i> , 2022, 11, 301-303.	3.6	6
129	The delivery of an emergency audit response to a communicable disease outbreak can inform future orthopaedic investigations and clinical practice. <i>Bone and Joint Research</i> , 2022, 11, 346-348.	3.6	6
130	Can we decipher indications and outcomes of the PHILOS plate for fractures of the proximal humerus?. <i>International Orthopaedics</i> , 2013, 37, 1199-1200.	1.9	5
131	Cracking the code: the accuracy of coding shoulder procedures and the repercussions. <i>Scottish Medical Journal</i> , 2013, 58, 109-112.	1.3	5
132	Nontraumatic Lesions of the Clavicle in a Paediatric Population: Incidence and Management. <i>International Scholarly Research Notices</i> , 2014, 2014, 1-5.	0.9	5
133	Femoral cortical thickness influences the pattern of proximal femoral periprosthetic fractures with a cemented stem. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 659-665.	1.4	5
134	Knee biomechanics. <i>Bone and Joint Research</i> , 2018, 7, 325-326.	3.6	5
135	Is there a Threshold Preoperative WOMAC Score That Predicts Patient Satisfaction after Total Knee Arthroplasty?. <i>Journal of Knee Surgery</i> , 2021, 34, 846-852.	1.6	5
136	Patient expectation fulfilment following total hip arthroplasty: a 10-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 963-971.	2.4	5
137	A multicentre national study of the effectiveness of virtual fracture clinic management of orthopaedic trauma during the COVID-19 pandemic (MAVCOV): a cross-sectional study protocol. <i>Bone & Joint Open</i> , 2021, 2, 211-215.	2.6	5
138	Robotic- and orthosensor-assisted versus manual (ROAM) total knee replacement: a study protocol for a randomised controlled trial. <i>Trials</i> , 2022, 23, 70.	1.6	5
139	Accelerated polyethylene wear and early failure of the uncemented Reflection acetabular component: a ten to fifteen-year follow-up study. <i>International Orthopaedics</i> , 2013, 37, 2337-2343.	1.9	4
140	Survival of the low contact stress rotating platform total knee replacement is influenced by age: 1058 implants with a minimum follow-up of 10 years. <i>Knee</i> , 2018, 25, 1283-1291.	1.6	4
141	Comparison of two extensile approaches to the knee: a cadaveric study evaluating quadriceps snip and extensile medial parapatellar approach. <i>Journal of Orthopaedics</i> , 2018, 15, 416-419.	1.3	4
142	Which patients are satisfied with their overall outcome but dissatisfied with their return to recreational activities after total knee arthroplasty?. <i>Knee</i> , 2019, 26, 258-266.	1.6	4
143	The Extensile Medial Parapatellar Approach to the Distal Femur and Knee: Anatomic Landmarks and Surgical Technique. <i>Techniques in Orthopaedics</i> , 2019, 34, 129-133.	0.2	4
144	Sagittal alignment of the cemented femoral component in revision total knee arthroplasty influences the anterior and posterior condylar offset: Stem length does not affect these variables. <i>Knee</i> , 2020, 27, 477-484.	1.6	4

#	ARTICLE	IF	CITATIONS
145	The Influence of Self-Reported Hand "Arm Vibration Exposure on Functional Outcomes Following Carpal Tunnel Release. <i>Journal of Hand Surgery</i> , 2020, 45, 1029-1036.	1.6	4
146	A Cost-Utility Analysis of Robotic Arm-Assisted Total Hip Arthroplasty: Using Robotic Data from the Private Sector and Manual Data from the National Health Service. <i>Advances in Orthopedics</i> , 2022, 2022, 1-8.	1.0	4
147	Total knee arthroplasty in patients with severe obesity provides value for money despite increased complications. <i>Bone and Joint Journal</i> , 2022, 104-B, 452-463.	4.4	4
148	A cost-utility analysis of open A1 pulley release for the treatment of trigger finger. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 1083-1086.	1.0	3
149	Total Knee Arthroplasty and Intra-Articular Pressure Sensors: Can They Assist Surgeons with Intra-Operative Decisions?. <i>Current Reviews in Musculoskeletal Medicine</i> , 2021, 14, 361-368.	3.5	3
150	Routine fixation of humeral shaft fractures is cost-effective. <i>Bone & Joint Open</i> , 2022, 3, 566-572.	2.6	3
151	The Edinburgh variant of a talar body fracture: a case report. <i>Journal of Orthopaedic Surgery and Research</i> , 2010, 5, 92.	2.3	2
152	The verbal Oxford Knee Score is not clinically different from the written score when assessed before or after total knee arthroplasty. <i>Knee</i> , 2020, 27, 1396-1405.	1.6	2
153	Depression Is Not Independently Associated with a Clinically Worse Functional Improvement but Associated with a Lower Reported Satisfaction Rate after Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2020, , .	1.6	2
154	Comorbid status influences quality of life following carpal tunnel decompression. <i>Hand Surgery and Rehabilitation</i> , 2021, 40, 338-342.	0.4	2
155	The Olympia anatomic polished cemented stem is associated with a high survivorship, excellent hip-specific functional outcome, and high satisfaction levels: follow-up of 239 consecutive patients beyond 15 years. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2361-2370.	2.4	2
156	Primary total ankle replacement surgery is a cost-effective intervention. <i>Foot</i> , 2021, 49, 101830.	1.1	2
157	Age, personal and family history are independently associated with venous thromboembolism following acute Achilles tendon rupture. <i>Injury</i> , 2022, 53, 762-770.	1.7	2
158	Fractures in elderly mice demonstrate delayed ossification of the soft callus: a cellular and radiographic study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, , 1.	1.4	2
159	Golfers have greater preoperative and equal postoperative function when undergoing total knee arthroplasty compared to non-golfers. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 1083-1089.	1.4	2
160	Mapping analysis to predict the associated EuroQol five-dimension three-level utility values from the Oxford Knee Score. <i>Bone & Joint Open</i> , 2022, 3, 573-581.	2.6	2
161	Assessment of shoulder function using the coronal plane angle. <i>International Journal of Shoulder Surgery</i> , 2009, 3, 90.	1.5	1
162	Subacromial impingement syndrome in a patient with hereditary multiple exostosis: a case report. <i>The Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2013, 5, 20.	1.0	1

#	ARTICLE	IF	CITATIONS
163	A History of Falls Should Be Recorded in All Preoperative Patients. <i>EBioMedicine</i> , 2016, 12, 30-31.	6.1	1
164	Subacromial corticosteroid injection using the posterior or lateral shoulder portals. <i>International Journal of Shoulder Surgery</i> , 2012, 6, 136.	1.5	1
165	Manipulation of Displaced Distal Radial Fractures in the Superelderly: Prediction of Malunion and the Degree of Radiographic Improvement. <i>Advances in Orthopedics</i> , 2014, 2014, 1-6.	1.0	0
166	Comment on Buecking et al.: Functional implications of femoral offset following hemiarthroplasty for displaced femoral neck fracture. <i>International Orthopaedics</i> , 2016, 40, 2643-2644.	1.9	0
167	Long-term mortality after internal fixation of calcaneal fractures: a retrospective study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 157-162.	1.4	0
168	Letter to the Editor regarding "Reliability of Radiographic Union Scoring in Humeral Shaft Fractures". <i>Journal of Orthopaedic Trauma</i> , 2021, 35, e182-e183.	1.4	0
169	Re: Cay et al. Quotation errors related to the distal radius acute fracture fixation trial paper. <i>J Hand Surg Eur. Epub ahead of print 24 March 2021. DOI: 10.1177/17531934211002985. Journal of Hand Surgery: European Volume</i> , 2021, , 175319342110298.	1.0	0
170	Comment on "A comparative study of 6-week and 12-week Radiographic Union Scores for Humeral fractures (RUSHU) as a predictor of humeral shaft non-union". <i>Shoulder and Elbow</i> , 2022, 14, 175857322210760.	1.5	0
171	The Health-Related Quality of Life of Patients Waiting for Anterior Cruciate Ligament Reconstruction Is Worse Than an Age- and Sex-Matched Population: Increasing Time on Waiting List for Surgery Was Independently Associated with a Worse Quality of Life. <i>Advances in Orthopedics</i> , 2022, 2022, 1-7.	1.0	0