

Nicholas Clement

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1817013/publications.pdf>

Version: 2024-02-01

171
papers

5,306
citations

87888

38
h-index

106344

65
g-index

175
all docs

175
docs citations

175
times ranked

4435
citing authors

#	ARTICLE	IF	CITATIONS
1	Golfers have greater preoperative and equal postoperative function when undergoing total knee arthroplasty compared to non-golfers. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 1083-1089.	1.4	2
2	The Olympia anatomic polished cemented stem is associated with a high survivorship, excellent hip-specific functional outcome, and high satisfaction levels: follow-up of 239 consecutive patients beyond 15 years. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 2361-2370.	2.4	2
3	Age, personal and family history are independently associated with venous thromboembolism following acute Achilles tendon rupture. <i>Injury</i> , 2022, 53, 762-770.	1.7	2
4	The epidemiology of Achilles tendon re-rupture and associated risk factors: male gender, younger age and traditional immobilising rehabilitation are risk factors. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 2457-2469.	4.2	7
5	Robotic- and orthosensor-assisted versus manual (ROAM) total knee replacement: a study protocol for a randomised controlled trial. <i>Trials</i> , 2022, 23, 70.	1.6	5
6	Factors Associated with Patient-Reported Outcomes Following a Humeral Shaft Fracture: Nonunion Results in a Poorer Outcome Despite Union after Surgical Fixation. <i>Journal of Orthopaedic Trauma</i> , 2022, 36, e227-e235.	1.4	7
7	Comment on "A comparative study of 6-week and 12-week Radiographic Union Scores for HUmeral fractures (RUSHU) as a predictor of humeral shaft non-union". <i>Shoulder and Elbow</i> , 2022, 14, 175857322210760.	1.5	0
8	A Cost-Utility Analysis of Robotic Arm-Assisted Total Hip Arthroplasty: Using Robotic Data from the Private Sector and Manual Data from the National Health Service. <i>Advances in Orthopedics</i> , 2022, 2022, 1-8.	1.0	4
9	Fractures in elderly mice demonstrate delayed ossification of the soft callus: a cellular and radiographic study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, , 1.	1.4	2
10	IMPACT-Global Hip Fracture Audit: Nosocomial infection, risk prediction and prognostication, minimum reporting standards and global collaborative audit. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2022, 20, e429-e446.	1.8	13
11	Total knee arthroplasty in patients with severe obesity provides value for money despite increased complications. <i>Bone and Joint Journal</i> , 2022, 104-B, 452-463.	4.4	4
12	Prioritization versus rationing of healthcare " elective surgery is not optional surgery. <i>Bone and Joint Research</i> , 2022, 11, 301-303.	3.6	6
13	The delivery of an emergency audit response to a communicable disease outbreak can inform future orthopaedic investigations and clinical practice. <i>Bone and Joint Research</i> , 2022, 11, 346-348.	3.6	6
14	The IMPACT of COVID-19 on trauma & orthopaedic surgery provides lessons for future communicable disease outbreaks. <i>Bone and Joint Research</i> , 2022, 11, 342-345.	3.6	7
15	The Health-Related Quality of Life of Patients Waiting for Anterior Cruciate Ligament Reconstruction Is Worse Than an Age- and Sex-Matched Population: Increasing Time on Waiting List for Surgery Was Independently Associated with a Worse Quality of Life. <i>Advances in Orthopedics</i> , 2022, 2022, 1-7.	1.0	0
16	Meaningful values in the Short Form Health Survey-36 after total knee arthroplasty " an alternative to the EuroQol five-dimension index as a measure for health-related quality of life. <i>Bone and Joint Research</i> , 2022, 11, 477-483.	3.6	12
17	Mapping analysis to predict the associated EuroQol five-dimension three-level utility values from the Oxford Knee Score. <i>Bone & Joint Open</i> , 2022, 3, 573-581.	2.6	2
18	Routine fixation of humeral shaft fractures is cost-effective. <i>Bone & Joint Open</i> , 2022, 3, 566-572.	2.6	3

#	ARTICLE	IF	CITATIONS
19	Is there a Threshold Preoperative WOMAC Score That Predicts Patient Satisfaction after Total Knee Arthroplasty?. <i>Journal of Knee Surgery</i> , 2021, 34, 846-852.	1.6	5
20	Comorbid status influences quality of life following carpal tunnel decompression. <i>Hand Surgery and Rehabilitation</i> , 2021, 40, 338-342.	0.4	2
21	Higher rate of complications with uncemented compared to cemented total hip arthroplasty for displaced intracapsular hip fractures: A randomised controlled trial of 50 patients. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 587-594.	1.4	7
22	Vancouver B periprosthetic fractures involving the Exeter cemented stem. <i>Bone and Joint Journal</i> , 2021, 103-B, 309-320.	4.4	25
23	A multicentre national study of the effectiveness of virtual fracture clinic management of orthopaedic trauma during the COVID-19 pandemic (MAVCOV): a cross-sectional study protocol. <i>Bone & Joint Open</i> , 2021, 2, 211-215.	2.6	5
24	Risk factors associated with delayed and aseptic nonunion following tibial diaphyseal fractures managed with intramedullary nailing. <i>Bone & Joint Open</i> , 2021, 2, 227-235.	2.6	8
25	The rate and associated risk factors for acute carpal tunnel syndrome complicating a fracture of the distal radius. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2021, 31, 981-987.	1.4	9
26	The rate of COVID-19 and associated mortality after elective hip and knee arthroplasty prior to cessation of elective services in UK. <i>Bone and Joint Journal</i> , 2021, 103-B, 681-688.	4.4	18
27	IMPACT-Scot 2 report on COVID-19 in hip fracture patients. <i>Bone and Joint Journal</i> , 2021, 103-B, 888-897.	4.4	27
28	Letter to the Editor regarding "Reliability of Radiographic Union Scoring in Humeral Shaft Fractures". <i>Journal of Orthopaedic Trauma</i> , 2021, 35, e182-e183.	1.4	0
29	Self-Perceived Hand Normality Before and After Surgical Treatment of Dupuytren Contracture. <i>Journal of Hand Surgery</i> , 2021, 46, 403-408.	1.6	10
30	Robotic arm-assisted versus manual total hip arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1009-1020.	4.4	57
31	Re: Cay et al. Quotation errors related to the distal radius acute fracture fixation trial paper. <i>J Hand Surg Eur. Epub ahead of print 24 March 2021. DOI: 10.1177/17531934211002985. Journal of Hand Surgery: European Volume</i> , 2021, , 175319342110298.	1.0	0
32	Open Reduction and Internal Fixation for Humeral Shaft Nonunion: Bone Grafting Is Not Routinely Required and Avoids Donor Site Morbidity. <i>Journal of Orthopaedic Trauma</i> , 2021, 35, 414-423.	1.4	8
33	Radiographic severity, extent and pattern of cartilage loss are not associated with patient reported outcomes before or after total knee arthroplasty in end-stage knee osteoarthritis. <i>Knee</i> , 2021, 31, 54-63.	1.6	9
34	The ability to kneel before and after total knee arthroplasty. <i>Bone and Joint Journal</i> , 2021, 103-B, 1514-1525.	4.4	6
35	Factors associated with humeral shaft nonunion. <i>Journal of Shoulder and Elbow Surgery</i> , 2021, 30, 2283-2295.	2.6	16
36	Primary total ankle replacement surgery is a cost-effective intervention. <i>Foot</i> , 2021, 49, 101830.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Patellar cartilage loss does not affect early outcomes of total knee arthroplasty performed without patella resurfacing. <i>Knee</i> , 2021, 28, 194-201.	1.6	7
38	Robotic arm-assisted versus manual total hip arthroplasty. <i>Bone and Joint Research</i> , 2021, 10, 22-30.	3.6	37
39	Total Knee Arthroplasty and Intra-Articular Pressure Sensors: Can They Assist Surgeons with Intra-Operative Decisions?. <i>Current Reviews in Musculoskeletal Medicine</i> , 2021, 14, 361-368.	3.5	3
40	Meta-audit: a novel approach to healthcare improvement through the integration of clinical audit and health data science techniques. <i>Bone and Joint</i> 360, 2021, 10, 3-5.	0.0	7
41	Decompression for recurrent carpal tunnel syndrome provides significant functional improvement and patient satisfaction. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 250-254.	1.0	16
42	Carpal tunnel decompression in patients with normal nerve conduction studies. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 260-264.	1.0	10
43	Long-term mortality after internal fixation of calcaneal fractures: a retrospective study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 157-162.	1.4	0
44	Overweight and Obese Patients Require Total Hip and Total Knee Arthroplasty at a Younger Age. <i>Journal of Orthopaedic Research</i> , 2020, 38, 348-355.	2.3	18
45	Sagittal alignment of the cemented femoral component in revision total knee arthroplasty influences the anterior and posterior condylar offset: Stem length does not affect these variables. <i>Knee</i> , 2020, 27, 477-484.	1.6	4
46	Application of the Radiographic Union Scale for Tibial fractures (RUST): Assessment of healing rate and time of tibial fractures managed with intramedullary nailing. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2020, 106, 89-93.	2.0	16
47	IMPACT-Restart: the influence of COVID-19 on postoperative mortality and risk factors associated with SARS-CoV-2 infection after orthopaedic and trauma surgery. <i>Bone and Joint Journal</i> , 2020, 102-B, 1774-1781.	4.4	68
48	There is no clinically important difference in the Oxford knee scores between one and two years after total knee arthroplasty: The one-year score could be used as the benchmark timepoint to assess outcome. <i>Knee</i> , 2020, 27, 1212-1218.	1.6	9
49	The verbal Oxford Knee Score is not clinically different from the written score when assessed before or after total knee arthroplasty. <i>Knee</i> , 2020, 27, 1396-1405.	1.6	2
50	A systematic review of imageless hand-held robotic-assisted knee arthroplasty: learning curve, accuracy, functional outcome and survivorship. <i>EFORT Open Reviews</i> , 2020, 5, 319-326.	4.1	10
51	The Influence of Self-Reported Hand/Arm Vibration Exposure on Functional Outcomes Following Carpal Tunnel Release. <i>Journal of Hand Surgery</i> , 2020, 45, 1029-1036.	1.6	4
52	Fractures of the proximal- and middle-thirds of the humeral shaft should be considered as fragility fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1475-1483.	4.4	15
53	Depression Is Not Independently Associated with a Clinically Worse Functional Improvement but Associated with a Lower Reported Satisfaction Rate after Total Knee Arthroplasty. <i>Journal of Knee Surgery</i> , 2020, , .	1.6	2
54	One-year Oxford knee scores should be used in preference to 6-month scores when assessing the outcome of total knee arthroplasty. <i>Knee Surgery and Related Research</i> , 2020, 32, 43.	4.2	13

#	ARTICLE	IF	CITATIONS
55	The prevalence, mortality, and associated risk factors for developing COVID-19 in hip fracture patients: a systematic review and meta-analysis. <i>Bone and Joint Research</i> , 2020, 9, 873-883.	3.6	37
56	The preoperative Oxford Knee Score is an independent predictor of achieving a postoperative ceiling score after total knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 1519-1526.	4.4	17
57	A cost-utility analysis of open A1 pulley release for the treatment of trigger finger. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 1083-1086.	1.0	3
58	Minimum reporting criteria for robotic assisted total knee arthroplasty studies. <i>Bone and Joint Research</i> , 2020, 9, 279-281.	3.6	6
59	Contralateral knee pain reduces the rate of patient satisfaction but does not clinically impair the change in WOMAC score after total knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 125-131.	4.4	9
60	Robotic-assisted unicompartmental knee arthroplasty has a greater early functional outcome when compared to manual total knee arthroplasty for isolated medial compartment arthritis. <i>Bone and Joint Research</i> , 2020, 9, 15-22.	3.6	29
61	Changes in Expectation Fulfillment Following Total Knee Arthroplasty: A 10-Year Follow-Up Study. <i>Journal of Arthroplasty</i> , 2020, 35, 1826-1832.	3.1	17
62	Sex does not clinically influence the functional outcome of total knee arthroplasty but females have a lower rate of satisfaction with pain relief. <i>Knee Surgery and Related Research</i> , 2020, 32, 32.	4.2	6
63	IMPACT-Scot report on COVID-19 and hip fractures. <i>Bone and Joint Journal</i> , 2020, 102-B, 1219-1228.	4.4	116
64	Patient expectation fulfilment following total hip arthroplasty: a 10-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 963-971.	2.4	5
65	Displaced Midshaft Clavicle Fracture Union Can Be Accurately Predicted with a Delayed Assessment at 6 Weeks Following Injury. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 557-566.	3.0	24
66	Functional outcomes of trigger finger release in non-diabetic and diabetic patients. <i>Journal of Hand Surgery: European Volume</i> , 2020, 45, 1078-1082.	1.0	10
67	An alternative technique of restricted kinematic alignment of the femur and gap balanced alignment of the tibia using computer aided navigation. <i>Bone and Joint Research</i> , 2020, 9, 282-284.	3.6	12
68	The rate of patient deferral and barriers to going forward with elective orthopaedic surgery during the COVID-19 pandemic. <i>Bone & Joint Open</i> , 2020, 1, 663-668.	2.6	8
69	Increased symptoms of stiffness 1 year after total knee arthroplasty are associated with a worse functional outcome and lower rate of patient satisfaction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 1196-1203.	4.2	28
70	Early functional outcomes after condylar-stabilizing (deep-dish) versus standard bearing surface for cruciate-retaining total knee arthroplasty. <i>Knee Surgery and Related Research</i> , 2019, 31, 3.	4.2	8
71	Asynchronous Bilateral Total Knee Arthroplasty: Predictors of the Functional Outcome and Patient Satisfaction for the Second Knee Replacement. <i>Journal of Arthroplasty</i> , 2019, 34, 2950-2956.	3.1	14
72	Cemented Exeter total hip arthroplasty with a 32 mm head on highly crosslinked polyethylene. <i>Bone and Joint Research</i> , 2019, 8, 275-287.	3.6	8

#	ARTICLE	IF	CITATIONS
73	Survival and functional outcome of revision total knee arthroplasty with a total stabilizer knee system: minimum 5 years of follow-up. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1511-1517.	1.4	8
74	Meaningful changes in the Short Form 12 physical and mental summary scores after total knee arthroplasty. <i>Knee</i> , 2019, 26, 861-868.	1.6	42
75	Association Between Femoral Component Sagittal Positioning and Anterior Knee Pain in Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 1575-1585.	3.0	42
76	The Net Promoter Scores with Friends and Family Test after four hand surgery procedures. <i>Journal of Hand Surgery: European Volume</i> , 2019, 44, 290-295.	1.0	38
77	Older age and female gender are independent predictors of early conversion to total knee arthroplasty after high tibial osteotomy. <i>Knee</i> , 2019, 26, 207-212.	1.6	46
78	Which patients are satisfied with their overall outcome but dissatisfied with their return to recreational activities after total knee arthroplasty?. <i>Knee</i> , 2019, 26, 258-266.	1.6	4
79	The survivorship of the link endo-rotational hinge total knee arthroplasty: 5 years follow-up of 100 patients. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 107-112.	2.4	8
80	An Overview and Predictors of Achieving the Postoperative Ceiling Effect of the WOMAC Score Following Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2019, 34, 273-280.	3.1	13
81	The Extensile Medial Parapatellar Approach to the Distal Femur and Knee: Anatomic Landmarks and Surgical Technique. <i>Techniques in Orthopaedics</i> , 2019, 34, 129-133.	0.2	4
82	Survival and functional outcome of high tibial osteotomy for medial knee osteoarthritis: a 10-year cohort study. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 1381-1389.	1.4	44
83	Three groups of dissatisfied patients exist after total knee arthroplasty: early, persistent, and late. <i>Bone and Joint Journal</i> , 2018, 100-B, 161-169.	4.4	66
84	Femoral cortical thickness influences the pattern of proximal femoral periprosthetic fractures with a cemented stem. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2018, 28, 659-665.	1.4	5
85	Articular surface mounted navigated total knee arthroplasty improves the reliability of component alignment. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1471-1477.	4.2	8
86	Fractures in older adults. A view of the future?. <i>Injury</i> , 2018, 49, 2161-2166.	1.7	78
87	Patient age of less than 55 years is not an independent predictor of functional improvement or satisfaction after total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 1755-1763.	2.4	18
88	What is the Minimum Clinically Important Difference for the WOMAC Index After TKA?. <i>Clinical Orthopaedics and Related Research</i> , 2018, 476, 2005-2014.	1.5	158
89	Survival of the low contact stress rotating platform total knee replacement is influenced by age: 1058 implants with a minimum follow-up of 10 years. <i>Knee</i> , 2018, 25, 1283-1291.	1.6	4
90	Knee biomechanics. <i>Bone and Joint Research</i> , 2018, 7, 325-326.	3.6	5

#	ARTICLE	IF	CITATIONS
91	The rate and predictors of patient satisfaction after total knee arthroplasty are influenced by the focus of the question. <i>Bone and Joint Journal</i> , 2018, 100-B, 740-748.	4.4	42
92	Recall of preoperative Oxford Hip and Knee Scores one year after arthroplasty is an alternative and reliable technique when used for a cohort of patients. <i>Bone and Joint Research</i> , 2018, 7, 351-356.	3.6	11
93	Comparison of two extensile approaches to the knee: a cadaveric study evaluating quadriceps snip and extensile medial parapatellar approach. <i>Journal of Orthopaedics</i> , 2018, 15, 416-419.	1.3	4
94	The Edinburgh visual gait score – The minimal clinically important difference. <i>Gait and Posture</i> , 2017, 53, 25-28.	1.4	21
95	The changing epidemiology of fall-related fractures in adults. <i>Injury</i> , 2017, 48, 819-824.	1.7	93
96	A patient’s perception of their hospital stay influences the functional outcome and satisfaction of total knee arthroplasty. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2017, 137, 693-700.	2.4	17
97	Posterior condylar offset is an independent predictor of functional outcome after revision total knee arthroplasty. <i>Bone and Joint Research</i> , 2017, 6, 172-178.	3.6	29
98	The Influence of Shortening on Clinical Outcome in Healed Displaced Midshaft Clavicular Fractures After Nonoperative Treatment. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017, 99, 1166-1172.	3.0	41
99	Does socioeconomic status influence the epidemiology and outcome of distal radial fractures in adults?. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2017, 27, 1075-1082.	1.4	9
100	High mortality in younger patients with major osteoporotic fractures. <i>Osteoporosis International</i> , 2017, 28, 1047-1052.	3.1	9
101	Columbus Å® computer navigated total knee arthroplasty: Gap balancing versus measured resection. <i>Knee</i> , 2017, 24, 1442-1447.	1.6	10
102	Smoking status and the Disabilities of the Arm Shoulder and Hand score are early predictors of symptomatic nonunion of displaced midshaft fractures of the clavicle. <i>Bone and Joint Journal</i> , 2016, 98-B, 125-130.	4.4	41
103	The radiographic union scale in tibial (RUST) fractures. <i>Bone and Joint Research</i> , 2016, 5, 116-121.	3.6	117
104	A History of Falls Should Be Recorded in All Preoperative Patients. <i>EBioMedicine</i> , 2016, 12, 30-31.	6.1	1
105	Range of movement correlates with the Oxford knee score after total knee replacement: A prediction model and validation. <i>Knee</i> , 2016, 23, 511-516.	1.6	13
106	Comment on Buecking et al.: Functional implications of femoral offset following hemiarthroplasty for displaced femoral neck fracture. <i>International Orthopaedics</i> , 2016, 40, 2643-2644.	1.9	0
107	Total hip replacement: increasing femoral offset improves functional outcome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2016, 136, 1317-1323.	2.4	52
108	Interpretation of the QuickDASH score after open carpal tunnel decompression: threshold values associated with patient satisfaction. <i>Journal of Hand Surgery: European Volume</i> , 2016, 41, 624-631.	1.0	33

#	ARTICLE	IF	CITATIONS
109	Open fractures in the elderly. The importance of skin ageing. <i>Injury</i> , 2015, 46, 189-194.	1.7	38
110	Open ankle fractures: who gets them and why?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 297-303.	2.4	29
111	Social deprivation as a risk factor for fractures in childhood. <i>Bone and Joint Journal</i> , 2015, 97-B, 240-245.	4.4	28
112	Validation of a prediction model that allows direct comparison of the Oxford Knee Score and American Knee Society clinical rating system. <i>Bone and Joint Journal</i> , 2015, 97-B, 503-509.	4.4	10
113	Short-Term Outcome After Arthroscopic Bursectomy Debridement of Rotator Cuff Calcific Tendonopathy With and Without Subacromial Decompression: A Prospective Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 1680-1687.	2.7	30
114	Post-operative Oxford knee score can be used to indicate whether patient expectations have been achieved after primary total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1578-1590.	4.2	34
115	Mega prosthetic distal femoral arthroplasty for non-tumour indications: Does the indication affect the functional outcome and survivorship?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1330-1336.	4.2	13
116	Nontraumatic Lesions of the Clavicle in a Paediatric Population: Incidence and Management. <i>International Scholarly Research Notices</i> , 2014, 2014, 1-5.	0.9	5
117	The outcome of proximal humeral fractures in the elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 970-977.	4.4	80
118	Hip arthroscopy for femoroacetabular impingement: a health economic analysis. <i>HIP International</i> , 2014, 24, 457-464.	1.7	18
119	Hereditary multiple exostoses: anatomical distribution and burden of exostoses is dependent upon genotype and gender. <i>Scottish Medical Journal</i> , 2014, 59, 35-44.	1.3	28
120	Carpal tunnel decompression in the super-elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 1234-1238.	4.4	19
121	Total Femoral Replacement for Salvage of Periprosthetic Fractures. <i>Orthopedics</i> , 2014, 37, e789-95.	1.1	24
122	Distal Radial Fractures in the Superelderly: Does Malunion Affect Functional Outcome?. <i>ISRN Orthopedics</i> , 2014, 2014, 1-7.	0.8	26
123	Manipulation of Displaced Distal Radial Fractures in the Superelderly: Prediction of Malunion and the Degree of Radiographic Improvement. <i>Advances in Orthopedics</i> , 2014, 2014, 1-6.	1.0	0
124	The minimal clinically important difference in the Oxford knee score and Short Form 12 score after total knee arthroplasty. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1933-1939.	4.2	329
125	The spectrum of fractures in the elderly. <i>Bone and Joint Journal</i> , 2014, 96-B, 366-372.	4.4	54
126	Social deprivation influences the epidemiology and outcome of proximal humeral fractures in adults for a defined urban population of Scotland. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 1039-1046.	1.4	15

#	ARTICLE	IF	CITATIONS
127	Elderly pelvic fractures: the incidence is increasing and patient demographics can be used to predict the outcome. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2014, 24, 1431-1437.	1.4	48
128	Can deformity of the knee and longitudinal growth of the leg be predicted in patients with hereditary multiple exostoses? A cross-sectional study. <i>Knee</i> , 2014, 21, 299-303.	1.6	28
129	Patient satisfaction after total knee arthroplasty is affected by their general physical well-being. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 2638-2646.	4.2	64
130	Do modern total knee replacements offer better value for money? A health economic analysis. <i>International Orthopaedics</i> , 2013, 37, 2147-2152.	1.9	14
131	Can we decipher indications and outcomes of the PHILOS plate for fractures of the proximal humerus?. <i>International Orthopaedics</i> , 2013, 37, 1199-1200.	1.9	5
132	Predicting patient satisfaction using the Oxford knee score: where do we draw the line?. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2013, 133, 689-694.	2.4	56
133	Undisplaced intracapsular hip fractures in the elderly: predicting fixation failure and mortality. A prospective study of 162 patients. <i>Journal of Orthopaedic Science</i> , 2013, 18, 578-585.	1.1	69
134	Diabetes does not influence the early outcome of total knee replacement: A prospective study assessing the Oxford knee score, short form 12, and patient satisfaction. <i>Knee</i> , 2013, 20, 437-441.	1.6	29
135	Accelerated polyethylene wear and early failure of the uncemented Reflection acetabular component: a ten to fifteen-year follow-up study. <i>International Orthopaedics</i> , 2013, 37, 2337-2343.	1.9	4
136	An uncemented metal-backed glenoid component in total shoulder arthroplasty for osteoarthritis: factors affecting survival and outcome. <i>Journal of Orthopaedic Science</i> , 2013, 18, 22-28.	1.1	21
137	Predicting the cost-effectiveness of total hip and knee replacement. <i>Bone and Joint Journal</i> , 2013, 95-B, 115-121.	4.4	269
138	Cracking the code: the accuracy of coding shoulder procedures and the repercussions. <i>Scottish Medical Journal</i> , 2013, 58, 109-112.	1.3	5
139	The outcome of tibial diaphyseal fractures in the elderly. <i>Bone and Joint Journal</i> , 2013, 95-B, 1255-1262.	4.4	33
140	Total knee replacement in patients with concomitant back pain results in a worse functional outcome and a lower rate of satisfaction. <i>Bone and Joint Journal</i> , 2013, 95-B, 1632-1639.	4.4	59
141	Primary total knee replacement in patients with mental disability improves their mental health and knee function. <i>Bone and Joint Journal</i> , 2013, 95-B, 360-366.	4.4	61
142	Socioeconomic status affects the Oxford knee score and Short-Form 12 score following total knee replacement. <i>Bone and Joint Journal</i> , 2013, 95-B, 52-58.	4.4	73
143	Lengthening the moment arm of the patella confers enhanced extensor mechanism power following total knee arthroplasty. <i>Journal of Orthopaedic Research</i> , 2013, 31, 1201-1207.	2.3	17
144	Forearm Deformity in Patients with Hereditary Multiple Exostoses. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1586-1592.	3.0	36

#	ARTICLE	IF	CITATIONS
145	Subacromial impingement syndrome in a patient with hereditary multiple exostosis: a case report. <i>The Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2013, 5, 20.	1.0	1
146	Predictors of mortality after total knee replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 200-204.	3.4	36
147	Retention of forearm plates. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 134-137.	3.4	26
148	Determining the Incidence of Adult Fractures: How Accurate Are Emergency Department Data?. <i>Epidemiology Research International</i> , 2012, 2012, 1-7.	0.2	11
149	Patient expectations of arthroplasty of the hip and knee. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 974-981.	3.4	303
150	Multiple fractures in the elderly. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012, 94-B, 231-236.	3.4	38
151	The Epidemiology of Radial Head and Neck Fractures. <i>Journal of Hand Surgery</i> , 2012, 37, 112-119.	1.6	138
152	Lower limb joint replacement in rheumatoid arthritis. <i>Journal of Orthopaedic Surgery and Research</i> , 2012, 7, 27.	2.3	43
153	High Survivorship of Cemented Sockets with Roof Graft for Severe Acetabular Dysplasia. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 3032-3040.	1.5	17
154	Medium-Term Results of Oxford Phase-3 Medial Unicompartmental Knee Arthroplasty. <i>Journal of Orthopaedic Surgery</i> , 2012, 20, 157-161.	1.0	20
155	The epidemiology of fractures of the proximal ulna. <i>Injury</i> , 2012, 43, 343-346.	1.7	160
156	The epidemiology of open fractures in adults. A 15-year review. <i>Injury</i> , 2012, 43, 891-897.	1.7	226
157	Socioeconomic deprivation predicts outcome following radial head and neck fractures. <i>Injury</i> , 2012, 43, 1102-1106.	1.7	39
158	Total hip arthroplasty: to cement or not to cement the acetabular socket? A critical review of the literature. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 411-427.	2.4	52
159	Subacromial corticosteroid injection using the posterior or lateral shoulder portals. <i>International Journal of Shoulder Surgery</i> , 2012, 6, 136.	1.5	1
160	Shoulder exostoses in hereditary multiple exostoses: probability of surgery and malignant change. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, 290-294.	2.6	26
161	Essex-Lopresti lesion associated with an impacted radial neck fracture: interest of ulnar shortening in the secondary management of sequelae. <i>Journal of Shoulder and Elbow Surgery</i> , 2011, 20, e19-e24.	2.6	25
162	The outcome of fractures in very elderly patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 806-810.	3.4	43

#	ARTICLE	IF	CITATIONS
163	The outcome of primary total hip and knee arthroplasty in patients aged 80 years or more. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 1265-1270.	3.4	119
164	Socioeconomic status affects the early outcome of total hip replacement. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011, 93-B, 464-469.	3.4	79
165	Invasive group B streptococcal disease in an orthopaedic unit. <i>Journal of Hospital Infection</i> , 2010, 76, 231-233.	2.9	13
166	The Edinburgh variant of a talar body fracture: a case report. <i>Journal of Orthopaedic Surgery and Research</i> , 2010, 5, 92.	2.3	2
167	Polytrauma in the elderly: predictors of the cause and time of death. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 26.	2.6	52
168	Does diabetes affect outcome after arthroscopic repair of the rotator cuff?. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 1112-1117.	3.4	90
169	The metal-backed glenoid component in rheumatoid disease: Eight- to fourteen-year follow-up. <i>Journal of Shoulder and Elbow Surgery</i> , 2010, 19, 749-756.	2.6	27
170	Assessment of shoulder function using the coronal plane angle. <i>International Journal of Shoulder Surgery</i> , 2009, 3, 90.	1.5	1
171	Salter-Harris II injury of the proximal tibial epiphysis with both vascular compromise and compartment syndrome: a case report. <i>Journal of Orthopaedic Surgery and Research</i> , 2009, 4, 23.	2.3	8