Jia-Yush Yen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1818863/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Micro-lens fabrication by a long-stroke precision stage with switching control based on model response prediction. Microsystem Technologies, 2022, 28, 45-58. | 2.0 | 2 |
| 2 | Effect of Static and Dynamic Stretching on Corneal Fibroblast Cell. Processes, 2022, 10, 605. | 2.8 | 5 |
| 3 | Correlation between corneal dynamic responses and keratoconus topographic parameters. Journal of International Medical Research, 2022, 50, 030006052211081. | 1.0 | Ο |
| 4 | Changes in Intraocular Pressure after Transepithelial Photorefractive Keratectomy and Femtosecond Laser In Situ Keratomileusis. Journal of Ophthalmology, 2021, 2021, 1-10. | 1.3 | 3 |
| 5 | Improved Haptic Transparency of Bilateral Control Using Torque-Measured Magnetic Coupling. Machines, 2021, 9, 172. | 2.2 | 2 |
| 6 | Functional assistance for stress distribution in cell culture membrane under periodically stretching. Journal of Biomechanics, 2021, 125, 110564. | 2.1 | 4 |
| 7 | Iterative Parameter Optimization for Multiple Switching Control Applied to a Precision Stage for Microfabrication. Machines, 2021, 9, 153. | 2.2 | Ο |
| 8 | Decoupled Multi-Loop Robust Control for a Walk-Assistance Robot Employing a Two-Wheeled Inverted Pendulum. Machines, 2021, 9, 205. | 2.2 | 1 |
| 9 | Needle Driver Control for a Robotic MIS Suturing System. IFAC-PapersOnLine, 2021, 54, 527-532. | 0.9 | Ο |
| 10 | Adaptationâ€Enhanced Modelâ€Based Control with Charge Feedback for Piezoâ€Actuated Stage. Asian Journal of Control, 2020, 22, 104-116. | 3.0 | 2 |
| 11 | Keratoconus Screening Based on Deep Learning Approach of Corneal Topography. Translational Vision Science and Technology, 2020, 9, 53. | 2.2 | 52 |
| 12 | Active Transmission Module for Generator Speed Regulation. IEEE Access, 2020, 8, 203787-203792. | 4.2 | 1 |
| 13 | Study on the transient response to the point-to-point motion controls on a dual-axes air-bearing planar stage. International Journal of Advanced Manufacturing Technology, 2020, 111, 2759-2772. | 3.0 | 2 |
| 14 | Precision positioning control of a long-stroke stage employing multiple switching control. Microsystem Technologies, 2020, , 1. | 2.0 | 3 |
| 15 | Featured Surface Matching Method for Liver Image Registration. IEEE Access, 2020, 8, 59723-59731. | 4.2 | 3 |
| 16 | A Survey of Suspension Component Specifications and Vehicle Vibration Measurements in an Operational Railway System. Journal of Vibration Engineering and Technologies, 2019, 7, 415-431. | 2.2 | 2 |
| 17 | Dynamic human object recognition by combining color and depth information with a clothing image histogram. International Journal of Advanced Robotic Systems, 2019, 16, 172988141982810. | 2.1 | 1 |
| 18 | Precise railway alignment measurements of the horizontal circular curves and the vertical parabolic curves using the chord method. Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit, 2019, 233, 537-549. | 2.0 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Facile fabrication of superporous and biocompatible hydrogel scaffolds for artificial corneal periphery. Colloids and Surfaces B: Biointerfaces, 2019, 175, 26-35. | 5.0 | 21 |
| 20 | Compensation for the Residual Error of the Voltage Drive of the Charge Control of a Piezoelectric Actuator. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 2018, 140, | 1.6 | 7 |
| 21 | Modeling of railway turnout geometry in the frog area with the vehicle wheel trajectory. Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit, 2018, 232, 1598-1614. | 2.0 | 4 |
| 22 | An eight degree-of-freedom robotic endoscope holder. , 2018, , . | | 0 |
| 23 | Battery cell modeling and online estimation of the state of charge of a lithium-ion battery. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers,Series A/Chung-kuo Kung Ch'eng Hsuch K'an, 2018, 41, 412-418. | 1.1 | 4 |
| 24 | Compensation of the residual error from the charge feedback control of a piezoelectric-actuated stage. Proceedings of the Institution of Mechanical Engineers Part I: Journal of Systems and Control Engineering, 2017, 231, 414-424. | 1.0 | 2 |
| 25 | Fabrication of large-scale micro-structures by two-photon polymerization with a long-stroke precision stage. Advances in Mechanical Engineering, 2017, 9, 168781401769575. | 1.6 | 3 |
| 26 | High-performance and high-precision servo control of a single-deck dual-axis PMLSM stage. International Journal of Advanced Manufacturing Technology, 2017, 90, 865-874. | 3.0 | 4 |
| 27 | Biomechanical Simulation of Stress Concentration and Intraocular Pressure in Corneas Subjected to Myopic Refractive Surgical Procedures. Scientific Reports, 2017, 7, 13906. | 3.3 | 28 |
| 28 | Integrating wavelet transformation with Markov random field analysis for the depth estimation of lightâ€field images. IET Computer Vision, 2017, 11, 358-367. | 2.0 | 6 |
| 29 | Estimation of the Corneal Young's Modulus <i>In Vivo</i> Based on a Fluid-Filled Spherical-Shell Model with Scheimpflug Imaging. Journal of Ophthalmology, 2017, 2017, 1-11. | 1.3 | 24 |
| 30 | Robust Stateâ€andâ€Disturbance Observer Design for Linear Nonâ€minimumâ€phase Systems. Asian Journal of Control, 2016, 18, 1135-1141. | 3.0 | 7 |
| 31 | Impacts of sensor layouts on the performance of a long-stroke nano-positioning stage. Advances in Mechanical Engineering, 2016, 8, 168781401668019. | 1.6 | 3 |
| 32 | A corneal elastic dynamic model derived from Scheimpflug imaging technology. Ophthalmic and Physiological Optics, 2015, 35, 663-672. | 2.0 | 20 |
| 33 | A Novel Soundproof Ventilation Plant Design with High Performance and No Energy Consumption. Mathematical Problems in Engineering, 2015, 2015, 1-10. | 1.1 | 2 |
| 34 | A Turbidity Test Based Centrifugal Microfluidics Diagnostic System for Simultaneous Detection of HBV, HCV, and CMV. Advances in Materials Science and Engineering, 2015, 2015, 1-8. | 1.8 | 5 |
| 35 | A Smart-Card E-paper Display System Based on RF Power Harvesting. IETE Journal of Research, 2015, 61, 201-212. | 2.6 | 0 |
| 36 | Computation of liver deformations for minimally invasive surgery. , 2015, , . | | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A novel sound-blocking structure based on the muffler principle for rib-sparing transcostal high-intensity focused ultrasound treatment. International Journal of Hyperthermia, 2015, 31, 507-527. | 2.5 | 4 |
| 38 | Temperature Effects on the Magnetic Properties of Silicon-Steel Sheets Using Standardized Toroidal Frame. Scientific World Journal, The, 2014, 2014, 1-18. | 2.1 | 6 |
| 39 | Robust loop-shaping control for a nano-positioning stage. JVC/Journal of Vibration and Control, 2014, 20, 885-900. | 2.6 | 18 |
| 40 | Precision tracking of a piezo-driven stage by charge feedback control. Precision Engineering, 2013, 37, 793-804. | 3.4 | 20 |
| 41 | Image based in situ electron-beam drift detection by silicon photodiodes in scanning-electron microscopy and an electron-beam lithography system. Microelectronic Engineering, 2013, 103, 137-143. | 2.4 | 2 |
| 42 | Solution-Refined Method for Electrostatic Potential Distribution of Large-Scale Electron Optics. Japanese Journal of Applied Physics, 2013, 52, 055202. | 1.5 | 0 |
| 43 | Preliminary study of intracorporeal localization for endoscopy tracking. , 2013, , . | | 0 |
| 44 | A Robust Variable Sampling Time BLDC Motor Control Design Based uponμ-Synthesis. Scientific World Journal, The, 2013, 2013, 1-7. | 2.1 | 1 |
| 45 | ROBUST CONTROL FOR A PNEUMATIC MUSCLE ACTUATOR SYSTEM. Transactions of the Canadian Society for Mechanical Engineering, 2013, 37, 581-590. | 0.8 | 6 |
| 46 | Construction of a High Frequency and High Reflectance Shutter for a Direct Write EUV Lithography System. International Journal of Automation and Smart Technology, 2013, 3, 107-115. | 0.4 | 3 |
| 47 | Dynamics Stress Analysis for a Minimal Invasive Scalpel Design. , 2013, , . | | 0 |
| 48 | A Novel Design of High Intensity Focus Ultrasound (HIFU) for Enlarged Focus Area Application. , 2013, , | | 0 |
| 49 | Development of a system for mapping of thrust ripple induced by PMLSM drives in a single-deck, dual-axis precision stage. , 2012, , . | | 0 |
| 50 | Ultrasound image-guided algorithms for tracking liver motion. , 2012, , . | | 2 |
| 51 | Effectiveness of external respiratory surrogates for <i>in vivo</i> liver motion estimation. Medical Physics, 2012, 39, 5293-5301. | 3.0 | 6 |
| 52 | Line stitching in servo-assisted electron beam lithography system. , 2011, , . | | 0 |
| 53 | Ultrasound Image-guided Tracking Algorithm for Moving-tumor Treatment. , 2011, , . | | 1 |
| 54 | Longitudinal stitching of sub-micron periodic fringes on a roller. Microelectronic Engineering, 2011, 88, 3235-3243. | 2.4 | 2 |

| 1.4 | Yus⊦ | |
|-------|------|---------|
| - HA- | TUSE | 1 I E P |
| | | |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Silicon photodiodes for electron beam position and drift detection in scanning electron microscopy and electron beam lithography system. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2011, 645, 84-89. | 1.6 | 5 |
| 56 | Bionic soft crystalline lens materials for MEMs applications based on self-assembling amphiphilic block copolymer/nanoparticle hybrids. Microelectronic Engineering, 2011, 88, 1737-1741. | 2.4 | 3 |
| 57 | Focal point tracking system for concentration solar power collection. Renewable and Sustainable Energy Reviews, 2011, 15, 3029-3033. | 16.4 | 11 |
| 58 | Structural design and analysis of a nano-positioning planar motion stage. , 2011, , . | | 2 |
| 59 | Planar motion stage control using PDFF controller. , 2011, , . | | 1 |
| 60 | In situ beam drift detection using a two-dimensional electron-beam position monitoring system for multiple-electron-beam–direct-write lithography. Journal of Vacuum Science and Technology B:Nanotechnology and Microelectronics, 2011, 29, 041607. | 1.2 | 7 |
| 61 | MIMO variable structure control of a precision stage using PMLSM drives. , 2011, , . | | 1 |
| 62 | High Performance FOV Switching Mechanism Design for an Infrared Zoom Lens. International Journal of Automation and Smart Technology, 2011, 1, 111-119. | 0.4 | 1 |
| 63 | Comparison of sensor fusion methods for an SMA-based hexapod biomimetic robot. Robotics and Autonomous Systems, 2010, 58, 737-744. | 5.1 | 11 |
| 64 | Novel Approach to Fuzzy-Wavelet ECG Signal Analysis for a Mobile Device. Journal of Medical Systems, 2010, 34, 71-81. | 3.6 | 6 |
| 65 | Development of a nano-positioning planar motion stage. , 2010, , . | | 2 |
| 66 | Tracking Control of Shape-Memory-Alloy Actuators Based on Self-Sensing Feedback and Inverse Hysteresis Compensation. Sensors, 2010, 10, 112-127. | 3.8 | 72 |
| 67 | Robust Control Design for Vibration Isolation of an Electron Beam Projection Lithography System. Japanese Journal of Applied Physics, 2010, 49, 06GE04. | 1.5 | 4 |
| 68 | Modified Frequency-Partitioned Spectrum Estimation for a Wireless Health Advanced Monitoring Bio-Diagnosis System. IEEE Transactions on Systems, Man and Cybernetics, Part A: Systems and Humans, 2010, 40, 611-622. | 2.9 | 3 |
| 69 | Architecture for next-generation massively parallel maskless lithography system (MPML2). Proceedings of SPIE, 2010, , . | 0.8 | 9 |
| 70 | Multivariable fixed-order robust control for a PEMFC system. , 2009, , . | | 0 |
| 71 | Research on three dimensional machining effects using atomic force microscope. Review of Scientific Instruments, 2009, 80, 065105. | 1.3 | 18 |
| 72 | Hybrid servo design for large area nano pattern stitching. , 2009, , . | | 0 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Stitching periodic submicron fringes by utilizing step-and-align interference lithography. Journal of Vacuum Science & Technology B, 2009, 27, 2951-2957. | 1.3 | 8 |
| 74 | The Application of Disturbance Response Decoupling to the Vibration Control of an Electron Beam Lithography System. Japanese Journal of Applied Physics, 2009, 48, 06FB04. | 1.5 | 5 |
| 75 | Using MPCA of spectra model for fault detection in a hot strip mill. Journal of Materials Processing Technology, 2009, 209, 4162-4168. | 6.3 | 10 |
| 76 | Application of the continuous no-reset switching iterative learning control on a novel optical scanning system. Mechatronics, 2009, 19, 65-75. | 3.3 | 17 |
| 77 | Preliminary design of a two-dimensional electron beam position monitor system for multiple-electron-beam-direct-write lithography. Proceedings of SPIE, 2009, , . | 0.8 | 3 |
| 78 | Multivariable robust control of a proton exchange membrane fuel cell system. Journal of Power Sources, 2008, 177, 393-403. | 7.8 | 61 |
| 79 | Parameter identification when designing a solid-modeling-based grinding-machine controller. International Journal of Machine Tools and Manufacture, 2008, 48, 851-857. | 13.4 | 1 |
| 80 | ACTIVE VIBRATION ISOLATION FOR A LONG RANGE SCANNING TUNNELING MICROSCOPE. Asian Journal of Control, 2008, 6, 179-186. | 3.0 | 7 |
| 81 | AN AFM PROBE CONTROLLER DESIGN BASED ON μ-SYNTHESIS. Asian Journal of Control, 2008, 7, 12-19. | 3.0 | 2 |
| 82 | Sensor fusion in a SMA-based hexapod bio-mimetic robot. , 2008, , . | | 4 |
| 83 | A bio-mimetic snake-like robot: Sensor based gait control. , 2008, , . | | 2 |
| 84 | Minimizing abdominal wall damage during high-intensity focused ultrasound ablation by inducing artificial ascites. Journal of the Acoustical Society of America, 2008, 124, 674-679. | 1.1 | 16 |
| 85 | Stitching Technology Using Hybrid Actuators in Nano Imprint. , 2008, , . | | Ο |
| 86 | A Variable-Sampling Controller for Brushless DC Motor Drives With Low-Resolution Position Sensors. IEEE Transactions on Industrial Electronics, 2007, 54, 2846-2852. | 7.9 | 51 |
| 87 | Multivariable system identification and robust control of a proton exchange membrane fuel cell system. , 2007, , . | | 4 |
| 88 | A single deck 2D magnet levitation platform. , 2007, , . | | 1 |
| 89 | Design and Servo Control of a Single-Deck Planar Maglev Stage. IEEE Transactions on Magnetics, 2007, 43, 2600-2602. | 2.1 | 24 |
| 90 | A HEXAPOD ROBOT BASED ON SHAPE MEMORY ALLOY ACTUATORS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 689-693. | 0.4 | 3 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Solid modeling based servo system design for a high speed micro grinding machine. International Journal of Machine Tools and Manufacture, 2006, 46, 208-217. | 13.4 | 3 |
| 92 | Design of a novel 6-DOF planar maglev system. Journal of Magnetism and Magnetic Materials, 2006, 304, e386-e390. | 2.3 | 3 |
| 93 | A Sub-band Spectral Analysis for Electrocardiography. , 2006, , . | | 1 |
| 94 | A new optical disk driver fine-seek algorithm based on runout learning. , 2005, , . | | 0 |
| 95 | A general-purpose development kit for optical storage system design. , 2005, , . | | 0 |
| 96 | High performance motion control of the novel optical servo scanning platform. , 2005, 5873, 183. | | 1 |
| 97 | Robust control in the three-dimensional optical pickup head for optical disk drive. , 2005, 5643, 396. | | 0 |
| 98 | A novel high-speed optical scanning platform. , 2005, , . | | 2 |
| 99 | Active vibration isolation of a large stroke scanning probe microscope by using discrete sliding mode control. Sensors and Actuators A: Physical, 2005, 121, 243-250. | 4.1 | 19 |
| 100 | Radial fine seek control with fault protection in a digital versatile disc player. Mechatronics, 2005, 15, 129-150. | 3.3 | 3 |
| 101 | Effect of force control algorithms on the scanning probe microscope lithography system. Review of Scientific Instruments, 2005, 76, 036103. | 1.3 | 1 |
| 102 | Sliding mode control for active vibration isolation of a long range scanning tunneling microscope. Review of Scientific Instruments, 2004, 75, 4367-4373. | 1.3 | 16 |
| 103 | Development of an Intelligent Energy Management Network for Building Automation. IEEE Transactions on Automation Science and Engineering, 2004, 1, 14-25. | 5.2 | 31 |
| 104 | Performance robustness and stiffness analysis on a machine tool servo design. International Journal of Machine Tools and Manufacture, 2004, 44, 523-531. | 13.4 | 13 |
| 105 | In vivo wireless biodiagnosis system for long-term bioactivity monitoring network. , 2004, 5394, 288. | | 0 |
| 106 | A novel fine track-seeking scheme for optical storage device. IEEE Transactions on Consumer Electronics, 2003, 49, 382-387. | 3.6 | 3 |
| 107 | THERMAL LESION FORMATION AND DETERMINATION FOR EXTERNAL ULTRASOUND THERMAL THERAPY. Biomedical Engineering - Applications, Basis and Communications, 2003, 15, 124-132. | 0.6 | 2 |
| 108 | Treatment time reduction for large thermal lesions by using a multiple 1D ultrasound phased array system. Physics in Medicine and Biology, 2003, 48, 1173-1190. | 3.0 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Frequency-domain identification algorithms for servo systems with friction. IEEE Transactions on Control Systems Technology, 2002, 10, 654-665. | 5.2 | 56 |
| 110 | Optimization of power deposition and a heating strategy for external ultrasound thermal therapy. Medical Physics, 2001, 28, 2172-2181. | 3.0 | 21 |
| 111 | Servo parameter tuning for a 5-axis machine center based upon GA rules. International Journal of Machine Tools and Manufacture, 2001, 41, 1535-1550. | 13.4 | 21 |
| 112 | INTERRELATIONSHIP BETWEEN CONTROL PARAMETERS AND TUMOR/BONE CONDITIONS FOR EXTERNAL ULTRASOUND HYPERTHERMIA. Biomedical Engineering - Applications, Basis and Communications, 2001, 13, 199-212. | 0.6 | 1 |
| 113 | A mechatronics approach to the servo design for a maglev system. , 2001, , . | | 1 |
| 114 | Adaptive nonlinear control of repulsive maglev suspension systems. Control Engineering Practice, 2000, 8, 1357-1367. | 5.5 | 44 |
| 115 | A theoretical study of cylindrical ultrasound transducers for intracavitary hyperthermia. International Journal of Radiation Oncology Biology Physics, 2000, 46, 1329-1336. | 0.8 | 3 |
| 116 | Treatable domain and optimal frequency for brain tumors during ultrasound hyperthermia. International Journal of Radiation Oncology Biology Physics, 2000, 46, 239-247. | 0.8 | 9 |
| 117 | Relationship between acoustic aperture size and tumor conditions for external ultrasound hyperthermia. Medical Physics, 1999, 26, 818-824. | 3.0 | 28 |
| 118 | Dual mode control of a system with friction. IEEE Transactions on Control Systems Technology, 1999, 7, 306-314. | 5.2 | 18 |
| 119 | Self-tuning fuzzy logic control for ultrasound hyperthermia with reference temperature based on objective functions. Medical Physics, 1999, 26, 825-833. | 3.0 | 8 |
| 120 | Optimal configuration of multiple-focused ultrasound transducers for external hyperthermia. Medical Physics, 1999, 26, 2007-2016. | 3.0 | 9 |
| 121 | Application of the least squares algorithm to the observer design for linear time-varying systems. IEEE Transactions on Automatic Control, 1999, 44, 1742-1745. | 5.7 | 10 |
| 122 | A decoupled path-following control algorithm based upon the decomposed trajectory error. International Journal of Machine Tools and Manufacture, 1999, 39, 1619-1630. | 13.4 | 41 |
| 123 | A New Compensator for Servo Systems With Position Dependent Friction. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1999, 121, 612-618. | 1.6 | 5 |
| 124 | Specific absorption rate ratio patterns of cylindrical ultrasound transducers for breast tumors. Medical Physics, 1998, 25, 1041-1048. | 3.0 | 4 |
| 125 | Stability of PDF Controller With Stick-Slip Friction Device. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1997, 119, 486-490. | 1.6 | 7 |
| 126 | A trajectory feedback control for the computer disk file track-accessing/following servo. IEEE Transactions on Industrial Electronics, 1997, 44, 739-741. | 7.9 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | The design of a low cost motion chair for video games and MPEG video playback. IEEE Transactions on Consumer Electronics, 1996, 42, 991-997. | 3.6 | 8 |
| 128 | Servo Design for a 3-D Laser-Tracking Measurement System. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1996, 118, 476-481. | 1.6 | 4 |
| 129 | BANG-BANG BASED FUZZY CONTROLLER FOR TIME OPTIMAL AND MINIMUM CHATTERING SERVO SYSTEMS. Electric Power Components and Systems, 1995, 23, 25-35. | 0.1 | 10 |
| 130 | Servo Design for a Laser 3D Measurement System. , 1993, , . | | 0 |
| 131 | Computer Disk File Track Accessing Controller Design based upon Cell-to-Cell Mapping. , 1992, , . | | 9 |
| 132 | Track-Following Controller Design for a Compound Disk Drive Actuator. Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME, 1990, 112, 391-402. | 1.6 | 27 |
| 133 | Stability of PDF controller with stick-slip friction device. , 0, , . | | 1 |
| 134 | Adaptive nonlinear control of repulsive Maglev suspension systems. , 0, , . | | 3 |
| 135 | Variable sampling rate controller design for brushless DC motor. , 0, , . | | 11 |
| 136 | A novel track jump controller with hybrid track position detector for the optical disk drives. , 0, , . | | 0 |
| 137 | Design for control of a flexure jointed optical servo scanning platform. , 0, , . | | 0 |
| 138 | Realization of Natural Human Motion on a 3D Biped Robot For Studying the Exoskeleton Effective. Journal of Medical and Biological Engineering, 0, , 1. | 1.8 | 2 |
| 139 | Lung image registration by featured surface matching method. Computer Methods in Biomechanics and Biomedical Engineering: Imaging and Visualization, 0, , 1-10. | 1.9 | 0 |