## Satomi Kobayashi

## List of Publications by Citations

Source: https://exaly.com/author-pdf/1820249/satomi-kobayashi-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33 1,391 14 37 g-index

37 1,802 5.8 4.21 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
33	Comparison of relative validity of food group intakes estimated by comprehensive and brief-type self-administered diet history questionnaires against 16 d dietary records in Japanese adults. <i>Public Health Nutrition</i> , <b>2011</b> , 14, 1200-11	3.3	467
32	Both comprehensive and brief self-administered diet history questionnaires satisfactorily rank nutrient intakes in Japanese adults. <i>Journal of Epidemiology</i> , <b>2012</b> , 22, 151-9	3.4	455
31	High protein intake is associated with low prevalence of frailty among old Japanese women: a multicenter cross-sectional study. <i>Nutrition Journal</i> , <b>2013</b> , 12, 164	4.3	112
30	Effect of excess iodine intake on thyroid diseases in different populations: A systematic review and meta-analyses including observational studies. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173722	3.7	55
29	Dietary total antioxidant capacity from different assays in relation to serum C-reactive protein among young Japanese women. <i>Nutrition Journal</i> , <b>2012</b> , 11, 91	4.3	36
28	Diet with a combination of high protein and high total antioxidant capacity is strongly associated with low prevalence of frailty among old Japanese women: a multicenter cross-sectional study. <i>Nutrition Journal</i> , <b>2017</b> , 16, 29	4.3	30
27	Dynamic landscape of immune cell-specific gene regulation in immune-mediated diseases. <i>Cell</i> , <b>2021</b> , 184, 3006-3021.e17	56.2	28
26	Food-based diet quality score in relation to depressive symptoms in young and middle-aged Japanese women. <i>British Journal of Nutrition</i> , <b>2017</b> , 117, 1674-1681	3.6	21
25	Association between rice, bread, and noodle intake and the prevalence of non-alcoholic fatty liver disease in Japanese middle-aged men and women. <i>Clinical Nutrition</i> , <b>2017</b> , 36, 1601-1608	5.9	20
24	Living status and frequency of eating out-of-home foods in relation to nutritional adequacy in 4,017 Japanese female dietetic students aged 18-20 years: A multicenter cross-sectional study. <i>Journal of Epidemiology</i> , <b>2017</b> , 27, 287-293	3.4	18
23	No association between fruits or vegetables and non-alcoholic fatty liver disease in middle-aged men and women. <i>Nutrition</i> , <b>2019</b> , 61, 119-124	4.8	17
22	Relative validity of brief-type self-administered diet history questionnaire among very old Japanese aged 80 years or older. <i>Public Health Nutrition</i> , <b>2019</b> , 22, 212-222	3.3	17
21	Factors Influencing Exclusive Breastfeeding in Early Infancy: A Prospective Study in North Central Nigeria. <i>Maternal and Child Health Journal</i> , <b>2016</b> , 20, 363-75	2.4	16
20	Development of a food-based diet quality score for Japanese: associations of the score with nutrient intakes in young, middle-aged and older Japanese women. <i>Journal of Nutritional Science</i> , <b>2016</b> , 5, e41	2.7	15
19	Urine 24-Hour Sodium Excretion Decreased between 1953 and 2014 in Japan, but Estimated Intake Still Exceeds the WHO Recommendation. <i>Journal of Nutrition</i> , <b>2017</b> , 147, 390-397	4.1	10
18	A Japanese diet with low glycaemic index and glycaemic load is associated with both favourable and unfavourable aspects of dietary intake patterns in three generations of women. <i>Public Health Nutrition</i> , <b>2017</b> , 20, 649-659	3.3	9
17	Cohabitational effect of grandparents on dietary intake among young Japanese women and their mothers living together. A multicenter cross-sectional study. <i>Appetite</i> , <b>2015</b> , 91, 287-97	4.5	8

## LIST OF PUBLICATIONS

16	Dietary phosphorus intake estimated by 4-day dietary records and two 24-hour urine collections and their associated factors in Japanese adults. <i>European Journal of Clinical Nutrition</i> , <b>2018</b> , 72, 517-525	5.2	8
15	Association between habitual tryptophan intake and depressive symptoms in young and middle-aged women. <i>Journal of Affective Disorders</i> , <b>2018</b> , 231, 44-50	6.6	8
14	Higher dietary acid load is associated with a higher prevalence of frailty, particularly slowness/weakness and low physical activity, in elderly Japanese women. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 1639-1650	5.2	7
13	Higher dietary glycemic index, but not glycemic load, is associated with a lower prevalence of depressive symptoms in a cross-sectional study of young and middle-aged Japanese women. <i>European Journal of Nutrition</i> , <b>2018</b> , 57, 2261-2273	5.2	7
12	Integrated bulk and single-cell RNA-sequencing identified disease-relevant monocytes and a gene network module underlying systemic sclerosis. <i>Journal of Autoimmunity</i> , <b>2021</b> , 116, 102547	15.5	7
11	Dietary non-enzymatic antioxidant capacity and DNA damage in a working population. <i>Nutrition</i> , <b>2018</b> , 47, 63-68	4.8	6
10	Intake of Coffee Associated With Decreased Depressive Symptoms Among Elderly Japanese Women: A Multi-Center Cross-Sectional Study. <i>Journal of Epidemiology</i> , <b>2020</b> , 30, 338-344	3.4	6
9	Nutritional correlates of monetary diet cost in young, middle-aged and older Japanese women. Journal of Nutritional Science, <b>2017</b> , 6, e22	2.7	2
8	Current status of education and research on public health nutrition in Japan: comparison with South Korea, Taiwan, and mainland China. <i>BMC Nutrition</i> , <b>2019</b> , 5, 10	2.5	1
7	No Association of Caffeinated Beverage or Caffeine Intake with Prevalence of Urinary Incontinence Among Middle-Aged Japanese Women: A Multicenter Cross-Sectional Study. <i>Journal of Womenys Health</i> , <b>2017</b> , 26, 860-869	3	1
6	Nutrient and Food Group Prediction as Orchestrated by an Automated Image Recognition System in a Smartphone App (CALO mama): Validation Study <i>JMIR Formative Research</i> , <b>2022</b> , 6, e31875	2.5	1
5	Identifying the most influential gene expression profile in distinguishing ANCA-associated vasculitis from healthy controls. <i>Journal of Autoimmunity</i> , <b>2021</b> , 119, 102617	15.5	1
4	Association of alcohol consumption with prevalence of fatty liver after adjustment for dietary patterns: Cross-sectional analysis of Japanese middle-aged adults. <i>Clinical Nutrition</i> , <b>2020</b> , 39, 1580-158	<b>€</b> ∙9	1
3	Serum Amphiregulin and Heparin-Binding Epidermal Growth Factor as Biomarkers in Patients with Idiopathic Inflammatory Myopathy. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	1
2	Associations of Education With Overall Diet Quality Are Explained by Different Food Groups in Middle-aged and Old Japanese Women. <i>Journal of Epidemiology</i> , <b>2021</b> , 31, 280-286	3.4	O
1	Two cases of very elderly onset male lupus patient; the characteristics and sex differences of elderly onset systemic lupus erythematosus patients. <i>Modern Rheumatology Case Reports</i> , <b>2017</b> , 1, 84-8	8 <sup>0.4</sup>	