Tjalf Ziemssen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1820711/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identifying prodromal Parkinson's disease: Preâ€Motor disorders in Parkinson's disease. Movement Disorders, 2012, 27, 617-626.	2.2	443
2	Stroke-Induced Immunodepression. Stroke, 2007, 38, 770-773.	1.0	417
3	Association of Initial Disease-Modifying Therapy With Later Conversion to Secondary Progressive Multiple Sclerosis. JAMA - Journal of the American Medical Association, 2019, 321, 175.	3.8	336
4	Effector T-cell trafficking between the leptomeninges and the cerebrospinal fluid. Nature, 2016, 530, 349-353.	13.7	305
5	Glatiramer acetate-specific T-helper 1- and 2-type cell lines produce BDNF: implications for multiple sclerosis therapy. Brain, 2002, 125, 2381-2391.	3.7	241
6	Effect of natalizumab on disease progression in secondary progressive multiple sclerosis (ASCEND): a phase 3, randomised, double-blind, placebo-controlled trial with an open-label extension. Lancet Neurology, The, 2018, 17, 405-415.	4.9	238
7	Safety and efficacy of opicinumab in acute optic neuritis (RENEW): a randomised, placebo-controlled, phase 2 trial. Lancet Neurology, The, 2017, 16, 189-199.	4.9	210
8	Siponimod for patients with relapsing-remitting multiple sclerosis (BOLD): an adaptive, dose-ranging, randomised, phase 2 study. Lancet Neurology, The, 2013, 12, 756-767.	4.9	205
9	Non-motor dysfunction in Parkinson's disease. Parkinsonism and Related Disorders, 2007, 13, 323-332.	1.1	171
10	The Activation Status of Neuroantigen-specific T Cells in the Target Organ Determines the Clinical Outcome of Autoimmune Encephalomyelitis. Journal of Experimental Medicine, 2004, 199, 185-197.	4.2	163
11	Molecular biomarkers in multiple sclerosis. Journal of Neuroinflammation, 2019, 16, 272.	3.1	158
12	Impaired NK-mediated regulation of T-cell activity in multiple sclerosis is reconstituted by IL-2 receptor modulation. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E2973-82.	3.3	157
13	Optimizing treatment success in multiple sclerosis. Journal of Neurology, 2016, 263, 1053-1065.	1.8	155
14	The role of TH17 cells in multiple sclerosis: Therapeutic implications. Autoimmunity Reviews, 2020, 19, 102647.	2.5	144
15	A self-sustained loop of inflammation-driven inhibition of beige adipogenesis in obesity. Nature Immunology, 2017, 18, 654-664.	7.0	139
16	Treatment effectiveness of alemtuzumab compared with natalizumab, fingolimod, and interferon beta in relapsing-remitting multiple sclerosis: a cohort study. Lancet Neurology, The, 2017, 16, 271-281.	4.9	134
17	Multiple sclerosis beyond EDSS: depression and fatigue. Journal of the Neurological Sciences, 2009, 277, S37-S41.	0.3	128
18	Glatiramer acetate: Mechanisms of action in multiple sclerosis. Autoimmunity Reviews, 2007, 6, 469-475.	2.5	123

#	Article	IF	CITATIONS
19	Cardiovascular autonomic dysfunction in Parkinson's disease. Journal of the Neurological Sciences, 2010, 289, 74-80.	0.3	116
20	Digital Twins for Multiple Sclerosis. Frontiers in Immunology, 2021, 12, 669811.	2.2	108
21	The Investigation of the Cardiovascular and Sudomotor Autonomic Nervous System—A Review. Frontiers in Neurology, 2019, 10, 53.	1.1	107
22	Employment status in multiple sclerosis: impact of disease-specific and non-disease-specific factors. Multiple Sclerosis Journal, 2013, 19, 1792-1799.	1.4	104
23	The norepinephrine system shows information-content specific properties during cognitive control – Evidence from EEG and pupillary responses. NeuroImage, 2017, 149, 44-52.	2.1	104
24	Placebo-controlled trial of oral laquinimod in multiple sclerosis: MRI evidence of an effect on brain tissue damage. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 851-858.	0.9	101
25	Spectral Analysis of Heart Rate Variability: Time Window Matters. Frontiers in Neurology, 2019, 10, 545.	1.1	99
26	Clinical outcome measures in multiple sclerosis: A review. Autoimmunity Reviews, 2020, 19, 102512.	2.5	98
27	Loss of nocturnal blood pressure fall in various extrapyramidal syndromes. Movement Disorders, 2009, 24, 2136-2142.	2.2	95
28	Review: Patient-reported outcomes in multiple sclerosis care. Multiple Sclerosis and Related Disorders, 2019, 33, 61-66.	0.9	94
29	Safety and Efficacy of Siponimod (BAF312) in Patients With Relapsing-Remitting Multiple Sclerosis. JAMA Neurology, 2016, 73, 1089.	4.5	92
30	Profiling individual clinical responses by high-frequency serum neurofilament assessment in MS. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e555.	3.1	87
31	A focus on secondary progressive multiple sclerosis (SPMS): challenges in diagnosis and definition. Journal of Neurology, 2021, 268, 1210-1221.	1.8	87
32	Glatiramer Acetate: Mechanisms of Action in Multiple Sclerosis. International Review of Neurobiology, 2007, 79, 537-570.	0.9	86
33	Multiple Sclerosis Therapy Consensus Group (MSTCG): position statement on disease-modifying therapies for multiple sclerosis (white paper). Therapeutic Advances in Neurological Disorders, 2021, 14, 175628642110396.	1.5	86
34	Alemtuzumab in the long-term treatment of relapsing-remitting multiple sclerosis: an update on the clinical trial evidence and data from the real world. Therapeutic Advances in Neurological Disorders, 2017, 10, 343-359.	1.5	85
35	Demands on response inhibition processes determine modulations of theta band activity in superior frontal areas and correlations with pupillometry – Implications for the norepinephrine system during inhibitory control. NeuroImage, 2017, 157, 575-585.	2.1	85
36	Optimizing therapy early in multiple sclerosis: An evidence-based view. Multiple Sclerosis and Related Disorders, 2015, 4, 460-469.	0.9	83

#	Article	IF	CITATIONS
37	The importance of collecting structured clinical information on multiple sclerosis. BMC Medicine, 2016, 14, 81.	2.3	83
38	The role of the humoral immune system in multiple sclerosis (MS) and its animal model experimental autoimmune encephalomyelitis (EAE). Autoimmunity Reviews, 2005, 4, 460-467.	2.5	81
39	Therapeutic Decisions in Multiple Sclerosis. JAMA Neurology, 2013, 70, 1315-24.	4.5	80
40	Diroximel Fumarate Demonstrates an Improved Gastrointestinal Tolerability Profile Compared with Dimethyl Fumarate in Patients with Relapsing–Remitting Multiple Sclerosis: Results from the Randomized, Double-Blind, Phase III EVOLVE-MS-2 Study. CNS Drugs, 2020, 34, 185-196.	2.7	80
41	Multiple sclerosis: clinical profiling and data collection as prerequisite for personalized medicine approach. BMC Neurology, 2016, 16, 124.	0.8	79
42	Use and Acceptance of Electronic Communication by Patients With Multiple Sclerosis: A Multicenter Questionnaire Study. Journal of Medical Internet Research, 2012, 14, e135.	2.1	75
43	Psychoneuroimmunology – Cross-talk between the immune and nervous systems. Journal of Neurology, 2007, 254, II8-II11.	1.8	71
44	Perceptions on the value of bodily functions in multiple sclerosis. Acta Neurologica Scandinavica, 2018, 137, 356-362.	1.0	71
45	Acute effects of alemtuzumab infusion in patients with active relapsing-remitting MS. Neurology: Neuroimmunology and NeuroInflammation, 2016, 3, e228.	3.1	68
46	Developmental endothelial locus-1 is a homeostatic factor in the central nervous system limiting neuroinflammation and demyelination. Molecular Psychiatry, 2015, 20, 880-888.	4.1	65
47	Risk-Benefit Assessment of Glatiramer Acetate in Multiple Sclerosis. Drug Safety, 2001, 24, 979-990.	1.4	64
48	Engrafting human regulatory T cells with a flexible modular chimeric antigen receptor technology. Journal of Autoimmunity, 2018, 90, 116-131.	3.0	64
49	Evidence-based patient information programme in early multiple sclerosis: a randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 411-418.	0.9	63
50	The norepinephrine system affects specific neurophysiological subprocesses in the modulation of inhibitory control by working memory demands. Human Brain Mapping, 2017, 38, 68-81.	1.9	61
51	Therapy satisfaction and adherence in patients with relapsing–remitting multiple sclerosis: the THEPA-MS survey. Therapeutic Advances in Neurological Disorders, 2016, 9, 250-263.	1.5	60
52	Effects of glatiramer acetate on fatigue and days of absence from work in first-time treated relapsing-remitting multiple sclerosis. Health and Quality of Life Outcomes, 2008, 6, 67.	1.0	59
53	Peripheral proinflammatory Th1/Th17 immune cell shift is linked to disease severity in amyotrophic lateral sclerosis. Scientific Reports, 2020, 10, 5941.	1.6	59
54	Secretion of brain-derived neurotrophic factor by glatiramer acetate-reactive T-helper cell lines: Implications for multiple sclerosis therapy. Journal of the Neurological Sciences, 2005, 233, 109-112.	0.3	58

#	Article	IF	CITATIONS
55	Influence of ECG Sampling Frequency on Spectral Analysis of RR Intervals and Baroreflex Sensitivity Using the EUROBAVAR Data set. Journal of Clinical Monitoring and Computing, 2008, 22, 159-168.	0.7	57
56	Symptom management in patients with multiple sclerosis. Journal of the Neurological Sciences, 2011, 311, S48-S52.	0.3	56
57	International consensus on quality standards for brain health-focused care in multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 1809-1818.	1.4	55
58	Neurological disability, psychological distress, and health-related quality of life in MS patients within the first three years after diagnosis. Multiple Sclerosis Journal, 2009, 15, 752-758.	1.4	54
59	The PANGAEA study design – a prospective, multicenter, non-interventional, long-term study on fingolimod for the treatment of multiple sclerosis in daily practice. BMC Neurology, 2015, 15, 93.	0.8	54
60	Fingolimod additionally acts as immunomodulator focused on the innate immune system beyond its prominent effects on lymphocyte recirculation. Journal of Neuroinflammation, 2017, 14, 41.	3.1	54
61	CD49d blockade by natalizumab in patients with multiple sclerosis affects steady-state hematopoiesis and mobilizes progenitors with a distinct phenotype and function. Bone Marrow Transplantation, 2010, 45, 1489-1496.	1.3	52
62	Harnessing Real-World Data to Inform Decision-Making: Multiple Sclerosis Partners Advancing Technology and Health Solutions (MS PATHS). Frontiers in Neurology, 2020, 11, 632.	1.1	52
63	Multiple sclerosis in the real world: A systematic review of fingolimod as a case study. Autoimmunity Reviews, 2017, 16, 355-376.	2.5	50
64	Natalizumab during pregnancy and lactation. Multiple Sclerosis Journal, 2018, 24, 1627-1634.	1.4	48
65	Multiple sclerosis registries in Europe – An updated mapping survey. Multiple Sclerosis and Related Disorders, 2019, 27, 171-178.	0.9	47
66	Autoimmune CD4+ T Cell Memory: Lifelong Persistence of Encephalitogenic T Cell Clones in Healthy Immune Repertoires. Journal of Immunology, 2005, 175, 69-81.	0.4	46
67	Multiple sclerosis documentation system (MSDS): moving from documentation to management of MS patients. Journal of Neural Transmission, 2013, 120, 61-66.	1.4	46
68	Fingolimod hydrochloride for the treatment of relapsing remitting multiple sclerosis. Expert Opinion on Pharmacotherapy, 2017, 18, 1649-1660.	0.9	44
69	Designing an Electronic Patient Management System for Multiple Sclerosis: Building a Next Generation Multiple Sclerosis Documentation System. Interactive Journal of Medical Research, 2016, 5, e2.	0.6	44
70	Baroreflex sensitivity and power spectral analysis in different extrapyramidal syndromes. Journal of Neural Transmission, 2008, 115, 1527-1536.	1.4	43
71	Comprehensive autonomic assessment does not differentiate between Parkinson's disease, multiple system atrophy and progressive supranuclear palsy. Journal of Neural Transmission, 2010, 117, 69-76.	1.4	43
72	Static posturography in aging and Parkinson's disease. Frontiers in Aging Neuroscience, 2012, 4, 20.	1.7	43

#	Article	IF	CITATIONS
73	Time- and frequency-domain parameters of heart rate variability and sympathetic skin response in Parkinson's disease. Journal of Neural Transmission, 2015, 122, 419-425.	1.4	43
74	The norepinephrine system and its relevance for multi-component behavior. NeuroImage, 2017, 146, 1062-1070.	2.1	43
75	Diroximel fumarate (DRF) in patients with relapsing–remitting multiple sclerosis: Interim safety and efficacy results from the phase 3 EVOLVE-MS-1 study. Multiple Sclerosis Journal, 2020, 26, 1729-1739.	1.4	41
76	Multiple sclerosis and the autonomic nervous system. Journal of Neurology, 2006, 253, i21-i25.	1.8	40
77	Valsalva manoeuvre in patients with different Parkinsonian disorders. Journal of Neural Transmission, 2009, 116, 875-880.	1.4	40
78	Considerations on discontinuing natalizumab for the treatment of multiple sclerosis. Annals of Neurology, 2010, 68, 409-411.	2.8	40
79	Facilitated defensive coping, silent ischaemia and ECG left-ventricular hypertrophy. Journal of Hypertension, 2012, 30, 543-550.	0.3	40
80	The sensory channel of presentation alters subjective ratings and autonomic responses toward disgusting stimuli—Blood pressure, heart rate and skin conductance in response to visual, auditory, haptic and olfactory presented disgusting stimuli. Frontiers in Human Neuroscience, 2013, 7, 510.	1.0	40
81	Longâ€ŧerm peripheral immune cell profiling reveals further targets of oral cladribine in MS. Annals of Clinical and Translational Neurology, 2020, 7, 2199-2212.	1.7	40
82	A Physician-Completed Digital Tool for Evaluating Disease Progression (Multiple Sclerosis) Tj ETQq0 0 0 rgBT /0	Overlock 10 2.1) Tf 50 382 Td
83	Circadian cortisol, depressive symptoms and neurological impairment in early multiple sclerosis. Psychoneuroendocrinology, 2011, 36, 1505-1512.	1.3	39
84	New insights into the pharmacokinetics and pharmacodynamics of natalizumab treatment for patients with multiple sclerosis, obtained from clinical and in vitro studies. Journal of Neuroinflammation, 2016, 13, 164.	3.1	39
85	Retinal vessel analysis in hypercholesterolemic patients before and after LDL apheresis. Atherosclerosis Supplements, 2009, 10, 39-43.	1.2	38
86	Cortisol Awakening Response Is Linked to Disease Course and Progression in Multiple Sclerosis. PLoS ONE, 2013, 8, e60647.	1.1	38
87	Assessment of Opicinumab in Acute Optic Neuritis Using Multifocal Visual Evoked Potential. CNS Drugs, 2018, 32, 1159-1171.	2.7	38
88	Digital Biomarkers in Multiple Sclerosis. Brain Sciences, 2021, 11, 1519.	1.1	38
89	Efficacy and Safety of Alemtuzumab Through 9 Years of Follow-up in Patients with Highly Active Disease: Post Hoc Analysis of CARE-MS I and II Patients in the TOPAZ Extension Study. CNS Drugs, 2020, 34, 973-988.	2.7	37
90	Adult polyglucosan body disease. Neurology, 2003, 61, 263-265.	1.5	36

#	Article	IF	CITATIONS
91	Baroreflex sensitivity and power spectral analysis during autonomic testing in different extrapyramidal syndromes. Movement Disorders, 2010, 25, 315-324.	2.2	36
92	Defensive coping facilitates higher blood pressure and early sub-clinical structural vascular disease via alterations in heart rate variability: The SABPA study. Atherosclerosis, 2013, 227, 391-397.	0.4	36
93	Immune thrombocytopenia in alemtuzumab-treated MS patients: Incidence, detection, and management. Multiple Sclerosis Journal, 2020, 26, 48-56.	1.4	36
94	Autoantibodies against central nervous system antigens in a subset of B cell–dominant multiple sclerosis patients. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 21512-21518.	3.3	36
95	A New Line Immunoassay for the Multiparametric Detection of Antiganglioside Autoantibodies in Patients with Autoimmune Peripheral Neuropathies. Annals of the New York Academy of Sciences, 2007, 1109, 256-264.	1.8	35
96	Anodal tDCS affects neuromodulatory effects of the norepinephrine system on superior frontal theta activity during response inhibition. Brain Structure and Function, 2019, 224, 1291-1300.	1.2	35
97	The Effects of Venlafaxine on Autonomic Functions in Healthy Volunteers. Journal of Clinical Psychopharmacology, 2007, 27, 687-691.	0.7	34
98	Autonomic dysfunction in different subtypes of multiple system atrophy. Movement Disorders, 2008, 23, 1766-1772.	2.2	34
99	Review: Brain—immune communication psychoneuroimmunology of multiple sclerosis. Multiple Sclerosis Journal, 2008, 14, 6-21.	1.4	34
100	Effect of BEMER Magnetic Field Therapy on the Level of Fatigue in Patients with Multiple Sclerosis: A Randomized, Double-Blind Controlled Trial. Journal of Alternative and Complementary Medicine, 2009, 15, 507-511.	2.1	34
101	A 2-year observational study of patients with relapsing-remitting multiple sclerosis converting to glatiramer acetate from other disease-modifying therapies: the COPTIMIZE trial. Journal of Neurology, 2014, 261, 2101-2111.	1.8	34
102	Differentiating societal costs of disability worsening in multiple sclerosis. Journal of Neurology, 2020, 267, 1035-1042.	1.8	34
103	The role of phasic norepinephrine modulations during task switching: evidence for specific effects in parietal areas. Brain Structure and Function, 2018, 223, 925-940.	1.2	33
104	Sudomotor Testing of Diabetes Polyneuropathy. Frontiers in Neurology, 2018, 9, 803.	1.1	33
105	Improving multiple sclerosis management and collecting safety information in the real world: the MSDS3D software approach. Expert Opinion on Drug Safety, 2018, 17, 369-378.	1.0	32
106	Autonomic dysfunction in patients with progressive supranuclear palsy. Movement Disorders, 2008, 23, 2083-2089.	2.2	31
107	Assessment of Clinically Meaningful Improvements in Self-Reported Walking Ability in Participants with Multiple Sclerosis: Results from the Randomized, Double-Blind, Phase III ENHANCE Trial of Prolonged-Release Fampridine. CNS Drugs, 2019, 33, 61-79.	2.7	31
108	Study design of PANGAEA 2.0, a non-interventional study on RRMS patients to be switched to fingolimod. BMC Neurology, 2016, 16, 129.	0.8	30

#	Article	IF	CITATIONS
109	Real-World Lab Data in Natalizumab Treated Multiple Sclerosis Patients Up to 6 Years Long-Term Follow Up. Frontiers in Neurology, 2018, 9, 1071.	1.1	30
110	Real World Lab Data: Patterns of Lymphocyte Counts in Fingolimod Treated Patients. Frontiers in Immunology, 2018, 9, 2669.	2.2	30
111	On the interrelation of 1/ <i>f</i> neural noise and norepinephrine system activity during motor response inhibition. Journal of Neurophysiology, 2019, 121, 1633-1643.	0.9	30
112	Efficacy and safety of alemtuzumab over 6 years: final results of the 4-year CARE-MS extension trial. Therapeutic Advances in Neurological Disorders, 2021, 14, 175628642098213.	1.5	30
113	Serum neurofilament light chain in pediatric spinal muscular atrophy patients and healthy children. Annals of Clinical and Translational Neurology, 2021, 8, 2013-2024.	1.7	30
114	A mixed methods approach towards understanding key disease characteristics associated with the progression from RRMS to SPMS: Physicians' and patients' views. Multiple Sclerosis and Related Disorders, 2020, 38, 101861.	0.9	29
115	Electronic Health Interventions in the Case of Multiple Sclerosis: From Theory to Practice. Brain Sciences, 2021, 11, 180.	1.1	29
116	Modern communication technology skills of patients with multiple sclerosis. Multiple Sclerosis Journal, 2013, 19, 1240-1241.	1.4	28
117	Accumulation and therapeutic modulation of 6-sulfo LacNAc ⁺ dendritic cells in multiple sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2014, 1, e33.	3.1	28
118	Patient Satisfaction with the New Interferon Beta-1b Autoinjector (BETACONNECTâ,,¢). Neurology and Therapy, 2015, 4, 125-136.	1.4	27
119	Real-world persistence and benefit–risk profile of fingolimod over 36 months in Germany. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e548.	3.1	27
120	Seizures Associated with Zoledronic Acid for Osteoporosis. Journal of Clinical Endocrinology and Metabolism, 2011, 96, 1955-1959.	1.8	26
121	Rationale, design, and methods of a non-interventional study to establish safety, effectiveness, quality of life, cognition, health-related and work capacity data on Alemtuzumab in multiple sclerosis patients in Germany (TREAT-MS). BMC Neurology, 2016, 16, 109.	0.8	26
122	Hands on Alemtuzumab-experience from clinical practice: whom and how to treat. Multiple Sclerosis and Demyelinating Disorders, 2016, 1, .	1.1	26
123	Fear of falling and falls in people with multiple sclerosis: A literature review. Multiple Sclerosis and Related Disorders, 2021, 47, 102609.	0.9	26
124	Regulation of proteins mediating neurodegeneration in experimental autoimmune encephalomyelitis and multiple sclerosis. Proteomics - Clinical Applications, 2009, 3, 1273-1287.	0.8	25
125	Greater cardiovascular reactivity to a cold stimulus is due to higher cold pain perception in black Africans. Journal of Hypertension, 2012, 30, 2416-2424.	0.3	25
126	Seasonal variation in plasma free normetanephrine concentrations: implications for biochemical diagnosis of pheochromocytoma. European Journal of Endocrinology, 2014, 170, 349-357.	1.9	25

#	Article	IF	CITATIONS
127	Patients' preferences for involvement in the decision-making process for treating diabetic retinopathy. BMC Ophthalmology, 2017, 17, 139.	0.6	25
128	How minimal variations in neuronal cytoskeletal integrity modulate cognitive control. NeuroImage, 2019, 185, 129-139.	2.1	25
129	Autonomic Function and Cerebral Autoregulation in Patients Undergoing Carotid Endarterectomy. Circulation Journal, 2010, 74, 2139-2145.	0.7	24
130	Long-term safety and tolerability of glatiramer acetate 20 mg in the treatment of relapsing forms of multiple sclerosis. Expert Opinion on Drug Safety, 2017, 16, 247-255.	1.0	24
131	Pupil diameter in darkness differentiates progressive supranuclear palsy (PSP) from other extrapyramidal syndromes. Movement Disorders, 2007, 22, 2123-2126.	2.2	23
132	Functional Energetics of CD4+-Cellular Immunity in Monoclonal Antibody-Associated Progressive Multifocal Leukoencephalopathy in Autoimmune Disorders. PLoS ONE, 2011, 6, e18506.	1.1	23
133	Trigonometric regressive spectral analysis: an innovative tool for evaluating the autonomic nervous system. Journal of Neural Transmission, 2013, 120, 27-33.	1.4	23
134	Electrocardiographic assessments and cardiac events after fingolimod first dose – a comprehensive monitoring study. BMC Neurology, 2017, 17, 11.	0.8	23
135	Impedimetric Microfluidic Sensorâ€inâ€aâ€Tube for Labelâ€Free Immune Cell Analysis. Small, 2021, 17, e200254	9.5.2	23
136	The Multiple Sclerosis Health Resource Utilization Survey (MS-HRS): Development and Validation Study. Journal of Medical Internet Research, 2020, 22, e17921.	2.1	23
137	Intensified monitoring of circadian blood pressure and heart rate before and after intravitreous injection of bevacizumab: preliminary findings of a pilot study. International Ophthalmology, 2009, 29, 213-224.	0.6	22
138	Review: Treatment of dysautonomia in extrapyramidal disorders. Therapeutic Advances in Neurological Disorders, 2010, 3, 53-67.	1.5	22
139	Treatment optimization in multiple sclerosis: how do we apply emerging evidence?. Expert Review of Clinical Immunology, 2017, 13, 509-511.	1.3	22
140	A Digital Patient Portal for Patients With Multiple Sclerosis. Frontiers in Neurology, 2020, 11, 400.	1.1	22
141	Graves' disease after treatment with Alemtuzumab for multiple sclerosis. Hormones, 2002, 14, 148-53.	0.9	21
142	QualiCOP: real-world effectiveness, tolerability, and quality of life in patients with relapsing-remitting multiple sclerosis treated with glatiramer acetate, treatment-naÃ ⁻ ve patients, and previously treated patients. Journal of Neurology, 2016, 263, 784-791.	1.8	21
143	Adrenal medullary dysfunction as a feature of obesity. International Journal of Obesity, 2017, 41, 714-721.	1.6	21
144	Determination of Baroreflex Sensitivity during the Modified Oxford Maneuver by Trigonometric Regressive Spectral Analysis. PLoS ONE, 2011, 6, e18061.	1.1	20

#	Article	IF	CITATIONS
145	Baroreceptor sensitivity, cardiovascular responses and ECG left ventricular hypertrophy in men: The SABPA study. Blood Pressure, 2011, 20, 355-361.	0.7	20
146	Recognition and treatment of autonomic disturbances in Parkinson's disease. Expert Review of Neurotherapeutics, 2015, 15, 1189-1203.	1.4	20
147	Exploring individual multiple sclerosis lesion volume change over time: Development of an algorithm for the analyses of longitudinal quantitative MRI measures. NeuroImage: Clinical, 2019, 21, 101623.	1.4	20
148	Data Collection in Multiple Sclerosis: The MSDS Approach. Frontiers in Neurology, 2020, 11, 445.	1.1	20
149	Design of a non-interventional post-marketing study to assess the long-term safety and effectiveness of ocrelizumab in German real world multiple sclerosis cohorts – the CONFIDENCE study protocol. BMC Neurology, 2020, 20, 95.	0.8	20
150	Event-Driven Immunoprofiling Predicts Return of Disease Activity in Alemtuzumab-Treated Multiple Sclerosis. Frontiers in Immunology, 2020, 11, 56.	2.2	20
151	Differential longitudinal changes of neuronal and glial damage markers in anorexia nervosa after partial weight restoration. Translational Psychiatry, 2021, 11, 86.	2.4	20
152	Trigonometric Regressive Spectral Analysis Reliably Maps Dynamic Changes in Baroreflex Sensitivity and Autonomic Tone: The Effect of Gender and Age. PLoS ONE, 2010, 5, e12187.	1.1	19
153	Improving patient–physician dialog: commentary on the results of the MS Choices survey. Patient Preference and Adherence, 2012, 6, 143.	0.8	19
154	Management of fingolimod in clinical practice. Clinical Neurology and Neurosurgery, 2013, 115, S60-S64.	0.6	19
155	Predictors of response to opicinumab in acute optic neuritis. Annals of Clinical and Translational Neurology, 2018, 5, 1154-1162.	1.7	19
156	Therapeutic targeting of Lyn kinase to treat chorea-acanthocytosis. Acta Neuropathologica Communications, 2021, 9, 81.	2.4	19
157	Interleukin-17 and Th17 Lymphocytes Directly Impair Motoneuron Survival of Wildtype and FUS-ALS Mutant Human iPSCs. International Journal of Molecular Sciences, 2021, 22, 8042.	1.8	19
158	Lipoprotein apheresis of hypercholesterolemic patients mediates vasoprotective gene expression in human endothelial cells. Atherosclerosis Supplements, 2013, 14, 107-113.	1.2	18
159	Serum biomarkers of cerebral cellular stress after self-limiting tonic clonic seizures: An exploratory study. Seizure: the Journal of the British Epilepsy Association, 2021, 85, 1-5.	0.9	18
160	Fampridine response in MS patients with gait impairment in a real-world setting: Need for new response criteria?. Multiple Sclerosis Journal, 2018, 24, 1337-1346.	1.4	18
161	Education Research: Cognitive performance is preserved in sleep-deprived neurology residents. Neurology, 2009, 73, e99-e103.	1.5	17
162	Best Practices for Long-Term Monitoring and Follow-Up of Alemtuzumab-Treated MS Patients in Real-World Clinical Settings. Frontiers in Neurology, 2019, 10, 253.	1.1	17

#	Article	IF	CITATIONS
163	Balance Testing in Multiple Sclerosis—Improving Neurological Assessment With Static Posturography?. Frontiers in Neurology, 2020, 11, 135.	1.1	17
164	Should We Use Clinical Tools to Identify Disease Progression?. Frontiers in Neurology, 2020, 11, 628542.	1.1	17
165	Approach to SARS-CoV-2 Vaccination in Patients With Multiple Sclerosis. Frontiers in Immunology, 2021, 12, 701752.	2.2	17
166	Modulating processes within the central nervous system is central to therapeutic control of multiple sclerosis. Journal of Neurology, 2005, 252, v38-v45.	1.8	16
167	Effects of Acute and Chronic Stress on the L-Arginine Nitric Oxide Pathway in Black and White South Africans. Psychosomatic Medicine, 2013, 75, 751-758.	1.3	16
168	Time matters – Acute stress response and glucocorticoid sensitivity in early multiple sclerosis. Brain, Behavior, and Immunity, 2014, 41, 82-89.	2.0	16
169	Attenuated brain-derived neurotrophic factor and hypertrophic remodelling: the SABPA study. Journal of Human Hypertension, 2015, 29, 33-39.	1.0	16
170	Development of the multiple sclerosis (MS) early mobility impairment questionnaire (EMIQ). Journal of Neurology, 2016, 263, 1969-1983.	1.8	16
171	Safety and in vivo immune assessment of escalating doses of oral laquinimod in patients with RRMS. Journal of Neuroinflammation, 2017, 14, 172.	3.1	16
172	Prolonged-release fampridine in multiple sclerosis: clinical data and real-world experience. Report of an expert meeting. Therapeutic Advances in Neurological Disorders, 2018, 11, 175628641880324.	1.5	16
173	Efficacy of alemtuzumab in relapsing-remitting MS patients who received additional courses after the initial two courses: Pooled analysis of the CARE-MS, extension, and TOPAZ studies. Multiple Sclerosis Journal, 2020, 26, 1866-1876.	1.4	16
174	<p>Health-Related Quality of Life and the Relationship to Treatment Satisfaction in Patients with Multiple Sclerosis: Insights from a Large Observational Study</p> . Patient Preference and Adherence, 2020, Volume 14, 869-880.	0.8	16
175	Gaining First Insights on Secondary Progressive Multiple Sclerosis Patients Treated With Siponimod in Clinical Routine: Protocol of the Noninterventional Study AMASIA. JMIR Research Protocols, 2020, 9, e19598.	0.5	16
176	Lymphocyte Counts and Multiple Sclerosis Therapeutics: Between Mechanisms of Action and Treatment-Limiting Side Effects. Cells, 2021, 10, 3177.	1.8	16
177	Serum Neurofilament Light Chain as a Biomarker of Brain Injury in Wilson's Disease: Clinical and Neuroradiological Correlations. Movement Disorders, 2022, 37, 1074-1079.	2.2	16
178	Pharmacokinetic/Pharmacodynamic Modelling of Venlafaxine. Clinical Pharmacokinetics, 2008, 47, 721-731.	1.6	15
179	Pupillary responses to intranasal trigeminal and olfactory stimulation. Journal of Neural Transmission, 2009, 116, 885-889.	1.4	15
180	Cardiovascular autonomic testing in extrapyramidal disorders. Journal of the Neurological Sciences, 2011, 310, 129-132.	0.3	15

11

#	Article	IF	CITATIONS
181	Rapidly progressive course of very late onset multiple sclerosis presenting with Parkinsonism: case report. Multiple Sclerosis Journal, 2011, 17, 245-249.	1.4	15
182	Immunoadsorption with regenerating systems in neurological disorders– A single center experience. Atherosclerosis Supplements, 2015, 18, 119-123.	1.2	15
183	Design of TRUST, a non-interventional, multicenter, 3-year prospective study investigating an integrated patient management approach in patients with relapsing-remitting multiple sclerosis treated with natalizumab. BMC Neurology, 2016, 16, 98.	0.8	15
184	Two studies in one: A propensity-score-matched comparison of fingolimod versus interferons and glatiramer acetate using real-world data from the independent German studies, PANGAEA and PEARL. PLoS ONE, 2017, 12, e0173353.	1.1	15
185	Daily Practice Managing Resistant Multiple Sclerosis Spasticity With Delta-9-Tetrahydrocannabinol: Cannabidiol Oromucosal Spray: A Systematic Review of Observational Studies. Journal of Central Nervous System Disease, 2019, 11, 117957351983199.	0.7	15
186	Reasons to switch: a noninterventional study evaluating immunotherapy switches in a large German multicentre cohort of patients with relapsing-remitting multiple sclerosis. Therapeutic Advances in Neurological Disorders, 2019, 12, 175628641989207.	1.5	15
187	Autonomic responses to stress in <scp>B</scp> lack versus <scp>C</scp> aucasian <scp>A</scp> fricans: The <scp>SABPA</scp> Study. Psychophysiology, 2012, 49, 454-461.	1.2	14
188	Immunomodulatory treatments and cognition in MS. Acta Neurologica Scandinavica, 2016, 134, 55-59.	1.0	14
189	Cutaneous Autonomic Pilomotor Testing to Unveil the Role of Neuropathy Progression in Early Parkinson's Disease (CAPTURE PD): Protocol for a Multicenter Study. Frontiers in Neurology, 2017, 8, 212.	1.1	14
190	Modulation of Cardiac Autonomic Function by Fingolimod Initiation and Predictors for Fingolimod Induced Bradycardia in Patients with Multiple Sclerosis. Frontiers in Neuroscience, 2017, 11, 540.	1.4	14
191	Evaluation of Study and Patient Characteristics of Clinical Studies in Primary Progressive Multiple Sclerosis: A Systematic Review. PLoS ONE, 2015, 10, e0138243.	1.1	14
192	Drug and Neurofilament Levels in Serum and Breastmilk of Women With Multiple Sclerosis Exposed to Natalizumab During Pregnancy and Lactation. Frontiers in Immunology, 2021, 12, 715195.	2.2	14
193	The need for a strategic therapeutic approach: multiple sclerosis in check. Therapeutic Advances in Chronic Disease, 2022, 13, 204062232110630.	1.1	14
194	The effects of lorazepam on skin conductance responses to aversive stimuli in healthy subjects. Clinical Autonomic Research, 2007, 17, 160-164.	1.4	13
195	Anti-Vascular endothelial growth factor therapy impairs endothelial function of retinal microcirculation in colon cancer patients – an observational study. Experimental & Translational Stroke Medicine, 2013, 5, 7.	3.2	13
196	Autonomic Dysfunction in Wilson's Disease: A Comprehensive Evaluation during a 3-Year Follow Up. Frontiers in Physiology, 2017, 8, 778.	1.3	13
197	Dual-Tasking in Multiple Sclerosis – Implications for a Cognitive Screening Instrument. Frontiers in Human Neuroscience, 2018, 12, 24.	1.0	13
198	Clinical relevance of circadian melatonin release in relapsing-remitting multiple sclerosis. Journal of Molecular Medicine, 2019, 97, 1547-1555.	1.7	13

#	Article	IF	CITATIONS
199	Efficacy of alemtuzumab over 6 years in relapsing–remitting multiple sclerosis patients who relapsed between courses 1 and 2: Post hoc analysis of the CARE-MS studies. Multiple Sclerosis Journal, 2020, 26, 1719-1728.	1.4	13
200	CONCERTO: A randomized, placebo-controlled trial of oral laquinimod in relapsing-remitting multiple sclerosis Journal, 2022, 28, 608-619.	1.4	13
201	Immunoglobulin G immune response to SARS-CoV-2 vaccination in people living with multiple sclerosis within Multiple Sclerosis Partners Advancing Technology and Health Solutions. Multiple Sclerosis Journal, 2022, 28, 1131-1137.	1.4	13
202	Autoimmunity and long-term safety and efficacy of alemtuzumab for multiple sclerosis: Benefit/risk following review of trial and post-marketing data. Multiple Sclerosis Journal, 2022, 28, 842-846.	1.4	13
203	Clinical and Demographic Profile of Patients Receiving Fingolimod in Clinical Practice in Germany and the Benefit–Risk Profile of Fingolimod After 1 Year of Treatment: Initial Results From the Observational, Noninterventional Study PANGAEA. Neurotherapeutics, 2018, 15, 190-199.	2.1	12
204	Patient†versus physicianâ€reported relapses in multiple sclerosis: insights from a large observational study. European Journal of Neurology, 2020, 27, 2531-2538.	1.7	12
205	Using Machine Learning Algorithms for Identifying Gait Parameters Suitable to Evaluate Subtle Changes in Gait in People with Multiple Sclerosis. Brain Sciences, 2021, 11, 1049.	1.1	12
206	Improved gastrointestinal profile with diroximel fumarate is associated with a positive impact on quality of life compared with dimethyl fumarate: results from the randomized, double-blind, phase III EVOLVE-MS-2 study. Therapeutic Advances in Neurological Disorders, 2021, 14, 175628642199399.	1.5	12
207	Neuroprotection and Glatiramer Acetate: The Possible Role in the Treatment of Multiple Sclerosis. Advances in Experimental Medicine and Biology, 2004, 541, 111-134.	0.8	12
208	Effects of the PPARÎ ³ agonist pioglitazone on coronary atherosclerotic plaque composition and plaque progression in non-diabetic patients: a double-center, randomized controlled VH-IVUS pilot-trial. Heart and Vessels, 2015, 30, 286-295.	0.5	11
209	Patient satisfaction and healthcare services in specialized multiple sclerosis centres in Germany. Therapeutic Advances in Neurological Disorders, 2018, 11, 175628561774884.	1.5	11
210	Multi-component relaxation in clinically isolated syndrome: Lesion myelination may predict multiple sclerosis conversion. NeuroImage: Clinical, 2018, 20, 61-70.	1.4	11
211	Long-term real-world evidence for sustained clinical benefits of fingolimod following switch from natalizumab. Multiple Sclerosis and Related Disorders, 2020, 39, 101893.	0.9	11
212	The Dresden Protocol for Multidimensional Walking Assessment (DMWA) in Clinical Practice. Frontiers in Neuroscience, 2020, 14, 582046.	1.4	11
213	Visual Feedback and Postural Control in Multiple Sclerosis. Journal of Clinical Medicine, 2020, 9, 1291.	1.0	11
214	A Novel, Integrative Approach for Evaluating Progression in Multiple Sclerosis: Development of a Scoring Algorithm. JMIR Medical Informatics, 2020, 8, e17592.	1.3	11
215	Multiple Sclerosis Therapy With Disease-Modifying Treatments in Germany: The PEARL (ProspEctive) Tj ETQq1 1 2016, 5, e23.	0.784314 0.5	rgBT /Overlo 11
216	Treatment strategies for nonmotor manifestations of Parkinson's disease. Expert Opinion on Pharmacotherapy, 2009, 10, 773-784.	0.9	10

#	Article	IF	CITATIONS
217	The cold hand sign in multiple system atrophy: skin perfusion revisited. Journal of Neural Transmission, 2010, 117, 475-479.	1.4	10
218	LDL apheresis improves deranged cardiovagal modulation in hypercholesterolemic patients. Atherosclerosis, 2010, 213, 212-217.	0.4	10
219	Treatment of dysautonomia in extrapyramidal disorders. Journal of Neurology, 2011, 258, 339-345.	1.8	10
220	Perspectives of an innovative ophthalmological technology: Optical coherence tomography (OCT) – What should be of interest to the neurologist?. Clinical Neurology and Neurosurgery, 2013, 115, S55-S59.	0.6	10
221	36 Months Pangaea: A 5-Year Non-Interventional Study of Safety, Efficacy and Pharmacoeconomic Data for Fingolimod Patients In Daily Clinical Practice. Value in Health, 2015, 18, A749.	0.1	10
222	ActiCait implantable drop foot stimulator in multiple sclerosis: a new indication. Journal of Neurosurgery, 2017, 126, 1685-1690.	0.9	10
223	Real-World Evidence on the Societal Economic Relapse Costs in Patients with Multiple Sclerosis. Pharmacoeconomics, 2020, 38, 883-892.	1.7	10
224	A possible role of the norepinephrine system during sequential cognitive flexibility – Evidence from EEG and pupil diameter data. Cortex, 2020, 128, 22-34.	1.1	10
225	CSF and Serum Biomarkers of Cerebral Damage in Autoimmune Epilepsy. Frontiers in Neurology, 2021, 12, 647428.	1.1	10
226	CNS inflammation after natalizumab therapy for multiple sclerosis: A retrospective histopathological and CSF cohort study. Brain Pathology, 2021, 31, e12969.	2.1	10
227	Profiles of eHealth Adoption in Persons with Multiple Sclerosis and Their Caregivers. Brain Sciences, 2021, 11, 1087.	1.1	10
228	Cost of illness in multiple sclerosis by disease characteristics – A review of reviews. Expert Review of Pharmacoeconomics and Outcomes Research, 2022, 22, 177-195.	0.7	10
229	Time for Change – Evolution of Real-world Evidence Outcome Measures in Multiple Sclerosis Exemplified by Fingolimod. European Neurological Review, 2015, 9, 136.	0.5	10
230	Long-term real-world effectiveness and safety of fingolimod over 5Âyears in Germany. Journal of Neurology, 2022, 269, 3276-3285.	1.8	10
231	Real-world evidence for cladribine tablets in multiple sclerosis: further insights into efficacy and safety. Wiener Medizinische Wochenschrift, 2022, 172, 365-372.	0.5	10
232	Different responses of the retinal and cutaneous microcirculation to transient dysmetabolic conditions. Atherosclerosis Supplements, 2015, 18, 1-7.	1.2	9
233	Acute hyperlipidemia but not hyperhomocysteinemia impairs reflex regulation of the cardiovascular system. Atherosclerosis Supplements, 2015, 18, 8-15.	1.2	9
234	To stop or not to stop disease modifying therapies in secondary progressive multiple sclerosis, that is the question. Expert Review of Neurotherapeutics, 2017, 17, 847-849.	1.4	9

#	Article	IF	CITATIONS
235	How the depth of processing modulates emotional interference – evidence from EEG and pupil diameter data. Cognitive, Affective and Behavioral Neuroscience, 2019, 19, 1231-1246.	1.0	9
236	Nonwalking response to fampridine in patients with multiple sclerosis in a real-world setting. Therapeutic Advances in Chronic Disease, 2019, 10, 204062231983513.	1.1	9
237	Mutually reinforcing effects of genetic variants and interferonâ€î² 1a therapy for pulmonary arterial hypertension development in multiple sclerosis patients. Pulmonary Circulation, 2019, 9, 1-6.	0.8	9
238	Metabolic and Non-Metabolic Peripheral Neuropathy: Is there a Place for Therapeutic Apheresis?. Hormone and Metabolic Research, 2019, 51, 779-784.	0.7	9
239	Gender disparities in health resource utilization in patients with relapsing–remitting multiple sclerosis: a prospective longitudinal real-world study with more than 2000 patients. Therapeutic Advances in Neurological Disorders, 2020, 13, 175628642096027.	1.5	9
240	Multiple sclerosis therapy consensus group (MSTCG): answers to the discussion questions. Neurological Research and Practice, 2021, 3, 44.	1.0	9
241	Proportion of alemtuzumab-treated patients converting from relapsing-remitting multiple sclerosis to secondary progressive multiple sclerosis over 6 years. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2020, 6, 205521732097213.	0.5	9
242	Potential side effect of high-dose corticosteroid relapse treatment: acute generalized exanthematous pustulosis (AGEP). Multiple Sclerosis Journal, 2009, 15, 275-277.	1.4	8
243	Induction therapy for the management of early relapsing forms of multiple sclerosis. A critical opinion. Expert Opinion on Pharmacotherapy, 2017, 18, 1553-1556.	0.9	8
244	Healthcare resource use and costs of multiple sclerosis patients in Germany before and during fampridine treatment. BMC Neurology, 2017, 17, 62.	0.8	8
245	An Innovative Technique to Assess Spontaneous Baroreflex Sensitivity with Short Data Segments: Multiple Trigonometric Regressive Spectral Analysis. Frontiers in Physiology, 2018, 9, 10.	1.3	8
246	Early central vs. peripheral immunological and neurobiological effects of fingolimod—a longitudinal study. Journal of Molecular Medicine, 2019, 97, 1263-1271.	1.7	8
247	Fingolimod Leads to Immediate Immunological Changes Within 6 h After First Administration. Frontiers in Neurology, 2020, 11, 391.	1.1	8
248	Multiple Sclerosis Progression Discussion Tool Usability and Usefulness in Clinical Practice: Cross-sectional, Web-Based Survey. Journal of Medical Internet Research, 2021, 23, e29558.	2.1	8
249	Targeting Lyn Kinase in Chorea-Acanthocytosis: A Translational Treatment Approach in a Rare Disease. Journal of Personalized Medicine, 2021, 11, 392.	1.1	8
250	Improving Digital Patient Care: Lessons Learned from Patient-Reported and Expert-Reported Experience Measures for the Clinical Practice of Multidimensional Walking Assessment. Brain Sciences, 2021, 11, 786.	1.1	8
251	Cladribine Alters Immune Cell Surface Molecules for Adhesion and Costimulation: Further Insights to the Mode of Action in Multiple Sclerosis. Cells, 2021, 10, 3116.	1.8	8
252	Ethnicâ€specific Correlations of Visfatin With Circulating Markers of Endothelial Inflammation and Function. Obesity, 2009, 17, 2210-2215.	1.5	7

#	Article	IF	CITATIONS
253	Development of A Screening Tool to Support Identification of Patients With Secondary Progressive Multiple Sclerosis (Spms). Value in Health, 2015, 18, A763.	0.1	7
254	A pragmatic approach to dealing with fingolimod-related lymphopaenia in Europe. Multiple Sclerosis and Related Disorders, 2015, 4, 83-84.	0.9	7
255	Fatigue and Sleep in Multiple Sclerosis Patients: A Comparison of Self-Report and Performance-Based Measures. Frontiers in Neurology, 2017, 8, 703.	1.1	7
256	Pneumocystis pneumonia in a patient treated with alemtuzumab for relapsing multiple sclerosis. Multiple Sclerosis and Related Disorders, 2020, 38, 101503.	0.9	7
257	A Comprehensive Monitoring Study on Electrocardiographic Assessments and Cardiac Events After Fingolimod First Dose—Possible Predictors of Cardiac Outcomes. Frontiers in Neurology, 2020, 11, 818.	1.1	7
258	A role of the norepinephrine system or effort in the interplay of different facets of inhibitory control. Neuropsychologia, 2022, 166, 108143.	0.7	7
259	Serum neurofilament indicates that DBS surgery can cause neuronal damage whereas stimulation itself does not. Scientific Reports, 2022, 12, 1446.	1.6	7
260	Confirmed Disability Improvement In Patients With Active Multiple Sclerosis Treated With Fingolimod Versus Brace: A Matched Comparison of Treatments From The Pangaea And Pearl Registry Studies. Value in Health, 2015, 18, A750.	0.1	6
261	Sub-analysis of geographical variations in the 2-year observational COPTIMIZE trial of patients with relapsing–remitting multiple sclerosis converting to glatiramer acetate. BMC Neurology, 2015, 15, 189.	0.8	6
262	Hes3 expression in the adult mouse brain is regulated during demyelination and remyelination. Brain Research, 2016, 1642, 124-130.	1.1	6
263	Antigen-shift in varicella-zoster virus-specific T-cell immunity over the course of Fingolimod-treatment in relapse-remitting multiple sclerosis patients. Multiple Sclerosis and Related Disorders, 2020, 38, 101859.	0.9	6
264	The transitional phase of multiple sclerosis: The concept of PANGAEA 2.0 evolution study. Multiple Sclerosis and Related Disorders, 2020, 46, 102523.	0.9	6
265	>How to Implement Adherence-Promoting Programs in Clinical Practice? A Discrete Choice Experiment on Physicians' Preferences. Patient Preference and Adherence, 2020, Volume 14, 267-276.	0.8	6
266	Relation of retinal and hippocampal thickness in patients with amnestic mild cognitive impairment and healthy controls. Brain and Behavior, 2021, 11, e02035.	1.0	6
267	Predictors of Adherence Among Patients With Multiple Sclerosis Using the BETACONNECT® Autoinjector: A Prospective Observational Cohort Study. Frontiers in Neurology, 2021, 12, 643126.	1.1	6
268	Descriptive Analysis of Real-World Data on Fingolimod Long-Term Treatment of Young Adult RRMS Patients. Frontiers in Neurology, 2021, 12, 637107.	1.1	6
269	B-Cell Activity Predicts Response to Clatiramer Acetate and Interferon in Relapsing-Remitting Multiple Sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, e980.	3.1	6
270	Impact of natalizumab on quality of life in a real-world cohort of patients with multiple sclerosis: Results from MS PATHS. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2021, 7, 205521732110046.	0.5	6

#	Article	IF	CITATIONS
271	Neurofilament light chain in serum is significantly increased in chorea-acanthocytosis. Parkinsonism and Related Disorders, 2020, 80, 28-31.	1.1	6
272	Time-On-Task Effects on Working Memory Gating Processes—A Role of Theta Synchronization and the Norepinephrine System. Cerebral Cortex Communications, 2022, 3, tgac001.	0.7	6
273	Adherence to Subcutaneous Interferon Beta-1a in Multiple Sclerosis Patients Receiving Periodic Feedback on Drug Use by Discussion of Readouts of Their Rebismart® Injector: Results of the Prospective Cohort Study REBIFLECT. Advances in Therapy, 2022, 39, 2749-2760.	1.3	6
274	In vitro modulation of steroid 5α-reductase activity by phospholipases in epithelium and stroma of human benign prostatic hyperplasia. Steroids, 2001, 66, 521-528.	0.8	5
275	Psychoneuroimmunology - Psyche and Autoimmunity. Current Pharmaceutical Design, 2012, 18, 4485-4488.	0.9	5
276	Defensive active coping facilitates chronic hyperglycaemia and endothelial dysfunction in African men: The SABPA study. International Journal of Cardiology, 2013, 168, 999-1005.	0.8	5
277	Regular lipoprotein apheresis maintains residual cardiovascular and microvascular function in patients with advanced atherosclerotic disease. Atherosclerosis Supplements, 2013, 14, 135-141.	1.2	5
278	Metabolomic distinction of microvascular effects of lipoprotein apheresis– A pilot study. Atherosclerosis Supplements, 2013, 14, 143-149.	1.2	5
279	Fingolimod in a patient with heart failure on the background of pulmonary arterial hypertension and coronary artery disease. BMC Neurology, 2014, 14, 126.	0.8	5
280	Dynamic formation of macular microcysts independent of vitreous traction changes. Neurology, 2015, 84, 436-437.	1.5	5
281	Laquinimod in the treatment of relapsing remitting multiple sclerosis. Expert Opinion on Drug Metabolism and Toxicology, 2016, 12, 701-709.	1.5	5
282	Determination of Seminal Concentration of Fingolimod and Fingolimodâ€Phosphate in Multiple Sclerosis Patients Receiving Chronic Treatment With Fingolimod. Clinical Pharmacology in Drug Development, 2018, 7, 217-221.	0.8	5
283	Delayed retinal vein recovery responses indicate both non-adaptation to stress as well as increased risk for stroke: the SABPA study. Cardiovascular Journal of Africa, 2021, 32, 7-18.	0.2	5
284	Natalizumab Pharmacokinetics and -Dynamics and Serum Neurofilament in Patients With Multiple Sclerosis. Frontiers in Neurology, 2021, 12, 650530.	1.1	5
285	Alemtuzumab in a Large Real-Life Cohort: Interim Baseline Data of the TREAT-MS Study. Frontiers in Neurology, 2021, 12, 620758.	1.1	5
286	Neural and glial damage markers in women after long-term weight-recovery from anorexia nervosa. Psychoneuroendocrinology, 2021, 135, 105576.	1.3	5
287	6â€sulpho LacNAc ⁺ dendritic cells accumulate in various inflammatory, but not ischaemic conditions of the central nervous system. Neuropathology and Applied Neurobiology, 2016, 42, 394-398.	1.8	4
288	Comparison of baroreflex sensitivity estimated from ECG R–R and inter-systolic intervals obtained by finger plethysmography and radial tonometry. Journal of Neural Transmission, 2016, 123, 481-490.	1.4	4

#	Article	IF	CITATIONS
289	Subthalamic nucleus stimulation and levodopa modulate cardiovascular autonomic function in Parkinson's disease. Scientific Reports, 2017, 7, 7012.	1.6	4
290	Quality of Life Improves with Alemtuzumab Over 6ÂYears in Relapsing-Remitting Multiple Sclerosis Patients with or without Autoimmune Thyroid Adverse Events: Post Hoc Analysis of the CARE-MS Studies. Neurology and Therapy, 2020, 9, 443-457.	1.4	4
291	Properties of lower level processing modulate the actions of the norepinephrine system during response inhibition. Biological Psychology, 2020, 152, 107862.	1.1	4
292	The Change of Fingolimod Patient Profiles over Time: A Descriptive Analysis of Two Non-Interventional Studies PANGAEA and PANGAEA 2.0. Journal of Personalized Medicine, 2021, 11, 561.	1.1	4
293	Peripheral nerve field stimulation in medically refractory trigeminal neuralgia attributed to multiple sclerosis. Journal of Neurosurgery, 2020, 134, 1-7.	0.9	4
294	Automated Analysis of the Two-Minute Walk Test in Clinical Practice Using Accelerometer Data. Brain Sciences, 2021, 11, 1507.	1.1	4
295	Digital Innovation in Multiple Sclerosis Management. Brain Sciences, 2022, 12, 40.	1.1	4
296	OzEAN Study to Collect Real-World Evidence of Persistent Use, Effectiveness, and Safety of Ozanimod Over 5 Years in Patients With Relapsing-Remitting Multiple Sclerosis in Germany. Frontiers in Neurology, 0, 13, .	1.1	4
297	Phospholipase A2 degradation products modulate epithelial and stromal 5?-reductase activity of human benign prostatic hyperplasia in vitro. Prostate, 2002, 50, 4-14.	1.2	3
298	Intravitreous bevacizumab and blood pressure: does â€~safe' mean â€~safe enough'?. Acta Ophthalmolog 2007, 85, 573-574.	gica, 0.4	3
299	Attenuated NOx responses and myocardial ischemia, a possible risk for structural vascular disease in African men: the SABPA study. Journal of Human Hypertension, 2014, 28, 438-443.	1.0	3
300	Insulin is a key determinant of elevated retinal arteriolar flicker response in insulin-resistant individuals. Diabetologia, 2015, 58, 2154-2160.	2.9	3
301	Effects of the Peroxisome Proliferator-Activated Receptor-Î ³ Agonist Pioglitazone on Peripheral Vessel Function and Clinical Parameters in Nondiabetic Patients: A Double-Center, Randomized Controlled Pilot Trial. Cardiology, 2015, 131, 165-171.	0.6	3
302	Why Cognitive–Cognitive Dual-Task Testing Assessment Should Be Implemented in Studies on Multiple Sclerosis and in Regular Clinical Practice. Frontiers in Neurology, 2020, 11, 905.	1.1	3
303	How to reduce the delay of diagnosing secondary progression in multiple sclerosis. Multiple Sclerosis Journal, 2021, 27, 646-647.	1.4	3
304	Innovation in Digital Education: Lessons Learned from the Multiple Sclerosis Management Master's Program. Brain Sciences, 2021, 11, 1110.	1.1	3
305	Serum neurofilament light chain levels are associated with stroke severity and functional outcome in patients undergoing endovascular therapy for large vessel occlusion. Journal of the Neurological Sciences, 2021, 429, 118063.	0.3	3
306	Response to: S. Sega-Jazbec et al.: "Management of infusion related reactions associated with alemtuzumab in patients with multiple sclerosis―Multiple Sclerosis and Related Disorders 2017. Multiple Sclerosis and Related Disorders, 2017, 17, 177-178.	0.9	3

#	Article	IF	CITATIONS
307	Safety of Fingolimod in Patients with Multiple Sclerosis Switched from Natalizumab: Results from TRANSITION―A 2-Year, Multicenter, Observational, Cohort Study. Brain Sciences, 2022, 12, 215.	1.1	3
308	The Multiple Sclerosis Data Alliance Catalogue. International Journal of MS Care, 2021, 23, 261-268.	0.4	3
309	Demographic Patterns of MS Patients Using BRISA: An MS-Specific App in Germany. Journal of Personalized Medicine, 2022, 12, 1100.	1.1	3
310	What can we learn from failed clinical trials in multiple sclerosis?. Journal of Neurology, 2008, 255, 97-101.	1.8	2
311	Nocturnal Blood Pressure, 3-Methoxy-4-hydroxyphenylglycol and Carotid Intima-media Thickness: The SABPA Study. Heart Lung and Circulation, 2013, 22, 917-923.	0.2	2
312	Phase 2 BOLD extension study efficacy results for siponimod (BAF312) in patients with relapsing-remitting multiple sclerosis. Multiple Sclerosis and Related Disorders, 2014, 3, 754-755.	0.9	2
313	PANGAEA: Post-authorization Noninterventional German Safety Study of GilEnyA in relapsing-remitting multiple sclerosis (RRMS) patients: A 24-month interim analysis of a German five-year fingolimod registry study. Multiple Sclerosis and Related Disorders, 2014, 3, 751.	0.9	2
314	Pangaea 2.0: State Of The Art Multiple Sclerosis Patient Management In Daily Clinical Practice. A New 3-Year Observational Study Of Patients Receiving Fingolimod. Value in Health, 2015, 18, A686.	0.1	2
315	No Impact of Long-Term Fingolimod Treatment on Fecal Secretory Immunoglobulin A Levels in Patients With Multiple Sclerosis. Frontiers in Cell and Developmental Biology, 2020, 8, 567659.	1.8	2
316	Comparative study of microvascular function: Forearm blood flow versus dynamic retinal vessel analysis. Clinical Physiology and Functional Imaging, 2021, 41, 42-50.	0.5	2
317	Comparing the long-term clinical and economic impact of ofatumumab versus dimethyl fumarate and glatiramer acetate in patients with relapsing multiple sclerosis: A cost-consequence analysis from a societal perspective in Germany. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2022. 8, 205521732210857.	0.5	2
318	Serum Neurofilament Light Chain: A Marker of Nervous System Damage in Myopathies. Frontiers in Neuroscience, 2021, 15, 791670.	1.4	2
319	Safety, Adherence and Persistence in a Real-World Cohort of German MS Patients Newly Treated With Ocrelizumab: First Insights From the CONFIDENCE Study. Frontiers in Neurology, 2022, 13, .	1.1	2
320	FastCAT Accelerates Absolute Quantification of Proteins Using Multiple Short Nonpurified Chimeric Standards. Journal of Proteome Research, 2022, 21, 1408-1417.	1.8	2
321	Neuroborreliosis during natalizumab treatment in multiple sclerosis. Neurology, 2013, 81, 1012-1014.	1.5	1
322	Efficacy for remyelination and safety of anti-lingo-1 monoclonal antibody (biib033) in acute optic neuritis: results from the renew study. Journal of the Neurological Sciences, 2015, 357, e14-e15.	0.3	1
323	Comment on Y.D. Fragoso et al.: "Lymphocyte count in peripheral blood is not associated with the level of clinical response to treatment with fingolimod―Multiple Sclerosis and Related Disorders 2017. Multiple Sclerosis and Related Disorders, 2018, 22, 68-69.	0.9	1
324	Rescue therapy with alemtuzumab in B cell/antibody-mediated multiple sclerosis. Therapeutic Advances in Neurological Disorders, 2018, 11, 175628641875989.	1.5	1

#	Article	IF	CITATIONS
325	Letter to the editor on the paper: "The majority of natalizumab-treated MS patients have high natalizumab concentrations at time of re-dosing― Multiple Sclerosis Journal, 2018, 24, 820-822.	1.4	1
326	Reader response: Pregnancy decision-making in women with multiple sclerosis treated with natalizumab: I: Fetal risks. Neurology, 2018, 91, 849-850.	1.5	1
327	Tetrahydrocannabinol: cannabidiol oromucosal spray for treating symptoms of multiple sclerosis spasticity: newest evidence. Neurodegenerative Disease Management, 2019, 9, 1-2.	1.2	1
328	Response to: Kobayashi etÂal.: "Erythroblast appearance associated with natalizumab―Multiple Sclerosis and Related Disorders 2019. Multiple Sclerosis and Related Disorders, 2019, 32, 114-115.	0.9	1
329	Response to Hyun J.W. et al. "Longitudinal analysis of serum neurofilament light chain: A potential therapeutic monitoring biomarker for multiple sclerosis― Multiple Sclerosis Journal, 2020, 26, 742-743.	1.4	1
330	On the Reliability of Examining Dual-Tasking Abilities Using a Novel E-Health Device—A Proof of Concept Study in Multiple Sclerosis. Journal of Clinical Medicine, 2020, 9, 3423.	1.0	1
331	Editorial: Cognitive Disorders in Neuroimmunological Diseases. Frontiers in Neurology, 2020, 11, 169.	1.1	1
332	Dissonance in Music Impairs Spatial Gait Parameters in Patients with Parkinson's Disease. Journal of Parkinson's Disease, 2021, 11, 363-372.	1.5	1
333	Local endothelial dysfunction does not affect global endothelial function. Vasa - European Journal of Vascular Medicine, 2015, 44, 277-284.	0.6	1
334	Drug and Neurofilament Levels in Serum and Breastmilk of Women With Multiple Sclerosis Exposed to Natalizumab During Pregnancy and Lactation. Frontiers in Immunology, 2021, 12, 715195.	2.2	1
335	Real-world patient characteristics, treatment patterns and costs in relapsing multiple sclerosis patients treated with glatiramer acetate, dimethyl fumarate or teriflunomide in Germany. Neurodegenerative Disease Management, 2022, 12, 93-107.	1.2	1
336	Efficacy of prolonged-release fampridine <i>versus</i> placebo on walking ability, dynamic and static balance, physical impact of multiple sclerosis, and quality of life: an integrated analysis of MOBILE and ENHANCE. Therapeutic Advances in Neurological Disorders, 2022, 15, 175628642210903.	1.5	1
337	Recent perspectives in neurology. Journal of Neural Transmission, 2013, 120, 1-2.	1.4	0
338	Effects of Pioglitazone on coronary atherosclerotic plaque composition and plaque progression in non-diabetic patients: a double-center, randomized controlled VH-IVUS pilot-trial. European Heart Journal, 2013, 34, 2672-2672.	1.0	0
339	Psychometric Analyses to Inform Item Reduction and Evaluate Sensitivity of the Early Mobility Impairment Questionnaire for Multiple Sclerosis. Value in Health, 2014, 17, A403.	0.1	0
340	Dendritic cells are specifically affected by different immunomodulatory treatment strategies in multiple sclerosis. Journal of Neuroimmunology, 2014, 275, 92-93.	1.1	0
341	PP.41.04. Journal of Hypertension, 2015, 33, e501.	0.3	0
342	Physician–patient communication skills: e-tools. Neurodegenerative Disease Management, 2015, 5, 51-53.	1.2	0

#	Article	IF	CITATIONS
343	Limited Time from the Diabetes Patients' Perspective: Need for Conversation with the Eye Specialist. Ophthalmologica, 2016, 236, 154-158.	1.0	о
344	Immunomodulatory therapy in 5798 relapsing-remitting multiple sclerosis (RRMS) patients over time under special consideration of switching to oral DMD: A retrospective data analysis. Journal of the Neurological Sciences, 2017, 381, 531.	0.3	0
345	Letter to the editor to the paper: "Acute and long-term effects of fingolimod on heart rhythm and heart rate variability in patients with multiple sclerosis― Multiple Sclerosis and Related Disorders, 2018, 22, 57-58.	0.9	0
346	Letter to the editor regarding "Therapeutic drug monitoring of natalizumab― Multiple Sclerosis Journal, 2020, 26, 741-742.	1.4	0
347	Bevacizumab-induced changes in small arterial dilatation measured in vivo by dynamic retinal vessel analysis Journal of Clinical Oncology, 2010, 28, 3575-3575.	0.8	Ο
348	Die Anwendung von Multi-Touch-Gesten in Patientenmanagementsystemen. Xpert Press, 2013, , 301-315.	0.1	0
349	Seasonal variation of plasma free normetanephrine concentrations: implications for biochemical diagnosis of pheochromocytoma. Experimental and Clinical Endocrinology and Diabetes, 2014, 122, .	0.6	Ο
350	MS-Dokumentation, MS-Register und MS-Management. , 2015, , 447-459.		0
351	Abstract TP228: Continuous Non-invasive Blood Pressure versus Oscillometric Assessment in Acute Care After Intracerebral Hemorrhage, Intravenous Thrombolysis for Acute Ischemic Stroke. Stroke, 2017, 48, .	1.0	0
352	MS-Dokumentation, -Register und -Management. , 2018, , 435-447.		0
353	Serological Biomarker Profiles of Neurofilament Light Chain in Children and Adolescents with Spinal Muscular Atrophy and Healthy Controls. Neuropediatrics, 2021, 52, .	0.3	Ο
354	Transparent Quality Optimization for Machine Learning-Based Regression in Neurology. Journal of Personalized Medicine, 2022, 12, 908.	1.1	0
355	Brain structure and neurocognitive function in two professional mountaineers during 35 days severe normobaric hypoxia. European Journal of Neurology, 0, , .	1.7	Ο