

Yongchan Lee

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1821138/yongchan-lee-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

4,769
citations

35
h-index

52
g-index

252
ext. papers

5,678
ext. citations

3.7
avg, IF

5.28
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 242 | Guidelines for the diagnosis and treatment of <i>Helicobacter pylori</i> infection in Korea, 2013 revised edition. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1371-86 | 4 | 120 |
| 241 | Seroepidemiological study of <i>Helicobacter pylori</i> infection in asymptomatic people in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001 , 16, 969-75 | 4 | 113 |
| 240 | Clinicopathologic factors influence accurate endosonographic assessment for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 901-8 | 5.2 | 97 |
| 239 | <i>Helicobacter pylori</i> CagA phosphorylation status determines the gp130-activated SHP2/ERK and JAK/STAT signal transduction pathways in gastric epithelial cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 16042-50 | 5.4 | 95 |
| 238 | Pre-treatment neutrophil to lymphocyte ratio as a prognostic marker to predict chemotherapeutic response and survival outcomes in metastatic advanced gastric cancer. <i>Gastric Cancer</i> , 2014 , 17, 703-10 | 7.6 | 81 |
| 237 | Clinicopathological aspects and prognostic value with respect to age: an analysis of 3,362 consecutive gastric cancer patients. <i>Journal of Surgical Oncology</i> , 2009 , 99, 395-401 | 2.8 | 77 |
| 236 | Endoscopic resection for undifferentiated early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, e1-9 | 5.2 | 76 |
| 235 | Clinical application of self-expandable metallic stent for treatment of colorectal obstruction caused by extrinsic invasive tumors. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 578-83 | 3.1 | 74 |
| 234 | Long non-coding RNA HOTAIR promotes carcinogenesis and invasion of gastric adenocarcinoma. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 451, 171-8 | 3.4 | 72 |
| 233 | miR-106b modulates cancer stem cell characteristics through TGF- β /Smad signaling in CD44-positive gastric cancer cells. <i>Laboratory Investigation</i> , 2014 , 94, 1370-81 | 5.9 | 71 |
| 232 | Clinical safety of endoscopic submucosal dissection compared with surgery in elderly patients with early gastric cancer: a propensity-matched analysis. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 599-609 | 5.2 | 68 |
| 231 | Long-term outcome of early gastric cancer after endoscopic submucosal dissection: expanded indication is comparable to absolute indication. <i>Digestive and Liver Disease</i> , 2013 , 45, 651-6 | 3.3 | 68 |
| 230 | Endoscopic resection for duodenal carcinoid tumors: a multicenter, retrospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 318-24 | 4 | 67 |
| 229 | High microsatellite instability predicts good prognosis in intestinal-type gastric cancers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 585-92 | 4 | 67 |
| 228 | Predictive factors for local recurrence after endoscopic resection for early gastric cancer: long-term clinical outcome in a single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 2842-9 | 5.2 | 67 |
| 227 | <i>Helicobacter pylori</i> CagA promotes Snail-mediated epithelial-mesenchymal transition by reducing GSK-3 activity. <i>Nature Communications</i> , 2014 , 5, 4423 | 17.4 | 59 |
| 226 | Natural variation in populations of persistently colonizing bacteria affect human host cell phenotype. <i>Journal of Infectious Diseases</i> , 2003 , 188, 486-96 | 7 | 55 |

| | | | |
|-----|--|-----|----|
| 225 | Anti-inflammatory effect of capsaicin in Helicobacter pylori-infected gastric epithelial cells. <i>Helicobacter</i> , 2007 , 12, 510-7 | 4.9 | 54 |
| 224 | Comparison of 7-day and 14-day proton pump inhibitor-containing triple therapy for Helicobacter pylori eradication: neither treatment duration provides acceptable eradication rate in Korea. <i>Helicobacter</i> , 2007 , 12, 31-5 | 4.9 | 52 |
| 223 | Signet ring cell mixed histology may show more aggressive behavior than other histologies in early gastric cancer. <i>Journal of Surgical Oncology</i> , 2013 , 107, 124-9 | 2.8 | 50 |
| 222 | Antibiotic resistance in Helicobacter pylori strains and its effect on H. pylori eradication rates in a single center in Korea. <i>Annals of Laboratory Medicine</i> , 2013 , 33, 415-9 | 3.1 | 50 |
| 221 | Genistein attenuates cancer stem cell characteristics in gastric cancer through the downregulation of Gli1. <i>Oncology Reports</i> , 2014 , 31, 673-8 | 3.5 | 47 |
| 220 | Patterns of regional recurrence after curative D2 resection for stage III (N3) gastric cancer: implications for postoperative radiotherapy. <i>Radiotherapy and Oncology</i> , 2012 , 104, 367-73 | 5.3 | 46 |
| 219 | Early gastric cancer of signet ring cell carcinoma is more amenable to endoscopic treatment than is early gastric cancer of poorly differentiated tubular adenocarcinoma in select tumor conditions. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3087-93 | 5.2 | 46 |
| 218 | Treatment outcome of localized Helicobacter pylori-negative low-grade gastric MALT lymphoma. <i>World Journal of Gastroenterology</i> , 2010 , 16, 2158-62 | 5.6 | 45 |
| 217 | Comparative study between endoscopic submucosal dissection and surgery in patients with early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 73-86 | 5.2 | 44 |
| 216 | Risk factors and prognosis of pulmonary complications after endoscopic submucosal dissection for gastric neoplasia. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 540-6 | 4 | 42 |
| 215 | Sedation methods can determine performance of endoscopic submucosal dissection in patients with gastric neoplasia. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 2760-7 | 5.2 | 40 |
| 214 | Follow-up outcomes of endoscopic resection for early gastric cancer with undifferentiated histology. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2627-33 | 5.2 | 39 |
| 213 | Epstein-Barr virus positivity, not mismatch repair-deficiency, is a favorable risk factor for lymph node metastasis in submucosa-invasive early gastric cancer. <i>Gastric Cancer</i> , 2016 , 19, 1041-1051 | 7.6 | 38 |
| 212 | Poorly Differentiated Carcinoma Component in Submucosal Layer Should be Considered as an Additional Criterion for Curative Endoscopic Resection of Early Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S772-7 | 3.1 | 37 |
| 211 | Rifabutin-based high-dose proton-pump inhibitor and amoxicillin triple regimen as the rescue treatment for Helicobacter pylori. <i>Helicobacter</i> , 2014 , 19, 455-61 | 4.9 | 37 |
| 210 | Prevalence of Barrett's esophagus remains low in the Korean population: nationwide cross-sectional prospective multicenter study. <i>Digestive Diseases and Sciences</i> , 2010 , 55, 1932-9 | 4 | 37 |
| 209 | The prevalence and clinical characteristics of esophageal involvement in patients with Behçet's disease: a single center experience in Korea. <i>Journal of Korean Medical Science</i> , 2009 , 24, 52-6 | 4.7 | 36 |
| 208 | Prognostic value of neutrophil-to-lymphocyte ratio in patients treated with concurrent chemoradiotherapy for locally advanced oesophageal cancer. <i>Digestive and Liver Disease</i> , 2014 , 46, 846-53 ³ | | 35 |

| | | | |
|-----|---|-----|----|
| 207 | Clinical features and predictive factors of coagulation syndrome after endoscopic submucosal dissection for early gastric neoplasm. <i>Gastric Cancer</i> , 2012 , 15, 83-90 | 7.6 | 35 |
| 206 | Lymphovascular invasion is an important predictor of lymph node metastasis in endoscopically resected early gastric cancers. <i>Oncology Reports</i> , 2011 , 25, 1589-95 | 3.5 | 34 |
| 205 | Undifferentiated histology after endoscopic resection may predict synchronous and metachronous occurrence of early gastric cancer. <i>Digestion</i> , 2010 , 81, 35-42 | 3.6 | 34 |
| 204 | Endoscopic management of anastomotic leakage after gastrectomy for gastric cancer: how efficacious is it?. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 111-8 | 2.4 | 33 |
| 203 | Clinical outcomes of endoscopic submucosal dissection for early stage esophagogastric junction cancer: a systematic review and meta-analysis. <i>Digestive and Liver Disease</i> , 2015 , 47, 37-44 | 3.3 | 33 |
| 202 | Impact of carcinomatosis and ascites status on long-term outcomes of palliative treatment for patients with gastric outlet obstruction caused by unresectable gastric cancer: stent placement versus palliative gastrojejunostomy. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 321-32 | 5.2 | 33 |
| 201 | Contrasting activity of Hedgehog and Wnt pathways according to gastric cancer cell differentiation: relevance of crosstalk mechanisms. <i>Cancer Science</i> , 2010 , 101, 328-35 | 6.9 | 33 |
| 200 | Long-Term Clinical Outcomes of Endoscopic Submucosal Dissection in Patients with Early Gastric Cancer: A Prospective Multicenter Cohort Study. <i>Gut and Liver</i> , 2018 , 12, 402-410 | 4.8 | 33 |
| 199 | Prognostic value of early postoperative tumor marker response in gastric cancer. <i>Annals of Surgical Oncology</i> , 2013 , 20, 3905-11 | 3.1 | 32 |
| 198 | Endoscopic pyloromyotomy for postesophagectomy gastric outlet obstruction. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E345-6 | 3.4 | 32 |
| 197 | Incidence and impact of scheduled endoscopic surveillance on recurrence after curative endoscopic resection for early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 628-638.e1 | 5.2 | 31 |
| 196 | Sodium butyrate-induced DAPK-mediated apoptosis in human gastric cancer cells. <i>Oncology Reports</i> , 2012 , 27, 1111-5 | 3.5 | 31 |
| 195 | A Pilot Study of Sequential Capsule Endoscopy Using MiroCam and PillCam SB Devices with Different Transmission Technologies. <i>Gut and Liver</i> , 2010 , 4, 192-200 | 4.8 | 31 |
| 194 | Comprehensive expression profiles of gastric cancer molecular subtypes by immunohistochemistry: implications for individualized therapy. <i>Oncotarget</i> , 2016 , 7, 44608-44620 | 3.3 | 31 |
| 193 | Long-term outcomes after noncurative endoscopic resection of early gastric cancer: the optimal time for additional endoscopic treatment. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 1003-1013.e2 | 5.2 | 30 |
| 192 | Clinicopathological features and prognostic factors of proximal gastric carcinoma in a population with high Helicobacter pylori prevalence: a single-center, large-volume study in Korea. <i>Annals of Surgical Oncology</i> , 2010 , 17, 829-37 | 3.1 | 30 |
| 191 | Dose-Response Relationship between Radiation Dose and Loco-regional Control in Patients with Stage II-III Esophageal Cancer Treated with Definitive Chemoradiotherapy. <i>Cancer Research and Treatment</i> , 2017 , 49, 669-677 | 5.2 | 30 |
| 190 | Predictive value of pretreatment metabolic activity measured by fluorodeoxyglucose positron emission tomography in patients with metastatic advanced gastric cancer: the maximal SUV of the stomach is a prognostic factor. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012 , 39, 1107-16 | 8.8 | 29 |

| | | | |
|-----|--|-----|----|
| 189 | Endosonographic features of gastric ectopic pancreases distinguishable from mesenchymal tumors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, e301-7 | 4 | 29 |
| 188 | Ten-Day Concomitant, 10-Day Sequential, and 7-Day Triple Therapy as First-Line Treatment for Infection: A Nationwide Randomized Trial in Korea. <i>Gut and Liver</i> , 2019 , 13, 531-540 | 4.8 | 29 |
| 187 | Upregulated microRNA-193a-3p is responsible for cisplatin resistance in CD44(+) gastric cancer cells. <i>Cancer Science</i> , 2019 , 110, 662-673 | 6.9 | 28 |
| 186 | Sensory and motor dysfunction assessed by anorectal manometry in uterine cervical carcinoma patients with radiation-induced late rectal complication. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 41, 835-41 | 4 | 28 |
| 185 | Effects of nonsteroidal anti-inflammatory drugs on Helicobacter pylori-infected gastric mucosae of mice: apoptosis, cell proliferation, and inflammatory activity. <i>Infection and Immunity</i> , 2001 , 69, 5056-63 | 3.7 | 28 |
| 184 | Helicobacter pylori Eradication on the Prevention of Metachronous Lesions after Endoscopic Resection of Gastric Neoplasm: A Meta-Analysis. <i>PLoS ONE</i> , 2015 , 10, e0124725 | 3.7 | 27 |
| 183 | Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 2562-72 | 3.3 | 27 |
| 182 | Clinical spectrum of reflux esophagitis among 25,536 Koreans who underwent a health check-up: a nationwide multicenter prospective, endoscopy-based study. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 632-8 | 3 | 25 |
| 181 | Quality of Life after Endoscopic Submucosal Dissection for Early Gastric Cancer: A Prospective Multicenter Cohort Study. <i>Gut and Liver</i> , 2017 , 11, 87-92 | 4.8 | 25 |
| 180 | Histologic purity of signet ring cell carcinoma is a favorable risk factor for lymph node metastasis in poorly cohesive, submucosa-invasive early gastric carcinoma. <i>Gastric Cancer</i> , 2017 , 20, 583-590 | 7.6 | 24 |
| 179 | Prediction model for non-curative resection of endoscopic submucosal dissection in patients with early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 85, 976-983 | 5.2 | 23 |
| 178 | High level of preoperative carbohydrate antigen 19-9 is a poor survival predictor in gastric cancer. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5302-8 | 5.6 | 23 |
| 177 | Change in gene expression profiles of secreted frizzled-related proteins (SFRPs) by sodium butyrate in gastric cancers: induction of promoter demethylation and histone modification causing inhibition of Wnt signaling. <i>International Journal of Oncology</i> , 2012 , 40, 1533-42 | 4.4 | 23 |
| 176 | Helicobacter pylori Eradication Prevents Metachronous Gastric Neoplasms after Endoscopic Resection of Gastric Dysplasia. <i>PLoS ONE</i> , 2015 , 10, e0143257 | 3.7 | 23 |
| 175 | Growth Patterns of Signet Ring Cell Carcinoma of the Stomach for Endoscopic Resection. <i>Gut and Liver</i> , 2015 , 9, 720-6 | 4.8 | 23 |
| 174 | Clinical predictors associated with proton pump inhibitor-induced hypomagnesemia. <i>American Journal of Therapeutics</i> , 2015 , 22, 14-21 | 1 | 22 |
| 173 | Long-term outcomes of endoscopic submucosal dissection in comparison to surgery in undifferentiated-type intramucosal gastric cancer using propensity score analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 2046-2057 | 5.2 | 22 |
| 172 | Carcinomatosis matters: clinical outcomes and prognostic factors for clinical success of stent placement in malignant gastric outlet obstruction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 988-95 | 5.2 | 21 |

| | | | |
|-----|---|-----|----|
| 171 | A prospective phase II trial of S-1 and cisplatin-based chemoradiotherapy for locoregionally advanced esophageal cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2014 , 73, 665-71 | 3.5 | 21 |
| 170 | Impact of cumulative time on the clinical outcomes of endoscopic submucosal dissection in gastric neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 1397-403 | 5.2 | 21 |
| 169 | Undifferentiated early gastric cancer diagnosed as differentiated histology based on forceps biopsy. <i>Pathology Research and Practice</i> , 2013 , 209, 314-8 | 3.4 | 21 |
| 168 | A case of esophageal intramural pseudodiverticulosis. <i>Gut and Liver</i> , 2011 , 5, 93-5 | 4.8 | 21 |
| 167 | Preventing metachronous gastric lesions after endoscopic submucosal dissection through <i>Helicobacter pylori</i> eradication. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 75-81 | 4 | 20 |
| 166 | Potential miRNA-target interactions for the screening of gastric carcinoma development in gastric adenoma/dysplasia. <i>International Journal of Medical Sciences</i> , 2018 , 15, 610-616 | 3.7 | 20 |
| 165 | Preliminary study of enteroscopy-guided, self-expandable metal stent placement for malignant small bowel obstruction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1181-6 | 4 | 20 |
| 164 | Additive lymph node dissection may be necessary in minute submucosal cancer of the stomach after endoscopic resection. <i>Annals of Surgical Oncology</i> , 2012 , 19, 779-85 | 3.1 | 20 |
| 163 | Assessing the stability and safety of procedure during endoscopic submucosal dissection according to sedation methods: a randomized trial. <i>PLoS ONE</i> , 2015 , 10, e0120529 | 3.7 | 20 |
| 162 | Endoscopic quality indicators for esophagogastroduodenoscopy in gastric cancer screening. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 38-46 | 4 | 19 |
| 161 | Self-expanding metal stents or nonstent endoscopic therapy: which is better for anastomotic leaks after total gastrectomy?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 833-40 | 5.2 | 19 |
| 160 | <i>Helicobacter pylori</i> eradication therapy may facilitate gastric ulcer healing after endoscopic mucosal resection: a prospective randomized study. <i>Helicobacter</i> , 2008 , 13, 564-71 | 4.9 | 19 |
| 159 | Neoadjuvant chemoradiotherapy followed by D2 gastrectomy in locally advanced gastric cancer. <i>World Journal of Gastroenterology</i> , 2015 , 21, 2711-8 | 5.6 | 19 |
| 158 | Risk-Stratification Model Based on Lymph Node Metastasis After Noncurative Endoscopic Resection for Early Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1643-1649 | 3.1 | 18 |
| 157 | Effect of scheduled second-look endoscopy on peptic ulcer bleeding: a prospective randomized multicenter trial. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 457-465 | 5.2 | 18 |
| 156 | Clinicopathologic factors and outcomes of histologic discrepancy between differentiated and undifferentiated types after endoscopic resection of early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2097-105 | 5.2 | 18 |
| 155 | Defining the target volume for post-operative radiotherapy after D2 dissection in gastric cancer by CT-based vessel-guided delineation. <i>Radiotherapy and Oncology</i> , 2013 , 108, 72-7 | 5.3 | 18 |
| 154 | Low-dose amitriptyline combined with proton pump inhibitor for functional chest pain. <i>World Journal of Gastroenterology</i> , 2013 , 19, 4958-65 | 5.6 | 18 |

| | | | |
|-----|--|-----|----|
| 153 | Predictive capability of anorectal physiologic tests for unfavorable outcomes following biofeedback therapy in dyssynergic defecation. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1060-5 | 4.7 | 18 |
| 152 | Clinicopathologic characteristics of early gastric cancer in Korea. <i>Yonsei Medical Journal</i> , 2000 , 41, 607-14 | | 18 |
| 151 | Impact of tumor location on clinical outcomes of gastric endoscopic submucosal dissection. <i>World Journal of Gastroenterology</i> , 2014 , 20, 8631-7 | 5.6 | 18 |
| 150 | Short-Term Outcomes of Endoscopic Submucosal Dissection in Patients with Early Gastric Cancer: A Prospective Multicenter Cohort Study. <i>Gut and Liver</i> , 2016 , 10, 739-48 | 4.8 | 18 |
| 149 | Efficacy of DA-9701 (Motilitone) in Functional Dyspepsia Compared to Pantoprazole: A Multicenter, Randomized, Double-blind, Non-inferiority Study. <i>Journal of Neurogastroenterology and Motility</i> , 2016 , 22, 254-63 | 4.4 | 18 |
| 148 | Is the recent WHO histological classification for gastric cancer helpful for application to endoscopic resection?. <i>Gastric Cancer</i> , 2016 , 19, 869-75 | 7.6 | 17 |
| 147 | Size discrepancy between endoscopic size and pathologic size is not negligible in endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 2199-207 | 5.2 | 17 |
| 146 | Clinical implication of endoscopic gross appearance in early gastric cancer: revisited. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2013 , 27, 3690-5 | 5.2 | 17 |
| 145 | The optimal endoscopic screening interval for detecting early gastric neoplasms. <i>Gastrointestinal Endoscopy</i> , 2014 , 80, 253-9 | 5.2 | 17 |
| 144 | Clinical outcomes of secondary stent-in-stent self-expanding metal stent placement for primary stent malfunction in malignant gastric outlet obstruction. <i>Digestive and Liver Disease</i> , 2012 , 44, 999-1005 | 3.3 | 17 |
| 143 | What is the ideal stent as initial intervention for malignant gastric outlet obstruction?. <i>Digestive and Liver Disease</i> , 2013 , 45, 33-7 | 3.3 | 17 |
| 142 | Effect of Helicobacter pylori infection on the sonic hedgehog signaling pathway in gastric cancer cells. <i>Oncology Reports</i> , 2010 , 23, 1523-8 | 3.5 | 17 |
| 141 | Impact of periodic endoscopy on incidentally diagnosed gastric gastrointestinal stromal tumors: findings in surgically resected and confirmed lesions. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2933-9 | 3.1 | 16 |
| 140 | The optimal serum pepsinogen cut-off value for predicting histologically confirmed atrophic gastritis. <i>Digestive and Liver Disease</i> , 2015 , 47, 663-8 | 3.3 | 16 |
| 139 | Comparison of efficacy and safety of levofloxacin-containing versus standard sequential therapy in eradication of Helicobacter pylori infection in Korea. <i>Digestive and Liver Disease</i> , 2015 , 47, 114-8 | 3.3 | 16 |
| 138 | Preventive efficacy and safety of rebamipide in nonsteroidal anti-inflammatory drug-induced mucosal toxicity. <i>Gut and Liver</i> , 2014 , 8, 371-9 | 4.8 | 16 |
| 137 | Isogenic variation of Helicobacter pylori strain resulting in heteroresistant antibacterial phenotypes in a single host in vivo. <i>Helicobacter</i> , 2005 , 10, 240-8 | 4.9 | 16 |
| 136 | The new modified ABCD method for gastric neoplasm screening. <i>Gastric Cancer</i> , 2016 , 19, 128-35 | 7.6 | 15 |

| | | | |
|-----|--|-----|----|
| 135 | Impact of metabolic syndrome on oncologic outcome after radical gastrectomy for gastric cancer. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2014 , 38, 372-8 | 2.4 | 15 |
| 134 | Regulation of SIRT3 signal related metabolic reprogramming in gastric cancer by oncoprotein CagA. <i>Oncotarget</i> , 2017 , 8, 78365-78378 | 3.3 | 15 |
| 133 | PIK3CA amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 30691-701 | 3.3 | 15 |
| 132 | Role of F-FDG PET Scans in Patients with Helicobacter pylori-Infected Gastric Low-Grade MALT Lymphoma. <i>Gut and Liver</i> , 2011 , 5, 308-14 | 4.8 | 15 |
| 131 | Evidence-Based Guidelines for the Treatment of Infection in Korea 2020. <i>Gut and Liver</i> , 2021 , 15, 168-195 | 4.8 | 15 |
| 130 | Additive endoscopic resection may be sufficient for patients with a positive lateral margin after endoscopic resection of early gastric cancer. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 849-856 | 5.2 | 14 |
| 129 | Early gastric cancer with mixed histology predominantly of differentiated type is a distinct subtype with different therapeutic outcomes of endoscopic resection. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 1787-94 | 5.2 | 14 |
| 128 | Comparison of procedural sequences in same-day bidirectional endoscopy without benzodiazepine and propofol sedation: starting at the bottom or the top. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 899-904 | 4 | 14 |
| 127 | Tumor localization using laparoscopic ultrasound for a small submucosal tumor. <i>Journal of Surgical Oncology</i> , 2004 , 86, 164-6 | 2.8 | 14 |
| 126 | Assessing the progression of gastric cancer via profiling of histamine, histidine, and bile acids in gastric juice using LC-MS/MS. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2020 , 197, 105539 | 5.1 | 14 |
| 125 | Helicobacter pylori induces cell migration and invasion through casein kinase 2 in gastric epithelial cells. <i>Helicobacter</i> , 2014 , 19, 465-75 | 4.9 | 13 |
| 124 | Gastropericardial fistula as a complication in a refractory gastric ulcer after esophagogastrectomy with gastric pull-up. <i>Yonsei Medical Journal</i> , 2010 , 51, 270-2 | 3 | 13 |
| 123 | Long-term clinical outcomes of self-expanding metal stents for treatment of malignant gastroesophageal junction obstructions and prognostic factors for stent patency: effects of anticancer treatments. <i>Digestive and Liver Disease</i> , 2010 , 42, 436-40 | 3.3 | 13 |
| 122 | Role of probe-based confocal laser endomicroscopy-targeted biopsy in the molecular and histopathological study of gastric cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 84-91 | 4 | 13 |
| 121 | Learning curve for EUS in gastric cancer T staging by using cumulative sum analysis. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 898-905.e1 | 5.2 | 12 |
| 120 | Tumour size is related to the curability of signet ring cell early gastric cancer with endoscopic submucosal dissection: a retrospective single centre study. <i>Digestive and Liver Disease</i> , 2014 , 46, 898-902 | 3.3 | 12 |
| 119 | 18 F-fluorodeoxyglucose positron emission tomography-computed tomography for the evaluation of bone metastasis in patients with gastric cancer. <i>Digestive and Liver Disease</i> , 2013 , 45, 769-75 | 3.3 | 12 |
| 118 | Additive treatment improves survival in elderly patients after non-curative endoscopic resection for early gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017 , 31, 1376-1382 | 5.2 | 12 |

| | | | |
|-----|--|-----|----|
| 117 | Probe-based confocal laser endomicroscopy in the margin delineation of early gastric cancer for endoscopic submucosal dissection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1046-1054 | 4 | 12 |
| 116 | Helicobacter pylori Eradication Reduces the Metachronous Recurrence of Gastric Neoplasms by Attenuating the Precancerous Process. <i>Journal of Gastric Cancer</i> , 2015 , 15, 246-55 | 3.2 | 12 |
| 115 | Safety and patient satisfaction of early diet after endoscopic submucosal dissection for gastric epithelial neoplasia: a prospective, randomized study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1321-9 | 5.2 | 12 |
| 114 | Factors Associated with Rebleeding in Patients with Peptic Ulcer Bleeding: Analysis of the Korean Peptic Ulcer Bleeding (K-PUB) Study. <i>Gut and Liver</i> , 2018 , 12, 271-277 | 4.8 | 12 |
| 113 | Effectiveness of the polysaccharide hemostatic powder in non-variceal upper gastrointestinal bleeding: Using propensity score matching. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1500-1506 | 4 | 11 |
| 112 | Impact of the Surveillance Interval on the Survival of Patients Who Undergo Curative Surgery for Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 539-45 | 3.1 | 11 |
| 111 | Healing effects of rebamipide and omeprazole in Helicobacter pylori-positive gastric ulcer patients after eradication therapy: a randomized double-blind, multinational, multi-institutional comparative study. <i>Digestion</i> , 2011 , 84, 221-9 | 3.6 | 11 |
| 110 | A case of more abundant and dysplastic adenomas in the interposed colon than in the native colon. <i>Yonsei Medical Journal</i> , 2007 , 48, 1075-8 | 3 | 11 |
| 109 | Receptor tyrosine kinase amplified gastric cancer: Clinicopathologic characteristics and proposed screening algorithm. <i>Oncotarget</i> , 2016 , 7, 72099-72112 | 3.3 | 11 |
| 108 | Clinical efficacy of endoscopic treatment for benign colorectal stricture: balloon dilatation versus stenting. <i>Gut and Liver</i> , 2015 , 9, 73-9 | 4.8 | 11 |
| 107 | Clinicopathologic characteristics of interval gastric cancer in Korea. <i>Gut and Liver</i> , 2015 , 9, 166-73 | 4.8 | 11 |
| 106 | The Benefits of Combination Therapy with Esomeprazole and Rebamipide in Symptom Improvement in Reflux Esophagitis: An International Multicenter Study. <i>Gut and Liver</i> , 2016 , 10, 910-916 | 4.8 | 11 |
| 105 | High-dose versus standard-dose radiation therapy for cervical esophageal cancer: Retrospective single-institution study. <i>Head and Neck</i> , 2019 , 41, 146-153 | 4.2 | 11 |
| 104 | Clinical Outcomes of Endoscopic Hemostasis for Bleeding in Patients with Unresectable Advanced Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2017 , 17, 374-383 | 3.2 | 10 |
| 103 | Clinical outcomes of and management strategy for perforations associated with endoscopic submucosal dissection of an upper gastrointestinal epithelial neoplasm. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 5059-5067 | 5.2 | 10 |
| 102 | Multifocality in early gastric cancer does not increase the risk of lymph node metastasis in a single-center study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1251-6 | 3.1 | 10 |
| 101 | Local control may be the key in improving treatment outcomes of esophageal squamous cell carcinoma undergoing concurrent chemoradiation. <i>Digestion</i> , 2014 , 90, 254-60 | 3.6 | 10 |
| 100 | CagA phosphorylation-dependent MMP-9 expression in gastric epithelial cells. <i>Helicobacter</i> , 2011 , 16, 276-83 | 4.9 | 10 |

| | | | |
|----|--|-----|----|
| 99 | Phase II clinical and exploratory biomarker study of dacomitinib in recurrent and/or metastatic esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 44971-84 | 3.3 | 10 |
| 98 | Second-look endoscopy after gastric endoscopic submucosal dissection for reducing delayed postoperative bleeding. <i>Gut and Liver</i> , 2015 , 9, 43-51 | 4.8 | 10 |
| 97 | Low Incidence of Synchronous or Metachronous Tumors after Endoscopic Submucosal Dissection for Early Gastric Cancer with Undifferentiated Histology. <i>PLoS ONE</i> , 2016 , 11, e0147874 | 3.7 | 10 |
| 96 | Recursive partition analysis of peritoneal and systemic recurrence in patients with gastric cancer who underwent D2 gastrectomy: Implications for neoadjuvant therapy consideration. <i>Journal of Surgical Oncology</i> , 2016 , 114, 859-864 | 2.8 | 10 |
| 95 | What are the risk factors for residual tumor cells after endoscopic complete resection in gastric epithelial neoplasia?. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 487-92 | 5.2 | 9 |
| 94 | Residual lower esophageal sphincter pressure as a prognostic factor in the pneumatic balloon treatment of achalasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 59-63 | 4 | 9 |
| 93 | Endoscopy-guided balloon dilation of benign anastomotic strictures after radical gastrectomy for gastric cancer. <i>Gut and Liver</i> , 2014 , 8, 394-9 | 4.8 | 9 |
| 92 | Noninvasive prediction model for diagnosing gastrointestinal stromal tumors using contrast-enhanced harmonic endoscopic ultrasound. <i>Digestive and Liver Disease</i> , 2019 , 51, 985-992 | 3.3 | 8 |
| 91 | Comparison of long-term clinical outcomes between endoscopic and surgical resection for early-stage adenocarcinoma of the esophagogastric junction. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 3540-3547 | 5.2 | 8 |
| 90 | Effect of the midazolam added with propofol-based sedation in esophagogastroduodenoscopy: A randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 894-899 | 4 | 8 |
| 89 | Efficacy of hemostatic powder in preventing bleeding after gastric endoscopic submucosal dissection in high-risk patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 656-663 | 4 | 8 |
| 88 | Efficacy and Safety of Tiropramide in the Treatment of Patients With Irritable Bowel Syndrome: A Multicenter, Randomized, Double-blind, Non-inferiority Trial, Compared With Octylonium. <i>Journal of Neurogastroenterology and Motility</i> , 2014 , 20, 113-21 | 4.4 | 8 |
| 87 | Metabolic syndrome is an independent risk factor for synchronous colorectal neoplasm in patients with gastric neoplasm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1490-7 | 4 | 8 |
| 86 | The diagnostic role of endoscopic submucosal dissection for gastric lesions with indefinite pathology. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 1101-7 | 2.4 | 8 |
| 85 | Helicobacter pylori infection in Korea. <i>Yonsei Medical Journal</i> , 2001 , 42, 457-70 | 3 | 8 |
| 84 | Analysis of the Clinicopathological Characteristics of Gastric Cancer in Extremely Old Patients. <i>Cancer Research and Treatment</i> , 2017 , 49, 204-212 | 5.2 | 8 |
| 83 | Safety and feasibility of simultaneous endoscopic submucosal dissection for multiple gastric neoplasias. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 3690-7 | 5.2 | 7 |
| 82 | Proteomic analysis of CD44(+) and CD44(-) gastric cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2014 , 396, 213-20 | 4.2 | 7 |

| | | | |
|----|---|------|---|
| 81 | Effect of acid swallowing on esophageal contraction in patients with heartburn related to hypersensitivity. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 84-9 | 4 | 7 |
| 80 | How to manage pyloric tumours that are difficult to resect completely with endoscopic resection: comparison of the retroflexion vs. forward view technique. <i>Digestive and Liver Disease</i> , 2011 , 43, 958-64 | 3.3 | 7 |
| 79 | In vitro adenosine triphosphate based chemotherapy response assay in gastric cancer. <i>Journal of Gastric Cancer</i> , 2010 , 10, 155-61 | 3.2 | 7 |
| 78 | Pathological characteristics of gastrointestinal stromal tumours with PDGFRA mutations. <i>Pathology</i> , 2009 , 41, 544-54 | 1.6 | 7 |
| 77 | Two cases of low grade gastric-mucosa-associated lymphoid tissue lymphoma treated by EMR. <i>Gastrointestinal Endoscopy</i> , 2006 , 64, 456-60 | 5.2 | 7 |
| 76 | Evaluation of therapeutic regimens for the treatment of Helicobacter pylori infection. <i>Yonsei Medical Journal</i> , 1996 , 37, 270-7 | 3 | 7 |
| 75 | Complementary utility of targeted next-generation sequencing and immunohistochemistry panels as a screening platform to select targeted therapy for advanced gastric cancer. <i>Oncotarget</i> , 2017 , 8, 38389-38398 | 3.3 | 7 |
| 74 | Evidence-based Guidelines for the Treatment of Helicobacter pylori Infection in Korea: 2020 Revised Edition. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2020 , 20, 261-287 | 4 | 7 |
| 73 | Effect of E Caryophyllene from Cloves Extract on Eradication in Mouse Model. <i>Nutrients</i> , 2020 , 12, | 6.7 | 7 |
| 72 | Treatment Strategy after Endoscopic Resection of Superficial Esophageal Squamous Cell Carcinoma: A Single Institution Experience. <i>Gut and Liver</i> , 2015 , 9, 714-9 | 4.8 | 6 |
| 71 | A specific role of endoscopic ultrasonography for therapeutic decision-making in patients with gastric cardia cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4193-9 | 5.2 | 6 |
| 70 | Can we apply the same indication of endoscopic submucosal dissection for primary gastric cancer to remnant gastric cancer?. <i>Gastric Cancer</i> , 2014 , 17, 310-5 | 7.6 | 6 |
| 69 | p53 protein expression in extrahepatic bile duct cancer. <i>Yonsei Medical Journal</i> , 1996 , 37, 112-7 | 3 | 6 |
| 68 | Endoscopic and clinicopathologic characteristics of early gastric cancer with high microsatellite instability. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3571-7 | 5.6 | 6 |
| 67 | Clinical Guidelines for Drug-Related Peptic Ulcer, 2020 Revised Edition. <i>Gut and Liver</i> , 2020 , 14, 707-726 | 4.8 | 6 |
| 66 | Endoscopic Management of Gastrointestinal Leaks and Perforation with Polyglycolic Acid Sheets. <i>Clinical Endoscopy</i> , 2017 , 50, 293-296 | 2.5 | 6 |
| 65 | miRNAs as potential biomarkers for the progression of gastric cancer inhibit CREBZF and regulate migration of gastric adenocarcinoma cells. <i>International Journal of Medical Sciences</i> , 2020 , 17, 693-701 | 3.7 | 6 |
| 64 | WFDC2 Promotes Spasmolytic Polypeptide-Expressing Metaplasia Through the Up-Regulation of IL33 in Response to Injury. <i>Gastroenterology</i> , 2021 , 161, 953-967.e15 | 13.3 | 6 |

| | | | |
|----|--|------|---|
| 63 | Efficacy of Lafutidine Versus Famotidine in Patients with Reflux Esophagitis: A Multi-Center, Randomized, Double-Blind, Non-inferiority Phase III Trial. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1724-32 | 4.3 | 5 |
| 62 | Long-Term Outcomes and Prognostic Factors of Endoscopic Submucosal Dissection for Early Gastric Cancer in Patients Aged \geq 5 Years. <i>Cancers</i> , 2020 , 12, | 6.6 | 5 |
| 61 | Functional restoration of the esophagus after peroral endoscopic myotomy for achalasia. <i>PLoS ONE</i> , 2017 , 12, e0178414 | 3.7 | 5 |
| 60 | Rebamipide may be comparable to H2 receptor antagonist in healing iatrogenic gastric ulcers created by endoscopic mucosal resection: a prospective randomized pilot study. <i>Journal of Korean Medical Science</i> , 2010 , 25, 583-8 | 4.7 | 5 |
| 59 | Normal ambulatory 24-hour esophageal pH values in Koreans -a multicenter study-. <i>Journal of Korean Medical Science</i> , 2008 , 23, 954-8 | 4.7 | 5 |
| 58 | Postoperative Infection as a Prognostic Factor for Gastric Cancer Patients after Curative Resection. <i>Gut and Liver</i> , 2017 , 11, 635-641 | 4.8 | 5 |
| 57 | Efficacy of Endoscopic Vacuum-Assisted Closure Treatment for Postoperative Anastomotic Leak in Gastric Cancer. <i>Gut and Liver</i> , 2020 , 14, 746-754 | 4.8 | 5 |
| 56 | Feedback Survey of the Effect, Burden, and Cost of the National Endoscopic Quality Assessment Program during the Past 5 Years in Korea. <i>Clinical Endoscopy</i> , 2016 , 49, 542-547 | 2.5 | 5 |
| 55 | A Systematic Review and Meta-analysis of Randomized Control Trials: Combination Treatment With Proton Pump Inhibitor Plus Prokinetic for Gastroesophageal Reflux Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 165-175 | 4.4 | 5 |
| 54 | Randomised clinical trial: comparison of tegoprazan and placebo in non-erosive reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 54, 402-411 | 6.1 | 5 |
| 53 | Human gastric microbiota transplantation recapitulates premalignant lesions in germ-free mice. <i>Gut</i> , 2021 , | 19.2 | 5 |
| 52 | Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy. <i>Digestive and Liver Disease</i> , 2019 , 51, 831-836 | 3.3 | 4 |
| 51 | Evaluation of the Efficacy and Safety of DA-9601 versus Its New Formulation, DA-5204, in Patients with Gastritis: Phase III, Randomized, Double-Blind, Non-Inferiority Study. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1807-1813 | 4.7 | 4 |
| 50 | Distinct expression profile of key molecules in crawling-type early gastric carcinoma. <i>Gastric Cancer</i> , 2017 , 20, 612-619 | 7.6 | 4 |
| 49 | Does Sedation Affect Examination of Esophagogastric Junction during Upper Endoscopy?. <i>Yonsei Medical Journal</i> , 2015 , 56, 1566-71 | 3 | 4 |
| 48 | Prediction of survival by tumor area on endosonography after definitive chemoradiotherapy for locally advanced squamous cell carcinoma of the esophagus. <i>Digestion</i> , 2014 , 90, 98-107 | 3.6 | 4 |
| 47 | Participation and conflict in the decision-making process for endoscopic resection or surgical gastrectomy for early gastric cancer. <i>Journal of Surgical Oncology</i> , 2012 , 106, 101-6 | 2.8 | 4 |
| 46 | Transition zone defect associated with the response to proton pump inhibitor treatment in patients with globus sensation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 954-62 ⁴ | | 4 |

| | | | |
|----|---|-----|---|
| 45 | Comparison of the Efficacy of Polaprezinc Plus Proton Pump Inhibitor and Rebamipide Plus Proton Pump Inhibitor Treatments for Endoscopic Submucosal Dissection-induced Ulcers. <i>Journal of Clinical Gastroenterology</i> , 2021 , 55, 233-238 | 3 | 4 |
| 44 | Increased incidence of endoscopic erosive esophagitis in solid organ transplant recipients. <i>Gut and Liver</i> , 2012 , 6, 349-54 | 4.8 | 4 |
| 43 | The Clinical Efficacy of a Pure Alginate Formulation (Lamina G) for Controlling Symptoms in Individuals with Reflux Symptoms: A Randomized Clinical Study. <i>Gut and Liver</i> , 2019 , 13, 642-648 | 4.8 | 4 |
| 42 | Is there an optimal surgery time after endoscopic resection in early gastric cancer?. <i>Annals of Surgical Oncology</i> , 2014 , 21, 232-9 | 3.1 | 3 |
| 41 | Extent of Mediastinal Lymphadenectomy and Survival in Superficial Esophageal Squamous Cell Carcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 1584-1590 | 3.3 | 3 |
| 40 | Concomitant, sequential, and 7-day triple therapy in first-line treatment of Helicobacter pylori infection in Korea: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 549 | 2.8 | 3 |
| 39 | NARROW BAND IMAGING IN THE DETECTION OF COLORECTAL POLYP: KOREAN EXPERIENCE. <i>Digestive Endoscopy</i> , 2008 , 20, 61-66 | 3.7 | 3 |
| 38 | Periodic Endoscopies Might Not Increase the Detection of Early Gastric Cancer in a Young Population. <i>PLoS ONE</i> , 2016 , 11, e0159759 | 3.7 | 3 |
| 37 | Management of Clinical T1N0M0 Esophageal Cancer. <i>Gut and Liver</i> , 2019 , 13, 315-324 | 4.8 | 3 |
| 36 | The Suggestion of Revised Criteria for Endoscopic Resection of Differentiated-Type Submucosal Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2020 , 27, 795-801 | 3.1 | 3 |
| 35 | Prediction model for bleeding after endoscopic submucosal dissection of gastric neoplasms from a high-volume center. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2217-2223 | 4 | 3 |
| 34 | Profiling of Steroid Metabolic Pathways in Human Plasma by GC-MS/MS Combined with Microwave-Assisted Derivatization for Diagnosis of Gastric Disorders. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 3 |
| 33 | Efficacy of radiotherapy for gastric bleeding associated with advanced gastric cancer. <i>Radiation Oncology</i> , 2021 , 16, 161 | 4.2 | 3 |
| 32 | Segmental changes in smooth muscle contraction as a predictive factor of the response to high-dose proton pump inhibitor treatment in patients with functional chest pain. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1192-9 | 4 | 2 |
| 31 | Risk of Bacterial Infection from Proton Pump Inhibitor Use. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2017 , 17, 79 | 0.4 | 2 |
| 30 | Analysis of Gene Mutations Associated with Antibiotic Resistance in Helicobacter pylori Strains Isolated from Korean Patients. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2014 , 14, 95 | 0.4 | 2 |
| 29 | P53 overexpression in gastric adenocarcinoma with Helicobacter pylori infection. <i>Yonsei Medical Journal</i> , 1997 , 38, 117-24 | 3 | 2 |
| 28 | Low-dose aspirin affects the clinicopathological features of gastric cancer. <i>Digestion</i> , 2006 , 73, 54-9 | 3.6 | 2 |

| | | | |
|----|--|-----|---|
| 27 | Advanced gastric cancer showing complete remission of metastatic lymph node after chemotherapy. <i>Gut and Liver</i> , 2007 , 1, 74-8 | 4.8 | 2 |
| 26 | A Planned Prospective, Randomized, Placebo-Controlled Multicenter Trial Assessing the Effect of Helicobacter pylori Eradication on the Healing of Iatrogenic Ulcer after Endoscopic Resection of Gastric Neoplasm. <i>Gut and Liver</i> , 2010 , 4, 514-7 | 4.8 | 2 |
| 25 | Antral or Pyloric Deformity Is a Risk Factor for the Development of Postendoscopic Submucosal Dissection Pyloric Strictures. <i>Gut and Liver</i> , 2016 , 10, 757-63 | 4.8 | 2 |
| 24 | Investigation of Endoscopic and Pathologic Features for Safe Endoscopic Treatment of Superficial Spreading Early Gastric Cancer. <i>Medicine (United States)</i> , 2016 , 95, e3242 | 1.8 | 2 |
| 23 | Clinicopathologic Features of Submucosal Papillary Gastric Cancer Differ from Those of Other Differentiated-Type Histologies. <i>Gut and Liver</i> , 2021 , 15, 44-52 | 4.8 | 2 |
| 22 | Factors that affect visibility during endoscopic hemostasis for upper GI bleeding: a prospective study. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 1392-400 | 5.2 | 1 |
| 21 | Endoscopic hemostasis using a gauze-ball compression method. <i>Endoscopy</i> , 2014 , 46 Suppl 1 UCTN, E395-6 | 5.4 | 1 |
| 20 | Therapeutic Efficacy of Gliptide (Sulglycotide 200 mg): A Double Blinded, Randomized, Active Drug Comparative, Multicenter Study. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2013 , 13, 173 | 0.4 | 1 |
| 19 | Single-cell analysis of gastric pre-cancerous and cancer lesions reveals cell lineage diversity and intratumoral heterogeneity.. <i>Npj Precision Oncology</i> , 2022 , 6, 9 | 9.8 | 1 |
| 18 | Prospective comparative study of endoscopic ultrasonography-guided fine-needle biopsy and unroofing biopsy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 38-38 | 2.2 | 1 |
| 17 | Achalasia combined with esophageal cancer treated by concurrent chemoradiation therapy. <i>Gut and Liver</i> , 2009 , 3, 329-33 | 4.8 | 1 |
| 16 | Evidence based guidelines for the treatment of Helicobacter pylori infection in Korea 2020. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 807-838 | 2.5 | 1 |
| 15 | Long-Term Outcomes and Prognostic Factors of Superficial Esophageal Cancer in Patients Aged ≥ 65 Years.. <i>Frontiers in Medicine</i> , 2021 , 8, 722141 | 4.9 | 0 |
| 14 | Salvage Regimens after Failure of Previous Helicobacter pylori Eradication Therapy: A Systematic Review and Meta-analysis. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2021 , 21, 59-71 | 0.4 | 0 |
| 13 | Response. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 318-319 | 5.2 | |
| 12 | Effect of aberrant expression of miR-421, miR-29b_1_5p and miR-27b_5p on gastric adenoma development.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 77-77 | 2.2 | |
| 11 | A proposal for the management guideline of superficial esophageal squamous cell carcinoma: After endoscopic resection.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 145-145 | 2.2 | |
| 10 | Clinicopathological Characteristics of Patients with Gastric Cancer according to the Expression of LIN28A. <i>Gut and Liver</i> , 2016 , 10, 714-8 | 4.8 | |

| | | |
|---|--|-----|
| 9 | Oxyntic Gland Adenoma Treated by Endoscopic Mucosal Resection. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2017 , 17, 94 | 0.4 |
| 8 | A prospective phase II trial of a S-1/cisplatin-based chemoradiotherapy for locoregionally advanced esophageal cancer.. <i>Journal of Clinical Oncology</i> , 2012 , 30, e14559-e14559 | 2.2 |
| 7 | Quality indicator for esophagogastroduodenoscopy in screening gastric cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 25-25 | 2.2 |
| 6 | Eradication Rates of Clarithromycin Triple Therapy in Korea: A Systematic Review and Meta-analysis. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2021 , 21, 35-47 | 0.4 |
| 5 | A 10- or 14-day Bismuth-containing Quadruple Therapy as a First-line Helicobacter pylori Eradication Therapy: A Systematic Review and Meta-analysis. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2021 , 21, 48-58 | 0.4 |
| 4 | Efficacy of S-pantoprazole 10 mg in the Symptom Control of Non-erosive Reflux Disease: A Phase III Placebo-controlled Trial. <i>Journal of Neurogastroenterology and Motility</i> , 2021 , 27, 223-230 | 4.4 |
| 3 | Evidence-Based Guidelines for the Treatment of Helicobacter pylori Infection in Korea: 2020 Revised Edition. <i>Korean Journal of Medicine</i> , 2021 , 96, 160-189 | 0.5 |
| 2 | The Effect of Esomeprazole 40 mg Single Therapy in Patients with Non-Erosive Reflux Disease Who Are Resistant to Standard-Dose Proton Pump Inhibitor Therapy: An Open-Label Multicenter Study. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2016 , 16, 204 | 0.4 |
| 1 | Phase 4 Study in Patients From Asia With Gastroesophageal Reflux Disease Treated With Dexlansoprazole. <i>Journal of Neurogastroenterology and Motility</i> , 2020 , 26, 85-95 | 4.4 |