

Tetsuhide Ito

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/182143/tetsuhide-ito-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 102 papers | 6,327 citations | 32 h-index | 79 g-index |
| 113 ext. papers | 7,371 ext. citations | 4.2 avg, IF | 5.42 L-index |

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 102 | Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020.. <i>Journal of Gastroenterology</i> , 2022 , 57, 225 | 6.9 | 3 |
| 101 | Multiple Endocrine Neoplasia Type 1 and the Pancreas: Diagnosis and Treatment of Functioning and Non-Functioning Pancreatic and Duodenal Neuroendocrine Neoplasia within the MEN1 Syndrome - An International Consensus Statement. <i>Neuroendocrinology</i> , 2021 , 111, 609-630 | 5.6 | 16 |
| 100 | Long-term safety and efficacy of lanreotide autogel in Japanese patients with neuroendocrine tumors: Final results of a phase II open-label extension study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2021 , 17, e153-e161 | 1.9 | 4 |
| 99 | Survey of surgical resections for neuroendocrine liver metastases: A project study of the Japan Neuroendocrine Tumor Society (JNETS). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 489-497 | 2.8 | 0 |
| 98 | Perspectives on the current pharmacotherapeutic strategies for management of functional neuroendocrine tumor syndromes. <i>Expert Opinion on Pharmacotherapy</i> , 2021 , 22, 685-693 | 4 | 3 |
| 97 | JNETS clinical practice guidelines for gastroenteropancreatic neuroendocrine neoplasms: diagnosis, treatment, and follow-up: a synopsis. <i>Journal of Gastroenterology</i> , 2021 , 56, 1033-1044 | 6.9 | 6 |
| 96 | Natural history and clinical outcomes of pancreatic neuroendocrine neoplasms based on the WHO 2017 classification; a single-center experience of 30 years. <i>Pancreatology</i> , 2020 , 20, 709-715 | 3.8 | 2 |
| 95 | Optimal strategy of systemic treatment for unresectable pancreatic neuroendocrine tumors based upon opinion of Japanese experts. <i>Pancreatology</i> , 2020 , 20, 944-950 | 3.8 | 2 |
| 94 | Medical treatment of unresectable malignant insulinoma in an elderly patient. <i>Suizo</i> , 2020 , 35, 429-438 | 0.1 | |
| 93 | Intravoxel incoherent motion magnetic resonance imaging for assessment of chronic pancreatitis with special focus on its early stage. <i>Acta Radiologica</i> , 2020 , 61, 579-585 | 2 | 4 |
| 92 | CLEC3A, MMP7, and LCN2 as novel markers for predicting recurrence in resected G1 and G2 pancreatic neuroendocrine tumors. <i>Cancer Medicine</i> , 2019 , 8, 3748-3760 | 4.8 | 9 |
| 91 | Everolimus for the treatment of advanced gastrointestinal or lung nonfunctional neuroendocrine tumors in East Asian patients: a subgroup analysis of the RADIANT-4 study. <i>OncoTargets and Therapy</i> , 2019 , 12, 1717-1728 | 4.4 | 5 |
| 90 | Surgery for Pancreatic Neuroendocrine Tumor G3 and Carcinoma G3 Should be Considered Separately. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1385-1393 | 3.1 | 22 |
| 89 | Efficacy and safety of sunitinib in Japanese patients with progressive, advanced/metastatic, well-differentiated, unresectable pancreatic neuroendocrine tumors: final analyses from a Phase II study. <i>Japanese Journal of Clinical Oncology</i> , 2019 , 49, 354-360 | 2.8 | 7 |
| 88 | Usefulness of urinary trypsinogen-2 and trypsinogen activation peptide in acute pancreatitis: A multicenter study in Japan. <i>World Journal of Gastroenterology</i> , 2019 , 25, 107-117 | 5.6 | 7 |
| 87 | Superparamagnetic iron-oxide-enhanced diffusion-weighted magnetic resonance imaging for the diagnosis of intrapancreatic accessory spleen. <i>Abdominal Radiology</i> , 2019 , 44, 3325-3335 | 3 | 1 |
| 86 | Prospective study of early chronic pancreatitis diagnosed based on the Japanese diagnostic criteria. <i>Journal of Gastroenterology</i> , 2019 , 54, 928-935 | 6.9 | 20 |

| | | | |
|----|---|------|----|
| 85 | Insights into Effects/Risks of Chronic Hypergastrinemia and Lifelong PPI Treatment in Man Based on Studies of Patients with Zollinger-Ellison Syndrome. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 16 |
| 84 | Prognostic and predictive factors on overall survival and surgical outcomes in pancreatic neuroendocrine tumors: recent advances and controversies. <i>Expert Review of Anticancer Therapy</i> , 2019 , 19, 1029-1050 | 3.5 | 20 |
| 83 | Real-world use of sunitinib in Japanese patients with pancreatic neuroendocrine tumors: results from a post-marketing surveillance study. <i>Cancer Chemotherapy and Pharmacology</i> , 2019 , 83, 201-207 | 3.5 | 6 |
| 82 | Risk Factors for Pancreatic Stone Formation in Type 1 Autoimmune Pancreatitis: A Long-term Japanese Multicenter Analysis of 624 Patients. <i>Pancreas</i> , 2019 , 48, 49-54 | 2.6 | 12 |
| 81 | Differential Diagnosis of Pancreatic Epidermoid Cyst Without a Solid Component (Residual Splenic Tissue) vs. Mucinous Cystic Neoplasm. <i>Journal of Gastrointestinal Cancer</i> , 2019 , 50, 91-97 | 1.6 | 3 |
| 80 | Clinical course of type 1 autoimmune pancreatitis patients without steroid treatment: a Japanese multicenter study of 97 patients. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 223-230 | 2.8 | 10 |
| 79 | Dose and schedule modification are required for long-term continuation of sunitinib in Japanese patients with advanced pancreatic neuroendocrine tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 81, 163-169 | 3.5 | 8 |
| 78 | Clinical Manifestation of Endocrine Tumors of the Pancreas 2018 , 947-952 | | |
| 77 | Management of Insulinoma 2018 , 1002-1008 | | |
| 76 | Early Chronic Pancreatitis 2018 , 371-373 | | |
| 75 | Efficacy and Safety of Sunitinib in Patients with Well-Differentiated Pancreatic Neuroendocrine Tumours. <i>Neuroendocrinology</i> , 2018 , 107, 237-245 | 5.6 | 32 |
| 74 | Gastrinomas: Medical or Surgical Treatment. <i>Endocrinology and Metabolism Clinics of North America</i> , 2018 , 47, 577-601 | 5.5 | 39 |
| 73 | An Advanced Well-differentiated Pancreatic Neuroendocrine Carcinoma (NET-G3) Associated with Von Hippel-Lindau Disease. <i>Internal Medicine</i> , 2018 , 57, 2007-2011 | 1.1 | |
| 72 | Carcinoid-syndrome: recent advances, current status and controversies. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2018 , 25, 22-35 | 4 | 52 |
| 71 | Everolimus in the treatment of neuroendocrine tumors: efficacy, side-effects, resistance, and factors affecting its place in the treatment sequence. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 909-928 | 4.28 | 25 |
| 70 | Using CRISPR/Cas9 to Knock out Amylase in Acinar Cells Decreases Pancreatitis-Induced Autophagy. <i>BioMed Research International</i> , 2018 , 2018, 8719397 | 3 | 4 |
| 69 | Low-dose maintenance steroid treatment could reduce the relapse rate in patients with type 1 autoimmune pancreatitis: a long-term Japanese multicenter analysis of 510 patients. <i>Journal of Gastroenterology</i> , 2017 , 52, 955-964 | 6.9 | 47 |
| 68 | Nationwide epidemiological survey of early chronic pancreatitis in Japan. <i>Journal of Gastroenterology</i> , 2017 , 52, 992-1000 | 6.9 | 28 |

| | | | |
|----|--|------|-----|
| 67 | Diagnostic Performance of 48-Hour Fasting Test and Insulin Surrogates in Patients With Suspected Insulinoma. <i>Pancreas</i> , 2017 , 46, 476-481 | 2.6 | 5 |
| 66 | Serum levels of Wisteria floribunda agglutinin-positive Mac-2 binding protein reflect the severity of chronic pancreatitis. <i>Journal of Digestive Diseases</i> , 2017 , 18, 302-308 | 3.3 | 7 |
| 65 | Phase II study of lanreotide autogel in Japanese patients with unresectable or metastatic well-differentiated neuroendocrine tumors. <i>Investigational New Drugs</i> , 2017 , 35, 499-508 | 4.3 | 18 |
| 64 | Rb Loss and Mutation Are Predictors of the Response to Platinum-Based Chemotherapy in Pancreatic Neuroendocrine Neoplasm with Grade 3: A Japanese Multicenter Pancreatic NEN-G3 Study. <i>Clinical Cancer Research</i> , 2017 , 23, 4625-4632 | 12.9 | 107 |
| 63 | Utility of chromogranin B compared with chromogranin A as a biomarker in Japanese patients with pancreatic neuroendocrine tumors. <i>Japanese Journal of Clinical Oncology</i> , 2017 , 47, 520-528 | 2.8 | 12 |
| 62 | Impact of everolimus on Japanese patients with advanced pancreatic neuroendocrine neoplasms. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017 , 24, 95-102 | 2.8 | 7 |
| 61 | Randomised controlled trial of long-term maintenance corticosteroid therapy in patients with autoimmune pancreatitis. <i>Gut</i> , 2017 , 66, 487-494 | 19.2 | 109 |
| 60 | Solid Pseudopapillary Neoplasm of the Pancreas in Young Male Patients: Three Case Reports. <i>Case Reports in Gastrointestinal Medicine</i> , 2017 , 2017, 9071678 | 0.6 | 2 |
| 59 | Should the Selective Arterial Secretagogue Injection Test for Insulinoma Localization Be Evaluated at 60 or 120 Seconds?. <i>Internal Medicine</i> , 2017 , 56, 2985-2991 | 1.1 | 4 |
| 58 | The Effective Treatment with Cyclosporine of a Ulcerative Colitis Patient with Concurrent Idiopathic Thrombocytopenic Purpura Who Subsequently Developed Spontaneous Pneumomediastinum. <i>Internal Medicine</i> , 2017 , 56, 1331-1337 | 1.1 | 3 |
| 57 | Molecular imaging in neuroendocrine tumors: recent advances, controversies, unresolved issues, and roles in management. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2017 , 24, 15-24 | 4 | 26 |
| 56 | Clinical practice guideline for post-ERCP pancreatitis. <i>Journal of Gastroenterology</i> , 2017 , 52, 1013-1022 | 6.9 | 45 |
| 55 | Advances in the diagnosis and treatment of pancreatic neuroendocrine neoplasms in Japan. <i>Journal of Gastroenterology</i> , 2017 , 52, 9-18 | 6.9 | 38 |
| 54 | The efficacy and safety of sunitinib in patients with advanced well-differentiated pancreatic neuroendocrine tumors.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 380-380 | 2.2 | 5 |
| 53 | Japanese Familial Pancreatic Cancer Registry with the aim to early detection of pancreatic cancer. <i>Suizo</i> , 2017 , 32, 23-29 | 0.1 | 6 |
| 52 | A case of pancreatic arteriovenous malformation associated with acute pancreatitis. <i>Suizo</i> , 2017 , 32, 760-766 | 0.1 | 2 |
| 51 | An open-label, single-group, multicenter phase II study of lanreotide autogel (LAN) in Japanese patients (pts) with neuroendocrine tumors (NET).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 471-471 | 2.2 | |
| 50 | Treatment of symptomatic neuroendocrine tumor syndromes: recent advances and controversies. <i>Expert Opinion on Pharmacotherapy</i> , 2016 , 17, 2191-2205 | 4 | 46 |

| | | | |
|----|---|-----|-----|
| 49 | Imaging in multiple endocrine neoplasia type 1: recent studies show enhanced sensitivities but increased controversies. <i>International Journal of Endocrine Oncology</i> , 2016 , 3, 53-66 | 0.3 | 43 |
| 48 | Short- and long-term outcomes of endoscopic resection of rectal neuroendocrine tumours: analyses according to the WHO 2010 classification. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 448-55 | 2.4 | 24 |
| 47 | Efficacy of endoscopic ultrasonography and endoscopic ultrasonography-guided fine-needle aspiration for the diagnosis and grading of pancreatic neuroendocrine tumors. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 245-52 | 2.4 | 60 |
| 46 | Long-term outcomes and prognostic factors in 78 Japanese patients with advanced pancreatic neuroendocrine neoplasms: a single-center retrospective study. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 1131-8 | 2.8 | 19 |
| 45 | Biotherapy of pancreatic neuroendocrine tumors using somatostatin analogs. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 618-22 | 2.8 | 8 |
| 44 | Epidemiological trends of pancreatic and gastrointestinal neuroendocrine tumors in Japan: a nationwide survey analysis. <i>Journal of Gastroenterology</i> , 2015 , 50, 58-64 | 6.9 | 234 |
| 43 | The up-to-date review of epidemiological pancreatic neuroendocrine tumors in Japan. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2015 , 22, 574-7 | 2.8 | 25 |
| 42 | Assessment of clonality of multisegmental main duct intraductal papillary mucinous neoplasms of the pancreas based on GNAS mutation analysis. <i>Surgery</i> , 2015 , 157, 277-84 | 3.6 | 21 |
| 41 | Recent advances in the treatment of relapsing autoimmune pancreatitis: Efficacy of immunomodulators and rituximab. <i>Suizo</i> , 2015 , 30, 85-93 | 0.1 | 1 |
| 40 | Incretin-based therapy for patients with diabetes mellitus secondary to chronic pancreatitis: An update from the 2015 Japanese guidelines of management of chronic pancreatitis. <i>Suizo</i> , 2015 , 30, 773-776 | 0.1 | 1 |
| 39 | Revisions in the 2015 Japanese guidelines for the management of acute pancreatitis: 1. Medical treatments. <i>Suizo</i> , 2015 , 30, 733-740 | 0.1 | |
| 38 | Necrolytic migratory erythema associated with alteration from predominantly gastrin-secreting to predominantly glucagon-secreting pancreatic neuroendocrine tumor. <i>European Journal of Dermatology</i> , 2014 , 24, 702-3 | 0.8 | 1 |
| 37 | Iodine excess as an environmental risk factor for autoimmune thyroid disease. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 12895-912 | 6.3 | 91 |
| 36 | PSCs and GLP-1R: occurrence in normal pancreas, acute/chronic pancreatitis and effect of their activation by a GLP-1R agonist. <i>Laboratory Investigation</i> , 2014 , 94, 63-78 | 5.9 | 16 |
| 35 | A sustained prostacyclin analog, ONO-1301, attenuates pancreatic fibrosis in experimental chronic pancreatitis induced by dibutyltin dichloride in rats. <i>Pancreatology</i> , 2014 , 14, 201-10 | 3.8 | 14 |
| 34 | Pancreatic involvement in Japanese patients with von Hippel-Lindau disease: results of a nationwide survey. <i>Journal of Gastroenterology</i> , 2014 , 49, 511-6 | 6.9 | 26 |
| 33 | Pharmacotherapy of Zollinger-Ellison syndrome. <i>Expert Opinion on Pharmacotherapy</i> , 2013 , 14, 307-21 | 4 | 36 |
| 32 | Phase II study of sunitinib in Japanese patients with unresectable or metastatic, well-differentiated pancreatic neuroendocrine tumor. <i>Investigational New Drugs</i> , 2013 , 31, 1265-74 | 4.3 | 34 |

| | | | |
|----|--|------|------|
| 31 | Zollinger-Ellison syndrome: recent advances and controversies. <i>Current Opinion in Gastroenterology</i> , 2013 , 29, 650-61 | 3 | 54 |
| 30 | Causes of death and prognostic factors in multiple endocrine neoplasia type 1: a prospective study: comparison of 106 MEN1/Zollinger-Ellison syndrome patients with 1613 literature MEN1 patients with or without pancreatic endocrine tumors. <i>Medicine (United States)</i> , 2013 , 92, 135-181 | 1.8 | 141 |
| 29 | Diagnosis of pancreatic neuroendocrine tumors. <i>Suizo</i> , 2013 , 28, 691-698 | 0.1 | 3 |
| 28 | Randomized phase II trial of S-1 versus S-1 plus irinotecan (IRIS) in patients with gemcitabine-refractory pancreatic cancer.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 263-263 | 2.2 | 7 |
| 27 | Therapy of metastatic pancreatic neuroendocrine tumors (pNETs): recent insights and advances. <i>Journal of Gastroenterology</i> , 2012 , 47, 941-60 | 6.9 | 80 |
| 26 | Pancreatic neuroendocrine tumors: clinical features, diagnosis and medical treatment: advances. <i>Baillieres Best Practice and Research in Clinical Gastroenterology</i> , 2012 , 26, 737-53 | 2.5 | 142 |
| 25 | Diagnosis of Zollinger-Ellison syndrome: increasingly difficult. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5495-503 | 5.6 | 57 |
| 24 | Hepatopancreatobiliary manifestations of inflammatory bowel disease. <i>Clinical Journal of Gastroenterology</i> , 2012 , 5, 1-8 | 1.1 | 6 |
| 23 | Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012 , 22, 21-30 | 3.3 | 1070 |
| 22 | Everolimus for advanced pancreatic neuroendocrine tumours: a subgroup analysis evaluating Japanese patients in the RADIANT-3 trial. <i>Japanese Journal of Clinical Oncology</i> , 2012 , 42, 903-11 | 2.8 | 39 |
| 21 | Everolimus for advanced pancreatic neuroendocrine tumors. <i>New England Journal of Medicine</i> , 2011 , 364, 514-23 | 59.2 | 2101 |
| 20 | Characteristics of pancreatic diabetes in patients with autoimmune pancreatitis. <i>Journal of Digestive Diseases</i> , 2011 , 12, 210-6 | 3.3 | 23 |
| 19 | Mechanism of acid hypersecretion post curative gastrinoma resection. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 139-54 | 4 | 16 |
| 18 | Epidemiological study of pancreatic diabetes in Japan in 2005: a nationwide study. <i>Pancreas</i> , 2010 , 39, 829-35 | 2.6 | 21 |
| 17 | Epidemiological study of gastroenteropancreatic neuroendocrine tumors in Japan. <i>Journal of Gastroenterology</i> , 2010 , 45, 234-43 | 6.9 | 292 |
| 16 | Association of long-term proton pump inhibitor therapy with bone fractures and effects on absorption of calcium, vitamin B12, iron, and magnesium. <i>Current Gastroenterology Reports</i> , 2010 , 12, 448-57 | 5 | 194 |
| 15 | Gastric acid hypersecretory states: recent insights and advances. <i>Current Gastroenterology Reports</i> , 2009 , 11, 433-41 | 5 | 46 |
| 14 | The current managements of pancreatic diabetes in Japan. <i>Clinical Journal of Gastroenterology</i> , 2009 , 2, 1-8 | 1.1 | 9 |

| | | | |
|----|---|------|-----|
| 13 | Primary Small-cell Carcinoma of the Pancreas Effectively Treated by Combination Chemotherapy Using Cisplatin Plus Etoposide. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2009 , 98, 1124-1126 | 9.26 | |
| 12 | A prospective study of gastric carcinoids and enterochromaffin-like cell changes in multiple endocrine neoplasia type 1 and Zollinger-Ellison syndrome: identification of risk factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1582-91 | 5.6 | 119 |
| 11 | Primary pancreatic low-grade mucosa-associated lymphoid tissue lymphoma presenting with multiple masses. <i>Clinical Journal of Gastroenterology</i> , 2008 , 1, 168-173 | 1.1 | 6 |
| 10 | Can measurement of chemokines become useful biological and functional markers of early-stage chronic pancreatitis?. <i>Journal of Gastroenterology</i> , 2007 , 42 Suppl 17, 72-7 | 6.9 | 27 |
| 9 | Pancreatic diabetes in a follow-up survey of chronic pancreatitis in Japan. <i>Journal of Gastroenterology</i> , 2007 , 42, 291-7 | 6.9 | 37 |
| 8 | Treatment for autoimmune pancreatitis: consensus on the treatment for patients with autoimmune pancreatitis in Japan. <i>Journal of Gastroenterology</i> , 2007 , 42 Suppl 18, 50-8 | 6.9 | 111 |
| 7 | Preliminary results of a Japanese nationwide survey of neuroendocrine gastrointestinal tumors. <i>Journal of Gastroenterology</i> , 2007 , 42, 497-500 | 6.9 | 90 |
| 6 | Evaluation of pancreatic endocrine and exocrine function in patients with autoimmune pancreatitis. <i>Pancreas</i> , 2007 , 34, 254-9 | 2.6 | 54 |
| 5 | Effect of pancreastatin on cerulein-stimulated pancreatic blood flow and exocrine secretion in anaesthetized rats. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1999 , 14, 583-7 | 4 | 3 |
| 4 | Acinar-islet cell carcinoma presenting as insulinoma. <i>Journal of Gastroenterology</i> , 1997 , 32, 830-5 | 6.9 | 21 |
| 3 | Case report: mucin-producing cystic neoplasm of the pancreas with onset in childhood. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 1996 , 11, 768-70 | 4 | 1 |
| 2 | Role of endothelin in the development of hemorrhagic pancreatitis in rats. <i>Journal of Gastroenterology</i> , 1995 , 30, 275-7 | 6.9 | 3 |
| 1 | Protective effect of nitric oxide on development of acute pancreatitis in rats. <i>Digestive Diseases and Sciences</i> , 1995 , 40, 2162-9 | 4 | 43 |