Linda M Davies

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1821452/publications.pdf

Version: 2024-02-01

71061 56687 7,518 129 41 83 citations h-index g-index papers 132 132 132 7687 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Randomized Controlled Trial of the Effect on Quality of Life of Second- vs First-Generation Antipsychotic Drugs in Schizophrenia. Archives of General Psychiatry, 2006, 63, 1079.	13.8	1,031
2	Second-line FOLFOX chemotherapy versus active symptom control for advanced biliary tract cancer (ABC-06): a phase 3, open-label, randomised, controlled trial. Lancet Oncology, The, 2021, 22, 690-701.	5.1	396
3	Randomized Controlled Trial of Effect of Prescription of Clozapine Versus Other Second-Generation Antipsychotic Drugs in Resistant Schizophrenia. Schizophrenia Bulletin, 2005, 32, 715-723.	2.3	339
4	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: Acute-phase outcomes. British Journal of Psychiatry, 2002, 181, s91-s97.	1.7	311
5	Economic Analysis Alongside Clinical Trials: Revisiting the Methodological Issues. International Journal of Technology Assessment in Health Care, 1991, 7, 561-573.	0.2	299
6	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. BMJ, The, 2012, 344, e2233-e2233.	3.0	266
7	Cognitive–behavioural therapy in first-episode and early schizophrenia. British Journal of Psychiatry, 2004, 184, 231-239.	1.7	243
8	Patient empowerment: The need to consider it as a measurable patient-reported outcome for chronic conditions. BMC Health Services Research, 2012, 12, 157.	0.9	209
9	Cost-effectiveness of cardiac rehabilitation: a systematic review. Heart, 2018, 104, 1403-1410.	1.2	208
10	Cognitive–behavioural therapy and motivational intervention for schizophrenia and substance misuse. British Journal of Psychiatry, 2003, 183, 418-426.	1.7	204
11	Cognitive therapy for people with schizophrenia spectrum disorders not taking antipsychotic drugs: a single-blind randomised controlled trial. Lancet, The, 2014, 383, 1395-1403.	6.3	196
12	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. BMJ: British Medical Journal, 2010, 341, c6325-c6325.	2.4	187
13	Economics and Schizophrenia: The Real Cost. British Journal of Psychiatry, 1994, 165, 18-21.	1.7	183
14	Behavioural management in nursing and residential homes: a randomised controlled trial. Lancet, The, 1999, 354, 26-29.	6.3	138
15	Early treatment for Class II Division 1 malocclusion with the Twin-block appliance: A multi-center, randomized, controlled trial. American Journal of Orthodontics and Dentofacial Orthopedics, 2009, 135, 573-579.	0.8	132
16	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. Lancet Psychiatry,the, 2014, 1, 23-33.	3.7	120
17	Assessment of Costs and Benefits of Drug Therapy for Treatment-Resistant Schizophrenia in the United Kingdom. British Journal of Psychiatry, 1993, 162, 38-42.	1.7	105
18	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. British Journal of Psychiatry, 2007, 191, 14-22.	1.7	97

#	Article	IF	CITATIONS
19	VALUING THE ECONOMIC BENEFITS OF COMPLEX INTERVENTIONS: WHEN MAXIMISING HEALTH IS NOT SUFFICIENT. Health Economics (United Kingdom), 2013, 22, 258-271.	0.8	95
20	Predictive accuracy of risk scales following self-harm: Multicentre, prospective cohort study. British Journal of Psychiatry, 2017, 210, 429-436.	1.7	95
21	Effectiveness of enhanced communication therapy in the first four months after stroke for aphasia and dysarthria: a randomised controlled trial. BMJ, The, 2012, 345, e4407-e4407.	3.0	88
22	Outcome Measurement in Clinical Genetics Services: A Systematic Review of Validated Measures. Value in Health, 2008, 11, 497-508.	0.1	86
23	Resource costing for multinational neurologic clinical trials: methods and results. , 1998, 7, 629-638.		85
24	Patient Empowerment in Clinical Genetics Services. Journal of Health Psychology, 2008, 13, 895-905.	1.3	83
25	The emotional effects of genetic diseases: Implications for clinical genetics. American Journal of Medical Genetics, Part A, 2007, 143A, 2651-2661.	0.7	72
26	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 633-643.	3.7	71
27	The Cost of Treatment for Post-Herpetic Neuralgia in the UK. Pharmacoeconomics, 1994, 6, 142-148.	1.7	58
28	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. Microbial Biotechnology, 2011, 5, 24-32.	0.9	58
29	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. BMC Psychiatry, 2008, 8, 91.	1.1	56
30	Priorities and preferences for the outcomes of treatment of psychosis: A service user perspective. Psychosis, 2010, 2, 210-217.	0.4	55
31	The relationship between social deprivation, disease outcome measures, and response to treatment in patients with stable, long-standing rheumatoid arthritis. Journal of Rheumatology, 2005, 32, 2330-6.	1.0	55
32	Clinical effectiveness and acceptability of structured group psychoeducation versus optimised unstructured peer support for patients with remitted bipolar disorder (PARADES): a pragmatic, multicentre, observer-blind, randomised controlled superiority trial. Lancet Psychiatry,the, 2016, 3, 1029-1038.	3.7	53
33	The validity and responsiveness of generic utility measures in rheumatoid arthritis: a review. Journal of Rheumatology, 2008, 35, 592-602.	1.0	52
34	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. Lancet Psychiatry,the, 2020, 7, 788-800.	3.7	51
35	Assessing the costs and benefits of medical research: The diabetic retinopathy study. Social Science and Medicine, 1992, 34, 973-981.	1.8	50
36	Improving Service Evaluation in Clinical Genetics: Identifying Effects of Genetic Diseases on Individuals and Families. Journal of Genetic Counseling, 2007, 16, 71-83.	0.9	50

#	Article	IF	CITATIONS
37	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. Lancet Psychiatry,the, 2018, 5, 411-423.	3.7	50
38	Outcome measures for clinical genetics services: A comparison of genetics healthcare professionals and patients' views. Health Policy, 2007, 84, 112-122.	1.4	48
39	The economic burden of intractable gynaecological pain. Journal of Obstetrics and Gynaecology, 1992, 12, S54-S56.	0.4	47
40	Person-centredness in the care of older adults: a systematic review of questionnaire-based scales and their measurement properties. BMC Geriatrics, 2016, 16, 63.	1.1	46
41	People with dementia and carer preferences for home support services in early-stage dementia. Aging and Mental Health, 2018, 22, 270-279.	1.5	45
42	What is important to people with dementia living at home? A set of core outcome items for use in the evaluation of non-pharmacological community-based health and social care interventions. Age and Ageing, 2020, 49, 664-671.	0.7	45
43	Current status of economic appraisal of health technology in the European community: Report of the network. Social Science and Medicine, 1994, 38, 1601-1607.	1.8	44
44	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental–physical multimorbidity: cluster-randomised trial. British Journal of Psychiatry, 2018, 213, 456-463.	1.7	44
45	Improving the Effectiveness of Psychological Interventions for Depression and Anxiety in Cardiac Rehabilitation: PATHWAY—A Single-Blind, Parallel, Randomized, Controlled Trial of Group Metacognitive Therapy. Circulation, 2021, 144, 23-33.	1.6	44
46	An Exploratory Randomized Controlled Study of a Healthy Living Intervention in Early Intervention Services for Psychosis. Journal of Clinical Psychiatry, 2014, 75, 498-505.	1.1	44
47	Evaluating integrated MI and CBT for people with psychosis and substance misuse: Recruitment, retention and sample characteristics of the MIDAS trial. Addictive Behaviors, 2009, 34, 859-866.	1.7	42
48	What process attributes of clinical genetics services could maximise patient benefits?. European Journal of Human Genetics, 2008, 16, 1467-1476.	1.4	39
49	Improving the effectiveness of psychological interventions for depression and anxiety in the cardiac rehabilitation pathway using group-based metacognitive therapy (PATHWAY Group MCT): study protocol for a randomised controlled trial. Trials, 2018, 19, 215.	0.7	37
50	PRIORITIZING INVESTMENTS IN HEALTH TECHNOLOGY ASSESSMENT. International Journal of Technology Assessment in Health Care, 2000, 16, 73-91.	0.2	34
51	Economic Evaluation of Enoxaparin as Postdischarge Prophylaxis for Deep Vein Thrombosis (DVT) in Elective Hip Surgery. Value in Health, 2000, 3, 397-406.	0.1	33
52	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. PLoS ONE, 2018, 13, e0201533.	1.1	33
53	A Systematic Review of the Economic Evidence for Home Support Interventions in Dementia. Value in Health, 2017, 20, 1198-1209.	0.1	32
54	Developing a core outcome set for people living with dementia at home in their neighbourhoods and communities: study protocol for use in the evaluation of non-pharmacological community-based health and social care interventions. Trials, 2018, 19, 247.	0.7	31

#	Article	IF	Citations
55	Treating AIDS: the economic issues. Health Policy, 1988, 10, 1-19.	1.4	29
56	Why Do Patients with Inflammatory Arthritis Often Score States "Worse than Death―on the EQ-5D? An Investigation of the EQ-5D Classification System. Value in Health, 2009, 12, 1026-1034.	0.1	28
57	Translation, validity and reliability of the British Sign Language (BSL) version of the EQ-5D-5L. Quality of Life Research, 2016, 25, 1825-1834.	1.5	28
58	The effectiveness and cost-effectiveness of diversion and aftercare programmes for offenders using class A drugs: a systematic review and economic evaluation. Health Technology Assessment, 2015, 19, 1-168.	1.3	28
59	Amisulpride augmentation in clozapine-unresponsive schizophrenia (AMICUS): a double-blind, placebo-controlled, randomised trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-56.	1.3	28
60	A Randomized Controlled Trial of the Cost-Utility of Second-Generation Antipsychotics in People with Psychosis and Eligible for Clozapine. Value in Health, 2008, 11, 549-562.	0.1	27
61	â€~Nobody is after you; it is your initiative to start work': a qualitative study of health workforce absenteeism in rural Uganda. BMJ Global Health, 2017, 2, e000455.	2.0	27
62	Neonatal hearing screening: modelling cost and effectiveness of hospital- and community-based screening. BMC Health Services Research, 2006, 6, 14.	0.9	26
63	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. BMJ Open, 2016, 6, e012514.	0.8	25
64	Health state utility values: A description of their development and application for rheumatic diseases. Arthritis and Rheumatism, 2008, 59, 1018-1026.	6.7	24
65	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2012, 13, 139.	0.7	24
66	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). Trials, 2016, 17, 134.	0.7	24
67	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. Psychological Medicine, 2018, 48, 1966-1974.	2.7	23
68	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. BJPsych Open, 2019, 5, e14.	0.3	23
69	IS TREATMENT OF DEPRESSION COST-EFFECTIVE IN PEOPLE WITH DIABETES? A SYSTEMATIC REVIEW OF THE ECONOMIC EVIDENCE. International Journal of Technology Assessment in Health Care, 2013, 29, 384-391.	0.2	22
70	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the †INSITE' trial): study protocol for a randomised controlled trial. Trials, 2016, 17, 79.	0.7	22
71	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. Trials, 2015, 16, 348.	0.7	20
72	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. BMC Psychiatry, 2011, 11, 155.	1.1	18

#	Article	IF	CITATIONS
7 3	Core outcome sets for use in effectiveness trials involving people with bipolar and schizophrenia in a community-based setting (PARTNERS2): study protocol for the development of two core outcome sets. Trials, 2015, 16, 47.	0.7	18
74	Pragmatic randomised controlled trial of group psychoeducation versus group support in the maintenance of bipolar disorder. BMC Psychiatry, 2011, 11, 114.	1.1	17
7 5	Drug spend and acquisitive offending by substance misusers. Drug and Alcohol Dependence, 2013, 130, 24-29.	1.6	17
76	A systematic review of economic evaluations of seasonal influenza vaccination for the elderly population in the European Union. BMJ Open, 2017, 7, e014847.	0.8	17
77	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. BMC Psychiatry, 2016, 16, 280.	1.1	16
78	Carer preferences for home support services in later stage dementia. Aging and Mental Health, 2019, 23, 60-68.	1.5	16
79	Cognitive–behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. Health Technology Assessment, 2019, 23, 1-144.	1.3	16
80	Economic Evaluation of Lenograstim for Prophylaxis of Chemotherapy-Induced Neutropenia in Patients with Small Cell Lung Cancer. Pharmacoeconomics, 1994, 6, 44-52.	1.7	15
81	A randomised controlled trial of time limited CBT informed psychological therapy for anxiety in bipolar disorder. BMC Psychiatry, 2013, 13, 54.	1.1	15
82	A novel cognitive behaviour therapy for bipolar disorders (Think Effectively About Mood Swings or) Tj ETQq0 0 0 0	rgBT/Ovei	lock 10 Tf 50
83	Cost-Effectiveness Evaluations of Psychological Therapies for Schizophrenia and Bipolar Disorder: A Systematic Review. International Journal of Technology Assessment in Health Care, 2019, 35, 317-326.	0.2	14
84	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY) Tj ETQq0 0 0 rg	gB T/1 0verlo	oc k 310 Tf 50 2
85	The patient experience in community mental health services for older people: a concept mapping approach to support the development of a new quality measure. BMC Health Services Research, 2018, 18, 461.	0.9	13
86	Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. Annals of the Rheumatic Diseases, 2007, 66, 658-663.	0.5	12
87	â€I have no love for such people, because they leave us to suffer': a qualitative study of health workers' responses and institutional adaptations to absenteeism in rural Uganda. BMJ Global Health, 2019, 4, e001376.	2.0	12
88	Evaluating the effectiveness and cost-effectiveness of British Sign Language Improving Access to Psychological Therapies: an exploratory study. Health Services and Delivery Research, 2017, 5, 1-196.	1.4	12
89	An exploratory study of associations between adult attachment, health service utilisation and health service costs. Psychosis, 2014, 6, 355-358.	0.4	11
90	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14–18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). Trials, 2019, 20, 395.	0.7	11

#	Article	IF	CITATIONS
91	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. Psychosis, 2013, 5, 82-92.	0.4	10
92	A discrete choice experiment to explore carer preferences. Quality in Ageing and Older Adults, 2017, 18, 33-43.	0.4	9
93	Eye movement desensitization and reprocessing therapy for psychosis (<scp>EMDRp</scp>): Protocol of a feasibility randomized controlled trial with early intervention service users. Microbial Biotechnology, 2021, 15, 1224-1233.	0.9	9
94	Establishing the Feasibility of Group Metacognitive Therapy for Anxiety and Depression in Cardiac Rehabilitation: A Single-Blind Randomized Pilot Study. Frontiers in Psychiatry, 2020, 11, 582.	1.3	9
95	The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. BMJ Open, 2018, 8, e021657.	0.8	8
96	The effectiveness of diversion programmes for offenders using Class A drugs: a systematic review and meta-analysis. Drugs: Education, Prevention and Policy, 2019, 26, 113-124.	0.8	8
97	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. Programme Grants for Applied Research, 2019, 7, 1-140.	0.4	8
98	Disabled children (0-3Âyears) and integrated services - the impact of Early Support. Health and Social Care in the Community, 2008, 16, 222-233.	0.7	7
99	Practitioners preferences of care coordination for older people: A discrete choice experiment. Journal of Gerontological Social Work, 2018, 61, 151-170.	0.6	7
100	Delivery preferences for psychological intervention in cardiac rehabilitation: a pilot discrete choice experiment. Open Heart, 2021, 8, e001747.	0.9	7
101	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. Health Technology Assessment, 2021, 25, 1-124.	1.3	7
102	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care – the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme. Programme Grants for Applied Research, 2018, 6, 1-296.	0.4	7
103	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. Trials, 2013, 14, 136.	0.7	6
104	A qualitative exploration of trial-related terminology in a study involving Deaf British Sign Language users. Trials, 2016, 17, 219.	0.7	6
105	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. Psychosis, 2017, 9, 193-204.	0.4	6
106	Evaluating the effectiveness of different approaches to home support for people in later stage dementia: a protocol for an observational study. International Psychogeriatrics, 2017, 29, 1213-1221.	0.6	6
107	The preliminary measurement properties of the person-centred community care inventory (PERCCI). Quality of Life Research, 2018, 27, 2745-2756.	1.5	6
108	Components, impacts and costs of dementia home support: a research programme including the DESCANT RCT. Programme Grants for Applied Research, 2021, 9, 1-132.	0.4	6

#	Article	IF	CITATIONS
109	First- vs Second-Generation Antipsychotic Drugs in Schizophrenia—Reply. Archives of General Psychiatry, 2007, 64, 979.	13.8	6
110	A review of economic evaluations of health care for people at risk of psychosis and for first-episode psychosis. BMC Psychiatry, 2022, 22, 126.	1.1	6
111	Evaluating Metacognitive Therapy to Improve Treatment of Anxiety and Depression in Cardiovascular Disease: The NIHR Funded PATHWAY Research Programme. Frontiers in Psychiatry, 0, 13, .	1.3	6
112	An economic exploration of oral and intravenous ganciclovir in the induction and maintenance treatment of AIDS-related cytomegalovirus retinitis. International Journal of STD and AIDS, 1996, 7, 415-421.	0.5	5
113	Designing and Implementing a Home-Based Couple Management Guide for Couples Where One Partner has Dementia (DemPower): Protocol for a Nonrandomized Feasibility Trial. JMIR Research Protocols, 2018, 7, e171.	0.5	5
114	Factors Limiting Subgroup Analysis in Cost-Effectiveness Analysis and a Call for Transparency. Pharmacoeconomics, 2022, 40, 149-156.	1.7	4
115	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease Health Psychology, 2022, 41, 366-377.	1.3	4
116	Economic impact of a specialist outreach team in residential and nursing home settings. Journal of Mental Health Policy and Economics, 2000, 3, 147-152.	0.6	3
117	THE VALUE OF THE MANAGED ENTRY OF NEW DRUGS. International Journal of Technology Assessment in Health Care, 2003, 19, 114-128.	0.2	3
118	Cognitive aids for people with early stage dementia versus treatment as usual (Dementia Early Stage) Tj ETQq0 C 19, 546.	0 rgBT /C 0.7	Overlock 10 Tf 3
119	Protocol for the economic evaluation of metacognitive therapy for cardiac rehabilitation participants with symptoms of anxiety and/or depression. BMJ Open, 2020, 10, e035552.	0.8	3
120	Developing the evidence base for evaluating dementia training in NHS hospitals (DEMTRAIN): a mixed-methods study protocol. BMJ Open, 2020, 10, e030739.	0.8	3
121	Developing a Management Guide (the DemPower App) for Couples Where One Partner Has Dementia: Nonrandomized Feasibility Study. JMIR Aging, 2021, 4, e16824.	1.4	3
122	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. Health Services and Delivery Research, 2020, 8, 1-128.	1.4	3
123	Second-line FOLFOX chemotherapy for advanced biliary tract cancer – Authors' reply. Lancet Oncology, The, 2021, 22, e288-e289.	5.1	2
124	Acknowledging Patient Heterogeneity in Economic Evaluations in Schizophrenia: A Systematic Review. Value in Health, 2022, 25, 147-156.	0.1	2
125	Factors associated with receipt of residential rehabilitation by opiate users indicate that these clients are more amenable to drug treatment. Drugs: Education, Prevention and Policy, 2014, 21, 165-172.	0.8	1
126	Health State Values of Deaf British Sign Language (BSL) Users in the UK: An Application of the BSL Version of the EQ-5D-5L. Applied Health Economics and Health Policy, 2020, 18, 547-556.	1.0	1

#	Article	IF	CITATIONS
127	Authors' reply to Enderby, Meteyard, and Thornton. BMJ, The, 2012, 345, e6023-e6023.	3.0	0
128	Clarification of conclusions from the ACT NoW trial. Nature Reviews Neurology, 2013, 9, 118-118.	4.9	0
129	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. Programme Grants for Applied Research, 2022, 10, 1-240.	0.4	0