

Linda M Davies

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1821452/linda-m-davies-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126
papers

5,695
citations

39
h-index

74
g-index

132
ext. papers

6,607
ext. citations

4.9
avg, IF

5.22
L-index

#	Paper	IF	Citations
126	Randomized controlled trial of the effect on Quality of Life of second- vs first-generation antipsychotic drugs in schizophrenia: Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUtLASS 1). <i>Archives of General Psychiatry</i> , 2006 , 63, 1079-87		871
125	Randomized controlled trial of effect of prescription of clozapine versus other second-generation antipsychotic drugs in resistant schizophrenia. <i>Schizophrenia Bulletin</i> , 2006 , 32, 715-23	1.3	288
124	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: acute-phase outcomes. <i>British Journal of Psychiatry</i> , 2002 , 43, s91-7	5.4	260
123	Economic analysis alongside clinical trials. Revisiting the methodological issues. <i>International Journal of Technology Assessment in Health Care</i> , 1991 , 7, 561-73	1.8	234
122	Cognitive-behavioural therapy in first-episode and early schizophrenia. 18-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2004 , 184, 231-9	5.4	212
121	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. <i>BMJ, The</i> , 2012 , 344, e2233	5.9	209
120	Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse. 18-month outcomes of a randomised controlled trial. <i>British Journal of Psychiatry</i> , 2003 , 183, 418-26	5.4	164
119	Cognitive therapy for people with schizophrenia spectrum disorders not taking antipsychotic drugs: a single-blind randomised controlled trial. <i>Lancet, The</i> , 2014 , 383, 1395-403	4.0	158
118	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c6325	5.9	155
117	Patient empowerment: the need to consider it as a measurable patient-reported outcome for chronic conditions. <i>BMC Health Services Research</i> , 2012 , 12, 157	2.9	152
116	Economics and Schizophrenia: The Real Cost. <i>British Journal of Psychiatry</i> , 1994 , 165, 18-21	5.4	146
115	Cost-effectiveness of cardiac rehabilitation: a systematic review. <i>Heart</i> , 2018 , 104, 1403-1410	5.1	127
114	Behavioural management in nursing and residential homes: a randomised controlled trial. <i>Lancet, The</i> , 1999 , 354, 26-9	4.0	115
113	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2014 , 1, 23-33	23.3	100
112	Second-line FOLFOX chemotherapy versus active symptom control for advanced biliary tract cancer (ABC-06): a phase 3, open-label, randomised, controlled trial. <i>Lancet Oncology, The</i> , 2021 , 22, 690-701	21.7	100
111	Early treatment for Class II Division 1 malocclusion with the Twin-block appliance: a multi-center, randomized, controlled trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , 2009 , 135, 573-9	2.1	97
110	Assessment of costs and benefits of drug therapy for treatment-resistant schizophrenia in the United Kingdom. <i>British Journal of Psychiatry</i> , 1993 , 162, 38-42	5.4	93

109	Valuing the economic benefits of complex interventions: when maximising health is not sufficient. <i>Health Economics (United Kingdom)</i> , 2013 , 22, 258-71	2.4	83
108	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. <i>British Journal of Psychiatry</i> , 2007 , 191, 14-22	5.4	82
107	Predictive accuracy of risk scales following self-harm: multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017 , 210, 429-436	5.4	76
106	Outcome measurement in clinical genetics services: a systematic review of validated measures. <i>Value in Health</i> , 2008 , 11, 497-508	3.3	76
105	Resource costing for multinational neurologic clinical trials: methods and results. <i>Health Economics (United Kingdom)</i> , 1998 , 7, 629-38	2.4	73
104	Patient empowerment in clinical genetics services. <i>Journal of Health Psychology</i> , 2008 , 13, 895-905	3.1	67
103	Effectiveness of enhanced communication therapy in the first four months after stroke for aphasia and dysarthria: a randomised controlled trial. <i>BMJ, The</i> , 2012 , 345, e4407	5.9	65
102	The emotional effects of genetic diseases: implications for clinical genetics. <i>American Journal of Medical Genetics, Part A</i> , 2007 , 143A, 2651-61	2.5	58
101	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , 2011 , 5, 24-32	3.3	53
100	The validity and responsiveness of generic utility measures in rheumatoid arthritis: a review. <i>Journal of Rheumatology</i> , 2008 , 35, 592-602	4.1	51
99	The relationship between social deprivation, disease outcome measures, and response to treatment in patients with stable, long-standing rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2005 , 32, 2330-6	4.1	50
98	The cost of treatment for post-herpetic neuralgia in the UK. <i>Pharmacoeconomics</i> , 1994 , 6, 142-8	4.4	49
97	Priorities and preferences for the outcomes of treatment of psychosis: A service user perspective. <i>Psychosis</i> , 2010 , 2, 210-217	1.2	48
96	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. <i>BMC Psychiatry</i> , 2008 , 8, 91	4.2	47
95	Improving service evaluation in clinical genetics: identifying effects of genetic diseases on individuals and families. <i>Journal of Genetic Counseling</i> , 2007 , 16, 71-83	2.5	44
94	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <i>Lancet Psychiatry, the</i> , 2018 , 5, 633-643	23.3	42
93	The economic burden of intractable gynaecological pain. <i>Journal of Obstetrics and Gynaecology</i> , 1992 , 12, S54-S56	1.3	41
92	Outcome measures for clinical genetics services: a comparison of genetics healthcare professionals and patients views. <i>Health Policy</i> , 2007 , 84, 112-22	3.2	40

91	Assessing the costs and benefits of medical research: the diabetic retinopathy study. <i>Social Science and Medicine</i> , 1992 , 34, 973-81	5.1	40
90	Evaluating integrated MI and CBT for people with psychosis and substance misuse: recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , 2009 , 34, 859-66	4.2	39
89	Current status of economic appraisal of health technology in the European Community: report of the network. The EC Network on the Methodology of Economic Appraisal of Health Technology. <i>Social Science and Medicine</i> , 1994 , 38, 1601-7	5.1	39
88	Clinical effectiveness and acceptability of structured group psychoeducation versus optimised unstructured peer support for patients with remitted bipolar disorder (PARADES): a pragmatic, multicentre, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , 2016 , 3, 1029-1038	23.3	39
87	An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, 498-505	4.6	37
86	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2018 , 5, 411-423	23.3	35
85	What process attributes of clinical genetics services could maximise patient benefits?. <i>European Journal of Human Genetics</i> , 2008 , 16, 1467-76	5.3	34
84	Person-centredness in the care of older adults: a systematic review of questionnaire-based scales and their measurement properties. <i>BMC Geriatrics</i> , 2016 , 16, 63	4.1	33
83	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental-physical multimorbidity: cluster-randomised trial. <i>British Journal of Psychiatry</i> , 2018 , 213, 456-463	5.4	31
82	Economic evaluation of enoxaparin as postdischarge prophylaxis for deep vein thrombosis (DVT) in elective hip surgery. <i>Value in Health</i> , 2000 , 3, 397-406	3.3	29
81	People with dementia and carer preferences for home support services in early-stage dementia. <i>Aging and Mental Health</i> , 2018 , 22, 270-279	3.5	28
80	Prioritizing investments in health technology assessment. Can we assess potential value for money?. <i>International Journal of Technology Assessment in Health Care</i> , 2000 , 16, 73-91	1.8	26
79	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <i>PLoS ONE</i> , 2018 , 13, e0201533	3.7	26
78	A randomized controlled trial of the cost-utility of second-generation antipsychotics in people with psychosis and eligible for clozapine. <i>Value in Health</i> , 2008 , 11, 549-62	3.3	25
77	Treating AIDS: the economic issues. <i>Health Policy</i> , 1988 , 10, 1-19	3.2	25
76	Why do patients with inflammatory arthritis often score states "worse than death" on the EQ-5D? An Investigation of the EQ-5D classification system. <i>Value in Health</i> , 2009 , 12, 1026-34	3.3	24
75	The effectiveness and cost-effectiveness of diversion and aftercare programmes for offenders using class A drugs: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015 , 19, 1-168, vii-viii	4.4	24
74	A Systematic Review of the Economic Evidence for Home Support Interventions in Dementia. <i>Value in Health</i> , 2017 , 20, 1198-1209	3.3	23

73	Amisulpride augmentation in clozapine-unresponsive schizophrenia (AMICUS): a double-blind, placebo-controlled, randomised trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017 , 21, 1-56	4.4	23
72	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , 2020 , 7, 788-800	23.3	23
71	Improving the effectiveness of psychological interventions for depression and anxiety in the cardiac rehabilitation pathway using group-based metacognitive therapy (PATHWAY Group MCT): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 215	2.8	22
70	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2012 , 13, 139	2.8	22
69	Developing a core outcome set for people living with dementia at home in their neighbourhoods and communities: study protocol for use in the evaluation of non-pharmacological community-based health and social care interventions. <i>Trials</i> , 2018 , 19, 247	2.8	21
68	Neonatal hearing screening: modelling cost and effectiveness of hospital- and community-based screening. <i>BMC Health Services Research</i> , 2006 , 6, 14	2.9	21
67	What is important to people with dementia living at home? A set of core outcome items for use in the evaluation of non-pharmacological community-based health and social care interventions. <i>Age and Ageing</i> , 2020 , 49, 664-671	3	20
66	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <i>Trials</i> , 2015 , 16, 348	2.8	20
65	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , 2016 , 17, 134	2.8	19
64	Health state utility values: a description of their development and application for rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1018-26		18
63	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the RNSITER trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 79	2.8	17
62	Is treatment of depression cost-effective in people with diabetes? A systematic review of the economic evidence. <i>International Journal of Technology Assessment in Health Care</i> , 2013 , 29, 384-91	1.8	17
61	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e012514	3	17
60	Translation, validity and reliability of the British Sign Language (BSL) version of the EQ-5D-5L. <i>Quality of Life Research</i> , 2016 , 25, 1825-34	3.7	17
59	Core outcome sets for use in effectiveness trials involving people with bipolar and schizophrenia in a community-based setting (PARTNERS2): study protocol for the development of two core outcome sets. <i>Trials</i> , 2015 , 16, 47	2.8	16
58	Drug spend and acquisitive offending by substance misusers. <i>Drug and Alcohol Dependence</i> , 2013 , 130, 24-9	4.9	16
57	A randomised controlled trial of time limited CBT informed psychological therapy for anxiety in bipolar disorder. <i>BMC Psychiatry</i> , 2013 , 13, 54	4.2	15
56	Nobody is after you; it is your initiative to start work: a qualitative study of health workforce absenteeism in rural Uganda. <i>BMJ Global Health</i> , 2017 , 2, e000455	6.6	15

55	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. <i>Psychological Medicine</i> , 2018 , 48, 1966-1974	6.9	15
54	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. <i>BMC Psychiatry</i> , 2011 , 11, 155	4.2	14
53	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. <i>BMC Psychiatry</i> , 2016 , 16, 280	4.2	13
52	Economic evaluation of lenograstim for prophylaxis of chemotherapy-induced neutropenia in patients with small cell lung cancer. <i>Pharmacoeconomics</i> , 1994 , 6 Suppl 2, 44-52	4.4	13
51	A novel cognitive behaviour therapy for bipolar disorders (Think Effectively About Mood Swings or TEAMS): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 405	2.8	11
50	Have no love for such people, because they leave us to suffer: a qualitative study of health workers' responses and institutional adaptations to absenteeism in rural Uganda. <i>BMJ Global Health</i> , 2019 , 4, e001376	6.6	10
49	Pragmatic randomised controlled trial of group psychoeducation versus group support in the maintenance of bipolar disorder. <i>BMC Psychiatry</i> , 2011 , 11, 114	4.2	10
48	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , 2019 , 5, e14	5	10
47	A systematic review of economic evaluations of seasonal influenza vaccination for the elderly population in the European Union. <i>BMJ Open</i> , 2017 , 7, e014847	3	9
46	The patient experience in community mental health services for older people: a concept mapping approach to support the development of a new quality measure. <i>BMC Health Services Research</i> , 2018 , 18, 461	2.9	9
45	An exploratory study of associations between adult attachment, health service utilisation and health service costs. <i>Psychosis</i> , 2014 , 6, 355-358	1.2	9
44	Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 658-63	2.4	9
43	Carer preferences for home support services in later stage dementia. <i>Aging and Mental Health</i> , 2019 , 23, 60-68	3.5	8
42	Improving the Effectiveness of Psychological Interventions for Depression and Anxiety in Cardiac Rehabilitation: PATHWAY-A Single-Blind, Parallel, Randomized, Controlled Trial of Group Metacognitive Therapy. <i>Circulation</i> , 2021 , 144, 23-33	16.7	8
41	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. <i>Psychosis</i> , 2013 , 5, 82-92	1.2	7
40	Evaluating the effectiveness and cost-effectiveness of British Sign Language Improving Access to Psychological Therapies: an exploratory study. <i>Health Services and Delivery Research</i> , 2017 , 5, 1-196	1.5	7
39	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , 2019 , 20, 395	2.8	6
38	Cost-Effectiveness Evaluations of Psychological Therapies for Schizophrenia and Bipolar Disorder: A Systematic Review. <i>International Journal of Technology Assessment in Health Care</i> , 2019 , 35, 317-326	1.8	6

37	Evaluating the effectiveness of different approaches to home support for people in later stage dementia: a protocol for an observational study. <i>International Psychogeriatrics</i> , 2017 , 29, 1213-1221	3.4	6
36	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-144	4.4	6
35	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY Home-MCT). <i>Trials</i> , 2018 , 19, 444	2.8	6
34	The preliminary measurement properties of the person-centred community care inventory (PERCCI). <i>Quality of Life Research</i> , 2018 , 27, 2745-2756	3.7	6
33	A discrete choice experiment to explore carer preferences. <i>Quality in Ageing and Older Adults</i> , 2017 , 18, 33-43	0.9	5
32	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , 2013 , 14, 136	2.8	5
31	The effectiveness of diversion programmes for offenders using Class A drugs: a systematic review and meta-analysis. <i>Drugs: Education, Prevention and Policy</i> , 2019 , 26, 113-124	1.2	5
30	First- vs Second-Generation Antipsychotic Drugs in Schizophrenia Reply. <i>Archives of General Psychiatry</i> , 2007 , 64, 979		5
29	A qualitative exploration of trial-related terminology in a study involving Deaf British Sign Language users. <i>Trials</i> , 2016 , 17, 219	2.8	4
28	An economic exploration of oral and intravenous ganciclovir in the induction and maintenance treatment of AIDS-related cytomegalovirus retinitis. <i>International Journal of STD and AIDS</i> , 1996 , 7, 415-214	1.4	4
27	Disabled children (0-3 years) and integrated services--the impact of Early Support. <i>Health and Social Care in the Community</i> , 2008 , 16, 222-33	2.6	4
26	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care [the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme]. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-140	1.5	4
25	The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. <i>BMJ Open</i> , 2018 , 8, e021657	3	4
24	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. <i>Psychosis</i> , 2017 , 9, 193-204	1.2	3
23	Practitioners preferences of care coordination for older people: A discrete choice experiment. <i>Journal of Gerontological Social Work</i> , 2018 , 61, 151-170	2.2	3
22	The value of the managed entry of new drugs: a case study of donepezil. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 114-28	1.8	3
21	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , 2019 , 7, 1-140	1.5	3
20	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. <i>Health Services and Delivery Research</i> , 2020 , 8, 1-128	1.5	3

19	Establishing the Feasibility of Group Metacognitive Therapy for Anxiety and Depression in Cardiac Rehabilitation: A Single-Blind Randomized Pilot Study. <i>Frontiers in Psychiatry</i> , 2020 , 11, 582	5	2
18	Economic impact of a specialist outreach team in residential and nursing home settings. <i>Journal of Mental Health Policy and Economics</i> , 2000 , 3, 147-152	1.3	2
17	Designing and Implementing a Home-Based Couple Management Guide for Couples Where One Partner has Dementia (DemPower): Protocol for a Nonrandomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2018 , 7, e171	2	2
16	Eye movement desensitization and reprocessing therapy for psychosis (EMDRp): Protocol of a feasibility randomized controlled trial with early intervention service users. <i>Microbial Biotechnology</i> , 2021 , 15, 1224-1233	3.3	2
15	Developing the evidence base for evaluating dementia training in NHS hospitals (DEMTRAIN): a mixed-methods study protocol. <i>BMJ Open</i> , 2020 , 10, e030739	3	2
14	Cognitive aids for people with early stage dementia versus treatment as usual (Dementia Early Stage Cognitive Aids New Trial (DESCANT)): study protocol for a randomised controlled trial. <i>Trials</i> , 2018 , 19, 546	2.8	2
13	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , 2021 , 25, 1-124	4.4	2
12	Factors associated with receipt of residential rehabilitation by opiate users indicate that these clients are more amenable to drug treatment. <i>Drugs: Education, Prevention and Policy</i> , 2014 , 21, 165-172 ^{1.2}	1.2	1
11	Second-line FOLFOX chemotherapy for advanced biliary tract cancer - AuthorsReply. <i>Lancet Oncology, The</i> , 2021 , 22, e288-e289	21.7	1
10	Developing a Management Guide (the DemPower App) for Couples Where One Partner Has Dementia: Nonrandomized Feasibility Study. <i>JMIR Aging</i> , 2021 , 4, e16824	4.8	0
9	Factors Limiting Subgroup Analysis in Cost-Effectiveness Analysis and a Call for Transparency. <i>Pharmacoeconomics</i> , 2021 , 1	4.4	0
8	Protocol for the economic evaluation of metacognitive therapy for cardiac rehabilitation participants with symptoms of anxiety and/or depression. <i>BMJ Open</i> , 2020 , 10, e035552	3	0
7	Components, impacts and costs of dementia home support: a research programme including the DESCANT RCT. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-132	1.5	0
6	A review of economic evaluations of health care for people at risk of psychosis and for first-episode psychosis.. <i>BMC Psychiatry</i> , 2022 , 22, 126	4.2	0
5	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease.. <i>Health Psychology</i> , 2022 , 41, 366-377	5	0
4	Health State Values of Deaf British Sign Language (BSL) Users in the UK: An Application of the BSL Version of the EQ-5D-5L. <i>Applied Health Economics and Health Policy</i> , 2020 , 18, 547-556	3.4	
3	Clarification of conclusions from the ACT NoW trial. <i>Nature Reviews Neurology</i> , 2013 , 9, 118	15	
2	Acknowledging Patient Heterogeneity in Economic Evaluations in Schizophrenia: A Systematic Review.. <i>Value in Health</i> , 2022 , 25, 147-156	3.3	

- 1 Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. *Programme Grants for Applied Research*, **2022**, 10, 1-240 1.5