

# Linda M Davies

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1821452/linda-m-davies-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126  
papers

5,695  
citations

39  
h-index

74  
g-index

132  
ext. papers

6,607  
ext. citations

4.9  
avg, IF

5.22  
L-index

#	Paper	IF	Citations
126	Acknowledging Patient Heterogeneity in Economic Evaluations in Schizophrenia: A Systematic Review.. <i>Value in Health</i> , <b>2022</b> , 25, 147-156	3.3	0
125	A review of economic evaluations of health care for people at risk of psychosis and for first-episode psychosis.. <i>BMC Psychiatry</i> , <b>2022</b> , 22, 126	4.2	0
124	Identifying and managing psoriasis-associated comorbidities: the IMPACT research programme. <i>Programme Grants for Applied Research</i> , <b>2022</b> , 10, 1-240	1.5	0
123	Metacognitive therapy self-help for anxiety-depression: Single-blind randomized feasibility trial in cardiovascular disease.. <i>Health Psychology</i> , <b>2022</b> , 41, 366-377	5	0
122	Developing a Management Guide (the DemPower App) for Couples Where One Partner Has Dementia: Nonrandomized Feasibility Study. <i>JMIR Aging</i> , <b>2021</b> , 4, e16824	4.8	0
121	Factors Limiting Subgroup Analysis in Cost-Effectiveness Analysis and a Call for Transparency. <i>Pharmacoeconomics</i> , <b>2021</b> , 1	4.4	0
120	Eye movement desensitization and reprocessing therapy for psychosis (EMDRp): Protocol of a feasibility randomized controlled trial with early intervention service users. <i>Microbial Biotechnology</i> , <b>2021</b> , 15, 1224-1233	3.3	2
119	Second-line FOLFOX chemotherapy versus active symptom control for advanced biliary tract cancer (ABC-06): a phase 3, open-label, randomised, controlled trial. <i>Lancet Oncology, The</i> , <b>2021</b> , 22, 690-701	21.7	100
118	Components, impacts and costs of dementia home support: a research programme including the DESCANT RCT. <i>Programme Grants for Applied Research</i> , <b>2021</b> , 9, 1-132	1.5	0
117	Second-line FOLFOX chemotherapy for advanced biliary tract cancer - AuthorsReply. <i>Lancet Oncology, The</i> , <b>2021</b> , 22, e288-e289	21.7	1
116	Improving the Effectiveness of Psychological Interventions for Depression and Anxiety in Cardiac Rehabilitation: PATHWAY-A Single-Blind, Parallel, Randomized, Controlled Trial of Group Metacognitive Therapy. <i>Circulation</i> , <b>2021</b> , 144, 23-33	16.7	8
115	Psychological intervention, antipsychotic medication or a combined treatment for adolescents with a first episode of psychosis: the MAPS feasibility three-arm RCT. <i>Health Technology Assessment</i> , <b>2021</b> , 25, 1-124	4.4	2
114	Establishing the Feasibility of Group Metacognitive Therapy for Anxiety and Depression in Cardiac Rehabilitation: A Single-Blind Randomized Pilot Study. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 582	5	2
113	What is important to people with dementia living at home? A set of core outcome items for use in the evaluation of non-pharmacological community-based health and social care interventions. <i>Age and Ageing</i> , <b>2020</b> , 49, 664-671	3	20
112	Health State Values of Deaf British Sign Language (BSL) Users in the UK: An Application of the BSL Version of the EQ-5D-5L. <i>Applied Health Economics and Health Policy</i> , <b>2020</b> , 18, 547-556	3.4	0
111	Digital methods to enhance the usefulness of patient experience data in services for long-term conditions: the DEPEND mixed-methods study. <i>Health Services and Delivery Research</i> , <b>2020</b> , 8, 1-128	1.5	3
110	Protocol for the economic evaluation of metacognitive therapy for cardiac rehabilitation participants with symptoms of anxiety and/or depression. <i>BMJ Open</i> , <b>2020</b> , 10, e035552	3	0

109	Antipsychotic medication versus psychological intervention versus a combination of both in adolescents with first-episode psychosis (MAPS): a multicentre, three-arm, randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , <b>2020</b> , 7, 788-800	23.3	23
108	Developing the evidence base for evaluating dementia training in NHS hospitals (DEMTRAIN): a mixed-methods study protocol. <i>BMJ Open</i> , <b>2020</b> , 10, e030739	3	2
107	Responses and institutional adaptations to absenteeism in rural Uganda. <i>BMJ Global Health</i> , <b>2019</b> , 4, e001376	6.6	10
106	Study protocol for a randomised controlled trial of CBT vs antipsychotics vs both in 14-18-year-olds: Managing Adolescent first episode Psychosis: a feasibility study (MAPS). <i>Trials</i> , <b>2019</b> , 20, 395	2.8	6
105	Cost-Effectiveness Evaluations of Psychological Therapies for Schizophrenia and Bipolar Disorder: A Systematic Review. <i>International Journal of Technology Assessment in Health Care</i> , <b>2019</b> , 35, 317-326	1.8	6
104	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. <i>Health Technology Assessment</i> , <b>2019</b> , 23, 1-144	4.4	6
103	Training to enhance user and carer involvement in mental health-care planning: the EQUIP research programme including a cluster RCT. <i>Programme Grants for Applied Research</i> , <b>2019</b> , 7, 1-140	1.5	3
102	Feasibility and acceptability of suicide prevention therapy on acute psychiatric wards: randomised controlled trial. <i>BJPsych Open</i> , <b>2019</b> , 5, e14	5	10
101	Carer preferences for home support services in later stage dementia. <i>Aging and Mental Health</i> , <b>2019</b> , 23, 60-68	3.5	8
100	The effectiveness of diversion programmes for offenders using Class A drugs: a systematic review and meta-analysis. <i>Drugs: Education, Prevention and Policy</i> , <b>2019</b> , 26, 113-124	1.2	5
99	Practitioners preferences of care coordination for older people: A discrete choice experiment. <i>Journal of Gerontological Social Work</i> , <b>2018</b> , 61, 151-170	2.2	3
98	Antipsychotic drugs versus cognitive behavioural therapy versus a combination of both in people with psychosis: a randomised controlled pilot and feasibility study. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 411-423	23.3	35
97	Cost-effectiveness of cardiac rehabilitation: a systematic review. <i>Heart</i> , <b>2018</b> , 104, 1403-1410	5.1	127
96	Developing a core outcome set for people living with dementia at home in their neighbourhoods and communities: study protocol for use in the evaluation of non-pharmacological community-based health and social care interventions. <i>Trials</i> , <b>2018</b> , 19, 247	2.8	21
95	Improving the effectiveness of psychological interventions for depression and anxiety in the cardiac rehabilitation pathway using group-based metacognitive therapy (PATHWAY Group MCT): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2018</b> , 19, 215	2.8	22
94	People with dementia and carer preferences for home support services in early-stage dementia. <i>Aging and Mental Health</i> , <b>2018</b> , 22, 270-279	3.5	28
93	The patient experience in community mental health services for older people: a concept mapping approach to support the development of a new quality measure. <i>BMC Health Services Research</i> , <b>2018</b> , 18, 461	2.9	9
92	Cognitive behavioural therapy in clozapine-resistant schizophrenia (FOCUS): an assessor-blinded, randomised controlled trial. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 633-643	23.3	42

91	Designing and Implementing a Home-Based Couple Management Guide for Couples Where One Partner has Dementia (DemPower): Protocol for a Nonrandomized Feasibility Trial. <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e171	2	2
90	Reducing relapse and suicide in bipolar disorder: practical clinical approaches to identifying risk, reducing harm and engaging service users in planning and delivery of care [the PARADES (Psychoeducation, Anxiety, Relapse, Advance Directive Evaluation and Suicidality) programme]. <i>Programme Grants for Applied Research</i> , <b>2018</b> , 6, 1-236	1.5	4
89	The COMMAND trial of cognitive therapy to prevent harmful compliance with command hallucinations: predictors of outcome and mediators of change. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1966-1974	6.9	15
88	Cognitive aids for people with early stage dementia versus treatment as usual (Dementia Early Stage Cognitive Aids New Trial (DESCANT)): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2018</b> , 19, 546	2.8	2
87	Embedding shared decision-making in the care of patients with severe and enduring mental health problems: The EQUIP pragmatic cluster randomised trial. <i>PLoS ONE</i> , <b>2018</b> , 13, e0201533	3.7	26
86	Metacognitive therapy home-based self-help for cardiac rehabilitation patients experiencing anxiety and depressive symptoms: study protocol for a feasibility randomised controlled trial (PATHWAY Home-MCT). <i>Trials</i> , <b>2018</b> , 19, 444	2.8	6
85	The COMMAND trial of cognitive therapy for harmful compliance with command hallucinations (CTCH): a qualitative study of acceptability and tolerability in the UK. <i>BMJ Open</i> , <b>2018</b> , 8, e021657	3	4
84	Long-term clinical and cost-effectiveness of collaborative care (versus usual care) for people with mental-physical multimorbidity: cluster-randomised trial. <i>British Journal of Psychiatry</i> , <b>2018</b> , 213, 456-463	5.4	31
83	The preliminary measurement properties of the person-centred community care inventory (PERCCI). <i>Quality of Life Research</i> , <b>2018</b> , 27, 2745-2756	3.7	6
82	A discrete choice experiment to explore carer preferences. <i>Quality in Ageing and Older Adults</i> , <b>2017</b> , 18, 33-43	0.9	5
81	A pilot randomised controlled trial comparing antipsychotic medication, to cognitive behavioural therapy to a combination of both in people with psychosis: rationale, study design and baseline data of the COMPARE trial. <i>Psychosis</i> , <b>2017</b> , 9, 193-204	1.2	3
80	A Systematic Review of the Economic Evidence for Home Support Interventions in Dementia. <i>Value in Health</i> , <b>2017</b> , 20, 1198-1209	3.3	23
79	A systematic review of economic evaluations of seasonal influenza vaccination for the elderly population in the European Union. <i>BMJ Open</i> , <b>2017</b> , 7, e014847	3	9
78	Predictive accuracy of risk scales following self-harm: multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , <b>2017</b> , 210, 429-436	5.4	76
77	Evaluating the effectiveness of different approaches to home support for people in later stage dementia: a protocol for an observational study. <i>International Psychogeriatrics</i> , <b>2017</b> , 29, 1213-1221	3.4	6
76	Nobody is after you; it is your initiative to start work: a qualitative study of health workforce absenteeism in rural Uganda. <i>BMJ Global Health</i> , <b>2017</b> , 2, e000455	6.6	15
75	Evaluating the effectiveness and cost-effectiveness of British Sign Language Improving Access to Psychological Therapies: an exploratory study. <i>Health Services and Delivery Research</i> , <b>2017</b> , 5, 1-196	1.5	7
74	Amisulpride augmentation in clozapine-unresponsive schizophrenia (AMICUS): a double-blind, placebo-controlled, randomised trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , <b>2017</b> , 21, 1-56	4.4	23

73	Design and protocol for the Focusing on Clozapine Unresponsive Symptoms (FOCUS) trial: a randomised controlled trial. <i>BMC Psychiatry</i> , <b>2016</b> , 16, 280	4.2	13
72	Person-centredness in the care of older adults: a systematic review of questionnaire-based scales and their measurement properties. <i>BMC Geriatrics</i> , <b>2016</b> , 16, 63	4.1	33
71	Investigating the feasibility and acceptability of a cognitive behavioural suicide prevention therapy for people in acute psychiatric wards (the RNSITER trial): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2016</b> , 17, 79	2.8	17
70	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). <i>Trials</i> , <b>2016</b> , 17, 134	2.8	19
69	A qualitative exploration of trial-related terminology in a study involving Deaf British Sign Language users. <i>Trials</i> , <b>2016</b> , 17, 219	2.8	4
68	Long-term cost-effectiveness of collaborative care (vs usual care) for people with depression and comorbid diabetes or cardiovascular disease: a Markov model informed by the COINCIDE randomised controlled trial. <i>BMJ Open</i> , <b>2016</b> , 6, e012514	3	17
67	Translation, validity and reliability of the British Sign Language (BSL) version of the EQ-5D-5L. <i>Quality of Life Research</i> , <b>2016</b> , 25, 1825-34	3.7	17
66	Clinical effectiveness and acceptability of structured group psychoeducation versus optimised unstructured peer support for patients with remitted bipolar disorder (PARADES): a pragmatic, multicentre, observer-blind, randomised controlled superiority trial. <i>Lancet Psychiatry</i> , <b>2016</b> , 3, 1029-1038	23.3	39
65	Core outcome sets for use in effectiveness trials involving people with bipolar and schizophrenia in a community-based setting (PARTNERS2): study protocol for the development of two core outcome sets. <i>Trials</i> , <b>2015</b> , 16, 47	2.8	16
64	A cluster randomised controlled trial and process evaluation of a training programme for mental health professionals to enhance user involvement in care planning in service users with severe mental health issues (EQUIP): study protocol for a randomised controlled trial. <i>Trials</i> , <b>2015</b> , 16, 348	2.8	20
63	The effectiveness and cost-effectiveness of diversion and aftercare programmes for offenders using class A drugs: a systematic review and economic evaluation. <i>Health Technology Assessment</i> , <b>2015</b> , 19, 1-168, vii-viii	4.4	24
62	Cognitive behaviour therapy to prevent harmful compliance with command hallucinations (COMMAND): a randomised controlled trial. <i>Lancet Psychiatry</i> , <b>2014</b> , 1, 23-33	23.3	100
61	Cognitive therapy for people with schizophrenia spectrum disorders not taking antipsychotic drugs: a single-blind randomised controlled trial. <i>Lancet</i> , <b>2014</b> , 383, 1395-403	4.0	158
60	Factors associated with receipt of residential rehabilitation by opiate users indicate that these clients are more amenable to drug treatment. <i>Drugs: Education, Prevention and Policy</i> , <b>2014</b> , 21, 165-172 <sup>1,2</sup>		1
59	An exploratory study of associations between adult attachment, health service utilisation and health service costs. <i>Psychosis</i> , <b>2014</b> , 6, 355-358	1.2	9
58	A novel cognitive behaviour therapy for bipolar disorders (Think Effectively About Mood Swings or TEAMS): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 405	2.8	11
57	An exploratory randomized controlled study of a healthy living intervention in early intervention services for psychosis: the INTERvention to encourage ACTivity, improve diet, and reduce weight gain (INTERACT) study. <i>Journal of Clinical Psychiatry</i> , <b>2014</b> , 75, 498-505	4.6	37
56	Valuing the economic benefits of complex interventions: when maximising health is not sufficient. <i>Health Economics (United Kingdom)</i> , <b>2013</b> , 22, 258-71	2.4	83

55	Update on the collaborative interventions for circulation and depression (COINCIDE) trial: changes to planned methodology of a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , <b>2013</b> , 14, 136	2.8	5
54	A randomised controlled trial of time limited CBT informed psychological therapy for anxiety in bipolar disorder. <i>BMC Psychiatry</i> , <b>2013</b> , 13, 54	4.2	15
53	Assessing Cognitive Therapy Instead Of Neuroleptics: Rationale, study design and sample characteristics of the ACTION trial. <i>Psychosis</i> , <b>2013</b> , 5, 82-92	1.2	7
52	Drug spend and acquisitive offending by substance misusers. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 130, 24-9	4.9	16
51	Is treatment of depression cost-effective in people with diabetes? A systematic review of the economic evidence. <i>International Journal of Technology Assessment in Health Care</i> , <b>2013</b> , 29, 384-91	1.8	17
50	Clarification of conclusions from the ACT NoW trial. <i>Nature Reviews Neurology</i> , <b>2013</b> , 9, 118	15	
49	Early detection and intervention evaluation for people at risk of psychosis: multisite randomised controlled trial. <i>BMJ, The</i> , <b>2012</b> , 344, e2233	5.9	209
48	Patient empowerment: the need to consider it as a measurable patient-reported outcome for chronic conditions. <i>BMC Health Services Research</i> , <b>2012</b> , 12, 157	2.9	152
47	Collaborative Interventions for Circulation and Depression (COINCIDE): study protocol for a cluster randomized controlled trial of collaborative care for depression in people with diabetes and/or coronary heart disease. <i>Trials</i> , <b>2012</b> , 13, 139	2.8	22
46	Effectiveness of enhanced communication therapy in the first four months after stroke for aphasia and dysarthria: a randomised controlled trial. <i>BMJ, The</i> , <b>2012</b> , 345, e4407	5.9	65
45	Early detection and intervention evaluation for people at high-risk of psychosis-2 (EDIE-2): trial rationale, design and baseline characteristics. <i>Microbial Biotechnology</i> , <b>2011</b> , 5, 24-32	3.3	53
44	Pragmatic randomised controlled trial of group psychoeducation versus group support in the maintenance of bipolar disorder. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 114	4.2	10
43	A multi-centre, randomised controlled trial of cognitive therapy to prevent harmful compliance with command hallucinations. <i>BMC Psychiatry</i> , <b>2011</b> , 11, 155	4.2	14
42	Priorities and preferences for the outcomes of treatment of psychosis: A service user perspective. <i>Psychosis</i> , <b>2010</b> , 2, 210-217	1.2	48
41	Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: randomised controlled trial. <i>BMJ, The</i> , <b>2010</b> , 341, c6325	5.9	155
40	Why do patients with inflammatory arthritis often score states "worse than death" on the EQ-5D? An Investigation of the EQ-5D classification system. <i>Value in Health</i> , <b>2009</b> , 12, 1026-34	3.3	24
39	Early treatment for Class II Division 1 malocclusion with the Twin-block appliance: a multi-center, randomized, controlled trial. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2009</b> , 135, 573-9	2.1	97
38	Evaluating integrated MI and CBT for people with psychosis and substance misuse: recruitment, retention and sample characteristics of the MIDAS trial. <i>Addictive Behaviors</i> , <b>2009</b> , 34, 859-66	4.2	39



37	What process attributes of clinical genetics services could maximise patient benefits?. <i>European Journal of Human Genetics</i> , <b>2008</b> , 16, 1467-76	5.3	34
36	Outcome measurement in clinical genetics services: a systematic review of validated measures. <i>Value in Health</i> , <b>2008</b> , 11, 497-508	3.3	76
35	A randomized controlled trial of the cost-utility of second-generation antipsychotics in people with psychosis and eligible for clozapine. <i>Value in Health</i> , <b>2008</b> , 11, 549-62	3.3	25
34	Disabled children (0-3 years) and integrated services--the impact of Early Support. <i>Health and Social Care in the Community</i> , <b>2008</b> , 16, 222-33	2.6	4
33	Patient empowerment in clinical genetics services. <i>Journal of Health Psychology</i> , <b>2008</b> , 13, 895-905	3.1	67
32	Developing guided self-help for depression using the Medical Research Council complex interventions framework: a description of the modelling phase and results of an exploratory randomised controlled trial. <i>BMC Psychiatry</i> , <b>2008</b> , 8, 91	4.2	47
31	Health state utility values: a description of their development and application for rheumatic diseases. <i>Arthritis and Rheumatism</i> , <b>2008</b> , 59, 1018-26		18
30	The validity and responsiveness of generic utility measures in rheumatoid arthritis: a review. <i>Journal of Rheumatology</i> , <b>2008</b> , 35, 592-602	4.1	51
29	The emotional effects of genetic diseases: implications for clinical genetics. <i>American Journal of Medical Genetics, Part A</i> , <b>2007</b> , 143A, 2651-61	2.5	58
28	Improving service evaluation in clinical genetics: identifying effects of genetic diseases on individuals and families. <i>Journal of Genetic Counseling</i> , <b>2007</b> , 16, 71-83	2.5	44
27	Is shared care with annual hospital review better value for money than predominantly hospital-based care in patients with established stable rheumatoid arthritis?. <i>Annals of the Rheumatic Diseases</i> , <b>2007</b> , 66, 658-63	2.4	9
26	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. <i>British Journal of Psychiatry</i> , <b>2007</b> , 191, 14-22	5.4	82
25	Outcome measures for clinical genetics services: a comparison of genetics healthcare professionals and patients. <i>Health Policy</i> , <b>2007</b> , 84, 112-22	3.2	40
24	First- vs Second-Generation Antipsychotic Drugs in Schizophrenia Reply. <i>Archives of General Psychiatry</i> , <b>2007</b> , 64, 979		5
23	Neonatal hearing screening: modelling cost and effectiveness of hospital- and community-based screening. <i>BMC Health Services Research</i> , <b>2006</b> , 6, 14	2.9	21
22	Randomized controlled trial of the effect on Quality of Life of second- vs first-generation antipsychotic drugs in schizophrenia: Cost Utility of the Latest Antipsychotic Drugs in Schizophrenia Study (CUTLASS 1). <i>Archives of General Psychiatry</i> , <b>2006</b> , 63, 1079-87		871
21	Randomized controlled trial of effect of prescription of clozapine versus other second-generation antipsychotic drugs in resistant schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32, 715-23	1.3	288
20	The relationship between social deprivation, disease outcome measures, and response to treatment in patients with stable, long-standing rheumatoid arthritis. <i>Journal of Rheumatology</i> , <b>2005</b> , 32, 2330-6	4.1	50

19	Cognitive-behavioural therapy in first-episode and early schizophrenia. 18-month follow-up of a randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2004</b> , 184, 231-9	5.4	212
18	The value of the managed entry of new drugs: a case study of donepezil. <i>International Journal of Technology Assessment in Health Care</i> , <b>2003</b> , 19, 114-28	1.8	3
17	Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse. 18-month outcomes of a randomised controlled trial. <i>British Journal of Psychiatry</i> , <b>2003</b> , 183, 418-26	5.4	164
16	Randomised controlled trial of cognitive-behavioural therapy in early schizophrenia: acute-phase outcomes. <i>British Journal of Psychiatry</i> , <b>2002</b> , 43, s91-7	5.4	260
15	Prioritizing investments in health technology assessment. Can we assess potential value for money?. <i>International Journal of Technology Assessment in Health Care</i> , <b>2000</b> , 16, 73-91	1.8	26
14	Economic impact of a specialist outreach team in residential and nursing home settings. <i>Journal of Mental Health Policy and Economics</i> , <b>2000</b> , 3, 147-152	1.3	2
13	Economic evaluation of enoxaparin as postdischarge prophylaxis for deep vein thrombosis (DVT) in elective hip surgery. <i>Value in Health</i> , <b>2000</b> , 3, 397-406	3.3	29
12	Behavioural management in nursing and residential homes: a randomised controlled trial. <i>Lancet, The</i> , <b>1999</b> , 354, 26-9	4.0	115
11	Resource costing for multinational neurologic clinical trials: methods and results. <i>Health Economics (United Kingdom)</i> , <b>1998</b> , 7, 629-38	2.4	73
10	An economic exploration of oral and intravenous ganciclovir in the induction and maintenance treatment of AIDS-related cytomegalovirus retinitis. <i>International Journal of STD and AIDS</i> , <b>1996</b> , 7, 415-21	1.4	4
9	Economics and Schizophrenia: The Real Cost. <i>British Journal of Psychiatry</i> , <b>1994</b> , 165, 18-21	5.4	146
8	Current status of economic appraisal of health technology in the European Community: report of the network. The EC Network on the Methodology of Economic Appraisal of Health Technology. <i>Social Science and Medicine</i> , <b>1994</b> , 38, 1601-7	5.1	39
7	Economic evaluation of lenograstim for prophylaxis of chemotherapy-induced neutropenia in patients with small cell lung cancer. <i>Pharmacoeconomics</i> , <b>1994</b> , 6 Suppl 2, 44-52	4.4	13
6	The cost of treatment for post-herpetic neuralgia in the UK. <i>Pharmacoeconomics</i> , <b>1994</b> , 6, 142-8	4.4	49
5	Assessment of costs and benefits of drug therapy for treatment-resistant schizophrenia in the United Kingdom. <i>British Journal of Psychiatry</i> , <b>1993</b> , 162, 38-42	5.4	93
4	The economic burden of intractable gynaecological pain. <i>Journal of Obstetrics and Gynaecology</i> , <b>1992</b> , 12, S54-S56	1.3	41
3	Assessing the costs and benefits of medical research: the diabetic retinopathy study. <i>Social Science and Medicine</i> , <b>1992</b> , 34, 973-81	5.1	40
2	Economic analysis alongside clinical trials. Revisiting the methodological issues. <i>International Journal of Technology Assessment in Health Care</i> , <b>1991</b> , 7, 561-73	1.8	234



1 Treating AIDS: the economic issues. *Health Policy*, **1988**, 10, 1-19

3.2 25