

Arie Franx

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1821542/publications.pdf>

Version: 2024-02-01

167
papers

4,768
citations

101384

36
h-index

123241

61
g-index

176
all docs

176
docs citations

176
times ranked

5941
citing authors

#	ARTICLE	IF	CITATIONS
1	Induction of labour versus expectant monitoring for gestational hypertension or mild pre-eclampsia after 36 weeks' gestation (HYPITAT): a multicentre, open-label randomised controlled trial. <i>Lancet, The</i> , 2009, 374, 979-988.	6.3	648
2	Cardiovascular Disease Risk Factors After Early-Onset Preeclampsia, Late-Onset Preeclampsia, and Pregnancy-Induced Hypertension. <i>Hypertension</i> , 2015, 65, 600-606.	1.3	239
3	eHealth as the Next-Generation Perinatal Care: An Overview of the Literature. <i>Journal of Medical Internet Research</i> , 2018, 20, e202.	2.1	215
4	Recurrence of pre-eclampsia and the risk of future hypertension and cardiovascular disease: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 1642-1654.	1.1	141
5	Cardiovascular risk management after reproductive and pregnancy-related disorders: A Dutch multidisciplinary evidence-based guideline. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1863-1879.	0.8	121
6	Earlier Age of Onset of Chronic Hypertension and Type 2 Diabetes Mellitus After a Hypertensive Disorder of Pregnancy or Gestational Diabetes Mellitus. <i>Hypertension</i> , 2015, 66, 1116-1122.	1.3	109
7	Placental pathology in early intrauterine growth restriction associated with maternal hypertension. <i>Placenta</i> , 2014, 35, 696-701.	0.7	99
8	Standardized outcome measures for pregnancy and childbirth, an ICHOM proposal. <i>BMC Health Services Research</i> , 2018, 18, 953.	0.9	99
9	Functional Connectome of the Fetal Brain. <i>Journal of Neuroscience</i> , 2019, 39, 9716-9724.	1.7	88
10	Cardiovascular risk factors in women who had hypertensive disorders late in pregnancy: a cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2013, 208, 474.e1-474.e8.	0.7	81
11	External validation of prognostic models to predict risk of gestational diabetes mellitus in one Dutch cohort: prospective multicentre cohort study. <i>BMJ, The</i> , 2016, 354, i4338.	3.0	77
12	Continuous glucose monitoring during diabetic pregnancy (GlucoMOMS): A multicentre randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1894-1902.	2.2	77
13	Inflammatory Changes in Preeclampsia: Current Understanding of the Maternal Innate and Adaptive Immune Response. <i>Obstetrical and Gynecological Survey</i> , 2007, 62, 191-201.	0.2	73
14	Long-term renal and cardiovascular risk after preeclampsia: towards screening and prevention. <i>Clinical Science</i> , 2016, 130, 239-246.	1.8	73
15	Cardiovascular Disease Risk Factors in Women With a History of Early-Onset Preeclampsia. <i>Obstetrics and Gynecology</i> , 2013, 121, 1040-1048.	1.2	70
16	Nifedipine versus atosiban for threatened preterm birth (APOSTEL III): a multicentre, randomised controlled trial. <i>Lancet, The</i> , 2016, 387, 2117-2124.	6.3	65
17	Why Do Women Not Use Preconception Care? A Systematic Review On Barriers And Facilitators. <i>Obstetrical and Gynecological Survey</i> , 2016, 71, 603-612.	0.2	63
18	Cardiovascular disease risk in women with a history of spontaneous preterm delivery: A systematic review and meta-analysis. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 253-263.	0.8	63

#	ARTICLE	IF	CITATIONS
19	Maternal Characteristics, Mean Arterial Pressure and Serum Markers in Early Prediction of Preeclampsia. <i>PLoS ONE</i> , 2013, 8, e63546.	1.1	62
20	Increased rates of complications in singleton pregnancies of women previously diagnosed with polycystic ovary syndrome predominantly in the hyperandrogenic phenotype. <i>Fertility and Sterility</i> , 2017, 108, 333-340.	0.5	61
21	Preconception predictors of gestational diabetes: a multicentre prospective cohort study on the predominant complication of pregnancy in polycystic ovary syndrome. <i>Human Reproduction</i> , 2014, 29, 1327-1336.	0.4	59
22	Placental histology in spontaneous and indicated preterm birth: A case control study. <i>Placenta</i> , 2016, 48, 56-62.	0.7	57
23	Magnetic resonance-high intensity focused ultrasound (MR-HIFU) therapy of symptomatic uterine fibroids with unrestrictive treatment protocols: A systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2019, 120, 108700.	1.2	56
24	Determinants of future cardiovascular health in women with a history of preeclampsia. <i>Maturitas</i> , 2015, 82, 153-161.	1.0	55
25	Neonatal Hypoglycemia Following Diet-Controlled and Insulin-Treated Gestational Diabetes Mellitus. <i>Diabetes Care</i> , 2018, 41, 1385-1390.	4.3	52
26	Prevalence of Subclinical Coronary Artery Disease Assessed by Coronary Computed Tomography Angiography in 45- to 55-Year-Old Women With a History of Preeclampsia. <i>Circulation</i> , 2018, 137, 877-879.	1.6	51
27	Trajectory of Cardiovascular Risk Factors After Hypertensive Disorders of Pregnancy. <i>Hypertension</i> , 2019, 73, 171-178.	1.3	49
28	Shared biomarkers between female diastolic heart failure and pre-eclampsia: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2017, 4, 88-98.	1.4	47
29	10-Year cardiovascular event risks for women who experienced hypertensive disorders in late pregnancy: the HyRAS study. <i>BMC Pregnancy and Childbirth</i> , 2010, 10, 28.	0.9	46
30	Biochemical Cardiovascular Risk Factors After Hypertensive Pregnancy Disorders. <i>Obstetrical and Gynecological Survey</i> , 2012, 67, 792-808.	0.2	46
31	Preventing cardiovascular disease after hypertensive disorders of pregnancy: Searching for the how and when. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1735-1745.	0.8	46
32	High Blood Pressure in Pregnancy and Coronary Calcification. <i>Hypertension</i> , 2007, 49, 813-817.	1.3	42
33	Measuring Client Experiences in Maternity Care under Change: Development of a Questionnaire Based on the WHO Responsiveness Model. <i>PLoS ONE</i> , 2015, 10, e0117031.	1.1	42
34	Cardiovascular risk factor assessment after pre-eclampsia in primary care. <i>BMC Family Practice</i> , 2009, 10, 77.	2.9	41
35	Prediction models for the risk of gestational diabetes: a systematic review. <i>Diagnostic and Prognostic Research</i> , 2017, 1, 3.	0.8	40
36	Spiral artery remodeling and maternal cardiovascular risk. <i>Journal of Hypertension</i> , 2016, 34, 1570-1577.	0.3	39

#	ARTICLE	IF	CITATIONS
37	H3K27 acetylation and gene expression analysis reveals differences in placental chromatin activity in fetal growth restriction. <i>Clinical Epigenetics</i> , 2018, 10, 85.	1.8	39
38	Systematic review and metaanalysis on nonclassic cardiovascular biomarkers after hypertensive pregnancy disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 211, 373.e1-373.e9.	0.7	35
39	SAFE@HOME: Digital health platform facilitating a new care path for women at increased risk of preeclampsia – A case-control study. <i>Pregnancy Hypertension</i> , 2020, 22, 30-36.	0.6	33
40	Home-based telemonitoring versus hospital admission in high risk pregnancies: a qualitative study on women’s experiences. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 77.	0.9	33
41	SAFE@HOME – Feasibility study of a telemonitoring platform combining blood pressure and preeclampsia symptoms in pregnancy care. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 226-231.	0.5	32
42	Early Onset of Coronary Artery Calcification in Women With Previous Preeclampsia. <i>Circulation: Cardiovascular Imaging</i> , 2020, 13, e010340.	1.3	32
43	The Focused Ultrasound Myoma Outcome Study (FUMOS); a retrospective cohort study on long-term outcomes of MR-HIFU therapy. <i>European Radiology</i> , 2020, 30, 2473-2482.	2.3	30
44	Preeclampsia and coronary plaque erosion: Manifestations of endothelial dysfunction resulting in cardiovascular events in women. <i>European Journal of Pharmacology</i> , 2017, 816, 129-137.	1.7	29
45	Absolute first trimester cell-free DNA levels and their associations with adverse pregnancy outcomes. <i>Prenatal Diagnosis</i> , 2016, 36, 1104-1111.	1.1	28
46	Insulin action in women with polycystic ovary syndrome and its relation to gestational diabetes. <i>Human Reproduction</i> , 2015, 30, 1447-1453.	0.4	27
47	Healthcare providers’ views on the delivery of preconception care in a local community setting in the Netherlands. <i>BMC Health Services Research</i> , 2017, 17, 92.	0.9	27
48	Maternal lipid profile and the relation with spontaneous preterm delivery: a systematic review. <i>Archives of Gynecology and Obstetrics</i> , 2017, 295, 313-323.	0.8	27
49	Age at menopause in women with type 1 diabetes mellitus: the OVADIA study. <i>Human Reproduction</i> , 2015, 30, 441-6.	0.4	26
50	Actively preparing for pregnancy is associated with healthier lifestyle of women during the preconception period. <i>Midwifery</i> , 2017, 50, 228-234.	1.0	26
51	First trimester placental vascularization and angiogenetic factors are associated with adverse pregnancy outcome. <i>Pregnancy Hypertension</i> , 2018, 13, 87-94.	0.6	26
52	Strategies for intrapartum foetal surveillance in low- and middle-income countries: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0206295.	1.1	26
53	Exposure to placental ischemia impairs postpartum maternal renal and cardiac function in rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2017, 312, R664-R670.	0.9	25
54	Association of Maternal Prepregnancy Body Mass Index With Placental Histopathological Characteristics in Uncomplicated Term Pregnancies. <i>Pediatric and Developmental Pathology</i> , 2019, 22, 45-52.	0.5	25

#	ARTICLE	IF	CITATIONS
55	Severe maternal morbidity in Zanzibar's referral hospital: Measuring the impact of in-hospital care. PLoS ONE, 2017, 12, e0181470.	1.1	25
56	Lower perinatal mortality in preterm born twins than in singletons: a nationwide study from The Netherlands. American Journal of Obstetrics and Gynecology, 2017, 216, 161.e1-161.e9.	0.7	24
57	Defining and describing birth centres in the Netherlands - a component study of the Dutch Birth Centre Study. BMC Pregnancy and Childbirth, 2017, 17, 210.	0.9	24
58	A feasibility study of implementing a patient-centered outcome set for pregnancy and childbirth. Health Science Reports, 2020, 3, e168.	0.6	22
59	Parental perspectives on the awareness and delivery of preconception care. BMC Pregnancy and Childbirth, 2017, 17, 324.	0.9	21
60	Association between parity and persistent weight gain at age 40-60 years: a longitudinal prospective cohort study. BMJ Open, 2019, 9, e024279.	0.8	21
61	Feasibility and effectiveness of a lifestyle intervention after complicated pregnancies to improve risk factors for future cardiometabolic disease. Pregnancy Hypertension, 2019, 15, 98-107.	0.6	21
62	Quality of intrapartum care: direct observations in a low-resource tertiary hospital. Reproductive Health, 2020, 17, 36.	1.2	21
63	Exploring the applicability of the pregnancy and childbirth outcome set: A mixed methods study. Patient Education and Counseling, 2020, 103, 642-651.	1.0	20
64	Circulating pregnancy hormone relaxin as a first trimester biomarker for preeclampsia. Pregnancy Hypertension, 2020, 22, 47-53.	0.6	20
65	The Dutch Birth Centre Study: study design of a programmatic evaluation of the effect of birth centre care in the Netherlands. BMC Pregnancy and Childbirth, 2015, 15, 148.	0.9	19
66	Nifedipine versus placebo in the treatment of preterm prelabor rupture of membranes: a randomized controlled trial. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 205, 79-84.	0.5	19
67	Development and validation of a prediction model for gestational hypertension in a Ghanaian cohort. BMJ Open, 2017, 7, e012670.	0.8	19
68	Home-Based Monitoring and Telemonitoring of Complicated Pregnancies: Nationwide Cross-Sectional Survey of Current Practice in the Netherlands. JMIR MHealth and UHealth, 2020, 8, e18966.	1.8	19
69	Coronary artery calcification in middle-aged women with premature ovarian insufficiency. Clinical Endocrinology, 2019, 91, 314-322.	1.2	18
70	Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. PeerJ, 2016, 4, e2092.	0.9	18
71	Delphi consensus statement on intrapartum fetal monitoring in low-resource settings. International Journal of Gynecology and Obstetrics, 2019, 146, 8-16.	1.0	17
72	Cardiovascular Riskprofile - IMaging and gender-specific disOrders (CREw-IMAGO): rationale and design of a multicenter cohort study. BMC Women's Health, 2017, 17, 60.	0.8	16

#	ARTICLE	IF	CITATIONS
73	External validation of prognostic models for preeclampsia in a Dutch multicenter prospective cohort. <i>Hypertension in Pregnancy</i> , 2019, 38, 78-88.	0.5	16
74	Automatic extraction of the intracranial volume in fetal and neonatal MR scans using convolutional neural networks. <i>NeuroImage: Clinical</i> , 2019, 24, 102061.	1.4	16
75	HOspital care versus TELemonitoring in high-risk pregnancy (HOTEL): study protocol for a multicentre non-inferiority randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e031700.	0.8	16
76	Association between vascular health and ovarian ageing in type 1 diabetes mellitus. <i>Human Reproduction</i> , 2016, 31, 1354-1362.	0.4	15
77	The effect of a local promotional campaign on preconceptional lifestyle changes and the use of preconception care. <i>European Journal of Contraception and Reproductive Health Care</i> , 2018, 23, 38-44.	0.6	15
78	Prognostic models versus single risk factor approach in first-trimester selective screening for gestational diabetes mellitus: a prospective population-based multicentre cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 645-654.	1.1	15
79	Perspectives, preferences and needs regarding early prediction of preeclampsia in Dutch pregnant women: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 12.	0.9	14
80	An Approach to measuring Integrated Care within a Maternity Care System: Experiences from the Maternity Care Network Study and the Dutch Birth Centre Study. <i>International Journal of Integrated Care</i> , 2017, 17, 6.	0.1	14
81	Persistent Hypertension Up to One Year Postpartum among Women with Hypertensive Disorders in Pregnancy in a Low-Resource Setting: A Prospective Cohort Study. <i>Global Heart</i> , 2021, 16, 62.	0.9	14
82	Pregnancy Associated Plasma Protein-A and Placental Growth Factor in a Sub-Saharan African Population: A Nested Cross-Sectional Study. <i>PLoS ONE</i> , 2016, 11, e0159592.	1.1	13
83	Implementation of a standard outcome set in perinatal care: a qualitative analysis of barriers and facilitators from all stakeholder perspectives. <i>BMC Health Services Research</i> , 2021, 21, 113.	0.9	13
84	Biopsy techniques to study the human placental bed. <i>Placenta</i> , 2015, 36, 775-782.	0.7	12
85	Impaired sodium-dependent adaptation of arterial stiffness in formerly preeclamptic women: the RETAP-vascular study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1827-H1833.	1.5	12
86	Validity of WHO's near-miss approach in a high maternal mortality setting. <i>PLoS ONE</i> , 2019, 14, e0217135.	1.1	12
87	Development and Measurement of Guidelines-Based Quality Indicators of Caesarean Section Care in the Netherlands: A RAND-Modified Delphi Procedure and Retrospective Medical Chart Review. <i>PLoS ONE</i> , 2016, 11, e0145771.	1.1	12
88	First trimester secreted Frizzled-Related Protein 4 and other adipokine serum concentrations in women developing gestational diabetes mellitus. <i>PLoS ONE</i> , 2020, 15, e0242423.	1.1	12
89	Maintenance tocolysis with nifedipine in threatened preterm labour: 2-year follow up of the offspring in the APOSTEL II trial. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 1107-1114.	1.1	11
90	Validation of the iHealth Track and Omron HEM-9210T automated blood pressure devices for use in pregnancy. <i>Pregnancy Hypertension</i> , 2019, 15, 37-41.	0.6	11

#	ARTICLE	IF	CITATIONS
91	Impact of preventive screening and lifestyle interventions in women with a history of preeclampsia: A micro-simulation study. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1389-1399.	0.8	11
92	SAFE@HOME: Cost analysis of a new care pathway including a digital health platform for women at increased risk of preeclampsia. <i>Pregnancy Hypertension</i> , 2021, 24, 118-123.	0.6	11
93	Associations between periconceptional lifestyle behaviours and adverse pregnancy outcomes. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 492.	0.9	11
94	Development and clinical evaluation of a 3-step modified manipulation protocol for MRI-guided high-intensity focused ultrasound of uterine fibroids. <i>European Radiology</i> , 2020, 30, 3869-3878.	2.3	10
95	Conflicting Effects of Fetal Growth Restriction on Blood Pressure Between Human and Rat Offspring. <i>Hypertension</i> , 2020, 75, 806-818.	1.3	10
96	Differences in optimality index between planned place of birth in a birth centre and alternative planned places of birth, a nationwide prospective cohort study in The Netherlands: results of the Dutch Birth Centre Study. <i>BMJ Open</i> , 2017, 7, e016958.	0.8	9
97	Effect of nifedipine and atosiban on perinatal brain injury: secondary analysis of the APOSTEL trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018, 51, 806-812.	0.9	9
98	High blood pressure six weeks postpartum after hypertensive pregnancy disorders at term is associated with chronic hypertension. <i>Pregnancy Hypertension</i> , 2013, 3, 242-247.	0.6	8
99	High-Normal Estimated Glomerular Filtration Rate in Early-Onset Preeclamptic Women 10 Years Postpartum. <i>Hypertension</i> , 2016, 68, 1407-1414.	1.3	8
100	Counselling and management of cardiovascular risk factors after preeclampsia. <i>Hypertension in Pregnancy</i> , 2016, 35, 55-61.	0.5	8
101	Typology of birth centres in the Netherlands using the Rainbow model of integrated care: results of the Dutch Birth Centre Study. <i>BMC Health Services Research</i> , 2017, 17, 426.	0.9	8
102	Cardiovascular risk model performance in women with and without hypertensive disorders of pregnancy. <i>Heart</i> , 2019, 105, 330-336.	1.2	8
103	Which level of risk justifies routine induction of labor for healthy women?. <i>Sexual and Reproductive Healthcare</i> , 2020, 23, 100479.	0.5	8
104	Use of multiparametric MRI to characterize uterine fibroid tissue types. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2020, 33, 689-700.	1.1	8
105	Metabolic syndrome following hypertensive disorders in pregnancy in a low-resource setting: A cohort study. <i>Pregnancy Hypertension</i> , 2021, 25, 129-135.	0.6	8
106	Cost-effectiveness analysis of cardiovascular risk factor screening in women who experienced hypertensive pregnancy disorders at term. <i>Pregnancy Hypertension</i> , 2014, 4, 264-270.	0.6	7
107	Prevention of Hypertensive Disorders of Pregnancy: a Novel Application of the Polypill Concept. <i>Current Cardiology Reports</i> , 2016, 18, 59.	1.3	7
108	Stroke after pregnancy disorders. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 215, 264-266.	0.5	7

#	ARTICLE	IF	CITATIONS
109	Developing quality indicators for assessing quality of birth centre care: a mixed- methods study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 259.	0.9	7
110	Intra- and interobserver agreement for fetal cerebral measurements in 3D-ultrasonography. <i>Human Brain Mapping</i> , 2018, 39, 3277-3284.	1.9	7
111	Temporizing management vs immediate delivery in early-onset severe preeclampsia between 28 and 34 weeks of gestation (TOTEM study): An open-label randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 109-118.	1.3	7
112	Associations of severe adverse perinatal outcomes among continuous birth weight percentiles on different birth weight charts: a secondary analysis of a cluster randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 375.	0.9	7
113	Hypertensive disorders of pregnant women with heart disease: the ESC EORP ROPAC Registry. <i>European Heart Journal</i> , 2022, 43, 3749-3761.	1.0	7
114	Patient-Reported Outcome and Experience Measures in Perinatal Care to Guide Clinical Practice: Prospective Observational Study. <i>Journal of Medical Internet Research</i> , 2022, 24, e37725.	2.1	7
115	Cost-effectiveness of planned birth in a birth centre compared with alternative planned places of birth: results of the Dutch Birth Centre study. <i>BMJ Open</i> , 2017, 7, e016960.	0.8	6
116	Risk and the politics of boundary work: preserving autonomous midwifery in the Netherlands. <i>Health, Risk and Society</i> , 2018, 20, 379-407.	0.9	6
117	SUGAR-DIP trial: oral medication strategy versus insulin for diabetes in pregnancy, study protocol for a multicentre, open-label, non-inferiority, randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e029808.	0.8	6
118	Views and preferences of medical professionals and pregnant women about a novel primary prevention intervention for hypertensive disorders of pregnancy: a qualitative study. <i>Reproductive Health</i> , 2019, 16, 46.	1.2	6
119	Study protocol for a prospective cohort study to investigate Hemodynamic Adaptation to Pregnancy and Placenta-related Outcome: the HAPPO study. <i>BMJ Open</i> , 2019, 9, e033083.	0.8	6
120	Estimated impact of introduction of new diagnostic criteria for gestational diabetes mellitus. <i>World Journal of Diabetes</i> , 2021, 12, 868-882.	1.3	6
121	A prospective population-based multicentre study on the impact of maternal body mass index on adverse pregnancy outcomes: Focus on normal weight. <i>PLoS ONE</i> , 2021, 16, e0257722.	1.1	6
122	Postpartum physical activity after preeclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 143-151.	0.6	5
123	Selective Embolisation of a Heavily Bleeding Cervical Fibroid in a Pregnant Woman. <i>CardioVascular and Interventional Radiology</i> , 2015, 38, 1649-1653.	0.9	5
124	Platelet RNA modules point to coronary calcification in asymptomatic women with former preeclampsia. <i>Atherosclerosis</i> , 2019, 291, 114-121.	0.4	5
125	Circulating Neutrophils Do Not Predict Subclinical Coronary Artery Disease in Women with Former Preeclampsia. <i>Cells</i> , 2020, 9, 468.	1.8	5
126	Prevalence and determinants of chronic kidney disease in women with hypertensive disorders in pregnancy in Nigeria: a cohort study. <i>BMC Nephrology</i> , 2021, 22, 229.	0.8	5

#	ARTICLE	IF	CITATIONS
127	Lessons learned during implementation of MR-guided High-Intensity Focused Ultrasound treatment of uterine fibroids. <i>Insights Into Imaging</i> , 2021, 12, 188.	1.6	5
128	OS109. Lifestyle intervention after complicated pregnancy successfully improves saturated fat-intake, but not exercise and smoking habits: results of the pro-active study. <i>Pregnancy Hypertension</i> , 2012, 2, 239.	0.6	4
129	Uterine Tonus Assessment by Midwives versus Patient self-assessment in the active management of the third stage of labor (UTAMP): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 580.	0.7	4
130	Cost effectiveness of nifedipine compared with atosiban in the treatment of threatened preterm birth (<sc>APOSTEL III</sc> trial). <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 875-883.	1.1	4
131	“I lost my happiness, I felt half dead and half alive” – a qualitative study of the long-term aftermath of obstetric near-miss in the urban district of Zanzibar, Tanzania. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 594.	0.9	4
132	Patient-reported preconceptional characteristics in the prediction of recurrent preeclampsia. <i>Pregnancy Hypertension</i> , 2022, 28, 44-50.	0.6	4
133	How to improve preconception care in a local setting? Views from Dutch multidisciplinary healthcare providers. <i>Midwifery</i> , 2022, 107, 103274.	1.0	4
134	Homocysteinemia After Hypertensive Pregnancy Disorders at Term. <i>Journal of Women's Health</i> , 2015, 24, 524-529.	1.5	3
135	Cardiovascular biochemical risk factors among women with spontaneous preterm delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2018, 141, 206-211.	1.0	3
136	The physiological effect of early pregnancy on a woman's response to a submaximal cardiopulmonary exercise test. <i>Physiological Reports</i> , 2020, 8, e14624.	0.7	3
137	Cardiometabolic Profiles in Women with a History of Hypertensive and Normotensive Fetal Growth Restriction. <i>Journal of Women's Health</i> , 2022, 31, 63-70.	1.5	3
138	A social marketing strategy to promote preconception care: development of the Woke Women strategy. <i>Journal of Social Marketing</i> , 2022, 12, 154-173.	1.3	3
139	OS031. Lifestyle intervention after complicated pregnancy successfully improves cardiovascular and metabolic health: Results of the pro-active study. <i>Pregnancy Hypertension</i> , 2012, 2, 192-3.	0.6	3
140	Relationship between recurrent miscarriage and early preterm delivery and recurrent events in patients with manifest vascular disease: The SMART study. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 486-492.	0.8	2
141	Use of quality indicators by obstetric caregivers in the Netherlands: A descriptive study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 211, 177-181.	0.5	2
142	Prognostic model for chronic hypertension in women with a history of hypertensive pregnancy disorders at term. <i>Pregnancy Hypertension</i> , 2017, 10, 118-123.	0.6	2
143	An approach to assessing the quality of birth centres results of the Dutch birth centre study. <i>Midwifery</i> , 2018, 66, 36-48.	1.0	2
144	Adherence to Guidelines in Postpartum Management of Hypertensive Disorders in Pregnancy in Tertiary Health Facilities in Nigeria: A Multi-centre Study. <i>Health Systems and Reform</i> , 2021, 7, e1932229.	0.6	2

#	ARTICLE	IF	CITATIONS
145	Journey to facility birth in Zanzibar: a questionnaire-based cohort study of patients' perspectives on preparedness, access and quality of care. <i>BMJ Open</i> , 2021, 11, e040381.	0.8	2
146	Implementation of a first-trimester prognostic model to improve screening for gestational diabetes mellitus. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 298.	0.9	2
147	Research within international non-governmental organisation programmes in low and middle-income countries: challenges amid opportunities. <i>BMJ Global Health</i> , 2021, 6, e006210.	2.0	2
148	Measuring clients' experiences with antenatal care before or after childbirth: it matters. <i>PeerJ</i> , 2018, 6, e5851.	0.9	2
149	O22. Secondary preventive interventions of cardiovascular risk in women who had hypertension during pregnancy after 36 weeks gestation. <i>Pregnancy Hypertension</i> , 2011, 1, 267-268.	0.6	1
150	OS023. Postpartum cardiovascular disease risk factors in women with a history of early onset preeclampsia, late onset preeclampsia and pregnancy induced hypertension. <i>Pregnancy Hypertension</i> , 2012, 2, 188.	0.6	1
151	Similar pro-NT and pro-RLX2 levels after preeclampsia and after uncomplicated pregnancy. <i>Maturitas</i> , 2017, 106, 87-91.	1.0	1
152	Quality assessment of ultrasonic foetal biometry during the IUGR Risk Selection (IRIS) trial: A cross sectional study. <i>Midwifery</i> , 2020, 91, 102842.	1.0	1
153	Mistreatment during childbirth. <i>Lancet, The</i> , 2020, 396, 816-817.	6.3	1
154	Retrospective validation study of miniPIERS prediction model in Zanzibar. <i>International Journal of Gynecology and Obstetrics</i> , 2021, 153, 300-306.	1.0	1
155	Insight into the process of postpartum care utilisation and in-home support among vulnerable women in the Netherlands: an in-depth qualitative exploration. <i>BMJ Open</i> , 2021, 11, e046696.	0.8	1
156	The discriminative power of the ReproQ: a client experience questionnaire in maternity care. <i>PeerJ</i> , 2019, 7, e7575.	0.9	1
157	Differential effects of renin-angiotensin-aldosterone system inhibition, sympathoinhibition and low sodium diet on blood pressure in women with a history of preeclampsia: A double-blind, placebo-controlled cross-over trial (the PALM study). <i>Pregnancy Hypertension</i> , 2022, 27, 173-175.	0.6	1
158	Maternal characteristics as indications for routine induction of labor: A nationwide retrospective cohort study. <i>Birth</i> , 2022, , .	1.1	1
159	Exploring male perceptions regarding the need to engage in preconception care – a mixed-method study amongst Dutch (prospective) fathers. <i>European Journal of Contraception and Reproductive Health Care</i> , 2022, , 1-8.	0.6	1
160	OS087. Maternal characteristics, mean arterial pressure and PLGF in early prediction of preeclampsia. <i>Pregnancy Hypertension</i> , 2012, 2, 225-226.	0.6	0
161	PP036. Cardiovascular disease risk factors among women with a history of placental abruption. <i>Pregnancy Hypertension</i> , 2012, 2, 261.	0.6	0
162	PP095. Guideline-based development of quality indicators for hypertensive diseases in pregnancy. <i>Pregnancy Hypertension</i> , 2012, 2, 291-292.	0.6	0

#	ARTICLE	IF	CITATIONS
163	MRI-derived aortic characteristics after pregnancy: The AMBITYON study. <i>Pregnancy Hypertension</i> , 2018, 13, 46-50.	0.6	0
164	Longitudinal follow-up of kidney function in patients with a history of preeclampsia: From 11 to 18Åyears postpartum. <i>Pregnancy Hypertension</i> , 2020, 19, 187-189.	0.6	0
165	SAFE@HOME - Telemonitoring of blood pressure and symptoms with a digital platform in pregnancy care: a feasibility study (Preprint). <i>JMIR Formative Research</i> , 0, , .	0.7	0
166	Connecting Obstetric, Maternity, Pediatric and Preventive Child Health Care: A Comparative Prospective Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6774.	1.2	0
167	Incidental findings on coronary computed tomography in women with selected reproductive disorders. <i>Insights Into Imaging</i> , 2022, 13, .	1.6	0