Dedmer B. Van de Waal

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1822298/dedmer-b-van-de-waal-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,650 69 29 50 h-index g-index citations papers 5.28 76 3,551 5.9 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
69	The coupling between irradiance, growth, photosynthesis and prymnesin cell quota and production in two strains of the bloom-forming haptophyte, Prymnesium parvum <i>Harmful Algae</i> , 2022 , 112, 1021	7 3 ^{.3}	2
68	Impacts of sediment resuspension on phytoplankton biomass production and trophic transfer: Implications for shallow lake restoration. <i>Science of the Total Environment</i> , 2021 , 808, 152156	10.2	1
67	Phytoplankton Growth and Nutrients 2021 ,		1
66	Ecological stoichiometry of functional traits in a colonial harmful cyanobacterium. <i>Limnology and Oceanography</i> , 2021 , 66, 2051-2062	4.8	1
65	Changing elemental cycles, stoichiometric mismatches, and consequences for pathogens of primary producers. <i>Oikos</i> , 2021 , 130, 1046	4	1
64	Shifting states, shifting services: Linking regime shifts to changes in ecosystem services of shallow lakes. <i>Freshwater Biology</i> , 2021 , 66, 1-12	3.1	39
63	Elements of disease in a changing world: modelling feedbacks between infectious disease and ecosystems. <i>Ecology Letters</i> , 2021 , 24, 6-19	10	4
62	Intraspecific variation in multiple trait responses of Alexandrium ostenfeldii towards elevated pCO. <i>Harmful Algae</i> , 2021 , 101, 101970	5.3	1
61	Drivers of phytoplankton community structure change with ecosystem ontogeny during the Quaternary. <i>Quaternary Science Reviews</i> , 2021 , 265, 107046	3.9	1
60	Warming advances virus population dynamics in a temperate freshwater plankton community. <i>Limnology and Oceanography Letters</i> , 2020 , 5, 295-304	7.9	4
59	Disease-mediated ecosystem services: Pathogens, plants, and people. <i>Trends in Ecology and Evolution</i> , 2020 , 35, 731-743	10.9	15
58	Phenotypic plasticity of carbon fixation stimulates cyanobacterial blooms at elevated CO. <i>Science Advances</i> , 2020 , 6, eaax2926	14.3	18
57	Multiple global change stressor effects on phytoplankton nutrient acquisition in a future ocean. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2020 , 375, 20190706	5.8	21
56	Effects of Nutrient Limitation on the Synthesis of N-Rich Phytoplankton Toxins: A Meta-Analysis. <i>Toxins</i> , 2020 , 12,	4.9	18
55	Ocean acidification increases domoic acid contents during a spring to summer succession of coastal phytoplankton. <i>Harmful Algae</i> , 2020 , 92, 101697	5.3	7
54	Trophic position, elemental ratios and nitrogen transfer in a planktonic host-parasite-consumer food chain including a fungal parasite. <i>Oecologia</i> , 2020 , 194, 541-554	2.9	7
53	The potential of zooplankton in constraining chytrid epidemics in phytoplankton hosts. <i>Ecology</i> , 2020 , 101, e02900	4.6	7

(2017-2020)

52	Coccolithophore calcification studied by single-cell impedance cytometry: Towards single-cell PIC:POC measurements. <i>Biosensors and Bioelectronics</i> , 2020 , 173, 112808	11.8	4
51	Meta-analysis reveals enhanced growth of marine harmful algae from temperate regions with warming and elevated CO levels. <i>Global Change Biology</i> , 2019 , 25, 2607-2618	11.4	21
50	Phytoplankton growth and stoichiometric responses to warming, nutrient addition and grazing depend on lake productivity and cell size. <i>Global Change Biology</i> , 2019 , 25, 2751-2762	11.4	20
49	Enhancement of co-production of nutritional protein and carotenoids in Dunaliella salina using a two-phase cultivation assisted by nitrogen level and light intensity. <i>Bioresource Technology</i> , 2019 , 287, 121398	11	30
48	Cyanophage Propagation in the Freshwater Cyanobacterium Is Constrained by Phosphorus Limitation and Enhanced by Elevated CO. <i>Frontiers in Microbiology</i> , 2019 , 10, 617	5.7	13
47	Highest plasticity of carbon-concentrating mechanisms in earliest evolved phytoplankton. Limnology and Oceanography Letters, 2019 , 4, 37-43	7.9	21
46	Molecular detection of harmful cyanobacteria and expression of their toxin genes in Dutch lakes using multi-probe RNA chips. <i>Harmful Algae</i> , 2018 , 72, 25-35	5.3	1
45	Biological stoichiometry of oleaginous microalgal lipid synthesis: The role of N:P supply ratios and growth rate on microalgal elemental and biochemical composition. <i>Algal Research</i> , 2018 , 32, 353-361	5	13
44	Biodiversity change is uncoupled from species richness trends: Consequences for conservation and monitoring. <i>Journal of Applied Ecology</i> , 2018 , 55, 169-184	5.8	247
43	Fungal parasites of a toxic inedible cyanobacterium provide food to zooplankton. <i>Limnology and Oceanography</i> , 2018 , 63, 2384-2393	4.8	22
42	Intraspecific trait variation and trade-offs within and across populations of a toxic dinoflagellate. <i>Ecology Letters</i> , 2018 , 21, 1561-1571	10	40
41	Impacts of warming on top-down and bottom-up controls of periphyton production. <i>Scientific Reports</i> , 2018 , 8, 9901	4.9	11
40	Warming advances top-down control and reduces producer biomass in a freshwater plankton community. <i>Ecosphere</i> , 2017 , 8, e01651	3.1	42
39	Combined physical, chemical and biological factors shape Alexandrium ostenfeldii blooms in The Netherlands. <i>Harmful Algae</i> , 2017 , 63, 146-153	5.3	20
38	Species sorting and stoichiometric plasticity control community C:P ratio of first-order aquatic consumers. <i>Ecology Letters</i> , 2017 , 20, 751-760	10	17
37	Integrating chytrid fungal parasites into plankton ecology: research gaps and needs. <i>Environmental Microbiology</i> , 2017 , 19, 3802-3822	5.2	91
36	Growth strategy, phylogeny and stoichiometry determine the allelopathic potential of native and non-native plants. <i>Oikos</i> , 2017 , 126, 1770-1779	4	18
35	Cross continental increase in methane ebullition under climate change. <i>Nature Communications</i> , 2017 , 8, 1682	17.4	88

34	From Elements to Function: Toward Unifying Ecological Stoichiometry and Trait-Based Ecology. <i>Frontiers in Environmental Science</i> , 2017 , 5,	4.8	43
33	Changes in N:P Supply Ratios Affect the Ecological Stoichiometry of a Toxic Cyanobacterium and Its Fungal Parasite. <i>Frontiers in Microbiology</i> , 2017 , 8, 1015	5.7	21
32	Combined Effects of Elevated CO and Warming Facilitate Cyanophage Infections. <i>Frontiers in Microbiology</i> , 2017 , 8, 1096	5.7	6
31	Toward an Ecologically Optimized N:P Recovery from Wastewater by Microalgae. <i>Frontiers in Microbiology</i> , 2017 , 8, 1742	5.7	24
30	Effects of ocean acidification on primary production in a coastal North Sea phytoplankton community. <i>PLoS ONE</i> , 2017 , 12, e0172594	3.7	21
29	Combined effects of nitrogen to phosphorus and nitrate to ammonia ratios on cyanobacterial metabolite concentrations in eutrophic Midwestern USA reservoirs. <i>Inland Waters</i> , 2016 , 6, 199-210	2.4	48
28	Elevated pCO2 causes a shift towards more toxic microcystin variants in nitrogen-limited Microcystis aeruginosa. <i>FEMS Microbiology Ecology</i> , 2016 , 92,	4.3	18
27	Combined Effects of Ocean Acidification and Light or Nitrogen Availabilities on 13C Fractionation in Marine Dinoflagellates. <i>PLoS ONE</i> , 2016 , 11, e0154370	3.7	9
26	Interactive effects of ocean acidification and nitrogen limitation on two bloom-forming dinoflagellate species. <i>Marine Ecology - Progress Series</i> , 2016 , 543, 127-140	2.6	32
25	CO-dependent carbon isotope fractionation in dinoflagellates relates to their inorganic carbon fluxes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2016 , 481, 9-14	2.1	18
24	The dual role of nitrogen supply in controlling the growth and toxicity of cyanobacterial blooms. <i>Harmful Algae</i> , 2016 , 54, 87-97	5.3	208
23	Warming accelerates termination of a phytoplankton spring bloom by fungal parasites. <i>Global Change Biology</i> , 2016 , 22, 299-309	11.4	47
22	The influence of balanced and imbalanced resource supply on biodiversity-functioning relationship across ecosystems. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016 , 371,	5.8	35
21	Salinity effects on growth and toxin production in anAlexandrium ostenfeldii(Dinophyceae) isolate from The Netherlands. <i>Journal of Plankton Research</i> , 2016 , 38, 1302-1316	2.2	9
20	Stable carbon isotope fractionation of organic cyst-forming dinoflagellates: Evaluating the potential for a CO2 proxy. <i>Geochimica Et Cosmochimica Acta</i> , 2015 , 160, 267-276	5.5	18
19	Characterization of multiple isolates from an Alexandrium ostenfeldii bloom in The Netherlands. <i>Harmful Algae</i> , 2015 , 49, 94-104	5.3	46
18	Intraspecific facilitation by allelochemical mediated grazing protection within a toxigenic dinoflagellate population. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015 , 282, 20141268	4.4	40
17	Nitrogen fixation and respiratory electron transport in the cyanobacterium Cyanothece under different light/dark cycles. <i>FEMS Microbiology Ecology</i> , 2014 , 87, 630-8	4.3	12

LIST OF PUBLICATIONS

16	Contrasting effects of rising CO2 on primary production and ecological stoichiometry at different nutrient levels. <i>Ecology Letters</i> , 2014 , 17, 951-60	10	75
15	Impact of elevated pCOIbn paralytic shellfish poisoning toxin content and composition in Alexandrium tamarense. <i>Toxicon</i> , 2014 , 78, 58-67	2.8	36
14	Differential effects of ocean acidification on carbon acquisition in two bloom-forming dinoflagellate species. <i>Physiologia Plantarum</i> , 2014 , 151, 468-79	4.6	39
13	Shake it easy: a gently mixed continuous culture system for dinoflagellates. <i>Journal of Plankton Research</i> , 2014 , 36, 889-894	2.2	8
12	Think ratio! A stoichiometric view on biodiversity (cosystem functioning research. <i>Basic and Applied Ecology</i> , 2014 , 15, 465-474	3.2	32
11	Stoichiometric regulation of phytoplankton toxins. <i>Ecology Letters</i> , 2014 , 17, 736-42	10	106
10	Community stoichiometry in a changing world: combined effects of warming and eutrophication on phytoplankton dynamics. <i>Ecology</i> , 2014 , 95, 1485-95	4.6	72
9	Rising CO2 levels will intensify phytoplankton blooms in eutrophic and hypertrophic lakes. <i>PLoS ONE</i> , 2014 , 9, e104325	3.7	115
8	Occasional distribution and transport and analysis artists in a service dispellate DL of ONE 2012 Occ	007	
O	Ocean acidification reduces growth and calcification in a marine dinoflagellate. <i>PLoS ONE</i> , 2013 , 8, e65	98,17	34
7	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish poisoning toxins in Alexandrium tamarense. <i>Marine Ecology - Progress Series</i> , 2013 , 493, 57-69	2.6	20
	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish		
7	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish poisoning toxins in Alexandrium tamarense. <i>Marine Ecology - Progress Series</i> , 2013 , 493, 57-69 Reversal in competitive dominance of a toxic versus non-toxic cyanobacterium in response to rising	2.6	20
7	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish poisoning toxins in Alexandrium tamarense. <i>Marine Ecology - Progress Series</i> , 2013 , 493, 57-69 Reversal in competitive dominance of a toxic versus non-toxic cyanobacterium in response to rising CO2. <i>ISME Journal</i> , 2011 , 5, 1438-50 Pulsed nitrogen supply induces dynamic changes in the amino acid composition and microcystin production of the harmful cyanobacterium Planktothrix agardhii. <i>FEMS Microbiology Ecology</i> , 2010 ,	2.6	20
7 6 5	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish poisoning toxins in Alexandrium tamarense. <i>Marine Ecology - Progress Series</i> , 2013 , 493, 57-69 Reversal in competitive dominance of a toxic versus non-toxic cyanobacterium in response to rising CO2. <i>ISME Journal</i> , 2011 , 5, 1438-50 Pulsed nitrogen supply induces dynamic changes in the amino acid composition and microcystin production of the harmful cyanobacterium Planktothrix agardhii. <i>FEMS Microbiology Ecology</i> , 2010 , 74, 430-8 Climate-driven changes in the ecological stoichiometry of aquatic ecosystems. <i>Frontiers in Ecology</i>	2.6 11.9 4.3	20 151 44
7 6 5 4	Nutrient pulse induces dynamic changes in cellular C:N:P, amino acids, and paralytic shellfish poisoning toxins in Alexandrium tamarense. <i>Marine Ecology - Progress Series</i> , 2013 , 493, 57-69 Reversal in competitive dominance of a toxic versus non-toxic cyanobacterium in response to rising CO2. <i>ISME Journal</i> , 2011 , 5, 1438-50 Pulsed nitrogen supply induces dynamic changes in the amino acid composition and microcystin production of the harmful cyanobacterium Planktothrix agardhii. <i>FEMS Microbiology Ecology</i> , 2010 , 74, 430-8 Climate-driven changes in the ecological stoichiometry of aquatic ecosystems. <i>Frontiers in Ecology and the Environment</i> , 2010 , 8, 145-152 The ecological stoichiometry of toxins produced by harmful cyanobacteria: an experimental test of	2.6 11.9 4.3	2015144145