

# Louis Ngai Yuen Wong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1822732/publications.pdf>

Version: 2024-02-01

111  
papers

7,331  
citations

43973

48  
h-index

58464

82  
g-index

112  
all docs

112  
docs citations

112  
times ranked

3132  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rock brittleness indices and their applications to different fields of rock engineering: A review. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2021, 13, 221-247.	3.7	101
2	Influence of pore-like flaws on strength and microcracking behavior of crystalline rock. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2021, 45, 521-539.	1.7	13
3	Microcracking behavior transition in thermally treated granite under mode I loading. <i>Engineering Geology</i> , 2021, 282, 105992.	2.9	31
4	Brittle fracturing in low-porosity rock and implications to fault nucleation. <i>Engineering Geology</i> , 2021, 285, 106025.	2.9	10
5	Influence of the Choice of Reference Planes on the Determination of 2D and 3D Joint Roughness Parameters. <i>Rock Mechanics and Rock Engineering</i> , 2021, 54, 4393-4406.	2.6	12
6	A 3D thermo-hydro-mechanical coupling model for enhanced geothermal systems. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2021, 143, 104744.	2.6	26
7	Influence of grain size on strength of polymineralic crystalline rock: New insights from DEM grain-based modeling. <i>Journal of Rock Mechanics and Geotechnical Engineering</i> , 2021, 13, 755-766.	3.7	33
8	Cracking mechanisms of a medium-grained granite under mixed-mode I-II loading illuminated by acoustic emission. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2021, 145, 104852.	2.6	20
9	How do thermally induced microcracks alter microcracking mechanisms in Hong Kong granite?. <i>Engineering Geology</i> , 2021, 292, 106268.	2.9	14
10	Characterization of roughness and shear behavior of thermally treated granite fractures. <i>Engineering Geology</i> , 2021, 293, 106287.	2.9	31
11	The Role of Load Control Modes in Determination of Mechanical Properties of Granite. <i>Rock Mechanics and Rock Engineering</i> , 2020, 53, 539-552.	2.6	14
12	A New Way to Replicate the Highly Stressed Soft Rock: 3D Printing Exploration. <i>Rock Mechanics and Rock Engineering</i> , 2020, 53, 467-476.	2.6	26
13	Asperity degradation characteristics of soft rock-like fractures under shearing based on acoustic emission monitoring. <i>Engineering Geology</i> , 2020, 266, 105392.	2.9	55
14	Microcracking behavior of three granites under mode I loading: Insights from acoustic emission. <i>Engineering Geology</i> , 2020, 278, 105823.	2.9	45
15	Numerical investigation of micro-cracking behavior of brittle rock containing a pore-like flaw under uniaxial compression. <i>International Journal of Damage Mechanics</i> , 2020, 29, 1543-1568.	2.4	24
16	Influence of Thermal and Mechanical Loading on Development of Microcracks in Granite. <i>Rock Mechanics and Rock Engineering</i> , 2020, 53, 2035-2051.	2.6	23
17	A study on mechanical properties and fracturing behavior of Carrara marble with the flat-jointed model. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2020, 44, 803-822.	1.7	25
18	Rock strengthening or weakening upon heating in the mild temperature range?. <i>Engineering Geology</i> , 2020, 272, 105619.	2.9	88

#	ARTICLE	IF	CITATIONS
19	Influence of initial micro-crack damage on strength and micro-cracking behavior of an intrusive crystalline rock. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 2957-2971.	1.6	28
20	Microcracking behavior of two semi-circular bend specimens in mode I fracture toughness test of granite. <i>Engineering Fracture Mechanics</i> , 2019, 221, 106565.	2.0	46
21	Power law relations in earthquakes from microscopic to macroscopic scales. <i>Scientific Reports</i> , 2019, 9, 10705.	1.6	14
22	Recognition of Mesoscale Strike-slip En Echelon Faults From Nonporous Models. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 10916-10939.	1.4	7
23	Experimental Study of Cracking Characteristics of Kowloon Granite Based on Three Mode I Fracture Toughness Methods. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 4217-4235.	2.6	49
24	Multi-approach stability analyses of large caverns excavated in low-angled bedded sedimentary rock masses in Singapore. <i>Engineering Geology</i> , 2019, 259, 105164.	2.9	18
25	Acoustic emission characteristics of a fine-grained marble with different thermal damages and specimen sizes. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 4479-4491.	1.6	37
26	A Cohesive Element-Based Numerical Manifold Method for Hydraulic Fracturing Modelling with Voronoi Grains. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 2335-2359.	2.6	58
27	An Extended Grain-Based Model Accounting for Microstructures in Rock Deformation. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 125-148.	1.4	74
28	Quantitative GSI Determination of Singapore's Sedimentary Rock Mass by Applying Four Different Approaches. <i>Geotechnical and Geological Engineering</i> , 2019, 37, 2103-2119.	0.8	11
29	Review and assessment of In-situ rock stress in Hong Kong for territory-wide geological domains and depth profiling. <i>Engineering Geology</i> , 2019, 248, 267-282.	2.9	11
30	Shear Rate Effects on the Post-peak Shear Behaviour and Acoustic Emission Characteristics of Artificially Split Granite Joints. <i>Rock Mechanics and Rock Engineering</i> , 2019, 52, 2155-2174.	2.6	93
31	A stability analysis of a layered-soil slope based on random field. <i>Bulletin of Engineering Geology and the Environment</i> , 2019, 78, 2611-2625.	1.6	14
32	Modeling Grain Size Heterogeneity Effects on Mechanical Behavior of Crystalline Rocks Under Compressive Loading. , 2019, , 177-184.		0
33	Experimental Study on the Growth, Coalescence and Wrapping Behaviors of 3D Cross-Embedded Flaws Under Uniaxial Compression. <i>Rock Mechanics and Rock Engineering</i> , 2018, 51, 1379-1400.	2.6	167
34	Microscopic Characterization of Tensile and Shear Fracturing in Progressive Failure in Marble. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 204-225.	1.4	51
35	Numerical investigation of mineralogical composition effect on strength and micro-cracking behavior of crystalline rocks. <i>Journal of Natural Gas Science and Engineering</i> , 2018, 53, 191-203.	2.1	50
36	A review of numerical techniques approaching microstructures of crystalline rocks. <i>Computers and Geosciences</i> , 2018, 115, 167-187.	2.0	56

#	ARTICLE	IF	CITATIONS
37	Modeling Micro-cracking Behavior of Bukit Timah Granite Using Grain-Based Model. <i>Rock Mechanics and Rock Engineering</i> , 2018, 51, 135-154.	2.6	94
38	Effects of specimen size and thermal-damage on physical and mechanical behavior of a fine-grained marble. <i>Engineering Geology</i> , 2018, 232, 46-55.	2.9	71
39	Influence of petroleum on the failure pattern of saturated pre-cracked and intact sandstone. <i>Bulletin of Engineering Geology and the Environment</i> , 2018, 77, 767-774.	1.6	7
40	A re-examination of slenderness ratio effect on rock strength: Insights from DEM grain-based modelling. <i>Engineering Geology</i> , 2018, 246, 245-254.	2.9	44
41	Comparative study on dynamic shear behavior and failure mechanism of two types of granite joint. <i>Engineering Geology</i> , 2018, 245, 356-369.	2.9	54
42	Joint spacing distribution of granites in Hong Kong. <i>Engineering Geology</i> , 2018, 245, 120-129.	2.9	19
43	An Extended Grain-Based Model for Characterizing Crystalline Materials: An Example of Marble. <i>Advanced Theory and Simulations</i> , 2018, 1, 1800039.	1.3	24
44	A Method for Multiscale Interpretation of Fracture Processes in Carrara Marble Specimen Containing a Single Flaw Under Uniaxial Compression. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 6459-6490.	1.4	72
45	Dynamic Loading of Carrara Marble in a Heated State. <i>Rock Mechanics and Rock Engineering</i> , 2017, 50, 1487-1505.	2.6	45
46	Influence of grain size heterogeneity on strength and microcracking behavior of crystalline rocks. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 1054-1073.	1.4	197
47	Low cost colorimetry for assessment of fire damage in rock. <i>Engineering Geology</i> , 2017, 228, 50-60.	2.9	21
48	Effects of grain size-to-particle size ratio on micro-cracking behavior using a bonded-particle grain-based model. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2017, 100, 207-217.	2.6	61
49	Theoretical model with multi-asperity interaction for the closure behavior of rock joint. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2017, 97, 15-23.	2.6	25
50	Stability Analysis of Underground Storage Cavern Excavation in Singapore. <i>Procedia Engineering</i> , 2017, 191, 1040-1047.	1.2	12
51	Transgranular Crack Nucleation in Carrara Marble of Brittle Failure. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 3069-3082.	2.6	28
52	Choosing Appropriate Parameters for Developing Empirical Shear Strength Criterion of Rock Joint: Review and New Insights. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 4479-4490.	2.6	40
53	Effect of contact state on the shear behavior of artificial rock joint. <i>Bulletin of Engineering Geology and the Environment</i> , 2016, 75, 761-769.	1.6	33
54	Influences of Normal Loading Rate and Shear Velocity on the Shear Behavior of Artificial Rock Joints. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 2165-2172.	2.6	53

#	ARTICLE	IF	CITATIONS
55	Different mechanical and cracking behaviors of single-flawed brittle gypsum specimens under dynamic and quasi-static loadings. <i>Engineering Geology</i> , 2016, 201, 71-84.	2.9	123
56	Size and Geometry Effects on the Mechanical Properties of Carrara Marble Under Dynamic Loadings. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 1695-1708.	2.6	36
57	Water effects on rock strength and stiffness degradation. <i>Acta Geotechnica</i> , 2016, 11, 713-737.	2.9	223
58	Ground surface settlements due to construction of closely-spaced twin tunnels with different geometric arrangements. <i>Tunnelling and Underground Space Technology</i> , 2016, 51, 144-151.	3.0	76
59	Different Lithological Varieties of Bukit Timah Granite in Singapore: a Preliminary Comparison Study on Engineering Properties. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 2923-2935.	2.6	15
60	New Criterion for Evaluating the Peak Shear Strength of Rock Joints Under Different Contact States. <i>Rock Mechanics and Rock Engineering</i> , 2016, 49, 1191-1199.	2.6	89
61	Effects of the ratio of flaw size to specimen size on cracking behavior. <i>Bulletin of Engineering Geology and the Environment</i> , 2015, 74, 181-193.	1.6	37
62	Experimental study on the formation of faults from en-echelon fractures in Carrara Marble. <i>Engineering Geology</i> , 2015, 195, 312-326.	2.9	55
63	Excavation failure due to pipeline damage during shallow tunnelling in soft ground. <i>Tunnelling and Underground Space Technology</i> , 2015, 46, 76-84.	3.0	30
64	Effects of twin tunnels construction beneath existing shield-driven twin tunnels. <i>Tunnelling and Underground Space Technology</i> , 2015, 45, 128-137.	3.0	140
65	Finite Deformation Analysis on Sandstone Subjected to Thermo-Hydro-Mechanical (T-H-M) Coupling. <i>Rock Mechanics and Rock Engineering</i> , 2015, 48, 159-177.	2.6	6
66	A Modified Correlation Between Roughness Parameter Z <sub>2</sub> and the JRC. <i>Rock Mechanics and Rock Engineering</i> , 2015, 48, 387-396.	2.6	41
67	Study of the Water Effects on the Tensile Strength and Cracking Processes of Molded Gypsum. , 2015, , 1263-1267.		1
68	Numerical Study on Coalescence of Pre-Existing Flaw Pairs in Rock-Like Material. <i>Rock Mechanics and Rock Engineering</i> , 2014, 47, 2087-2105.	2.6	52
69	Choosing a proper loading rate for bonded-particle model of intact rock. <i>International Journal of Fracture</i> , 2014, 189, 163-179.	1.1	74
70	Underground rockfall stability analysis using the numerical manifold method. <i>Advances in Engineering Software</i> , 2014, 76, 69-85.	1.8	16
71	Extension of numerical manifold method for coupled fluid flow and fracturing problems. <i>International Journal for Numerical and Analytical Methods in Geomechanics</i> , 2014, 38, 1990-2008.	1.7	44
72	Using multitemporal Landsat imagery to monitor and model the influences of landscape pattern on urban expansion in a metropolitan region. <i>Journal of Applied Remote Sensing</i> , 2014, 8, 083639.	0.6	18

#	ARTICLE	IF	CITATIONS
73	Water Saturation Effects on the Brazilian Tensile Strength of Gypsum and Assessment of Cracking Processes Using High-Speed Video. <i>Rock Mechanics and Rock Engineering</i> , 2014, 47, 1103-1115.	2.6	78
74	Size Effects on Cracking Behavior of Flaw-Containing Specimens Under Compressive Loading. <i>Rock Mechanics and Rock Engineering</i> , 2014, 47, 1921-1930.	2.6	70
75	Comparison of Excavation Damage Zones Resulting from Blasting with Nonel Detonators and Blasting with Electronic Detonators. <i>Rock Mechanics and Rock Engineering</i> , 2014, 47, 809-816.	2.6	22
76	Displacement field analysis for cracking processes in bonded-particle model. <i>Bulletin of Engineering Geology and the Environment</i> , 2014, 73, 13-21.	1.6	68
77	Investigating the effects of micro-defects on the dynamic properties of rock using Numerical Manifold method. <i>Construction and Building Materials</i> , 2014, 72, 72-82.	3.2	44
78	Fracturing and Failure Behavior of Carrara Marble in Quasistatic and Dynamic Brazilian Disc Tests. <i>Rock Mechanics and Rock Engineering</i> , 2014, 47, 1117-1133.	2.6	58
79	Experimental studies on cracking processes and failure in marble under dynamic loading. <i>Engineering Geology</i> , 2014, 173, 19-31.	2.9	111
80	Application of the numerical manifold method to model progressive failure in rock slopes. <i>Engineering Fracture Mechanics</i> , 2014, 119, 1-20.	2.0	77
81	Point Load Test on Meta-Sedimentary Rocks and Correlation to UCS and BTS. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 889-896.	2.6	51
82	Reply to Comment by Saffet Yagiz on "Point Load Test on Meta-Sedimentary Rocks and Correlations to UCS and BTS" by Diyuan Li and Louis Ngai Yuen Wong, <i>Rock Mechanics and Rock Engineering</i> , doi:10.1007/s00603-012-0299-x. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 913-915.	2.6	4
83	The Brazilian Disc Test for Rock Mechanics Applications: Review and New Insights. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 269-287.	2.6	477
84	Experimental Studies on Permeability of Intact and Singly Jointed Meta-Sedimentary Rocks Under Confining Pressure. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 107-121.	2.6	39
85	Experimental investigation and modeling of viscoelastic behavior of concrete. <i>Construction and Building Materials</i> , 2013, 48, 814-821.	3.2	26
86	Mechanical analysis of circular tunnels supported by steel sets embedded in primary linings. <i>Tunnelling and Underground Space Technology</i> , 2013, 37, 80-88.	3.0	26
87	Modeling cracking behavior of rock mass containing inclusions using the enriched numerical manifold method. <i>Engineering Geology</i> , 2013, 162, 1-13.	2.9	75
88	Numerical study on coalescence of two pre-existing coplanar flaws in rock. <i>International Journal of Solids and Structures</i> , 2013, 50, 3685-3706.	1.3	122
89	Crack Initiation, Propagation and Coalescence in Rock-Like Material Containing Two Flaws: a Numerical Study Based on Bonded-Particle Model Approach. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 1001-1021.	2.6	301
90	Dynamic Study on Fracture Problems in Viscoelastic Sedimentary Rocks Using the Numerical Manifold Method. <i>Rock Mechanics and Rock Engineering</i> , 2013, 46, 1415-1427.	2.6	52

#	ARTICLE	IF	CITATIONS
91	Ground reaction curves for deep circular tunnels considering the effect of ground reinforcement. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2013, 60, 401-412.	2.6	42
92	Elastic-plastic cracking analysis for brittle-ductile rocks using manifold method. <i>International Journal of Fracture</i> , 2013, 180, 71-91.	1.1	45
93	Loading rate effects on cracking behavior of flaw-contained specimens under uniaxial compression. <i>International Journal of Fracture</i> , 2013, 180, 93-110.	1.1	147
94	Protection of Buildings against Damages as a Result of Adjacent Large-Span Tunneling in Shallowly Buried Soft Ground. <i>Journal of Geotechnical and Geoenvironmental Engineering - ASCE</i> , 2013, 139, 903-913.	1.5	56
95	Structural Responses of Secondary Lining of High-Speed Railway Tunnel Excavated in Loess Ground. <i>Advances in Structural Engineering</i> , 2013, 16, 1371-1379.	1.2	21
96	Cracking Processes in Rock-Like Material Containing a Single Flaw Under Uniaxial Compression: A Numerical Study Based on Parallel Bonded-Particle Model Approach. <i>Rock Mechanics and Rock Engineering</i> , 2012, 45, 711.	2.6	203
97	Experimental studies of groundwater pipe flow network characteristics in gravelly soil slopes. <i>Landslides</i> , 2012, 9, 475-483.	2.7	14
98	Influence of flaw inclination angle and loading condition on crack initiation and propagation. <i>International Journal of Solids and Structures</i> , 2012, 49, 2482-2499.	1.3	168
99	Discussion on "Predicting the Uniaxial Compressive and Tensile Strengths of Gypsum Rock by Point Load Testing" by M. Heidari et al., <i>Rock Mechanics and Rock Engineering</i> (2012) 45:265-273. <i>Rock Mechanics and Rock Engineering</i> , 2012, 45, 1127-1130.	2.6	3
100	Frictional crack initiation and propagation analysis using the numerical manifold method. <i>Computers and Geotechnics</i> , 2012, 39, 38-53.	2.3	276
101	Influence of water content and anisotropy on the strength and deformability of low porosity meta-sedimentary rocks under triaxial compression. <i>Engineering Geology</i> , 2012, 126, 46-66.	2.9	165
102	Effective viscoelastic behaviour of rock mass with double-scale discontinuities. <i>Geophysical Journal International</i> , 2012, 191, 147-154.	1.0	13
103	Shallow tunnelling method (STM) for subway station construction in soft ground. <i>Tunnelling and Underground Space Technology</i> , 2012, 29, 10-30.	3.0	122
104	Environmental risk management for a cross interchange subway station construction in China. <i>Tunnelling and Underground Space Technology</i> , 2011, 26, 750-763.	3.0	55
105	Engineering properties of quartz mica schist. <i>Engineering Geology</i> , 2011, 121, 135-149.	2.9	89
106	Evaluation of drainage tunnel effectiveness in landslide control. <i>Landslides</i> , 2010, 7, 445-454.	2.7	47
107	Systematic monitoring of the performance of anchor systems in fractured rock masses. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2010, 47, 1038-1045.	2.6	18
108	Crack Coalescence in Molded Gypsum and Carrara Marble: Part 1. Macroscopic Observations and Interpretation. <i>Rock Mechanics and Rock Engineering</i> , 2009, 42, 475-511.	2.6	527

#	ARTICLE	IF	CITATIONS
109	Crack Coalescence in Molded Gypsum and Carrara Marble: Part 2“Microscopic Observations and Interpretation. Rock Mechanics and Rock Engineering, 2009, 42, 513-545.	2.6	257
110	Dynamic Response of Airport Concrete Pavement to Impact Loading. Advanced Materials Research, 0, 594-597, 1395-1401.	0.3	3
111	A Review of Field Occurrence of Crack Types and Crack Coalescence in Rocks. Applied Mechanics and Materials, 0, 405-408, 191-202.	0.2	6