

Magdalena M Weidner-Glunde

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1823236/magdalena-m-weidner-glunde-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16
papers

858
citations

15
h-index

17
g-index

17
ext. papers

987
ext. citations

7.2
avg, IF

3.72
L-index

#	Paper	IF	Citations
16	Brd/BET Proteins Influence the Genome-Wide Localization of the Kaposi's Sarcoma-Associated Herpesvirus and Murine Gammaherpesvirus Major Latency Proteins. <i>Frontiers in Microbiology</i> , 2020 , 11, 591778	5.7	2
15	Herpesviral Latency-Common Themes. <i>Pathogens</i> , 2020 , 9,	4.5	16
14	Kaposi's Sarcoma-Associated Herpesvirus Latency-Associated Nuclear Antigen: Replicating and Shielding Viral DNA during Viral Persistence. <i>Journal of Virology</i> , 2017 , 91,	6.6	25
13	Kaposi Sarcoma Herpesvirus (KSHV) Latency-Associated Nuclear Antigen (LANA) recruits components of the MRN (Mre11-Rad50-NBS1) repair complex to modulate an innate immune signaling pathway and viral latency. <i>PLoS Pathogens</i> , 2017 , 13, e1006335	7.6	27
12	Cytoplasmic isoforms of Kaposi sarcoma herpesvirus LANA recruit and antagonize the innate immune DNA sensor cGAS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, E1034-43	11.5	94
11	The 3D structure of Kaposi sarcoma herpesvirus LANA C-terminal domain bound to DNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 6694-9	11.5	52
10	Inhibiting the Recruitment of PLC β 1 to Kaposi's Sarcoma Herpesvirus K15 Protein Reduces the Invasiveness and Angiogenesis of Infected Endothelial Cells. <i>PLoS Pathogens</i> , 2015 , 11, e1005105	7.6	21
9	The inflammatory kinase MAP4K4 promotes reactivation of Kaposi's sarcoma herpesvirus and enhances the invasiveness of infected endothelial cells. <i>PLoS Pathogens</i> , 2013 , 9, e1003737	7.6	29
8	A structural basis for BRD2/4-mediated host chromatin interaction and oligomer assembly of Kaposi sarcoma-associated herpesvirus and murine gammaherpesvirus LANA proteins. <i>PLoS Pathogens</i> , 2013 , 9, e1003640	7.6	65
7	Activation of the B cell antigen receptor triggers reactivation of latent Kaposi's sarcoma-associated herpesvirus in B cells. <i>Journal of Virology</i> , 2013 , 87, 8004-16	6.6	41
6	Bromo- and extraterminal domain chromatin regulators serve as cofactors for murine leukemia virus integration. <i>Journal of Virology</i> , 2013 , 87, 12721-36	6.6	102
5	The ubiquitin-specific protease USP7 modulates the replication of Kaposi's sarcoma-associated herpesvirus latent episomal DNA. <i>Journal of Virology</i> , 2012 , 86, 6745-57	6.6	49
4	WHAT do viruses BET on?. <i>Frontiers in Bioscience - Landmark</i> , 2010 , 15, 537-49	2.8	29
3	KSHV reactivation from latency requires Pim-1 and Pim-3 kinases to inactivate the latency-associated nuclear antigen LANA. <i>PLoS Pathogens</i> , 2009 , 5, e1000324	7.6	55
2	Protein interactions targeting the latency-associated nuclear antigen of Kaposi's sarcoma-associated herpesvirus to cell chromosomes. <i>Journal of Virology</i> , 2002 , 76, 11596-604	6.6	176
1	Epstein-Barr virus EBNA2 blocks Nur77- mediated apoptosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11878-83	11.5	75