
Li-Wei Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1823301/publications.pdf Version: 2024-02-01



LI-MELCHEN

#	Article	IF	CITATIONS
1	Helicobacter pylori Infection Increases Insulin Resistance and Metabolic Syndrome in Residents Younger than 50 Years Old: A Community-Based Study. PLoS ONE, 2015, 10, e0128671.	2.5	45
2	The vitamin D analog, MART-10, represses metastasis potential via downregulation of epithelial–mesenchymal transition in pancreatic cancer cells. Cancer Letters, 2014, 354, 235-244.	7.2	44
3	A community-based study on the association between Helicobacter pylori Infection and obesity. Scientific Reports, 2018, 8, 10746.	3.3	31
4	MART-10, the vitamin D analog, is a potent drug to inhibit anaplastic thyroid cancer cell metastatic potential. Cancer Letters, 2015, 369, 76-85.	7.2	29
5	A community-based study on the application of fatty liver index in screening subjects with nonalcoholic fatty liver disease. Journal of the Formosan Medical Association, 2020, 119, 173-181.	1.7	26
6	<p>Interferon α-inducible protein 27 is an oncogene and highly expressed in cholangiocarcinoma patients with poor survival</p> . Cancer Management and Research, 2019, Volume 11, 1893-1905.	1.9	21
7	Peliosis hepatis complicated by portal hypertension following renal transplantation. World Journal of Gastroenterology, 2014, 20, 2420.	3.3	18
8	The Vitamin D Analog, MART-10, Attenuates Triple Negative Breast Cancer Cells Metastatic Potential. International Journal of Molecular Sciences, 2016, 17, 606.	4.1	16
9	Gammaâ€glutamyl transpeptidase elevation is associated with metabolic syndrome, hepatic steatosis, and fibrosis in patients with nonalcoholic fatty liver disease: A communityâ€based crossâ€sectional study. Kaohsiung Journal of Medical Sciences, 2021, 37, 819-827.	1.9	12
10	PTEN Insufficiency Increases Breast Cancer Cell Metastasis In Vitro and In Vivo in a Xenograft Zebrafish Model. Anticancer Research, 2016, 36, 3997-4005.	1.1	12
11	Hepatocellular carcinoma cells express 25(OH)D-1α-hydroxylase and are able to convert 25(OH)D to 1α,25(OH) 2 D, leading to the 25(OH)D-induced growth inhibition. Journal of Steroid Biochemistry and Molecular Biology, 2015, 154, 47-52.	2.5	11
12	MART-10, the new brand of 1α,25(OH)2D3 analog, is a potent anti-angiogenic agent in vivo and in vitro. Journal of Steroid Biochemistry and Molecular Biology, 2016, 155, 26-34.	2.5	9
13	MART-10, a 1α,25(OH) ₂ D ₃ Analog, Potently Represses Metastasis of ER ⁺ Breast Cancer Cells with VEGF-A Overexpression. Anticancer Research, 2018, 38, 3879-3887.	1.1	9
14	Unawareness of Hepatitis B Virus Infection confers on Higher Rate of Metabolic Syndrome: A Community-based Study. Scientific Reports, 2017, 7, 9869.	3.3	8
15	Analysis of the associations among Helicobacter pylori infection, adiponectin, leptin, and 10-year fracture risk using the fracture risk assessment tool: A cross-sectional community-based study. PLoS ONE, 2017, 12, e0175365.	2.5	6
16	1α,25(OH)2D3 Analog, MART-10, Inhibits Neuroendocrine Tumor Cell Growth Through Induction of G0/G1 Cell-cycle Arrest and Apoptosis. Anticancer Research, 2016, 36, 3307-13.	1.1	6
17	25(OH)D Is Effective to Repress Human Cholangiocarcinoma Cell Growth through the Conversion of 25(OH)D to 11±,25(OH)2D3. International Journal of Molecular Sciences, 2016, 17, 1326.	4.1	5
18	Interleukin-28B gene non-TT allele strongly predicts treatment failure for genotype 1 infected chronic hepatitis C patients with advanced fibrosis: a case control study. BMC Infectious Diseases, 2015, 15, 156.	2.9	4

LI-WEI CHEN

#	Article	IF	CITATIONS
19	1α,25(OH)2D3 Analog, MART-10, Inhibits Neuroendocrine Tumor Cell Metastasis After VEGF-A Stimulation. Anticancer Research, 2017, 37, 6215-6221.	1.1	4
20	Treatment-emergent depression and anxiety between peginterferon alpha-2a versus alpha-2b plus ribavirin for chronic hepatitis C. BMC Psychiatry, 2016, 16, 424.	2.6	3
21	The Aldehyde Dehydrogenase ALDH2*2 Allele, Associated with Alcohol Drinking Behavior, Dates Back to Prehistoric Times. Biomolecules, 2021, 11, 1376.	4.0	3
22	A comparative study on Helicobacter pylori infection in peptic ulcer disease patients with or without previous eradication therapy. Hepato-Gastroenterology, 2007, 54, 2209-11.	0.5	3
23	Simple score to predict risk of hepatocellular carcinoma in chronic hepatitis C patients with advanced fibrosis after pegylated interferon and ribavirin therapy. Therapeutics and Clinical Risk Management, 2018, Volume 14, 783-791.	2.0	2
24	Bowel mucosal necrosis and perforation following administration of calcium polystyrene sulfonate (Kalimate) in patients with hyperkalemia: Report of two cases. Advances in Digestive Medicine, 2022, 9, 117-121.	0.2	2
25	Increased Glycated Hemoglobin but Decreased Cholesterol after a Loss of Helicobacter pylori Infection: A Community-Based Longitudinal Metabolic Parameters Follow-Up Study. Journal of Personalized Medicine, 2021, 11, 997.	2.5	1
26	The Application of High-Dose Proton Pump Inhibitor Induction Treatment before Dual Therapy for Helicobacter pylori Eradication: An Open-Label Random Trial. Journal of Clinical Medicine, 2021, 10, 4352.	2.4	1
27	The Novel Finding of Dynamic Change in eGFR Up to One Year after End of Treatment in HCV-Infected Patients Receiving Sofosbuvir and Velpatasvir. Viruses, 2022, 14, 362.	3.3	1