

Li-Wei Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1823301/publications.pdf>

Version: 2024-02-01

27
papers

332
citations

933447

10
h-index

839539

18
g-index

29
all docs

29
docs citations

29
times ranked

741
citing authors

#	ARTICLE	IF	CITATIONS
1	Bowel mucosal necrosis and perforation following administration of calcium polystyrene sulfonate (Kalimate) in patients with hyperkalemia: Report of two cases. <i>Advances in Digestive Medicine</i> , 2022, 9, 117-121.	0.2	2
2	The Novel Finding of Dynamic Change in eGFR Up to One Year after End of Treatment in HCV-Infected Patients Receiving Sofosbuvir and Velpatasvir. <i>Viruses</i> , 2022, 14, 362.	3.3	1
3	Gamma-glutamyl transpeptidase elevation is associated with metabolic syndrome, hepatic steatosis, and fibrosis in patients with nonalcoholic fatty liver disease: A community-based cross-sectional study. <i>Kaohsiung Journal of Medical Sciences</i> , 2021, 37, 819-827.	1.9	12
4	The Aldehyde Dehydrogenase ALDH2*2 Allele, Associated with Alcohol Drinking Behavior, Dates Back to Prehistoric Times. <i>Biomolecules</i> , 2021, 11, 1376.	4.0	3
5	Increased Glycated Hemoglobin but Decreased Cholesterol after a Loss of Helicobacter pylori Infection: A Community-Based Longitudinal Metabolic Parameters Follow-Up Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 997.	2.5	1
6	The Application of High-Dose Proton Pump Inhibitor Induction Treatment before Dual Therapy for Helicobacter pylori Eradication: An Open-Label Random Trial. <i>Journal of Clinical Medicine</i> , 2021, 10, 4352.	2.4	1
7	A community-based study on the application of fatty liver index in screening subjects with nonalcoholic fatty liver disease. <i>Journal of the Formosan Medical Association</i> , 2020, 119, 173-181.	1.7	26
8	Interferon alpha-inducible protein 27 is an oncogene and highly expressed in cholangiocarcinoma patients with poor survival. <i>Cancer Management and Research</i> , 2019, Volume 11, 1893-1905.	1.9	21
9	Simple score to predict risk of hepatocellular carcinoma in chronic hepatitis C patients with advanced fibrosis after pegylated interferon and ribavirin therapy. <i>Therapeutics and Clinical Risk Management</i> , 2018, Volume 14, 783-791.	2.0	2
10	A community-based study on the association between Helicobacter pylori Infection and obesity. <i>Scientific Reports</i> , 2018, 8, 10746.	3.3	31
11	MART-10, a 1 α ,25(OH) ₂ D ₃ Analog, Potently Represses Metastasis of ER ⁺ Breast Cancer Cells with VEGF-A Overexpression. <i>Anticancer Research</i> , 2018, 38, 3879-3887.	1.1	9
12	Unawareness of Hepatitis B Virus Infection confers on Higher Rate of Metabolic Syndrome: A Community-based Study. <i>Scientific Reports</i> , 2017, 7, 9869.	3.3	8
13	Analysis of the associations among Helicobacter pylori infection, adiponectin, leptin, and 10-year fracture risk using the fracture risk assessment tool: A cross-sectional community-based study. <i>PLoS ONE</i> , 2017, 12, e0175365.	2.5	6
14	1 α ,25(OH) ₂ D ₃ Analog, MART-10, Inhibits Neuroendocrine Tumor Cell Metastasis After VEGF-A Stimulation. <i>Anticancer Research</i> , 2017, 37, 6215-6221.	1.1	4
15	The Vitamin D Analog, MART-10, Attenuates Triple Negative Breast Cancer Cells Metastatic Potential. <i>International Journal of Molecular Sciences</i> , 2016, 17, 606.	4.1	16
16	25(OH)D Is Effective to Repress Human Cholangiocarcinoma Cell Growth through the Conversion of 25(OH)D to 1 α ,25(OH) ₂ D ₃ . <i>International Journal of Molecular Sciences</i> , 2016, 17, 1326.	4.1	5
17	Treatment-emergent depression and anxiety between peginterferon alpha-2a versus alpha-2b plus ribavirin for chronic hepatitis C. <i>BMC Psychiatry</i> , 2016, 16, 424.	2.6	3
18	MART-10, the new brand of 1 α ,25(OH) ₂ D ₃ analog, is a potent anti-angiogenic agent in vivo and in vitro. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 155, 26-34.	2.5	9

#	ARTICLE	IF	CITATIONS
19	1 α ,25(OH) ₂ D ₃ Analog, MART-10, Inhibits Neuroendocrine Tumor Cell Growth Through Induction of G0/G1 Cell-cycle Arrest and Apoptosis. <i>Anticancer Research</i> , 2016, 36, 3307-13.	1.1	6
20	PTEN Insufficiency Increases Breast Cancer Cell Metastasis In Vitro and In Vivo in a Xenograft Zebrafish Model. <i>Anticancer Research</i> , 2016, 36, 3997-4005.	1.1	12
21	Hepatocellular carcinoma cells express 25(OH)D-1 α -hydroxylase and are able to convert 25(OH)D to 1 α ,25(OH) ₂ D, leading to the 25(OH)D-induced growth inhibition. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2015, 154, 47-52.	2.5	11
22	Interleukin-28B gene non-TT allele strongly predicts treatment failure for genotype 1 infected chronic hepatitis C patients with advanced fibrosis: a case control study. <i>BMC Infectious Diseases</i> , 2015, 15, 156.	2.9	4
23	MART-10, the vitamin D analog, is a potent drug to inhibit anaplastic thyroid cancer cell metastatic potential. <i>Cancer Letters</i> , 2015, 369, 76-85.	7.2	29
24	Helicobacter pylori Infection Increases Insulin Resistance and Metabolic Syndrome in Residents Younger than 50 Years Old: A Community-Based Study. <i>PLoS ONE</i> , 2015, 10, e0128671.	2.5	45
25	The vitamin D analog, MART-10, represses metastasis potential via downregulation of epithelial \rightarrow mesenchymal transition in pancreatic cancer cells. <i>Cancer Letters</i> , 2014, 354, 235-244.	7.2	44
26	Peliosis hepatis complicated by portal hypertension following renal transplantation. <i>World Journal of Gastroenterology</i> , 2014, 20, 2420.	3.3	18
27	A comparative study on Helicobacter pylori infection in peptic ulcer disease patients with or without previous eradication therapy. <i>Hepato-Gastroenterology</i> , 2007, 54, 2209-11.	0.5	3