

Aldo Galeone

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1823493/aldo-galeone-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

2,281
citations

26
h-index

41
g-index

110
ext. papers

2,455
ext. citations

5.8
avg, IF

4.33
L-index

#	Paper	IF	Citations
107	Antiproliferative Effects of the Aptamer d(GGGT) ₄ and Its Analogues with an Abasic-Site Mimic Loop on Different Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5952	6.3	0
106	Exploring New Potential Anticancer Activities of the G-Quadruplexes Formed by [(GTGT(GT)) _n] and Its Derivatives with an Abasic Site Replacing Single Thymidine. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
105	Aptamers against the β -Conglutin Allergen: Insights into the Behavior of the Shortest Multimeric (Intra)Molecular DNA G-Quadruplex. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
104	uL3 Mediated Nucleolar Stress Pathway as a New Mechanism of Action of Antiproliferative G-quadruplex TBA Derivatives in Colon Cancer Cells. <i>Biomolecules</i> , 2020 , 10,	5.9	13
103	Improved performances of catalytic G-quadruplexes (G4-DNAzymes) via the chemical modifications of the DNA backbone to provide G-quadruplexes with double 3Rexternal G-quartets. <i>International Journal of Biological Macromolecules</i> , 2020 , 151, 976-983	7.9	9
102	Structural properties and anticoagulant/cytotoxic activities of heterochiral enantiomeric thrombin binding aptamer (TBA) derivatives. <i>Nucleic Acids Research</i> , 2020 , 48, 12556-12565	20.1	6
101	Probing the Importance of the G-Quadruplex Grooves for the Activity of the Anti-HIV-Integrase Aptamer T30923. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
100	Novel monomolecular derivatives of the anti-HIV-1 G-quadruplex-forming HotodaB aptamer containing inversion of polarity sites. <i>European Journal of Medicinal Chemistry</i> , 2020 , 208, 112786	6.8	2
99	miR-125b Upregulates miR-34a and Sequentially Activates Stress Adaption and Cell Death Mechanisms in Multiple Myeloma. <i>Molecular Therapy - Nucleic Acids</i> , 2019 , 16, 391-406	10.7	21
98	Investigating the properties of TBA variants with twin thrombin binding domains. <i>Scientific Reports</i> , 2019 , 9, 9184	4.9	15
97	Human AP-endonuclease (Ape1) activity on telomeric G4 structures is modulated by acetylatable lysine residues in the N-terminal sequence. <i>DNA Repair</i> , 2019 , 73, 129-143	4.3	24
96	Metastatic group 3 medulloblastoma is driven by PRUNE1 targeting NME1-TGF- β 1-SNAI1 via PTEN inhibition. <i>Brain</i> , 2018 , 141, 1300-1319	11.2	13
95	Thrombin binding aptamer analogues containing inversion of polarity sites endowed with antiproliferative and anti-motility properties against Calu-6 cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2018 , 1862, 2645-2650	4	18
94	Improvement of the activity of the anti-HIV-1 integrase aptamer T30175 by introducing a modified thymidine into the loops. <i>Scientific Reports</i> , 2018 , 8, 7447	4.9	17
93	The "Janus face" of the thrombin binding aptamer: Investigating the anticoagulant and antiproliferative properties through straightforward chemical modifications. <i>Bioorganic Chemistry</i> , 2018 , 76, 202-209	5.1	13
92	G-triplex stability in human telomeric DNA with epigenetic modification/oxidative damage to thymine. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 134, 1253-1259	4.1	0
91	Monomolecular G-quadruplex structures with inversion of polarity sites: new topologies and potentiality. <i>Nucleic Acids Research</i> , 2017 , 45, 8156-8166	20.1	10

90	Backbone modified TBA analogues endowed with antiproliferative activity. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017 , 1861, 1213-1221	4	21
89	Improved thrombin binding aptamer analogues containing inversion of polarity sites: structural effects of extra-residues at the ends. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 7707-14	3.9	12
88	A novel pyrimidine tetrad contributing to stabilize tetramolecular G-quadruplex structures. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 2938-43	3.9	3
87	The Introduction of Inversion of Polarity Sites in DNA G-Quadruplex Structures: Effects and Perspectives. <i>Mini-Reviews in Medicinal Chemistry</i> , 2016 , 16, 509-23	3.2	7
86	Exploring the binding of d(GGGT) ₄ to the HIV-1 integrase: An approach to investigate G-quadruplex aptamer/target protein interactions. <i>Biochimie</i> , 2016 , 127, 19-22	4.6	23
85	Site specific replacements of a single loop nucleoside with a dibenzyl linker may switch the activity of TBA from anticoagulant to antiproliferative. <i>Nucleic Acids Research</i> , 2015 , 43, 7702-16	20.1	33
84	Site-specific replacement of the thymine methyl group by fluorine in thrombin binding aptamer significantly improves structural stability and anticoagulant activity. <i>Nucleic Acids Research</i> , 2015 , 43, 10602-11	20.1	31
83	Unusual Chair-Like G-Quadruplex Structures: Heterochiral TBA Analogues Containing Inversion of Polarity Sites. <i>Journal of Chemistry</i> , 2015 , 2015, 1-6	2.3	4
82	Ptaquiloside, the major carcinogen of bracken fern, in the pooled raw milk of healthy sheep and goats: an underestimated, global concern of food safety. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 4886-92	5.7	30
81	The oxidative damage to the human telomere: effects of 5-hydroxymethyl-2Rdeoxyuridine on telomeric G-quadruplex structures. <i>Organic and Biomolecular Chemistry</i> , 2015 , 13, 7421-9	3.9	12
80	More than one non-canonical phosphodiester bond in the G-tract: formation of unusual parallel G-quadruplex structures. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 534-40	3.9	3
79	Structural model of the hUba1-UbcH10 quaternary complex: in silico and experimental analysis of the protein-protein interactions between E1, E2 and ubiquitin. <i>PLoS ONE</i> , 2014 , 9, e112082	3.7	5
78	5-Hydroxymethyl-2Rdeoxyuridine residues in the thrombin binding aptamer: investigating anticoagulant activity by making a tiny chemical modification. <i>ChemBioChem</i> , 2014 , 15, 2427-34	3.8	28
77	Transferrin-conjugated SNALPs encapsulating 2RO-methylated miR-34a for the treatment of multiple myeloma. <i>BioMed Research International</i> , 2014 , 2014, 217365	3	38
76	Expanding the potential of G-quadruplex structures: formation of a heterochiral TBA analogue. <i>ChemBioChem</i> , 2014 , 15, 652-5	3.8	17
75	A straightforward modification in the thrombin binding aptamer improving the stability, affinity to thrombin and nuclease resistance. <i>Organic and Biomolecular Chemistry</i> , 2014 , 12, 8840-3	3.9	30
74	MicroRNA 199b-5p delivery through stable nucleic acid lipid particles (SNALPs) in tumorigenic cell lines. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2013 , 386, 287-302	3.4	24
73	A novel equilibrium relating to the helix handedness in G-quadruplexes formed by heterochiral oligonucleotides with an inversion of polarity site. <i>Chemical Communications</i> , 2013 , 49, 7935-7	5.8	7

72	Novel pyrimidopyrimidine derivatives for inhibition of cellular proliferation and motility induced by h-prune in breast cancer. <i>European Journal of Medicinal Chemistry</i> , 2012 , 57, 41-50	6.8	19
71	Structural investigations on the anti-HIV G-quadruplex-forming oligonucleotide TGGGAG and its analogues: evidence for the presence of an A-tetrad. <i>ChemBioChem</i> , 2012 , 13, 2219-24	3.8	22
70	The abasic site lesions in the human telomeric sequence d[TA(G(3)T(2)A)(3)G(3)]: a thermodynamic point of view. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012 , 1820, 2037-43	4	19
69	The insertion of two 8-methyl-2-deoxyguanosine residues in tetramolecular quadruplex structures: trying to orientate the strands. <i>Nucleic Acids Research</i> , 2012 , 40, 461-75	20.1	63
68	Strand directionality affects cation binding and movement within tetramolecular G-quadruplexes. <i>Nucleic Acids Research</i> , 2012 , 40, 11047-57	20.1	37
67	Effects of 8-methylguanine on structure, stability and kinetics of formation of tetramolecular quadruplexes. <i>Biochimie</i> , 2011 , 93, 399-408	4.6	41
66	Unprecedented right- and left-handed quadruplex structures formed by heterochiral oligodeoxyribonucleotides. <i>Biochimie</i> , 2011 , 93, 1193-6	4.6	11
65	Design, synthesis, biophysical and biological studies of trisubstituted naphthalimides as G-quadruplex ligands. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 6419-29	3.4	32
64	MiR-34a targeting of Notch ligand delta-like 1 impairs CD15+/CD133+ tumor-propagating cells and supports neural differentiation in medulloblastoma. <i>PLoS ONE</i> , 2011 , 6, e24584	3.7	134
63	Effects of abasic sites on structural, thermodynamic and kinetic properties of quadruplex structures. <i>Nucleic Acids Research</i> , 2010 , 38, 2069-80	20.1	29
62	Oligonucleotide delivery in cancer therapy. <i>Expert Opinion on Drug Delivery</i> , 2010 , 7, 1263-78	8	12
61	Tetra-end-linked oligonucleotides forming DNA G-quadruplexes: a new class of aptamers showing anti-HIV activity. <i>Chemical Communications</i> , 2010 , 46, 8971-3	5.8	34
60	MicroRNA-199b-5p impairs cancer stem cells through negative regulation of HES1 in medulloblastoma. <i>PLoS ONE</i> , 2009 , 4, e4998	3.7	208
59	Synthesis of quadruplex-forming tetra-end-linked oligonucleotides: effects of the linker size on quadruplex topology and stability. <i>Biopolymers</i> , 2009 , 91, 466-77	2.2	28
58	Effects of the introduction of inversion of polarity sites in the quadruplex forming oligonucleotide TGGGT. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 1997-2001	3.4	27
57	Oligonucleotides direct synthesis on porous silicon chip. <i>Nucleic Acids Symposium Series</i> , 2008 , 721-2		1
56	A further contribution to the extreme variability of quadruplex structures from oligodeoxyribonucleotides containing inversion of polarity sites in the G-tract. <i>Molecular BioSystems</i> , 2008 , 4, 426-30		17
55	Studies on the influence of inversion of polarity sites on the dG residues glycosidic conformation in quadruplex structures. <i>Nucleic Acids Symposium Series</i> , 2008 , 177-8		4

54	Synthesis, structural studies and biological properties of new TBA analogues containing an acyclic nucleotide. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 8244-53	3.4	42
53	A topological classification of G-quadruplex structures. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1155-9	1.4	24
52	Structural and thermodynamic studies of the interaction of distamycin A with the parallel quadruplex structure [d(TGGGGT)] ₄ . <i>Journal of the American Chemical Society</i> , 2007 , 129, 16048-56	16.4	130
51	A mini-library of TBA analogues containing 3R3R and 5R5R inversion of polarity sites. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1145-9	1.4	13
50	Synthesis and characterization of tetra-end linked oligonucleotides capable of forming monomolecular G-quadruplexes. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1231-6	1.4	
49	Molecular modelling studies of four stranded quadruplexes containing a 3R3R or 5R5R inversion of polarity site. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1139-43	1.4	7
48	Effect of the introduction of an A-residue into a quadruplex forming oligonucleotide containing a 5R5R polarity of inversion site. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2007 , 26, 1151-4	1.4	1
47	Synthesis and characterization of DNA quadruplexes containing T-tetrads formed by bunch-oligonucleotides. <i>Biopolymers</i> , 2006 , 81, 194-201	2.2	18
46	Synthesis and characterization of monomolecular DNA G-quadruplexes formed by tetra-end-linked oligonucleotides. <i>Bioconjugate Chemistry</i> , 2006 , 17, 889-98	6.3	26
45	8-methyl-2Rdeoxyguanosine incorporation into parallel DNA quadruplex structures. <i>Nucleic Acids Research</i> , 2005 , 33, 6188-95	20.1	55
44	A new class of DNA quadruplexes formed by oligodeoxyribonucleotides containing a 3R3R or 5R5R inversion of polarity site. <i>Chemical Communications</i> , 2005 , 3953-5	5.8	38
43	Unusual monomolecular DNA quadruplex structures using bunch-oligonucleotides. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 739-41	1.4	1
42	Interaction of porphyrin with G-quadruplex structures. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 753-6	1.4	9
41	Effects of 8-methyl-2Rdeoxyadenosine incorporation into quadruplex forming oligodeoxyribonucleotides. <i>Bioorganic and Medicinal Chemistry</i> , 2005 , 13, 1037-44	3.4	21
40	Biophysical properties of quadruple helices of modified human telomeric DNA. <i>Biopolymers</i> , 2005 , 77, 75-85	2.2	24
39	A bunch-oligonucleotide forming stable monomolecular quadruplex containing a T-tetrad. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 443-6	1.4	2
38	Synthesis and structural study of quadruplex structures containing 2Rdeoxy-8-methyladenosine. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2005 , 24, 539-43	1.4	2
37	Synthesis of 3'β-Linked Pyrimidine Oligonucleotides Containing an Acridine Moiety for Alternate Strand Triple Helix Formation. <i>European Journal of Organic Chemistry</i> , 2004 , 2004, 2331-2336	3.2	5

36	Structural study of four-stranded quadruplex structures containing 2Rdeoxy-8-(propyn-1-yl)adenosine. <i>Bioorganic and Medicinal Chemistry</i> , 2004 , 12, 1191-7	3.4	6
35	Synthesis and characterization of a bunched oligonucleotide forming a monomolecular parallel quadruplex structure in solution. <i>Tetrahedron Letters</i> , 2004 , 45, 4869-4872	2	27
34	Effect of gamma-hydroxypropano deoxyguanosine, the major acrolein-derived adduct, on monomolecular quadruplex structure of telomeric repeat d(TTAGGG)(4). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 5417-21	2.9	3
33	Synthesis and Structural Characterization of PNA-DNA Quadruplex-Forming Chimeras. <i>European Journal of Organic Chemistry</i> , 2003 , 2003, 3364-3371	3.2	8
32	Effect of a modified thymine on the structure and stability of [d(TGGGT)] ₄ quadruplex. <i>International Journal of Biological Macromolecules</i> , 2003 , 31, 131-7	7.9	14
31	PNA-DNA chimeras forming quadruplex structures. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1681-4	1.4	4
30	¹ H-NMR study of the quadruplex [d(TGGGT)] ₄ containing a modified thymine. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2003 , 22, 1677-80	1.4	2
29	Circular dichroism and thermal melting differentiation of Hoechst 33258 binding to the curved (A(4)T(4)) and straight (T(4)A(4)) DNA sequences. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2002 , 1576, 136-42		12
28	Synthesis of Triple Helix Forming Oligonucleotides with a Phenanthroline Moiety into the 3'-3' Inversion Site of Polarity. <i>European Journal of Organic Chemistry</i> , 2002 , 2002, 4228-4233	3.2	2
27	Synthesis of a New N1-Pentyl Analogue of Cyclic Inosine Diphosphate Ribose (cIDPR) as a Stable Potential Mimic of Cyclic ADP Ribose (cADPR). <i>European Journal of Organic Chemistry</i> , 2002 , 2002, 4234-4238	3.2	14
26	Synthesis of a novel N-1 carbocyclic, N-9 butyl analogue of cyclic ADP ribose (cADPR). <i>Tetrahedron</i> , 2002 , 58, 363-368	2.4	26
25	Interaction of distamycin A and netropsin with quadruplex and duplex structures: a comparative ¹ H-NMR study. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2002 , 21, 535-45	1.4	26
24	Solid-phase synthesis of oligonucleotides containing a bipyridine ligand at the 3R3R inversion of polarity site. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 383-6	2.9	3
23	Synthesis of 5-methylamino-2Rdeoxyuridine derivatives. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2001 , 20, 1831-41	1.4	4
22	¹ H-NMR study of the interaction of distamycin A and netropsin with the parallel stranded tetraplex [d(TGGGGT)] ₄ . <i>Chemical Communications</i> , 2001 , 1030-1031	5.8	32
21	2RDeoxy-8-(propyn-1-yl)adenosine-containing oligonucleotides: effects on stability of duplex and quadruplex structures. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000 , 10, 2005-9	2.9	16
20	Synthesis and characterisation of poly(D,L-lactic acid)-idoxuridine conjugate. <i>Journal of Controlled Release</i> , 1999 , 58, 61-8	11.7	23
19	Studies on Alternate Strand Triple Helix Formation by Oligodeoxyribonucleotides Containing A 3'-3' Phosphodiester Bond. <i>Nucleosides & Nucleotides</i> , 1998 , 17, 1709-1716		

18	Solution Structure of the Complex between the Head-to-Tail Dimer of Calicheamicin β 1 Oligosaccharide and a DNA Duplex Containing d(ACCT) and d(TCCT) High-Affinity Binding Sites. <i>Journal of the American Chemical Society</i> , 1998 , 120, 7183-7191	16.4	21
17	Affinity, stability and polarity of binding of the TATA binding protein governed by flexure at the TATA Box. <i>Journal of Molecular Biology</i> , 1998 , 282, 731-9	6.5	50
16	Twin hydroxymethyluracil-A base pair steps define the binding site for the DNA-binding protein TF1. <i>Journal of Biological Chemistry</i> , 1997 , 272, 13084-7	5.4	21
15	Design and NMR study of an immobile DNA four-way junction containing 38 nucleotides. <i>FEBS Journal</i> , 1997 , 249, 576-83		4
14	Solution Structure of the Head-to-Head Dimer of Calicheamicin Oligosaccharide Domain and d(CGTAGGATATCCTACG) ₂ . <i>Journal of the American Chemical Society</i> , 1996 , 118, 8817-8824	16.4	18
13	Localized DNA flexibility contributes to target site selection by DNA-bending proteins. <i>Journal of Molecular Biology</i> , 1996 , 260, 120-5	6.5	92
12	On the connection between inherent DNA flexure and preferred binding of hydroxymethyluracil-containing DNA by the type II DNA-binding protein TF1. <i>Journal of Molecular Biology</i> , 1996 , 260, 196-206	6.5	34
11	¹ H and ¹³ C NMR Spectra of Imidazo[1,2-a]pyrazines. <i>Magnetic Resonance in Chemistry</i> , 1996 , 34, 409-414	4.1	2
10	¹ H NMR studies of the 5-(hydroxymethyl)-2-deoxyuridine containing TF1 binding site. <i>Nucleic Acids Research</i> , 1996 , 24, 2740-5	20.1	14
9	Conformation of the circular dumbbell d: structure determination and molecular dynamics. <i>Journal of Biomolecular NMR</i> , 1995 , 6, 403-22	3	21
8	Automated solid phase synthesis of cyclic oligonucleotides: a further improvement. <i>Bioorganic and Medicinal Chemistry</i> , 1995 , 3, 1325-9	3.4	19
7	Synthesis of two distamycin analogues and their binding mode to d(CGCAAATTTGCG) ₂ in the 2:1 solution complexes as determined by two-dimensional ¹ H-NMR. <i>Journal of Medicinal Chemistry</i> , 1995 , 38, 1140-9	8.3	14
6	Slow conformational exchange in DNA minihairpin loops: a conformational study of the circular dumbbell d. <i>Biopolymers</i> , 1995 , 36, 681-94	2.2	16
5	Thermodynamics of melting of the circular dumbbell d. <i>Biopolymers</i> , 1995 , 36, 701-10	2.2	10
4	Interrelations of secondary structure stability and DNA-binding affinity in the bacteriophage SPO1-encoded type II DNA-binding protein TF1. <i>Journal of Molecular Biology</i> , 1994 , 236, 139-50	6.5	21
3	Facile preparation of cyclic oligoribonucleotides. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1993 , 747		5
2	An NMR study of the conformation and thermodynamics of the circular dumbbell d [formula: see text] Slow exchange between two- and four-membered hairpin loops. <i>Journal of Biomolecular Structure and Dynamics</i> , 1992 , 9, 821-36	3.6	17
1	Solid phase synthesis of 5-hydroxymethyluracil containing DNA. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1992 , 2, 79-82	2.9	27

