Laura A Solt

List of Publications by Citations

Source: https://exaly.com/author-pdf/1824151/laura-a-solt-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59 4,098 35 64 g-index

66 4,844 10.7 5.26 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
59	Regulation of circadian behaviour and metabolism by synthetic REV-ERB agonists. <i>Nature</i> , 2012 , 485, 62-8	50.4	493
58	Suppression of TH17 differentiation and autoimmunity by a synthetic ROR ligand. <i>Nature</i> , 2011 , 472, 491-4	50.4	384
57	Rev-erb-Imodulates skeletal muscle oxidative capacity by regulating mitochondrial biogenesis and autophagy. <i>Nature Medicine</i> , 2013 , 19, 1039-46	50.5	271
56	Hypomorphic nuclear factor-kappaB essential modulator mutation database and reconstitution system identifies phenotypic and immunologic diversity. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 1169-1177.e16	11.5	200
55	The benzenesulfoamide T0901317 [N-(2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-benzenesulfor is a novel retinoic acid receptor-related orphan receptor-alpha/gamma inverse agonist. <i>Molecular</i>	naூide] 186
54	The IkappaB kinase complex: master regulator of NF-kappaB signaling. <i>Immunologic Research</i> , 2008 , 42, 3-18	4.3	164
53	Modulation of retinoic acid receptor-related orphan receptor alpha and gamma activity by 7-oxygenated sterol ligands. <i>Journal of Biological Chemistry</i> , 2010 , 285, 5013-25	5.4	159
52	Nuclear receptors and their selective pharmacologic modulators. <i>Pharmacological Reviews</i> , 2013 , 65, 710-78	22.5	156
51	Action of RORs and their ligands in (patho)physiology. <i>Trends in Endocrinology and Metabolism</i> , 2012 , 23, 619-27	8.8	139
50	The PP2A-associated protein alpha4 is an essential inhibitor of apoptosis. <i>Science</i> , 2004 , 306, 695-8	33.3	133
49	Broad Anti-tumor Activity of a Small Molecule that Selectively Targets the Warburg Effect and Lipogenesis. <i>Cancer Cell</i> , 2015 , 28, 42-56	24.3	116
48	Identification of SR2211: a potent synthetic RORE elective modulator. <i>ACS Chemical Biology</i> , 2012 , 7, 672-7	4.9	107
47	Regulation of adipogenesis by natural and synthetic REV-ERB ligands. <i>Endocrinology</i> , 2010 , 151, 3015-2	2 5 4.8	105
46	The REV-ERBs and RORs: molecular links between circadian rhythms and lipid homeostasis. <i>Future Medicinal Chemistry</i> , 2011 , 3, 623-38	4.1	95
45	Identification of SR3335 (ML-176): a synthetic RORIdelective inverse agonist. <i>ACS Chemical Biology</i> , 2011 , 6, 218-22	4.9	90
44	Regulation of FGF21 expression and secretion by retinoic acid receptor-related orphan receptor alpha. <i>Journal of Biological Chemistry</i> , 2010 , 285, 15668-73	5.4	81
43	OMRT-14. Small molecule circadian clock compounds exhibit potential as a novel therapy paradigm for glioblastoma. <i>Neuro-Oncology Advances</i> , 2021 , 3, ii9-ii9	0.9	78

(2001-2013)

42	A liver-selective LXR inverse agonist that suppresses hepatic steatosis. <i>ACS Chemical Biology</i> , 2013 , 8, 559-67	4.9	74	
41	Pharmacological targeting of the mammalian clock regulates sleep architecture and emotional behaviour. <i>Nature Communications</i> , 2014 , 5, 5759	17.4	74	
40	Interleukin-1-induced NF-kappaB activation is NEMO-dependent but does not require IKKbeta. Journal of Biological Chemistry, 2007 , 282, 8724-33	5.4	68	
39	Identification of a selective ROR[ligand that suppresses T(H)17 cells and stimulates T regulatory cells. <i>ACS Chemical Biology</i> , 2012 , 7, 1515-9	4.9	61	
38	Perfect timing: circadian rhythms, sleep, and immunity - an NIH workshop summary. <i>JCI Insight</i> , 2020 , 5,	9.9	61	
37	ROR inverse agonist suppresses insulitis and prevents hyperglycemia in a mouse model of type 1 diabetes. <i>Endocrinology</i> , 2015 , 156, 869-81	4.8	51	
36	Regulation of p53 stability and apoptosis by a ROR agonist. <i>PLoS ONE</i> , 2012 , 7, e34921	3.7	51	
35	Suppression of atherosclerosis by synthetic REV-ERB agonist. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 460, 566-71	3.4	50	
34	Genetic dissection of the functions of the melanocortin-3 receptor, a seven-transmembrane G-protein-coupled receptor, suggests roles for central and peripheral receptors in energy homeostasis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 40771-81	5.4	44	
33	PGRMC2 is an intracellular haem chaperone critical for adipocyte function. <i>Nature</i> , 2019 , 576, 138-142	50.4	44	
32	Circadian rhythm-dependent and circadian rhythm-independent impacts of the molecular clock on type 3 innate lymphoid cells. <i>Science Immunology</i> , 2019 , 4,	28	43	
31	G protein-coupled receptor Ca2+-linked mitochondrial reactive oxygen species are essential for endothelial/leukocyte adherence. <i>Molecular and Cellular Biology</i> , 2007 , 27, 7582-93	4.8	41	
30	Identification of a Binding Site for Unsaturated Fatty Acids in the Orphan Nuclear Receptor Nurr1. <i>ACS Chemical Biology</i> , 2016 , 11, 1795-9	4.9	41	
29	Ligand regulation of retinoic acid receptor-related orphan receptors: implications for development of novel therapeutics. <i>Current Opinion in Lipidology</i> , 2010 , 21, 204-11	4.4	40	
28	Noncanonical NF-B signaling is limited by classical NF-B activity. Science Signaling, 2014, 7, ra13	8.8	38	
27	Nuclear receptor RORI regulates pathologic retinal angiogenesis by modulating SOCS3-dependent inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 10401-6	11.5	37	
26	REV-ERB[Regulates T17 Cell Development and Autoimmunity. Cell Reports, 2018, 25, 3733-3749.e8	10.6	36	
25	Splenic and peritoneal B-1 cells differ in terms of transcriptional and proliferative features that separate peritoneal B-1 from splenic B-2 cells. <i>Cellular Immunology</i> , 2001 , 213, 62-71	4.4	35	

24	NEMO-binding domains of both IKKalpha and IKKbeta regulate IkappaB kinase complex assembly and classical NF-kappaB activation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 27596-608	5.4	29
23	LXR-mediated inhibition of CD4+ T helper cells. <i>PLoS ONE</i> , 2012 , 7, e46615	3.7	24
22	Development of novel NEMO-binding domain mimetics for inhibiting IKK/NF- B activation. <i>PLoS Biology</i> , 2018 , 16, e2004663	9.7	22
21	Metabolism of murine TH 17 cells: Impact on cell fate and function. <i>European Journal of Immunology</i> , 2016 , 46, 807-16	6.1	21
20	The nuclear receptor REV-ERBI modulates Th17 cell-mediated autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 18528-18536	11.5	20
19	A molecular switch regulating transcriptional repression and activation of PPARII <i>Nature Communications</i> , 2020 , 11, 956	17.4	19
18	Structure of REV-ERBIligand-binding domain bound to a porphyrin antagonist. <i>Journal of Biological Chemistry</i> , 2014 , 289, 20054-66	5.4	18
17	RORImodulates semaphorin 3E transcription and neurovascular interaction in pathological retinal angiogenesis. <i>FASEB Journal</i> , 2017 , 31, 4492-4502	0.9	13
16	Pharmacological and Genetic Modulation of REV-ERB Activity and Expression Affects Orexigenic Gene Expression. <i>PLoS ONE</i> , 2016 , 11, e0151014	3.7	11
15	CAR directs T cell adaptation to bile acids in the small intestine. <i>Nature</i> , 2021 , 593, 147-151	50.4	10
14	Pharmacological Targeting the REV-ERBs in Sleep/Wake Regulation. <i>PLoS ONE</i> , 2016 , 11, e0162452	3.7	10
13	Distinct roles for REV-ERBland REV-ERBlan oxidative capacity and mitochondrial biogenesis in skeletal muscle. <i>PLoS ONE</i> , 2018 , 13, e0196787	3.7	9
12	Th17 cells in Type 1 diabetes: a future perspective. <i>Diabetes Management</i> , 2015 , 5, 247-250	O	8
11	Structural and biophysical insights into the ligand-free Pitx2 homeodomain and a ring dermoid of the cornea inducing homeodomain mutant. <i>Biochemistry</i> , 2012 , 51, 665-76	3.2	7
10	Genetic and pharmacological inhibition of the nuclear receptor RORI regulates T17 driven inflammatory disorders. <i>Nature Communications</i> , 2021 , 12, 76	17.4	7
9	Structural basis for heme-dependent NCoR binding to the transcriptional repressor REV-ERBI <i>Science Advances</i> , 2021 , 7,	14.3	6
8	Cutting edge: association with I kappa B kinase beta regulates the subcellular localization of Homer3. <i>Journal of Immunology</i> , 2010 , 185, 2665-9	5.3	5
	Homers. 30arnat of Immanotogy, 2010 , 183, 2003-3		

LIST OF PUBLICATIONS

6	REV-ERBIs required to maintain normal wakefulness and the wake-inducing effect of dual REV-ERB agonist SR9009. <i>Biochemical Pharmacology</i> , 2018 , 150, 1-8	6	2
5	Identification of potent RORImodulators: Scaffold variation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018 , 28, 3210-3215	2.9	2
4	Uncovering New Challenges in Targeting Glycolysis to Treat Th17 Cell-Mediated Autoimmunity. <i>Immunometabolism</i> , 2021 , 3,	4.1	2
3	REV-ERBIregulates age-related and oxidative stress-induced degeneration in retinal pigment epithelium via NRF2 <i>Redox Biology</i> , 2022 , 51, 102261	11.3	1
2	Discovery and Optimization of a Series of Sulfonamide Inverse Agonists for the Retinoic Acid Receptor-Related Orphan Receptor-Inedicinal Chemistry, 2019 , 15, 676-684	1.8	0
1	Biased Signaling and Conformational Dynamics in Nuclear Hormone Receptors 2014 , 103-135		