

Laura A Solt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1824151/laura-a-solt-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59
papers

4,098
citations

35
h-index

64
g-index

66
ext. papers

4,844
ext. citations

10.7
avg. IF

5.26
L-index

#	Paper	IF	Citations
59	REV-ERB β regulates age-related and oxidative stress-induced degeneration in retinal pigment epithelium via NRF2.. <i>Redox Biology</i> , 2022 , 51, 102261	11.3	1
58	CAR directs T cell adaptation to bile acids in the small intestine. <i>Nature</i> , 2021 , 593, 147-151	50.4	10
57	OMRT-14. Small molecule circadian clock compounds exhibit potential as a novel therapy paradigm for glioblastoma. <i>Neuro-Oncology Advances</i> , 2021 , 3, ii9-ii9	0.9	78
56	Uncovering New Challenges in Targeting Glycolysis to Treat Th17 Cell-Mediated Autoimmunity. <i>Immunometabolism</i> , 2021 , 3,	4.1	2
55	Genetic and pharmacological inhibition of the nuclear receptor ROR γ regulates T17 driven inflammatory disorders. <i>Nature Communications</i> , 2021 , 12, 76	17.4	7
54	Structural basis for heme-dependent NCoR binding to the transcriptional repressor REV-ERB β <i>Science Advances</i> , 2021 , 7,	14.3	6
53	A molecular switch regulating transcriptional repression and activation of PPAR α <i>Nature Communications</i> , 2020 , 11, 956	17.4	19
52	Perfect timing: circadian rhythms, sleep, and immunity - an NIH workshop summary. <i>JCI Insight</i> , 2020 , 5,	9.9	61
51	Pharmacological modulation and genetic deletion of REV-ERB β and REV-ERB α regulates dendritic cell development. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 527, 1000-1007	3.4	5
50	Circadian rhythm-dependent and circadian rhythm-independent impacts of the molecular clock on type 3 innate lymphoid cells. <i>Science Immunology</i> , 2019 , 4,	28	43
49	Discovery and Optimization of a Series of Sulfonamide Inverse Agonists for the Retinoic Acid Receptor-Related Orphan Receptor- γ <i>Medicinal Chemistry</i> , 2019 , 15, 676-684	1.8	0
48	The nuclear receptor REV-ERB β modulates Th17 cell-mediated autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 18528-18536	11.5	20
47	PGRMC2 is an intracellular haem chaperone critical for adipocyte function. <i>Nature</i> , 2019 , 576, 138-142	50.4	44
46	REV-ERB β s required to maintain normal wakefulness and the wake-inducing effect of dual REV-ERB agonist SR9009. <i>Biochemical Pharmacology</i> , 2018 , 150, 1-8	6	2
45	Identification of potent ROR γ modulators: Scaffold variation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018 , 28, 3210-3215	2.9	2
44	Development of novel NEMO-binding domain mimetics for inhibiting IKK/NF- κ B activation. <i>PLoS Biology</i> , 2018 , 16, e2004663	9.7	22
43	REV-ERB β Regulates T17 Cell Development and Autoimmunity. <i>Cell Reports</i> , 2018 , 25, 3733-3749.e8	10.6	36

42	Distinct roles for REV-ERB α and REV-ERB β in oxidative capacity and mitochondrial biogenesis in skeletal muscle. <i>PLoS ONE</i> , 2018 , 13, e0196787	3.7	9
41	ROR α modulates semaphorin 3E transcription and neurovascular interaction in pathological retinal angiogenesis. <i>FASEB Journal</i> , 2017 , 31, 4492-4502	0.9	13
40	Pharmacological and Genetic Modulation of REV-ERB Activity and Expression Affects Orexigenic Gene Expression. <i>PLoS ONE</i> , 2016 , 11, e0151014	3.7	11
39	Pharmacological Targeting the REV-ERBs in Sleep/Wake Regulation. <i>PLoS ONE</i> , 2016 , 11, e0162452	3.7	10
38	Identification of a Binding Site for Unsaturated Fatty Acids in the Orphan Nuclear Receptor Nurr1. <i>ACS Chemical Biology</i> , 2016 , 11, 1795-9	4.9	41
37	Metabolism of murine TH 17 cells: Impact on cell fate and function. <i>European Journal of Immunology</i> , 2016 , 46, 807-16	6.1	21
36	ROR inverse agonist suppresses insulinitis and prevents hyperglycemia in a mouse model of type 1 diabetes. <i>Endocrinology</i> , 2015 , 156, 869-81	4.8	51
35	Suppression of atherosclerosis by synthetic REV-ERB agonist. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 460, 566-71	3.4	50
34	Broad Anti-tumor Activity of a Small Molecule that Selectively Targets the Warburg Effect and Lipogenesis. <i>Cancer Cell</i> , 2015 , 28, 42-56	24.3	116
33	Nuclear receptor ROR α regulates pathologic retinal angiogenesis by modulating SOCS3-dependent inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 10401-6	11.5	37
32	Th17 cells in Type 1 diabetes: a future perspective. <i>Diabetes Management</i> , 2015 , 5, 247-250	0	8
31	Noncanonical NF- κ B signaling is limited by classical NF- κ B activity. <i>Science Signaling</i> , 2014 , 7, ra13	8.8	38
30	Biased Signaling and Conformational Dynamics in Nuclear Hormone Receptors 2014 , 103-135		
29	Pharmacological targeting of the mammalian clock regulates sleep architecture and emotional behaviour. <i>Nature Communications</i> , 2014 , 5, 5759	17.4	74
28	Structure of REV-ERB β ligand-binding domain bound to a porphyrin antagonist. <i>Journal of Biological Chemistry</i> , 2014 , 289, 20054-66	5.4	18
27	Rev-erb β modulates skeletal muscle oxidative capacity by regulating mitochondrial biogenesis and autophagy. <i>Nature Medicine</i> , 2013 , 19, 1039-46	50.5	271
26	A liver-selective LXR inverse agonist that suppresses hepatic steatosis. <i>ACS Chemical Biology</i> , 2013 , 8, 559-67	4.9	74
25	Nuclear receptors and their selective pharmacologic modulators. <i>Pharmacological Reviews</i> , 2013 , 65, 710-78	22.5	156

24	Identification of SR2211: a potent synthetic ROR β -selective modulator. <i>ACS Chemical Biology</i> , 2012 , 7, 672-7	4.9	107
23	Identification of a selective ROR α ligand that suppresses T(H)17 cells and stimulates T regulatory cells. <i>ACS Chemical Biology</i> , 2012 , 7, 1515-9	4.9	61
22	Structural and biophysical insights into the ligand-free Pitx2 homeodomain and a ring dermoid of the cornea inducing homeodomain mutant. <i>Biochemistry</i> , 2012 , 51, 665-76	3.2	7
21	Regulation of circadian behaviour and metabolism by synthetic REV-ERB agonists. <i>Nature</i> , 2012 , 485, 62-8	50.4	493
20	Action of RORs and their ligands in (patho)physiology. <i>Trends in Endocrinology and Metabolism</i> , 2012 , 23, 619-27	8.8	139
19	LXR-mediated inhibition of CD4+ T helper cells. <i>PLoS ONE</i> , 2012 , 7, e46615	3.7	24
18	Regulation of p53 stability and apoptosis by a ROR agonist. <i>PLoS ONE</i> , 2012 , 7, e34921	3.7	51
17	Suppression of TH17 differentiation and autoimmunity by a synthetic ROR ligand. <i>Nature</i> , 2011 , 472, 491-4	50.4	384
16	Identification of SR3335 (ML-176): a synthetic ROR β -selective inverse agonist. <i>ACS Chemical Biology</i> , 2011 , 6, 218-22	4.9	90
15	The REV-ERBs and RORs: molecular links between circadian rhythms and lipid homeostasis. <i>Future Medicinal Chemistry</i> , 2011 , 3, 623-38	4.1	95
14	Genetic dissection of the functions of the melanocortin-3 receptor, a seven-transmembrane G-protein-coupled receptor, suggests roles for central and peripheral receptors in energy homeostasis. <i>Journal of Biological Chemistry</i> , 2011 , 286, 40771-81	5.4	44
13	The benzenesulfoamide T0901317 [N-(2,2,2-trifluoroethyl)-N-[4-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]phenyl]-benzenesulfonamide] is a novel retinoic acid receptor-related orphan receptor-alpha/gamma inverse agonist. <i>Molecular Pharmacology</i> , 2010 , 77, 800-811	4.3	186
12	Modulation of retinoic acid receptor-related orphan receptor alpha and gamma activity by 7-oxygenated sterol ligands. <i>Journal of Biological Chemistry</i> , 2010 , 285, 5013-25	5.4	159
11	Regulation of FGF21 expression and secretion by retinoic acid receptor-related orphan receptor alpha. <i>Journal of Biological Chemistry</i> , 2010 , 285, 15668-73	5.4	81
10	Cutting edge: association with I kappa B kinase beta regulates the subcellular localization of Homer3. <i>Journal of Immunology</i> , 2010 , 185, 2665-9	5.3	5
9	Regulation of adipogenesis by natural and synthetic REV-ERB ligands. <i>Endocrinology</i> , 2010 , 151, 3015-25	4.8	105
8	Ligand regulation of retinoic acid receptor-related orphan receptors: implications for development of novel therapeutics. <i>Current Opinion in Lipidology</i> , 2010 , 21, 204-11	4.4	40
7	NEMO-binding domains of both IKKalpha and IKKbeta regulate I kappa B kinase complex assembly and classical NF-kappaB activation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 27596-608	5.4	29

6	Hypomorphic nuclear factor-kappaB essential modulator mutation database and reconstitution system identifies phenotypic and immunologic diversity. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 122, 1169-1177.e16	11.5	200
5	The IkappaB kinase complex: master regulator of NF-kappaB signaling. <i>Immunologic Research</i> , 2008 , 42, 3-18	4.3	164
4	Interleukin-1-induced NF-kappaB activation is NEMO-dependent but does not require IKKbeta. <i>Journal of Biological Chemistry</i> , 2007 , 282, 8724-33	5.4	68
3	G protein-coupled receptor Ca2+-linked mitochondrial reactive oxygen species are essential for endothelial/leukocyte adherence. <i>Molecular and Cellular Biology</i> , 2007 , 27, 7582-93	4.8	41
2	The PP2A-associated protein alpha4 is an essential inhibitor of apoptosis. <i>Science</i> , 2004 , 306, 695-8	33.3	133
1	Splenic and peritoneal B-1 cells differ in terms of transcriptional and proliferative features that separate peritoneal B-1 from splenic B-2 cells. <i>Cellular Immunology</i> , 2001 , 213, 62-71	4.4	35