

P G Berthelsen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1824729/publications.pdf>

Version: 2024-02-01

21
papers

392
citations

1306789

7
h-index

996533

15
g-index

21
all docs

21
docs citations

21
times ranked

250
citing authors

#	ARTICLE	IF	CITATIONS
1	The first intensive care unit in the world: Copenhagen 1953. <i>Acta Anaesthesiologica Scandinavica</i> , 2003, 47, 1190-1195.	0.7	141
2	Lack of agreement between thermodilution and carbon dioxide-rebreathing cardiac output. <i>Acta Anaesthesiologica Scandinavica</i> , 2001, 45, 680-685.	0.7	78
3	Thermodilution cardiac output - are three injections enough?. <i>Acta Anaesthesiologica Scandinavica</i> , 2004, 48, 1322-1327.	0.7	51
4	Cardiac output ? pulse contour analysis vs. pulmonary artery thermodilution. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1044-1049.	0.7	40
5	Precision of bolus thermodilution cardiac output measurements in patients with atrial fibrillation. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 366-372.	0.7	30
6	Thermodilution cardiac output. <i>Acta Anaesthesiologica Scandinavica</i> , 2002, 46, 1103-1110.	0.7	19
7	Researcher bias and generalization of results in bias and limits of agreement analyses: a commentary based on the review of 50 <i>Acta Anaesthesiologica Scandinavica</i> papers using the Altman?Bland approach. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1111-1113.	0.7	13
8	Double jeopardy. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 391-392.	0.7	5
9	Pulse contour analysis: should good-looking curves be trusted?. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1041-1043.	0.7	4
10	Manual positive pressure ventilation and the Copenhagen poliomyelitis epidemic 1952. <i>Acta Anaesthesiologica Scandinavica</i> , 2014, 58, 503-507.	0.7	3
11	On the quest for stress-free surgical operations. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 246-247.	0.7	3
12	John Snow - three original insights, one misconception, and an overdue obituary. <i>Acta Anaesthesiologica Scandinavica</i> , 2017, 61, 566-571.	0.7	2
13	Contamination and dilution. <i>Acta Anaesthesiologica Scandinavica</i> , 2005, 49, 594-594.	0.7	1
14	Björn Aage Ibsen (1915-2007): in Memoriam. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 1292-1293.	0.7	1
15	The birth of flow-directed thermodilution catheters: how measurement of cardiac output became a routine procedure. <i>Acta Anaesthesiologica Scandinavica</i> , 2015, 59, 1116-1118.	0.7	1
16	Pulse-contour-derived cardiac output is unreliable in septic shock. <i>Acta Anaesthesiologica Scandinavica</i> , 2006, 50, 1168-1169.	0.7	0
17	Systemic vascular resistance and aortic balloon counterpulsation. <i>Acta Anaesthesiologica Scandinavica</i> , 2007, 51, 954-954.	0.7	0
18	A matter of the heart. <i>Acta Anaesthesiologica Scandinavica</i> , 2012, 56, 401-403.	0.7	0

#	ARTICLE	IF	CITATIONS
19	On the quest for stress-free surgery - a response. Acta Anaesthesiologica Scandinavica, 2015, 59, 1206-1206.	0.7	0
20	Two great medical discoveries and the wretchedness they caused their discoverers. Acta Anaesthesiologica Scandinavica, 2016, 60, 15-17.	0.7	0
21	On the <scp>QT</scp>-interval and death from chloroform. Acta Anaesthesiologica Scandinavica, 2017, 61, 703-705.	0.7	0