

# P G Berthelsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1824729/publications.pdf>

Version: 2024-02-01

21  
papers

392  
citations

1307366

7  
h-index

996849

15  
g-index

21  
all docs

21  
docs citations

21  
times ranked

250  
citing authors

#	ARTICLE	IF	CITATIONS
1	John Snow "three original insights, one misconception, and an overdue obituary. Acta Anaesthesiologica Scandinavica, 2017, 61, 566-571.	0.7	2
2	On the <scp>QT</scp>-interval and death from chloroform. Acta Anaesthesiologica Scandinavica, 2017, 61, 703-705.	0.7	0
3	Two great medical discoveries and the wretchedness they caused their discoverers. Acta Anaesthesiologica Scandinavica, 2016, 60, 15-17.	0.7	0
4	On the quest for stress-free surgery - a response. Acta Anaesthesiologica Scandinavica, 2015, 59, 1206-1206.	0.7	0
5	On the quest for stress-free surgical operations. Acta Anaesthesiologica Scandinavica, 2015, 59, 246-247.	0.7	3
6	The birth of flow-directed thermodilution catheters: how measurement of cardiac output became a routine procedure. Acta Anaesthesiologica Scandinavica, 2015, 59, 1116-1118.	0.7	1
7	Manual positive pressure ventilation and the Copenhagen poliomyelitis epidemic 1952. Acta Anaesthesiologica Scandinavica, 2014, 58, 503-507.	0.7	3
8	A matter of the heart. Acta Anaesthesiologica Scandinavica, 2012, 56, 401-403.	0.7	0
9	Systemic vascular resistance and aortic balloon counterpulsation. Acta Anaesthesiologica Scandinavica, 2007, 51, 954-954.	0.7	0
10	Björn Aage Ibsen (1915-2007): in Memoriam. Acta Anaesthesiologica Scandinavica, 2007, 51, 1292-1293.	0.7	1
11	Double jeopardy. Acta Anaesthesiologica Scandinavica, 2006, 50, 391-392.	0.7	5
12	Cardiac output ? pulse contour analysis vs. pulmonary artery thermodilution. Acta Anaesthesiologica Scandinavica, 2006, 50, 1044-1049.	0.7	40
13	Researcher bias and generalization of results in bias and limits of agreement analyses: a commentary based on the review of 50 Acta Anaesthesiologica Scandinavica papers using the Altman-Bland approach. Acta Anaesthesiologica Scandinavica, 2006, 50, 1111-1113.	0.7	13
14	Pulse-contour-derived cardiac output is unreliable in septic shock. Acta Anaesthesiologica Scandinavica, 2006, 50, 1168-1169.	0.7	0
15	Pulse contour analysis: should good-looking curves be trusted?. Acta Anaesthesiologica Scandinavica, 2006, 50, 1041-1043.	0.7	4
16	Contamination and dilution. Acta Anaesthesiologica Scandinavica, 2005, 49, 594-594.	0.7	1
17	Precision of bolus thermodilution cardiac output measurements in patients with atrial fibrillation. Acta Anaesthesiologica Scandinavica, 2005, 49, 366-372.	0.7	30
18	Thermodilution cardiac output - are three injections enough?. Acta Anaesthesiologica Scandinavica, 2004, 48, 1322-1327.	0.7	51

#	ARTICLE	IF	CITATIONS
19	The first intensive care unit in the world: Copenhagen 1953. Acta Anaesthesiologica Scandinavica, 2003, 47, 1190-1195.	0.7	141
20	Thermodilution cardiac output. Acta Anaesthesiologica Scandinavica, 2002, 46, 1103-1110.	0.7	19
21	Lack of agreement between thermodilution and carbon dioxide-rebreathing cardiac output. Acta Anaesthesiologica Scandinavica, 2001, 45, 680-685.	0.7	78