Antonio Parisi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1824742/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Morphological and genetic diversity of Rhipicephalus sanguineus sensu lato from the New and Old Worlds. Parasites and Vectors, 2013, 6, 213. | 2.5 | 233 |
| 2 | Genetic analysis of canine parvovirus type 2c. Virology, 2009, 385, 5-10. | 2.4 | 108 |
| 3 | VMSbase: An R-Package for VMS and Logbook Data Management and Analysis in Fisheries Ecology. PLoS ONE, 2014, 9, e100195. | 2.5 | 82 |
| 4 | Diagnosis of Coxiella burnetii-related abortion in Italian domestic ruminants using single-tube nested PCR. Veterinary Microbiology, 2006, 118, 101-106. | 1.9 | 74 |
| 5 | Amplified Fragment Length Polymorphism and Multi-Locus Sequence Typing for high-resolution genotyping of Listeria monocytogenes from foods and the environment. Food Microbiology, 2010, 27, 101-108. | 4.2 | 74 |
| 6 | When behaviour reveals activity: Assigning fishing effort to métiers based on VMS data using artificial neural networks. Fisheries Research, 2011, 111, 53-64. | 1.7 | 73 |
| 7 | Methicillin-resistant Staphylococcus aureus (MRSA) in slaughtered pigs and abattoir workers in Italy. Food Microbiology, 2015, 51, 51-56. | 4.2 | 70 |
| 8 | Characterisation of canine parvovirus strains isolated from cats with feline panleukopenia. Research in Veterinary Science, 2010, 89, 275-278. | 1.9 | 69 |
| 9 | New insights in interpolating fishing tracks from VMS data for different métiers. Fisheries Research, 2011, 108, 184-194. | 1.7 | 66 |
| 10 | Morphological and molecular differentiation between Dicrocoelium dendriticum (Rudolphi, 1819) and Dicrocoelium chinensis (Sudarikov and Ryjikov, 1951) Tang and Tang, 1978 (Platyhelminthes: Digenea). Acta Tropica, 2007, 104, 91-98. | 2.0 | 61 |
| 11 | SMART: A Spatially Explicit Bio-Economic Model for Assessing and Managing Demersal Fisheries, with an Application to Italian Trawlers in the Strait of Sicily. PLoS ONE, 2014, 9, e86222. | 2.5 | 54 |
| 12 | Genetic Resistance to Brucella abortus in the Water Buffalo (Bubalus bubalis). Infection and Immunity, 2006, 74, 2115-2120. | 2.2 | 51 |
| 13 | Prevalence in Bulk Tank Milk and Epidemiology of <i>Campylobacter jejuni</i> in Dairy Herds in Northern Italy. Applied and Environmental Microbiology, 2014, 80, 1832-1837. | 3.1 | 51 |
| 14 | Politicians â€~on Board': Do Political Connections Affect Banking Activities in Italy?. European Management Review, 2012, 9, 75-83. | 3.7 | 50 |
| 15 | Enhanced surveillance of invasive listeriosis in the Lombardy region, Italy, in the years 2006-2010 reveals major clones and an increase in serotype 1/2a. BMC Infectious Diseases, 2013, 13, 152. | 2.9 | 49 |
| 16 | An outbreak of equine influenza virus in vaccinated horses in Italy is due to an H3N8 strain closely related to recent North American representatives of the Florida sub-lineage. Veterinary Microbiology, 2007, 121, 56-63. | 1.9 | 48 |
| 17 | Genetic variants of Malassezia pachydermatis from canine skin: body distribution and phospholipase activity. FEMS Yeast Research, 2008, 8, 451-459. | 2.3 | 47 |
| 18 | Comparative Genomics of <i>Listeria</i> Sensu Lato: Genus-Wide Differences in Evolutionary Dynamics and the Progressive Gain of Complex, Potentially Pathogenicity-Related Traits through Lateral Gene Transfer. Genome Biology and Evolution, 2015, 7, 2154-2172. | 2.5 | 47 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Hospitalized Pets as a Source of Carbapenem-Resistance. Frontiers in Microbiology, 2018, 9, 2872. | 3.5 | 47 |
| 20 | Trends in Effort and Yield of Trawl Fisheries: A Case Study From the Mediterranean Sea. Frontiers in Marine Science, 2019, 6, . | 2.5 | 40 |
| 21 | Biofilm Formation and Its Relationship with the Molecular Characteristics of Foodâ€Related Methicillinâ€Resistant <i>Staphylococcus aureus</i> (MRSA). Journal of Food Science, 2017, 82, 2364-2370. | 3.1 | 38 |
| 22 | Crenosoma vulpis in wild and domestic carnivores from Italy: a morphological and molecular study. Parasitology Research, 2015, 114, 3611-3617. | 1.6 | 37 |
| 23 | Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328. | 1.8 | 36 |
| 24 | Molecular characterization of Malassezia isolates from dogs using three distinct genetic markers in nuclear DNA. Molecular and Cellular Probes, 2007, 21, 229-238. | 2.1 | 33 |
| 25 | Clinical Bovine Piroplasmosis Caused by Babesia occultans in Italy. Journal of Clinical Microbiology, 2013, 51, 2432-2434. | 3.9 | 33 |
| 26 | Identification of a major Listeria monocytogenes outbreak clone linked to soft cheese in Northern Italy – 2009-2011. BMC Infectious Diseases, 2017, 17, 342. | 2.9 | 31 |
| 27 | Simulating the Effects of Alternative Management Measures of Trawl Fisheries in the Central Mediterranean Sea: Application of a Multi-Species Bio-economic Modeling Approach. Frontiers in Marine Science, 2019, 6, . | 2.5 | 31 |
| 28 | Genome-wide identification of geographical segregated genetic markers in Salmonella enterica serovar Typhimurium variant 4,[5],12:i: Scientific Reports, 2018, 8, 15251. | 3.3 | 30 |
| 29 | MRSA in swine, farmers and abattoir workers in Southern Italy. Food Microbiology, 2019, 82, 287-293. | 4.2 | 30 |
| 30 | Prevalence of <i>Helicobacterpullorum</i> in Conventional, Organic, and Free-Range Broilers and Typing of Isolates. Applied and Environmental Microbiology, 2011, 77, 479-484. | 3.1 | 29 |
| 31 | A nested PCR approach for unambiguous typing of pestiviruses infecting cattle. Molecular and Cellular Probes, 2012, 26, 42-46. | 2.1 | 28 |
| 32 | Molecular epidemiology of canine parvovirus in Morocco. Infection, Genetics and Evolution, 2016, 41, 201-206. | 2.3 | 28 |
| 33 | Genetic variability and phospholipase production of <i>Malassezia pachydermatis</i> isolated from dogs with diverse grades of skin lesions. Medical Mycology, 2010, 48, 889-892. | 0.7 | 27 |
| 34 | Comparison of two AFLP methods and PFGE using strains of Listeria monocytogenes isolated from environmental and food samples obtained from Piedmont, Italy. International Journal of Food Microbiology, 2011, 149, 177-182. | 4.7 | 27 |
| 35 | Impact of a probiotic-based cleaning product on the microbiological profile of broiler litters and chicken caeca microbiota. Poultry Science, 2019, 98, 3602-3610. | 3.4 | 27 |
| 36 | Biological compatibility between two temperate lineages of brown dog ticks, Rhipicephalus sanguineus (sensu lato). Parasites and Vectors, 2018, 11, 398. | 2.5 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Antimicrobial Susceptibility and Multilocus Sequence Typing of <i>Listeria monocytogenes</i> Isolated Over 11 Years from Food, Humans, and the Environment in Italy. Foodborne Pathogens and Disease, 2020, 17, 284-294. | 1.8 | 26 |
| 38 | Modelling the strategy of mid-water trawlers targeting small pelagic fish in the Adriatic Sea and its drivers. Ecological Modelling, 2015, 300, 102-113. | 2.5 | 25 |
| 39 | <i>Listeria monocytogenes</i> Circulating in Rabbit Meat Products and Slaughterhouses in Italy: Prevalence Data and Comparison Among Typing Results. Foodborne Pathogens and Disease, 2017, 14, 167-176. | 1.8 | 25 |
| 40 | Molecular characterization of selected dermatophytes and their identification by electrophoretic mutation scanning. Electrophoresis, 2009, 30, 3555-3564. | 2.4 | 24 |
| 41 | Detection of a canine parvovirus type 2c with a non-coding mutation and its implications for molecular characterisation. Veterinary Journal, 2013, 196, 555-557. | 1.7 | 24 |
| 42 | High mortality in foals associated with <i>Salmonella enterica</i> subsp. <i>enterica</i> Abortusequi infection in Italy. Journal of Veterinary Diagnostic Investigation, 2018, 30, 483-485. | 1.1 | 24 |
| 43 | Identification of tuna species in commercial cans by minor groove binder probe real-time polymerase chain reaction analysis of mitochondrial DNA sequences. Molecular and Cellular Probes, 2010, 24, 352-356. | 2.1 | 23 |
| 44 | Species Distribution and <i>In Vitro</i> Azole Susceptibility of Aspergillus Section <i>Nigri</i> Isolates from Clinical and Environmental Settings. Journal of Clinical Microbiology, 2016, 54, 2365-2372. | 3.9 | 23 |
| 45 | Global Emergence of Colistin-Resistant Escherichia coli in Food Chains and Associated Food Safety Implications: A Review. Journal of Food Protection, 2019, 82, 1440-1448. | 1.7 | 23 |
| 46 | Multilocus molecular and phylogenetic analysis of phlebotomine sand flies (Diptera: Psychodidae) from southern Italy. Acta Tropica, 2011, 119, 91-98. | 2.0 | 22 |
| 47 | Occurrence of Ixodiphagus hookeri (Hymenoptera: Encyrtidae) in Ixodes ricinus (Acari: Ixodidae) in Southern Italy. Ticks and Tick-borne Diseases, 2015, 6, 234-236. | 2.7 | 22 |
| 48 | Discrimination of Bacillus cereus Group Members by MALDI-TOF Mass Spectrometry. Microorganisms, 2021, 9, 1202. | 3.6 | 22 |
| 49 | Antimicrobial susceptibility and genotyping of Staphylococcus aureus isolates collected between 1986 and 2015 from ovine mastitis. Veterinary Microbiology, 2017, 205, 53-56. | 1.9 | 21 |
| 50 | High prevalence of vector-borne pathogens in domestic and wild carnivores in Iraq. Acta Tropica, 2019, 197, 105058. | 2.0 | 21 |
| 51 | Mixed infection by <i>Feline astrovirus</i> and <i>Feline panleukopenia virus</i> in a domestic cat with gastroenteritis and panleukopenia. Journal of Veterinary Diagnostic Investigation, 2011, 23, 581-584. | 1.1 | 20 |
| 52 | Verocytotoxin-Producing Escherichia coli O26 in Raw Water Buffalo (Bubalus bubalis) Milk Products in Italy. Journal of Food Protection, 2009, 72, 1705-1708. | 1.7 | 19 |
| 53 | Experimental and field investigations on the role of birds as hosts of Leishmania infantum, with emphasis on the domestic chicken. Acta Tropica, 2010, 113, 80-83. | 2.0 | 19 |
| 54 | Novel Orthopoxvirus and Lethal Disease in Cat, Italy. Emerging Infectious Diseases, 2018, 24, 1665-1673. | 4.3 | 19 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Paternal leakage and mtDNA heteroplasmy in Rhipicephalus spp. ticks. Scientific Reports, 2019, 9, 1460. | 3.3 | 19 |
| 56 | Characterization of a novel plasmid encoding F4-like fimbriae present in a Shiga-toxin producing enterotoxigenic Escherichia coli isolated during the investigation on a case of hemolytic-uremic syndrome. International Journal of Medical Microbiology, 2018, 308, 947-955. | 3.6 | 17 |
| 57 | Identification of virulence and antibiotic resistance factors in Arcobacter butzleri isolated from bovine milk by Whole Genome Sequencing. Italian Journal of Food Safety, 2019, 8, 7840. | 0.8 | 17 |
| 58 | Identification and genetic characterization of equine hepaciviruses in Italy. Veterinary Microbiology, 2017, 207, 239-247. | 1.9 | 16 |
| 59 | An assessment of genetic variability in the mitochondrial cytochrome c oxidase subunit 1 gene of Cercopithifilaria sp. (Spirurida, Onchocercidae) from dog and Rhipicephalus sanguineus populations. Molecular and Cellular Probes, 2012, 26, 81-89. | 2.1 | 14 |
| 60 | Serological diagnosis of bovine brucellosis using B. melitensis strain B115. Journal of Microbiological Methods, 2015, 119, 106-109. | 1.6 | 13 |
| 61 | <i>Cryptococcus neoformans</i> in the respiratory tract of squirrels, <i>Callosciurus finlaysonii</i> (Rodentia, Sciuridae). Medical Mycology, 2015, 53, 666-673. | 0.7 | 13 |
| 62 | Evaluation of <i>in vitro</i> antimicrobial susceptibility of <i>Bacillus anthracis</i> strains isolated during anthrax outbreaks in Italy from 1984 to 2017. Journal of Veterinary Science, 2019, 20, 58. | 1.3 | 13 |
| 63 | Case-management protocol for bloody diarrhea as a model to reduce the clinical impact of Shiga toxin-producing Escherichia coli infections. Experience from Southern Italy. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 539-547. | 2.9 | 13 |
| 64 | Campylobacter vulpis sp. nov. isolated from wild red foxes. Systematic and Applied Microbiology, 2021, 44, 126204. | 2.8 | 13 |
| 65 | COVID-19 Infection in Children, Infants and Pregnant Subjects: An Overview of Recent Insights and Therapies. Microorganisms, 2021, 9, 1964. | 3.6 | 13 |
| 66 | Bayesian inference for the multivariate skew-normal model: A population Monte Carlo approach. Computational Statistics and Data Analysis, 2013, 63, 125-138. | 1.2 | 12 |
| 67 | Dolphin Morbillivirus in Eurasian Otters, Italy. Emerging Infectious Diseases, 2019, 25, 372-374. | 4.3 | 12 |
| 68 | Draft Genome Sequences of Six Listeria monocytogenes Strains Isolated from Dairy Products from a Processing Plant in Southern Italy. Genome Announcements, 2014, 2, . | 0.8 | 11 |
| 69 | Typing of <i>Campylobacter jejuni</i> Isolated from Turkey by Genotypic Methods, Antimicrobial Susceptibility, and Virulence Gene Patterns: A Retrospective Study. Foodborne Pathogens and Disease, 2016, 13, 93-100. | 1.8 | 11 |
| 70 | lxodes ventalloi: morphological and molecular support for species integrity. Parasitology Research, 2017, 116, 251-258. | 1.6 | 11 |
| 71 | Sentinel hospital-based surveillance for norovirus infection in children with gastroenteritis between 2015 and 2016 in Italy. PLoS ONE, 2018, 13, e0208184. | 2.5 | 10 |
| 72 | <scp>smart</scp> R: An <scp>r</scp> package for spatial modelling of fisheries and scenario simulation of management strategies. Methods in Ecology and Evolution, 2020, 11, 859-868. | 5.2 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Genetic characterization of Bacillus anthracis strains circulating in Italy from 1972 to 2018. PLoS ONE, 2020, 15, e0227875. | 2.5 | 10 |
| 74 | Genotypes and Antibiotic Resistances of Campylobacter jejuni Isolates from Cattle and Pigeons in Dairy Farms. International Journal of Environmental Research and Public Health, 2014, 11, 7154-7162. | 2.6 | 9 |
| 75 | Progress in modelling herring populations: an individual-based model of growth. ICES Journal of Marine Science, 2009, 66, 1718-1725. | 2.5 | 8 |
| 76 | Detection of verocytotoxin-producing Escherichia coli (VTEC) in minced beef and raw milk by colony blot hybridization. Food Control, 2010, 21, 770-773. | 5.5 | 8 |
| 77 | High Occurrence of Methicillin-Resistant <i>Staphylococcus aureus</i> in Horses at Slaughterhouses Compared with Those for Recreational Activities: A Professional and Food Safety Concern?. Foodborne Pathogens and Disease, 2017, 14, 735-741. | 1.8 | 8 |
| 78 | Neurological symptoms and mortality associated with Streptococcus gallolyticus subsp. pasteurianus in calves. Veterinary Microbiology, 2019, 236, 108369. | 1.9 | 8 |
| 79 | Genomic Surveillance of Circulating SARS-CoV-2 in South East Italy: A One-Year Retrospective Genetic Study. Viruses, 2021, 13, 731. | 3.3 | 8 |
| 80 | Objective Bayesian analysis for the multivariate skew-t model. Statistical Methods and Applications, 2018, 27, 277-295. | 1.2 | 7 |
| 81 | Arcobacter spp. in bovine milk: An emerging pathogen with potential zoonotic risk. Italian Journal of Food Safety, 2018, 7, 7685. | 0.8 | 7 |
| 82 | Detection of a novel clone of Acinetobacter baumannii isolated from a dog with otitis externa. Comparative Immunology, Microbiology and Infectious Diseases, 2020, 70, 101471. | 1.6 | 7 |
| 83 | Analysis of a mitochondrial noncoding region for the identification of the most diffused Hypoderma species (Diptera, Oestridae). Veterinary Parasitology, 2010, 173, 317-323. | 1.8 | 6 |
| 84 | High Prevalence of Intestinal Carriage of Campylobacter coli in Patients With Primary Antibody Deficiencies. Journal of Clinical Gastroenterology, 2011, 45, 474-475. | 2.2 | 6 |
| 85 | Detection of Arcobacter spp. in Mytilus galloprovincialis samples collected from Apulia region. Italian Journal of Food Safety, 2015, 4, 4583. | 0.8 | 6 |
| 86 | Paramyosin of canine Onchocerca lupi: usefulness for the diagnosis of a neglected zoonotic disease. Parasites and Vectors, 2016, 9, 493. | 2.5 | 6 |
| 87 | Predicting Fishing Footprint of Trawlers From Environmental and Fleet Data: An Application of Artificial Neural Networks. Frontiers in Marine Science, 2019, 6, . | 2.5 | 6 |
| 88 | Microbiological and chemical evaluation of Helix spp. snails from local and non-EU markets, utilised as food in Sardinia. Italian Journal of Food Safety, 2014, 3, 1732. | 0.8 | 5 |
| 89 | Whole genome sequencing based typing and characterisation of Shiga-toxin producing Escherichia coli strains belonging to 0157 and 026 serotypes and isolated in dairy farms. Italian Journal of Food Safety, 2018, 7, 7673. | 0.8 | 5 |
| 90 | Defend as You Can, React Quickly: The Effects of the COVID-19 Shock on a Large Fishery of the Mediterranean Sea. Frontiers in Marine Science, 2022, 9, . | 2.5 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Comparison between Salmonella enterica Serotype Enteritidis Genotyping Methods and Phage Type. Journal of Clinical Microbiology, 2015, 53, 3021-3031. | 3.9 | 3 |

92 Salmonella enterica Subsp. houtenae Associated with an Abscess in Young Roe Deer (Capreolus) Tj ETQq0 0 0 rgBT_2.8 verlock 10 Tf 50 7

| 93 | Characterisation of a catalase-negative methicillin-resistant Staphylococcus aureus isolate from a dog. Veterinary Microbiology, 2013, 167, 734-736. | 1.9 | 2 |
|----|--|-----|---|
| 94 | Microbiota analysis and microbiological hazard assessment in poultry carcasses from conventional and antibiotic free farms. Italian Journal of Food Safety, 2018, 7, 7706. | 0.8 | 2 |
| 95 | Astrovirus VA1 in patients with acute gastroenteritis. Transboundary and Emerging Diseases, 2022, 69, 864-869. | 3.0 | 2 |
| 96 | SARS-CoV-2 Gamma and Delta Variants of Concern Might Undermine Neutralizing Activity Generated in Response to BNT162b2 mRNA Vaccination. Viruses, 2022, 14, 814. | 3.3 | 2 |