

# Antonio Parisi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1824742/publications.pdf>

Version: 2024-02-01

96  
papers

2,666  
citations

186265

28  
h-index

233421

45  
g-index

99  
all docs

99  
docs citations

99  
times ranked

3896  
citing authors

#	ARTICLE	IF	CITATIONS
1	Astrovirus VA1 in patients with acute gastroenteritis. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 864-869.	3.0	2
2	Defend as You Can, React Quickly: The Effects of the COVID-19 Shock on a Large Fishery of the Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2022, 9, .	2.5	4
3	SARS-CoV-2 Gamma and Delta Variants of Concern Might Undermine Neutralizing Activity Generated in Response to BNT162b2 mRNA Vaccination. <i>Viruses</i> , 2022, 14, 814.	3.3	2
4	Genomic Surveillance of Circulating SARS-CoV-2 in South East Italy: A One-Year Retrospective Genetic Study. <i>Viruses</i> , 2021, 13, 731.	3.3	8
5	Salmonella enterica Subsp. houtenae Associated with an Abscess in Young Roe Deer ( <i>Capreolus</i> ) Tj ETQq1 1 0.784314 rgBT /QOverlock 11 2.8 3	2.8	3
6	Campylobacter vulpis sp. nov. isolated from wild red foxes. <i>Systematic and Applied Microbiology</i> , 2021, 44, 126204.	2.8	13
7	Discrimination of Bacillus cereus Group Members by MALDI-TOF Mass Spectrometry. <i>Microorganisms</i> , 2021, 9, 1202.	3.6	22
8	COVID-19 Infection in Children, Infants and Pregnant Subjects: An Overview of Recent Insights and Therapies. <i>Microorganisms</i> , 2021, 9, 1964.	3.6	13
9	Antimicrobial Susceptibility and Multilocus Sequence Typing of <i>Listeria monocytogenes</i> Isolated Over 11 Years from Food, Humans, and the Environment in Italy. <i>Foodborne Pathogens and Disease</i> , 2020, 17, 284-294.	1.8	26
10	Case-management protocol for bloody diarrhea as a model to reduce the clinical impact of Shiga toxin-producing Escherichia coli infections. Experience from Southern Italy. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2020, 39, 539-547.	2.9	13
11	<scp>smart</scp>R: An <scp>r</scp> package for spatial modelling of fisheries and scenario simulation of management strategies. <i>Methods in Ecology and Evolution</i> , 2020, 11, 859-868.	5.2	10
12	Genetic characterization of Bacillus anthracis strains circulating in Italy from 1972 to 2018. <i>PLoS ONE</i> , 2020, 15, e0227875.	2.5	10
13	Detection of a novel clone of Acinetobacter baumannii isolated from a dog with otitis externa. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2020, 70, 101471.	1.6	7
14	Identification of virulence and antibiotic resistance factors in Arcobacter butzleri isolated from bovine milk by Whole Genome Sequencing. <i>Italian Journal of Food Safety</i> , 2019, 8, 7840.	0.8	17
15	Global Emergence of Colistin-Resistant Escherichia coli in Food Chains and Associated Food Safety Implications: A Review. <i>Journal of Food Protection</i> , 2019, 82, 1440-1448.	1.7	23
16	Predicting Fishing Footprint of Trawlers From Environmental and Fleet Data: An Application of Artificial Neural Networks. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	6
17	Neurological symptoms and mortality associated with Streptococcus gallolyticus subsp. pasteurianus in calves. <i>Veterinary Microbiology</i> , 2019, 236, 108369.	1.9	8
18	Simulating the Effects of Alternative Management Measures of Trawl Fisheries in the Central Mediterranean Sea: Application of a Multi-Species Bio-economic Modeling Approach. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	31

#	ARTICLE	IF	CITATIONS
19	Dolphin Morbillivirus in Eurasian Otters, Italy. <i>Emerging Infectious Diseases</i> , 2019, 25, 372-374.	4.3	12
20	High prevalence of vector-borne pathogens in domestic and wild carnivores in Iraq. <i>Acta Tropica</i> , 2019, 197, 105058.	2.0	21
21	Trends in Effort and Yield of Trawl Fisheries: A Case Study From the Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	40
22	MRSA in swine, farmers and abattoir workers in Southern Italy. <i>Food Microbiology</i> , 2019, 82, 287-293.	4.2	30
23	Impact of a probiotic-based cleaning product on the microbiological profile of broiler litters and chicken caeca microbiota. <i>Poultry Science</i> , 2019, 98, 3602-3610.	3.4	27
24	Evaluation of <i>in vitro</i> antimicrobial susceptibility of <i>Bacillus anthracis</i> strains isolated during anthrax outbreaks in Italy from 1984 to 2017. <i>Journal of Veterinary Science</i> , 2019, 20, 58.	1.3	13
25	Paternal leakage and mtDNA heteroplasmy in <i>Rhipicephalus</i> spp. ticks. <i>Scientific Reports</i> , 2019, 9, 1460.	3.3	19
26	High mortality in foals associated with <i>Salmonella enterica</i> subsp. <i>enterica</i> Abortusequi infection in Italy. <i>Journal of Veterinary Diagnostic Investigation</i> , 2018, 30, 483-485.	1.1	24
27	Objective Bayesian analysis for the multivariate skew-t model. <i>Statistical Methods and Applications</i> , 2018, 27, 277-295.	1.2	7
28	Whole genome sequencing based typing and characterisation of Shiga-toxin producing <i>Escherichia coli</i> strains belonging to O157 and O26 serotypes and isolated in dairy farms. <i>Italian Journal of Food Safety</i> , 2018, 7, 7673.	0.8	5
29	<i>Arcobacter</i> spp. in bovine milk: An emerging pathogen with potential zoonotic risk. <i>Italian Journal of Food Safety</i> , 2018, 7, 7685.	0.8	7
30	Microbiota analysis and microbiological hazard assessment in poultry carcasses from conventional and antibiotic free farms. <i>Italian Journal of Food Safety</i> , 2018, 7, 7706.	0.8	2
31	Hospitalized Pets as a Source of Carbapenem-Resistance. <i>Frontiers in Microbiology</i> , 2018, 9, 2872.	3.5	47
32	Genome-wide identification of geographical segregated genetic markers in <i>Salmonella enterica</i> serovar Typhimurium variant 4,[5],12:i:-. <i>Scientific Reports</i> , 2018, 8, 15251.	3.3	30
33	Sentinel hospital-based surveillance for norovirus infection in children with gastroenteritis between 2015 and 2016 in Italy. <i>PLoS ONE</i> , 2018, 13, e0208184.	2.5	10
34	Novel Orthopoxvirus and Lethal Disease in Cat, Italy. <i>Emerging Infectious Diseases</i> , 2018, 24, 1665-1673.	4.3	19
35	Biological compatibility between two temperate lineages of brown dog ticks, <i>Rhipicephalus sanguineus</i> (sensu lato). <i>Parasites and Vectors</i> , 2018, 11, 398.	2.5	26
36	Characterization of a novel plasmid encoding F4-like fimbriae present in a Shiga-toxin producing enterotoxigenic <i>Escherichia coli</i> isolated during the investigation on a case of hemolytic-uremic syndrome. <i>International Journal of Medical Microbiology</i> , 2018, 308, 947-955.	3.6	17

#	ARTICLE	IF	CITATIONS
37	<i>Listeria monocytogenes</i> Circulating in Rabbit Meat Products and Slaughterhouses in Italy: Prevalence Data and Comparison Among Typing Results. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 167-176.	1.8	25
38	Antimicrobial susceptibility and genotyping of <i>Staphylococcus aureus</i> isolates collected between 1986 and 2015 from ovine mastitis. <i>Veterinary Microbiology</i> , 2017, 205, 53-56.	1.9	21
39	Biofilm Formation and Its Relationship with the Molecular Characteristics of Food-Related Methicillin-Resistant <i>Staphylococcus aureus</i> (MRSA). <i>Journal of Food Science</i> , 2017, 82, 2364-2370.	3.1	38
40	Identification and genetic characterization of equine hepaciviruses in Italy. <i>Veterinary Microbiology</i> , 2017, 207, 239-247.	1.9	16
41	High Occurrence of Methicillin-Resistant <i>Staphylococcus aureus</i> in Horses at Slaughterhouses Compared with Those for Recreational Activities: A Professional and Food Safety Concern?. <i>Foodborne Pathogens and Disease</i> , 2017, 14, 735-741.	1.8	8
42	Identification of a major <i>Listeria monocytogenes</i> outbreak clone linked to soft cheese in Northern Italy – 2009-2011. <i>BMC Infectious Diseases</i> , 2017, 17, 342.	2.9	31
43	<i>Ixodes ventralis</i> : morphological and molecular support for species integrity. <i>Parasitology Research</i> , 2017, 116, 251-258.	1.6	11
44	Molecular epidemiology of canine parvovirus in Morocco. <i>Infection, Genetics and Evolution</i> , 2016, 41, 201-206.	2.3	28
45	Paramyosin of canine <i>Onchocerca lupi</i> : usefulness for the diagnosis of a neglected zoonotic disease. <i>Parasites and Vectors</i> , 2016, 9, 493.	2.5	6
46	Species Distribution and <i>In Vitro</i> Azole Susceptibility of <i>Aspergillus</i> Section <i>Nigri</i> Isolates from Clinical and Environmental Settings. <i>Journal of Clinical Microbiology</i> , 2016, 54, 2365-2372.	3.9	23
47	Typing of <i>Campylobacter jejuni</i> Isolated from Turkey by Genotypic Methods, Antimicrobial Susceptibility, and Virulence Gene Patterns: A Retrospective Study. <i>Foodborne Pathogens and Disease</i> , 2016, 13, 93-100.	1.8	11
48	Detection of <i>Arcobacter</i> spp. in <i>Mytilus galloprovincialis</i> samples collected from Apulia region. <i>Italian Journal of Food Safety</i> , 2015, 4, 4583.	0.8	6
49	Modelling the strategy of mid-water trawlers targeting small pelagic fish in the Adriatic Sea and its drivers. <i>Ecological Modelling</i> , 2015, 300, 102-113.	2.5	25
50	Comparative Genomics of <i>Listeria</i> Sensu Lato: Genus-Wide Differences in Evolutionary Dynamics and the Progressive Gain of Complex, Potentially Pathogenicity-Related Traits through Lateral Gene Transfer. <i>Genome Biology and Evolution</i> , 2015, 7, 2154-2172.	2.5	47
51	Serological diagnosis of bovine brucellosis using <i>B. melitensis</i> strain B115. <i>Journal of Microbiological Methods</i> , 2015, 119, 106-109.	1.6	13
52	Occurrence of <i>Ixodiphagus hookeri</i> (Hymenoptera: Encyrtidae) in <i>Ixodes ricinus</i> (Acari: Ixodidae) in Southern Italy. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 234-236.	2.7	22
53	Methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) in slaughtered pigs and abattoir workers in Italy. <i>Food Microbiology</i> , 2015, 51, 51-56.	4.2	70
54	<i>Crenosoma vulpis</i> in wild and domestic carnivores from Italy: a morphological and molecular study. <i>Parasitology Research</i> , 2015, 114, 3611-3617.	1.6	37

#	ARTICLE	IF	CITATIONS
55	<i>Cryptococcus neoformans</i> in the respiratory tract of squirrels, <i>Callosciurus finlaysonii</i> (Rodentia, Sciuridae). <i>Medical Mycology</i> , 2015, 53, 666-673.	0.7	13
56	Comparison between <i>Salmonella enterica</i> Serotype Enteritidis Genotyping Methods and Phage Type. <i>Journal of Clinical Microbiology</i> , 2015, 53, 3021-3031.	3.9	3
57	SMART: A Spatially Explicit Bio-Economic Model for Assessing and Managing Demersal Fisheries, with an Application to Italian Trawlers in the Strait of Sicily. <i>PLoS ONE</i> , 2014, 9, e86222.	2.5	54
58	Microbiological and chemical evaluation of <i>Helix</i> spp. snails from local and non-EU markets, utilised as food in Sardinia. <i>Italian Journal of Food Safety</i> , 2014, 3, 1732.	0.8	5
59	Draft Genome Sequences of Six <i>Listeria monocytogenes</i> Strains Isolated from Dairy Products from a Processing Plant in Southern Italy. <i>Genome Announcements</i> , 2014, 2, .	0.8	11
60	Prevalence in Bulk Tank Milk and Epidemiology of <i>Campylobacter jejuni</i> in Dairy Herds in Northern Italy. <i>Applied and Environmental Microbiology</i> , 2014, 80, 1832-1837.	3.1	51
61	Genotypes and Antibiotic Resistances of <i>Campylobacter jejuni</i> Isolates from Cattle and Pigeons in Dairy Farms. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 7154-7162.	2.6	9
62	VMSbase: An R-Package for VMS and Logbook Data Management and Analysis in Fisheries Ecology. <i>PLoS ONE</i> , 2014, 9, e100195.	2.5	82
63	Enhanced surveillance of invasive listeriosis in the Lombardy region, Italy, in the years 2006-2010 reveals major clones and an increase in serotype 1/2a. <i>BMC Infectious Diseases</i> , 2013, 13, 152.	2.9	49
64	Morphological and genetic diversity of <i>Rhipicephalus sanguineus sensu lato</i> from the New and Old Worlds. <i>Parasites and Vectors</i> , 2013, 6, 213.	2.5	233
65	Clinical Bovine Piroplasmiasis Caused by <i>Babesia occulta</i> in Italy. <i>Journal of Clinical Microbiology</i> , 2013, 51, 2432-2434.	3.9	33
66	Characterisation of a catalase-negative methicillin-resistant <i>Staphylococcus aureus</i> isolate from a dog. <i>Veterinary Microbiology</i> , 2013, 167, 734-736.	1.9	2
67	Bayesian inference for the multivariate skew-normal model: A population Monte Carlo approach. <i>Computational Statistics and Data Analysis</i> , 2013, 63, 125-138.	1.2	12
68	Detection of a canine parvovirus type 2c with a non-coding mutation and its implications for molecular characterisation. <i>Veterinary Journal</i> , 2013, 196, 555-557.	1.7	24
69	A nested PCR approach for unambiguous typing of pestiviruses infecting cattle. <i>Molecular and Cellular Probes</i> , 2012, 26, 42-46.	2.1	28
70	An assessment of genetic variability in the mitochondrial cytochrome c oxidase subunit 1 gene of <i>Cercopithifilaria</i> sp. (Spirurida, Onchocercidae) from dog and <i>Rhipicephalus sanguineus</i> populations. <i>Molecular and Cellular Probes</i> , 2012, 26, 81-89.	2.1	14
71	Politicians on Board™: Do Political Connections Affect Banking Activities in Italy?. <i>European Management Review</i> , 2012, 9, 75-83.	3.7	50
72	Multilocus molecular and phylogenetic analysis of phlebotomine sand flies (Diptera: Psychodidae) from southern Italy. <i>Acta Tropica</i> , 2011, 119, 91-98.	2.0	22

#	ARTICLE	IF	CITATIONS
73	New insights in interpolating fishing tracks from VMS data for different métiers. Fisheries Research, 2011, 108, 184-194.	1.7	66
74	When behaviour reveals activity: Assigning fishing effort to métiers based on VMS data using artificial neural networks. Fisheries Research, 2011, 111, 53-64.	1.7	73
75	High Prevalence of Intestinal Carriage of Campylobacter coli in Patients With Primary Antibody Deficiencies. Journal of Clinical Gastroenterology, 2011, 45, 474-475.	2.2	6
76	Comparison of two AFLP methods and PFGE using strains of Listeria monocytogenes isolated from environmental and food samples obtained from Piedmont, Italy. International Journal of Food Microbiology, 2011, 149, 177-182.	4.7	27
77	Mixed infection by <i>Feline astrovirus</i> and <i>Feline panleukopenia virus</i> in a domestic cat with gastroenteritis and panleukopenia. Journal of Veterinary Diagnostic Investigation, 2011, 23, 581-584.	1.1	20
78	Prevalence of <i>Helicobacter pullorum</i> in Conventional, Organic, and Free-Range Broilers and Typing of Isolates. Applied and Environmental Microbiology, 2011, 77, 479-484.	3.1	29
79	Amplified Fragment Length Polymorphism and Multi-Locus Sequence Typing for high-resolution genotyping of Listeria monocytogenes from foods and the environment. Food Microbiology, 2010, 27, 101-108.	4.2	74
80	Analysis of a mitochondrial noncoding region for the identification of the most diffused Hypoderma species (Diptera, Oestridae). Veterinary Parasitology, 2010, 173, 317-323.	1.8	6
81	Genetic variability and phospholipase production of <i>Malassezia pachydermatis</i> isolated from dogs with diverse grades of skin lesions. Medical Mycology, 2010, 48, 889-892.	0.7	27
82	Identification of tuna species in commercial cans by minor groove binder probe real-time polymerase chain reaction analysis of mitochondrial DNA sequences. Molecular and Cellular Probes, 2010, 24, 352-356.	2.1	23
83	Detection of verocytotoxin-producing Escherichia coli (VTEC) in minced beef and raw milk by colony blot hybridization. Food Control, 2010, 21, 770-773.	5.5	8
84	Characterisation of canine parvovirus strains isolated from cats with feline panleukopenia. Research in Veterinary Science, 2010, 89, 275-278.	1.9	69
85	Experimental and field investigations on the role of birds as hosts of Leishmania infantum, with emphasis on the domestic chicken. Acta Tropica, 2010, 113, 80-83.	2.0	19
86	Verocytotoxin-Producing Escherichia coli O26 in Raw Water Buffalo (Bubalus bubalis) Milk Products in Italy. Journal of Food Protection, 2009, 72, 1705-1708.	1.7	19
87	Progress in modelling herring populations: an individual-based model of growth. ICES Journal of Marine Science, 2009, 66, 1718-1725.	2.5	8
88	Genetic analysis of canine parvovirus type 2c. Virology, 2009, 385, 5-10.	2.4	108
89	Molecular characterization of selected dermatophytes and their identification by electrophoretic mutation scanning. Electrophoresis, 2009, 30, 3555-3564.	2.4	24
90	Application of 10% imidacloprid/50% permethrin to prevent Ehrlichia canis exposure in dogs under natural conditions. Veterinary Parasitology, 2008, 153, 320-328.	1.8	36

#	ARTICLE	IF	CITATIONS
91	Genetic variants of <i>Malassezia pachydermatis</i> from canine skin: body distribution and phospholipase activity. <i>FEMS Yeast Research</i> , 2008, 8, 451-459.	2.3	47
92	Morphological and molecular differentiation between <i>Dicrocoelium dendriticum</i> (Rudolphi, 1819) and <i>Dicrocoelium chinensis</i> (Sudarikov and Ryjikov, 1951) Tang and Tang, 1978 ( <i>Platyhelminthes: Digenea</i> ). <i>Acta Tropica</i> , 2007, 104, 91-98.	2.0	61
93	Molecular characterization of <i>Malassezia</i> isolates from dogs using three distinct genetic markers in nuclear DNA. <i>Molecular and Cellular Probes</i> , 2007, 21, 229-238.	2.1	33
94	An outbreak of equine influenza virus in vaccinated horses in Italy is due to an H3N8 strain closely related to recent North American representatives of the Florida sub-lineage. <i>Veterinary Microbiology</i> , 2007, 121, 56-63.	1.9	48
95	Diagnosis of <i>Coxiella burnetii</i> -related abortion in Italian domestic ruminants using single-tube nested PCR. <i>Veterinary Microbiology</i> , 2006, 118, 101-106.	1.9	74
96	Genetic Resistance to <i>Brucella abortus</i> in the Water Buffalo ( <i>Bubalus bubalis</i> ). <i>Infection and Immunity</i> , 2006, 74, 2115-2120.	2.2	51